

CORRECTED VERSION

(19) World Intellectual Property  
Organization  
International Bureau



(43) International Publication Date  
28 February 2002 (28.02.2002)

PCT

(10) International Publication Number  
**WO 2002/016655 A3**

(51) International Patent Classification<sup>7</sup>: **C12N 15/82**, (74) Agent: HAILE, Lisa, A.; Gray Cary Ware & Friedenrich  
C12Q 1/68, A01H 5/00, G06F 17/00 LLP, Suite 1100, 4365 Executive Drive, San Diego, CA  
92121-2133 (US).

(21) International Application Number:  
PCT/US2001/026685

(22) International Filing Date: 24 August 2001 (24.08.2001)

(25) Filing Language: English

(26) Publication Language: English

(81) Designated States (*national*): AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, TZ, UA, UG, US, UZ, VN, YU, ZA, ZW.

(30) Priority Data:  
60/227,866 24 August 2000 (24.08.2000) US  
60/264,647 26 January 2001 (26.01.2001) US  
60/300,111 22 June 2001 (22.06.2001) US

(84) Designated States (*regional*): ARIPO patent (GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, TR), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG).

(63) Related by continuation (CON) or continuation-in-part (CIP) to earlier applications:

US 60/227,866 (CIP)  
Filed on 24 August 2000 (24.08.2000)  
US 60/264,647 (CIP)  
Filed on 26 January 2001 (26.01.2001)  
US 60/300,111 (CIP)  
Filed on 22 June 2001 (22.06.2001)

**Published:**

— with international search report  
— with sequence listing part of description published separately in electronic form and available upon request from the International Bureau

(71) Applicants (*for all designated States except US*):  
**THE SCRIPPS RESEARCH INSTITUTE** [US/US];  
10550 North Torrey Pines Road, La Jolla, CA 92037  
(US). **SYNGENTA PARTICIPATIONS AG** [CH/CH];  
Schwarzwaldallee 215, CH-4058 Basel (CH).

(88) Date of publication of the international search report:  
13 March 2003

(48) Date of publication of this corrected version:  
5 August 2004

(72) Inventors; and

(75) Inventors/Applicants (*for US only*): **HARPER, Jeffrey, F.** [US/US]; 2825 Camino del Mar, Apt. 64, Del Mar, CA 92014 (US). **KREPS, Joel** [US/US]; 2582 Luciernaga Street, Carlsbad, CA 92009 (US). **WANG, Xun** [CN/US]; 12524 Caminito Vista Soledad, San Diego, CA 92130 (US). **ZHU, Tong** [CN/US]; 5260 Caminito Exquisito, San Diego, CA 92130 (US).

(15) Information about Corrections:

see PCT Gazette No. 32/2004 of 5 August 2004, Section II

**Previous Correction:**

see PCT Gazette No. 02/2003 of 9 January 2003, Section II

*For two-letter codes and other abbreviations, refer to the "Guidance Notes on Codes and Abbreviations" appearing at the beginning of each regular issue of the PCT Gazette.*

(54) Title: STRESS-REGULATED GENES OF PLANTS, TRANSGENIC PLANTS CONTAINING SAME, AND METHODS OF USE

(57) Abstract: The present invention relates to clusters of plant genes that are regulated in response to one or more stress conditions. The present invention also relates to isolated plant stress-regulated genes, including portions thereof comprising a coding sequence or a regulatory element, and to consensus sequences comprising a plant stress-regulated regulatory element. In addition, the invention relates to a recombinant polynucleotide, which includes a plant stress-regulated gene, or functional portion thereof, operatively linked to a heterologous nucleotide sequence. The invention further relates to a transgenic plant, which contains a plant stress-regulated gene or functional portion thereof that was introduced into a progenitor cell of the plant. In addition, the invention relates to methods of using a plant stress-regulated gene to confer upon a plant a selective advantage to a stress condition. The invention also relates to a method of identifying an agent that modulates the activity of a plant stress-regulated regulatory element.

WO 2002/016655 A3

**STRESS-REGULATED GENES OF PLANTS, TRANSGENIC PLANTS  
CONTAINING SAME, AND METHODS OF USE**

**BACKGROUND OF THE INVENTION**

**FIELD OF THE INVENTION**

The present invention relates generally to plant genes, the expression of which are regulated in response to stress, and more specifically to the gene regulatory elements involved in a stress-induced response in plants, to uses of the coding sequences and regulatory elements of such plant stress-regulated genes, and to transgenic plants  
5 genetically modified to express such a coding sequence or to express a heterologous polynucleotide from such a regulatory element.

**BACKGROUND INFORMATION**

Microarray technology is a powerful tool that can be used to identify the  
10 presence and level of expression of a large number of polynucleotides in a single assay. A microarray is formed by linking a large number of discrete polynucleotide sequences, for example, a population of polynucleotides representative of a genome of an organism, to a solid support such as a microchip, glass slide, or the like, in a defined pattern. By contacting the microarray with a nucleic acid sample obtained  
15 from a cell of interest, and detecting those polynucleotides expressed in the cell can hybridize specifically to complementary sequences on the chip, the pattern formed by the hybridizing polynucleotides allows the identification of clusters of genes that are expressed in the cell. Furthermore, where each polynucleotide linked to the solid support is known, the identity of the hybridizing sequences from the nucleic acid  
20 sample can be identified.

A strength of microarray technology is that it allows the identification of differential gene expression simply by comparing patterns of hybridization. For example, by comparing the hybridization pattern of nucleic acid molecules obtained from cells of an individual suffering from a disease with the nucleic acids obtained  
25 from the corresponding cells of a healthy individual, genes that are differentially expressed can be identified. The identification of such differentially expressed genes

provides a means to identify new genes, and can provide insight as to the etiology of a disease.

Microarray technology has been widely used to identify patterns of gene expression associated with particular stages of development or of disease conditions in animal model systems, and is being applied to the identification of specific patterns of gene expression in humans. The recent availability of information for the genomes of plants provides a means to adapt microarray technology to the study of plant gene expression.

Plants and plant products provide the primary sustenance, either directly or indirectly, for all animal life, including humans. For the majority of the world's human population and for many animals, plants and plant products provide the sole source of nutrition. As the world population increases, the best hope to prevent widespread famine is to increase the quantity and improve the quality of food crops, and to make the crops available to the regions of the world most in need of food.

Throughout history, a continual effort has been made to increase the yield and nutritious value of food crops. For centuries, plants having desirable characteristics such as greater resistance to drought conditions or increased size of fruit were crossbred and progeny plants exhibiting the desired characteristics were selected and used to produce seed or cuttings for propagation. Using such classical genetic methods, plants having, for example, greater disease resistance, increased yield, and better flavor have been obtained. The identification of plant genes involved in conferring a selective advantage on the plant to an environmental challenge would facilitate the generation and yield of plants, thereby increasing the available food supply to an increasing world population. The involvement of these genes in a single organism to responses to multiple stress conditions, however, remains unknown. Thus, a need exists to identify plant genes and polynucleotides that are involved in modulating the response of a plant to changing environmental conditions. The present invention satisfies this need and provides additional advantages.

## **SUMMARY OF THE INVENTION**

The present invention relates to clusters of genes that are regulated in response to a stress condition in plants. Such clusters include, for example, plant polynucleotides

whose expression is altered in response to two or more different stress conditions; and plant polynucleotides the expression of which are altered in response to one stress condition, but not to others. The identification of such clusters, using microarray technology, has allowed the identification of plant stress-regulated genes in

5 *Arabidopsis thaliana* (see Tables 1 and 2); and homologs and orthologs thereof in other plant species (see Table 32). Thus, the invention provides isolated polynucleotide portions of *Arabidopsis* plant stress-regulated genes, and homologs and orthologs thereof; variants of such sequences, and polynucleotides encoding substantially similar plant stress-regulated polypeptides expressed therefrom. Such sequences include, for

10 example, sequences encoding transcription factors; enzymes, including kinases; and structural proteins, including channel proteins (see Tables 29-31). Accordingly, the present invention also relates to an isolated polynucleotide comprising all or a portion of a plant stress-regulated gene, and to polynucleotide portions thereof, including a coding region (open reading frame), which encodes all or a portion of a stress-

15 regulated polypeptide, for example, as set forth in SEQ ID NOS:1-2703; and a regulatory element involved in regulating the response of the plant to a stress condition such exposure to an abnormal level of salt, osmotic pressure, temperature or any combination thereof, for example, as set forth in SEQ ID NOS:2704-5379.

The present invention also relates to a recombinant polynucleotide, which

20 contains a nucleotide sequence of a plant stress-regulated gene or functional portion thereof operatively linked to a heterologous nucleotide sequence. In one embodiment, the recombinant polynucleotide comprises a plant stress-regulated gene regulatory element operatively linked to a heterologous nucleotide sequence, which is not regulated by the regulatory element in a naturally occurring plant. The heterologous

25 nucleotide sequence, when expressed from the regulatory element, can confer a desirable phenotype to a plant cell containing the recombinant polynucleotide. In another embodiment, the recombinant polynucleotide comprises a coding region, or portion thereof, of a plant stress-regulated gene operatively linked to a heterologous promoter. The heterologous promoter provides a means to express an encoded stress-

30 regulated polypeptide constitutively, or in a tissue-specific or phase-specific manner.

Accordingly, in one aspect, the present invention provides an isolated polynucleotide comprising a nucleotide sequence of a plant gene that hybridizes under



stringent conditions, preferably high stringency conditions, to any one of SEQ ID NOS:1-5379 (see Tables 1 and 2), including to a coding region (SEQ ID NOS:1-2703) or a regulatory region, which can alter transcription of an operatively linked nucleic acid sequence in response to an abiotic stress (SEQ ID NOS:2704-5379; see Table 2), or to a complement thereof. Additional aspects provide sequences that hybridize under stringent conditions, preferably high stringency conditions, to the complements of SEQ ID NO 1-1261 (cold responsive genes; Tables 3-6), SEQ ID NOS:2227-2427 (saline responsive genes; Tables 7-10), SEQ ID NOS:2428-2585 (osmotic responsive genes; Tables 11-14), SEQ ID NOS:1699-1969 (cold and osmotic responsive genes; Tables 15-17), SEQ ID NOS:1970-2226 (cold and saline responsive genes; Tables 18-20), SEQ ID NOS:2586-2703 (osmotic and saline responsive genes; Tables 21-23), and SEQ ID NOS:1262-1698 (cold, osmotic and saline responsive genes; Tables 24-26), and which can comprise regulatory regions that can alter transcription in response to cold stress, osmotic stress, saline stress, or combinations thereof (SEQ ID NOS:2704-5379; see Table 2). Also provided are nucleotide sequences complementary thereto, and expression cassettes, plants and seeds comprising any of the above isolated sequences.

In another aspect, the present invention provides an isolated polynucleotide comprising a plant nucleotide sequence that hybridizes under stringent conditions, preferably high stringency conditions, to the complement of any one of SEQ ID NOS:1-2703 (Table 1), including to a coding region thereof (SEQ ID NOS:2704-5379), wherein expression of said coding region is altered in response to an abiotic stress. Additional aspects provide sequences that hybridize under high stringency conditions to the complements of SEQ ID NO 1-1261 (cold responsive genes; Tables 3-6), SEQ ID NOS:2227-2427 (saline responsive genes; Tables 7-10), SEQ ID NOS:2428-2585 (osmotic responsive genes; Tables 11-14), SEQ ID NOS:1699-1969 (cold and osmotic responsive genes; Tables 15-17), SEQ ID NOS:1970-2226 (cold and saline responsive genes; Tables 18-20), SEQ ID NOS:2586-2703 (osmotic and saline responsive genes; Tables 21-23), and SEQ ID NOS:1262-1698 (cold, osmotic and saline responsive genes; Tables 24-26), and which can comprise a coding region whose transcription is altered in response to cold stress, osmotic stress, saline stress, or a combination thereof. Also provided are nucleotide

sequences complementary thereto, and expression cassettes, plants and seeds comprising any of the above sequences.

The invention further relates to a method of producing a transgenic plant, which comprises at least one plant cell that exhibits altered responsiveness to a stress condition.

- 5 In one embodiment, the method can be performed by introducing a polynucleotide portion of plant stress-regulated gene into a plant cell genome, whereby the polynucleotide portion of the plant stress-regulated gene modulates a response of the plant cell to a stress condition.

- The polynucleotide portion of the plant stress-regulated gene can encode a stress-regulated polypeptide or functional peptide portion thereof (see SEQ ID NOS:1-2703), wherein expression of the stress-regulated polypeptide or functional peptide portion thereof either increases the stress tolerance of the transgenic plant, or decreases the stress tolerance of the transgenic plant. The polynucleotide portion of the plant stress-regulated gene encoding the stress-regulated polypeptide or functional peptide portion thereof can be operatively linked to a heterologous promoter. The polynucleotide portion of the plant stress-regulated gene also can comprise a stress-regulated gene regulatory element (see SEQ ID NOS:2704-5379). The stress-regulated gene regulatory element can integrate into the plant cell genome in a site-specific manner, whereupon it can be operatively linked to a heterologous nucleotide sequence, which can be expressed in response to a stress condition specific for the regulatory element; or can be a mutant regulatory element, which is not responsive to the stress condition, whereby upon integrating into the plant cell genome, the mutant regulatory element disrupts an endogenous stress-regulated regulatory element of a plant stress-regulated gene, thereby altering the responsiveness of the plant stress-regulated gene to the stress condition.
- 10  
15  
20  
25

- In one aspect, the invention provides a method for producing a transgenic plant by introducing into at least one plant cell a recombinant nucleic acid construct comprising i) all or a portion of any one of SEQ ID NOS:1-5379; ii) a polynucleotide comprising a coding region that hybridizes under conditions of high stringency to all or a portion of the complement of any one of SEQ ID NOS:1-2703; iii) a polynucleotide comprising a sequence that alters transcription of an operatively linked coding region in response to abiotic stress, and that hybridizes under conditions of
- 30

high stringency to the complement of any one of SEQ ID NOS:2704-5379; iv) a polynucleotide having at least 90% sequence identity with any one of SEQ ID NO:1-5379; v) a fragment of any one of the sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment of any one of the sequences of iv),  
5 wherein the fragment comprises a nucleotide sequence that alters transcription of an operatively linked coding region in response to abiotic stress; and regenerating a plant from the at least one plant cell.

Another aspect provides a method for producing a transgenic plant comprising introducing into at least one plant cell a recombinant nucleic acid construct  
10 comprising i) any one of SEQ ID NOS:1-1261 or 2704-3955; ii) a polynucleotide comprising a coding region that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:1-1261; iii) a polynucleotide comprising a sequence that alters transcription of an operatively linked coding region in response to cold stress that hybridizes under conditions of high stringency to the complement of  
15 any one of SEQ ID NOS:2704-3955; iv) a polynucleotide that has at least 90% sequence identity with any one of SEQ ID NOS:1-1261 or 2704-3955; v) a fragment of any one of the sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment of any one of the sequences of iv) wherein the fragment comprises a sequence or region that alters transcription of an operatively linked  
20 coding region in response to cold stress; and regenerating a plant from the at least one plant cell.

In another aspect, the invention provides a method for producing a transgenic plant by introducing into at least one plant cell a recombinant nucleic acid construct comprising i) any one of SEQ ID NOS:2428-2585 or 5108-5263; ii) a  
25 polynucleotide comprising a coding region that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:2428-2585; iii) a polynucleotide comprising a sequence that alters transcription of an operatively linked coding region in response to osmotic stress that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:5108-5263; iv) a  
30 polynucleotide that has at least 90% sequence identity with any one of SEQ ID NOS:2428-2585 or 5108-5263; v) a fragment of any one of the sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment of any one of the

sequences of iv), wherein the fragment comprises a sequence or region that alters transcription of an operatively linked coding region in response to osmotic stress; and regenerating a plant from the at least one plant cell.

Still another aspect provides a method for producing a transgenic plant  
5 comprising introducing into at least one plant cell a recombinant nucleic acid  
construct comprising i) any one of SEQ ID NOS:2227-2427 or 4910-5107; ii) a  
polynucleotide comprising a coding region that hybridizes under conditions of high  
stringency to the complement of any one of SEQ ID NOS:2227-2427; iii) a  
polynucleotide comprising a sequence that alters transcription of an operatively linked  
10 coding region in response to saline stress that hybridizes under conditions of high  
stringency to the complement of any one of SEQ ID NOS:2227-2427; iv) a  
polynucleotide that has at least 90% sequence identity with any one of SEQ ID  
NOS:4910-5107; v) a fragment of any one of the sequences of iv), wherein the  
fragment comprises a coding region; or vi) a fragment of any one of the sequences of  
15 iv) wherein the fragment comprises a sequence or region that alters transcription of an  
operatively linked coding region in response to saline stress; and regenerating a plant  
from the at least one plant cell.

Yet another aspect provides a method for producing a transgenic plant  
comprising introducing into at least one plant cell a recombinant nucleic acid  
20 construct comprising i) any one of SEQ ID NOS:1699-1969 or 4389-4654; ii) a  
polynucleotide comprising a coding region that hybridizes under conditions of high  
stringency to the complement of any one of SEQ ID NOS:1699-1969; iii) a  
polynucleotide comprising a sequence that alters transcription of an operatively linked  
coding region in response to a combination of cold and osmotic stress that hybridizes  
25 under conditions of high stringency to the complement of any one of SEQ ID  
NOS:4389-4654; iv) a polynucleotide that has at least 90% sequence identity with any  
one of SEQ ID NOS:1699-1969 or 4389-4654; v) a fragment of any one of the  
sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment  
of any one of the sequences of iv), wherein the fragment comprises a sequence or  
30 region that alters transcription of an operatively linked coding region in response to a  
combination of cold and osmotic stress; and regenerating a plant from the at least one  
plant cell.

Yet another aspect provides a method for producing a transgenic plant comprising introducing into at least one plant cell a recombinant nucleic acid construct comprising i) any one of SEQ ID NOS:1970-2226 or 4655-4909; ii) a polynucleotide comprising a coding region that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:1970-2226; iii) a polynucleotide comprising a sequence that alters transcription of an operatively linked coding region in response to a combination of cold and saline stress that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:4655-4909; iv) a polynucleotide that has at least 90% sequence identity with any one of SEQ ID NOS:1970-2226 or 4655-4909; v) a fragment of any one of the sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment of any one of the sequences of iv), wherein the fragment comprises a sequence or region that alters transcription of an operatively linked coding region in response to a combination of cold and saline stress; and regenerating a plant from the at least one plant cell.

A further aspect provides a method for producing a transgenic plant comprising introducing into at least one plant cell a recombinant nucleic acid construct comprising i) any one of SEQ ID NOS:2586-2703 or 5264-5379; ii) a polynucleotide comprising a coding region that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:2586-2703; iii) a polynucleotide comprising a sequence that alters transcription of an operatively linked coding region in response to a combination of osmotic and saline stress that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS: 5264-5379; iv) a polynucleotide that has at least 90% sequence identity with any one of SEQ ID NOS:2586-2703 or 5264-5379; v) a fragment of any one of the sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment of any one of the sequences of iv), wherein the fragment comprises a sequence or region that alters transcription of an operatively linked coding region in response to a combination of osmotic and saline stress; and regenerating a plant from the at least one plant cell.

Another aspect provides a method for producing a transgenic plant comprising introducing into at least one plant cell a recombinant nucleic acid construct

comprising i) any one of SEQ ID NOS:1262-1698 or 3956-4388; ii) a polynucleotide comprising a coding region that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:1262-1698; iii) a polynucleotide comprising a sequence that alters transcription of an operatively linked coding region in response to a combination of cold, osmotic and saline stress that hybridizes under conditions of high stringency to the complement of any one of SEQ ID NOS:3956-4388; iv) a polynucleotide that has at least 90% sequence identity with any one of SEQ ID NOS:1262-1698 or 3956-4388; v) a fragment of any one of the sequences of iv), wherein the fragment comprises a coding region; or vi) a fragment of any one of the sequences of iv) wherein the fragment comprises a sequence or region that alters transcription of an operatively linked coding region in response to a combination of cold, osmotic and saline stress; and regenerating a plant from the at least one plant cell. Further aspects include plants and uniform populations of plants made by the above methods as well as seeds and progeny from such plants.

In another embodiment, a transgene introduced into a plant cell according to a method of the invention can encode a polypeptide that regulates expression from an endogenous plant stress-regulated gene. Such a polypeptide can be, for example, a recombinantly produced polypeptide comprising a zinc finger domain, which is specific for the regulatory element, and an effector domain, which can be a repressor domain or an activator domain. The polynucleotide encoding the recombinant polypeptide can be operatively linked to and expressed from a constitutively active, inducible or tissue specific or phase specific regulatory element. Expression of the recombinant polypeptide from a plant stress-regulated promoter as disclosed herein can be particularly advantageous in that the polypeptide can be coordinately expressed with the endogenous plant stress-regulated genes upon exposure to a stress condition. The invention also provides transgenic plants produced by a method as disclosed, as well as to a plant cell obtained from such transgenic plant, wherein said plant cell exhibits altered responsiveness to the stress condition; a seed produced by the transgenic plant; and a cDNA or genomic DNA library prepared from the transgenic plant, or from a plant cell from said transgenic plant, wherein said plant cell exhibits altered responsiveness to the stress condition.

In one aspect, the invention provides an isolated nucleic acid molecule comprising a nucleotide sequence substantially similar to a sequence of any one of SEQ ID NOS:2704-5379, which can alter transcription of an operatively linked polynucleotide in a plant cell in response to an abiotic stress. Additional aspects of the invention provide isolated polynucleotides, including, for example, sequences substantially similar to any of SEQ ID NOS:2704-3955, which can alter transcription of an operatively linked polynucleotide in response to a cold stress; isolated polynucleotides substantially similar to a sequence of any of SEQ ID NOS:5108-5263, which can alter transcription of an operatively linked polynucleotide in response to an osmotic stress; isolated polynucleotides substantially similar to a sequence of any of SEQ ID NOS:4910-5107, which can alter transcription of an operatively linked polynucleotide in response to a saline stress; isolated polynucleotides substantially similar to a sequence of any of SEQ ID NOS:4389-4654, which can alter transcription of an operatively linked polynucleotide in response to a combination of cold and osmotic stresses; isolated polynucleotides substantially similar to a sequence of any of SEQ ID NOS:4655-4909, which can alter transcription of an operatively linked polynucleotide in response to a combination of cold and saline stresses; isolated polynucleotides substantially similar to a sequence of any of SEQ ID NOS:5264-5379, which can alter transcription of an operatively linked polynucleotide in response to a combination of osmotic and saline stresses; and isolated polynucleotides substantially similar to a sequence of any of SEQ ID NOS:3956-4388, which can alter transcription of an operatively linked polynucleotide in response to a combination of cold, osmotic and saline stresses.

Related aspects of the invention provide an isolated nucleotide sequences that can alter transcription of an operatively linked polynucleotide in response to an abiotic stress, and that hybridize under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:2704-5379. Additional aspects provide an isolated nucleotide sequence that can alter transcription of an operatively linked polynucleotide in response to cold stress, and that hybridizes under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:2704-3955; a nucleotide sequence that alters transcription of an operatively linked polynucleotide in response to osmotic stress, and that

hybridizes under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:5108-5263; a nucleotide sequence that alters transcription of an operatively linked polynucleotide in response to saline stress, and that hybridizes under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:4910-5107; a nucleotide sequence that alters transcription of an operatively linked polynucleotide in response to a combination of cold and osmotic stress, and that hybridizes under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:4389-4654; a nucleotide sequence that alters transcription of an operatively linked polynucleotide in response to a combination of cold and saline stress, and that hybridizes under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:4655-4909; a nucleotide sequence that alters transcription of an operatively linked polynucleotide in response to an combination of osmotic and saline stress, and that hybridizes under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:5264-5379; and a nucleotide sequence that alters transcription of an operatively linked polynucleotide in response to a combination of cold, osmotic and saline stress, and that hybridizes under stringent conditions, preferably highly stringent conditions, to the complement of any one of SEQ ID NOS:3956-4388.

Further aspects provide an expression cassette comprising as operatively linked components any of the above isolated nucleic acid sequences that alter transcription, a coding region, and a termination sequence. Also provided are host cells and seeds comprising such expression cassettes, plants containing such host cells and seeds and progeny of plants containing said host cells. In related aspects, the coding region of the expression cassettes comprise sequences encoding marker proteins and sequences involved in gene silencing such as antisense sequences, double stranded RNAi sequences, a triplexing agent, and sequences comprising dominant negative mutations. In additional related aspects, the coding regions comprise sequences encoding polypeptides that alter the response of a plant to an abiotic stress.

The present invention also relates to a method of modulating the responsiveness of a plant cell to a stress condition. Such a method can be performed, for example, by introducing a polynucleotide portion of a plant stress-regulated genes



described herein into the plant cell, thereby modulating the responsiveness of the plant cell to a stress condition. Such a method can result in the responsiveness of the plant cell being increased upon exposure to the stress condition, which, in turn, can result in increased or decreased tolerance of the plant cell to a stress condition; or can  
5 result in the responsiveness of the plant cell to the stress condition being decreased, which, in turn, can result in increased or decreased tolerance of the plant cell to a stress condition. In one embodiment, the polynucleotide portion of the plant stress-regulated gene can integrate into the genome of the plant cell, thereby modulating the responsiveness of the plant cell to the stress condition. In another embodiment, the  
10 polynucleotide portion of the plant stress-regulated gene encodes a stress-regulated polypeptide or functional peptide portion thereof, and can be operatively linked to a heterologous promoter. The polynucleotide portion of the plant stress-regulated gene also can contain a mutation, whereby upon integrating into the plant cell genome, the polynucleotide disrupts (knocks-out) an endogenous plant stress-regulated sequence,  
15 thereby modulating the responsiveness of the plant cell to the stress condition. Depending on whether the knocked-out gene encodes an adaptive or a maladaptive stress-regulated polypeptide, the responsiveness of the plant will be modulated accordingly. In still another embodiment, the polynucleotide portion of the plant stress-regulated gene can comprise a stress-regulated regulatory element, which can  
20 be operatively linked to a heterologous nucleotide sequence, the expression of which can modulate the responsiveness of the plant cell to a stress condition. Such a heterologous nucleotide sequence can encode, for example, a stress-inducible transcription factor such as DREB1A. The heterologous nucleotide sequence also can encode a polynucleotide that is specific for a plant stress-regulated gene, for example,  
25 an antisense molecule, an RNAi molecule, a ribozyme, and a triplexing agent, any of which, upon expression in the plant cell, reduces or inhibits expression of a stress-regulated polypeptide encoded by the gene, thereby modulating the responsiveness of the plant cell to a stress condition, for example, an abnormal level of cold, osmotic pressure, and salinity. Accordingly, the invention also relates to a plant cell obtained  
30 by such a method, and to a plant comprising such a plant cell.

The present invention also relates to a method of expressing a heterologous nucleotide sequence in a plant cell. Such a method can be performed, for example, by

introducing into the plant cell a plant stress-regulated regulatory element operatively linked to the heterologous nucleotide sequence, whereby, upon exposure of the plant cell to a stress condition, the heterologous nucleotide sequence is expressed in the plant cell. In a preferred embodiment, the stress regulated element is any of the sequences described herein that are capable of altering transcription of an operatively linked sequence in response to an abiotic stress, for example, SEQ ID NOS:2704-5379. The heterologous nucleotide sequence can encode a selectable marker, a diagnostic marker, or a polypeptide that confers a desirable trait upon the plant cell, for example, a polypeptide that improves the nutritional value, digestibility or ornamental value of the plant cell, or a plant comprising the plant cell.

The present invention further relates to a method of modulating the activity of a biological pathway in a plant cell, wherein the pathway involves a stress-regulated polypeptide or a non-protein regulatory molecule. Such a method can be performed by introducing a polynucleotide portion of a plant stress-regulated gene, or a polynucleotide derived therefrom, for example a ribozyme derived from a nucleotide sequence as set forth in any of SEQ ID NOS:1-2703, into the plant cell, thereby modulating the activity of the biological pathway. The method can be performed with respect to a pathway involving any of the stress-regulated polypeptides as disclosed herein or encoded by the polynucleotides disclosed herein, as well as using homologs or orthologs thereof.

The present invention also relates to a method of identifying a polynucleotide that modulates a stress response in a plant cell. In one embodiment the method comprises determining gene expression in a plant exposed to at least one stress to produce an expression profile and identifying sequences whose expression is altered at least two fold compared to plants not exposed to the stress. Such an expression profile can be obtained, for example, by contacting an array of probes representative of a plant cell genome with nucleic acid molecules expressed in a plant cell exposed to the stress; and detecting one or more nucleic acid molecules expressed at a level different from a level of expression in the absence of the stress. The method can further comprise introducing the differentially expressed nucleic acid molecule into a plant cell; and detecting a modulated response of the genetically modified plant cell to a stress, thereby identifying a polynucleotide that modulates a stress response in a

plant cell. The stress can be any stress, for example, an abiotic stress such as exposure to an abnormal level of cold, osmotic pressure, and salinity. The contacting is under conditions that allow for selective hybridization of a nucleic acid molecule with probe having sufficient complementarity, for example, under stringent hybridization conditions. Expression of the nucleic acid molecule can increase or decrease the tolerance of the plant cell to the stress, and the nucleic acid molecule can be expressed at a level that is less than or greater than the level of expression in the absence of the stress.

The present invention additionally relates to a method of identifying a stress condition to which a plant cell was exposed by comparing an expression profile from a test plant suspected of having been exposed to at least one stress condition to an expression profile obtained from a reference plant, preferably of the same species, which has been exposed to the suspected stress condition. Such a method can be performed, for example, by contacting nucleic acid molecules expressed in the test plant cell with an array of probes representative of the plant cell genome; detecting a profile of expressed nucleic acid molecules characteristic of a stress response, and comparing the expression pattern in the test plant to the expression pattern obtained from a reference plant thereby identifying the stress condition to which the plant cell was exposed. The contacting is under conditions that allow for selective hybridization of a nucleic acid molecule with probes having sufficient complementarity, for example, under stringent hybridization conditions. The profile can be characteristic of exposure to a single stress condition, for example, an abnormal level of cold, osmotic pressure, or salinity, or can be characteristic of exposure to more than one stress condition, for example, cold, increased osmotic pressure and increased salinity. In one embodiment, the nucleotide sequence of a gene whose expression is detected is selected from a polynucleotide comprising any of SEQ ID NOS:1-2703. In further embodiments, the nucleotide sequence of a gene that is expressed in response a particular stress or combination of stresses can comprise a polynucleotide expressed in response to cold stress (SEQ ID NOS:1-1261), osmotic stress (SEQ ID NOS:2428-2585), saline (salt) stress (SEQ ID NOS:2227-2427), a combination of cold and osmotic stress (SEQ ID NOS:1699-1969), a combination of saline and osmotic stress (SEQ ID NOS:1970-

2226), a combination of osmotic and saline stress (SEQ ID NOS:2586-2703), or a combination of cold, osmotic and saline stress (SEQ ID NOS:1262-1698).

The present invention further relates to a transgenic plant, which contains a nucleic acid construct comprising a polynucleotide portion of plant stress-regulated polynucleotide. In one embodiment, the transgenic plant exhibits altered responsiveness to a stress condition as compared to a corresponding reference plant not containing the construct. Such a transgenic plant can contain, for example, a construct that disrupts an endogenous stress-regulated gene in the plant, thereby reducing or inhibiting expression of the gene in response to a stress condition. Such a knock-out can increase or decrease tolerance of the plant to a stress condition. The transgene also can comprise a coding sequence of a plant stress-regulated gene, which can be operatively linked to a heterologous regulatory element such as a constitutively active regulatory element, an regulated regulatory element, a tissues specific or phase specific regulatory element, or the like. In another embodiment, the transgenic plant contains a nucleic acid construct comprising a plant stress-regulated regulatory element, which can be operatively linked to a heterologous nucleotide sequence that can encode a polypeptide. Expression of the heterologous polypeptide can confer a desirable characteristic on the plant, for example, can improve the nutritional or ornamental value of the transgenic plant. In still another embodiment, the transgenic plant contains multiple nucleic acid constructs, which can be multiple copies of the same construct, or can be two or more different constructs.

The present invention also relates to a plant stress-regulated regulatory element, which is obtained from a plant stress-regulated polynucleotide disclosed herein for example any of SEQ ID NOS:2704-5379; a homolog or ortholog thereof. The invention also provides a method of identifying an agent, for example a transcription factor, that specifically binds to or activates a plant stress-regulated regulatory element. Such a method can be performed, for example, by contacting the regulatory element with a plant cell extract, and identifying polypeptides that specifically bind to the regulatory element. Confirmation that the specifically binding polypeptide is a transcription factor can be demonstrated using, for example, the stress-regulated regulatory element operably linked to a reporter gene, and detecting expression of the reporter gene. Control constructs comprising a regulatory element, other than a plant stress-regulated regulatory element, operatively linked to a reporter molecule can be used to confirm

that the transcription factor is specific for the plant stress-regulated regulatory element. A polynucleotide encoding such a transcription factor also can be obtained.

The present invention also relates to a method of using a polynucleotide portion of a plant stress-regulated gene to confer a selective advantage on a plant cell.

- 5 In one embodiment, such a method is performed by introducing a plant stress-regulated regulatory element into a plant cell such as those described herein, wherein, upon exposure of the plant cell to a stress condition to which the regulatory element is responsive, a nucleotide sequence operatively linked to the regulatory element is expressed, thereby conferring a selective advantage to plant cell. The operatively  
10 linked nucleotide sequence can be, for example, a transcription factor, the expression of which induces the further expression of polynucleotides involved in a stress response, thereby enhancing the response of a plant to the stress condition. In another embodiment, a coding sequence of a plant stress-regulated gene as disclosed herein is introduced into the cell, thereby providing the plant with a selective advantage in  
15 response to a stress condition. In still another embodiment, the method results in the knock-out of a plant stress-regulated gene as disclosed herein in a first population of plants, thereby providing a selective advantage to a stress condition in a second population of plants.

- The invention further relates to a method of identifying an agent that  
20 modulates the activity of a stress-regulated regulatory element of a plant. In a particular embodiment, is provided a method for identifying an agent that alters the activity of an abiotic stress responsive regulatory element comprising contacting the agent or a composition containing an agent to be tested with at least one abiotic stress responsive regulatory element, preferably selected from the group consisting of SEQ  
25 ID NOS:2704-5379 (see Table 2), and determining the effect of the agent on the ability of the regulatory sequence to regulate transcription. In further embodiments, the regulatory elements are associated with particular stresses or combination of stresses such as cold stress (SEQ ID NOS:2704-3955), osmotic stress (SEQ ID NOS:5108-5263), saline stress (SEQ ID NOS:4910-5107), a combination of cold and  
30 osmotic stress (SEQ ID NOS:4389-4654), a combination of cold and saline stress (SEQ ID NOS:4655-4909), a combination of osmotic and saline stress (SEQ ID NOS:5264-5379), or a combination of cold, osmotic and saline stress (SEQ ID

NOS:3956-4388). In one embodiment, the regulatory element can be operatively linked to a heterologous polynucleotide encoding a reporter molecule, and an agent that modulates the activity of the stress-regulated regulatory element can be identified by detecting a change in expression of the reporter molecule due to contacting the  
5 regulatory element with the agent. Such a method can be performed *in vitro* in a plant cell-free system, or in a plant cell in culture or in a plant *in situ*. In another embodiment, the agent is contacted with a transgenic plant containing an introduced plant stress-regulated regulatory element, and an agent that modulates the activity of the regulatory element is identified by detecting a phenotypic change in the transgenic  
10 plant. The methods of the invention can be performed in the presence or absence of the stress condition to which the particularly regulatory element is responsive.

Another aspect provides a method for identifying an agent that alters abiotic stress responsive polynucleotide expression in a plant or plant cell comprising contacting a plant or plant cell with a test agent; subjecting the plant cell or plant cell  
15 to an abiotic stress or combination of stresses before, during or after contact with the agent to be tested; obtaining an expression profile of the plant or plant cell and comparing the expression profile of the plant or plant cell to an expression profile from a plant or plant cell not exposed to the abiotic stress or combination of stresses. In one embodiment, the expression profile comprises expression data for at least one  
20 nucleotide sequence comprising any of SEQ ID NOS:1-5379 (see Tables 1 and 2). In additional embodiments, the expression profile comprises expression data for at least one, and preferably two or more sequences associated with a particular abiotic stress or combination of stresses such as cold stress (SEQ ID NOS:1-1261 and 2704-3955), osmotic stress (SEQ ID NOS:2428-2585 and 5108-5263), saline stress (SEQ ID  
25 NOS:2227-2427 and 4910-5107), a combination of cold and osmotic stress (SEQ ID NOS:1699-1969 and 4389-4654), a combination of cold and saline stress (SEQ ID NOS:1970-2226 and 4655-4909), a combination of osmotic and saline stress (SEQ ID NOS:2586-2703 and 5264-5379), or a combination of cold, osmotic and saline stress (SEQ ID NOS:1262-1698 and 3956-4388).

30 Still another aspect provides nucleotide probes useful for detecting an abiotic stress response in plants, the probes comprising a nucleotide sequence of at least 15, 25, 50 or 100 nucleotides that hybridizes under stringent, preferably highly stringent,

conditions to at least one sequence comprising any of SEQ ID NOS:1-2703. Also provided are nucleotide probes comprising at least 15, 25, 50 or 100 nucleotides in length that hybridize under stringent, preferably highly stringent conditions, to at least one gene associated with a particular stress or combination of stresses, for example cold stress, (SEQ ID NOS:1-1261), osmotic stress (SEQ ID NOS:2428-2585), saline stress (SEQ ID NOS:2227-2427), a combination of cold and osmotic stress (SEQ ID NOS:1699-1969), a combination of cold and saline stress (SEQ ID NOS:1970-2226), a combination of osmotic and saline stress (SEQ ID NOS:2586-2703), or a combination of cold, osmotic, and saline stress (SEQ ID NOS:1262-1698).

An additional aspect provides a method for marker-assisted breeding to select plants having an altered resistance to abiotic stress comprising obtaining nucleic acid molecules from the plants to be selected; contacting the nucleic acid molecules with one or more probes that selectively hybridize under stringent, preferably highly stringent, conditions to a nucleic acid sequence selected from the group consisting of SEQ ID NOS:1-2703; detecting the hybridization of the one or more probes to the nucleic acid sequences wherein the presence of the hybridization indicates the presence of a gene associated with altered resistance to abiotic stress; and selecting plants on the basis of the presence or absence of such hybridization. Marker-assisted selection can also be accomplished using one or more probes which selectively hybridize under stringent, preferably highly stringent conditions, to a nucleotide sequence comprising a polynucleotide expressed in response associated with a particular stress, for example, a nucleotide sequence comprising any of SEQ ID NOS:1-1261 (cold stress), SEQ ID NOS:2428-2585 (osmotic stress), SEQ ID NOS:2227-2427 (saline stress), SEQ ID NOS:1699-1969 (cold and osmotic stress), SEQ ID NOS:1970-2226 (cold and saline stress), SEQ ID NOS:2586-2703 (osmotic and saline stress), or SEQ ID NOS:1262-1698 (cold, osmotic and saline stress). In each case marker-assisted selection can be accomplished using a probe or probes to a single sequence or multiple sequences. If multiple sequences are used they can be used simultaneously or sequentially.

A further aspect provides a method for monitoring a population of plants comprising providing at least one sentinel plant containing a recombinant polynucleotide comprising a stress responsive regulatory sequence selected from the

group consisting of SEQ ID NOS:2704-5379 which is operatively linked to a nucleotide sequence encoding a detectable marker, for example a fluorescent protein. Additional aspects provide the use of various regulatory sequences including those associated with cold stress (SEQ ID NOS:2704-3955), osmotic stress (SEQ ID NOS:5108-5263), saline stress (SEQ ID NOS:4910-5107), cold and osmotic stress (SEQ ID NOS:4389-4654), cold and saline stress (SEQ ID NOS:4655-4909), osmotic and saline stress (SEQ ID NOS:5264-5379), and cold, osmotic and saline stress (SEQ ID NOS:3956-4388), or fragments thereof wherein such fragments can alter transcription of an operatively linked nucleotide sequence in response to an abiotic stress.

A further aspect provides a computer readable medium having stored thereon computer executable instructions for performing a method comprising receiving data on gene expression in a test plant of at least one nucleic acid molecule having at least 70%, preferably at least 80%, more preferably at least 90%, and most preferably at least 95% nucleotide sequence identity to one or more polynucleotide sequences as set forth in any of SEQ ID NOS:1-2703; and comparing expression data from the test plant to expression data for the same polynucleotide sequence or sequences in a plant that has been exposed to at least one abiotic stress.

Yet a further aspect provides a computer readable medium having stored thereon a data structure comprising, sequence data for at least one, and preferably a plurality of nucleic acid molecules having at least 70%, preferably at least 80%, more preferably at least 90%, and most preferably at least 95% nucleotide sequence identity to a polynucleotide comprising any of SEQ ID NOS:1-2703, or the complement thereof; and a module receiving the nucleic acid molecule sequence data which compares the nucleic acid molecule sequence data to at least one other nucleic acid sequence.

#### DETAILED DESCRIPTION OF THE INVENTION

The present invention relates to clusters of genes that are induced in response to one or a combination of abiotic stress conditions. Abiotic stress conditions, such as a shortage or excess of solar energy, water and nutrients, and salinity, high and low temperature, or pollution (e.g., heavy metals), can have a major impact on plant growth and can significantly reduce the yield, for example, of cultivars. Under



conditions of abiotic stress, the growth of plant cells is inhibited by arresting the cell cycle in late G1, before DNA synthesis, or at the G2/M boundary (see Dudits, Plant Cell Division, Portland Press Research, Monograph; Francis, Dudits, and Inze, eds., 1997; chap. 2, page 21; Bergounioux, Protoplasma 142:127-136, 1988). The  
5 identification of stress-regulated gene clusters, using microarray technology, provides a means to identify plant stress-regulated genes.

As used herein, the term "cluster," when used in reference to stress-regulated genes, refers to nucleotide sequences of genes that have been selected by drawing Venn diagrams, and selecting those genes that are regulated only by a selected stress condition.  
10 In general, a cluster of stress-regulated genes includes at least 5, 10, 15, or 20 genes, including polynucleotide portions thereof, each of which is responsive to the same selected stress condition or conditions. The selected stress condition can be a single stress condition, for example, cold, osmotic stress or salinity stress (see Tables 3-14), or can be a selected combination of stress conditions, for example, cold, osmotic stress and  
15 salinity stress (see Tables 15-26). In addition, a cluster can be selected based on specifying that all of the genes are coordinately regulated, for example, they all start at a low level and are induced to a higher level. However, a cluster of saline stress-regulated genes, for example, that was selected for coordinate regulation from low to high, also can be decreased in response to cold or mannitol. By varying the parameters used for  
20 selecting a cluster of gene nucleotide sequences, those genes that are expressed in a specific manner following a stress can be identified.

As used herein in reference to a polynucleotide or polynucleotide portion of a gene or nucleic acid molecule, the term "isolated" means a polynucleotide, polynucleotide portion of a gene, or nucleic acid molecule that is free of one or both  
25 of the nucleotide sequences that normally flank the polynucleotide in a genome of a naturally-occurring organism from which the polynucleotide is derived. The term includes, for example, a polynucleotide or fragment thereof that is incorporated into a vector or expression cassette; into an autonomously replicating plasmid or virus; into the genomic DNA of a prokaryote or eukaryote; or that exists as a separate molecule  
30 independent of other polynucleotides. It also includes a recombinant polynucleotide that is part of a hybrid polynucleotide, for example, one encoding a polypeptide sequence.

The terms "polynucleotide," "oligonucleotide," and "nucleic acid sequence" are used interchangeably herein to refer to a polymeric (2 or more monomers) form of nucleotides of any length, either ribonucleotides or deoxyribonucleotides. Although nucleotides are usually joined by phosphodiester linkages, the term also includes  
5 polymers containing neutral amide backbone linkages composed of aminoethyl glycine units. The terms are used only to refer to the primary structure of the molecule. Thus, the term includes double stranded and single stranded DNA molecules, including a sense strand or an antisense strand, and RNA molecules as well as genomic DNA, cDNA, mRNA and the like. It will be recognized that such  
10 polynucleotides can be modified, for example, by including a label such as a radioactive, fluorescent or other tag, by methylation, by the inclusion of a cap structure, by containing a substitution of one or more of the naturally occurring nucleotides with a nucleotide analog, by containing an internucleotide modification such as having uncharged linkages (e.g., methyl phosphonates, phosphotriesters,  
15 phosphoramidates, carbamates, or the like), by containing a pendant moiety such as a protein (e.g., a nuclease, toxin, antibody, signal peptide, poly-L-lysine, or the like), by containing an intercalator such as acridine or psoralen, by containing a chelator, which can be a metal such as boron, an oxidative metal, or a radioactive metal, by containing an alkylator, or by having a modified linkage (e.g., an alpha anomeric  
20 nucleic acid).

The term "recombinant nucleic acid molecule" refers to a polynucleotide produced by human intervention. A recombinant nucleic acid molecule can contain two or more nucleotide sequences that are linked in a manner such that the product is not found in a cell in nature. In particular, the two or more nucleotide sequences can  
25 be operatively linked and, for example, can encode a fusion polypeptide, or can comprise a nucleotide sequence and a regulatory element. A recombinant nucleic acid molecule also can be based on, but different, from a naturally occurring polynucleotide, for example, a polynucleotide having one or more nucleotide changes such that a first codon, which normally is found in the polynucleotide, is replaced  
30 with a degenerate codon that encodes the same or a conservative amino acid, or such that a sequence of interest is introduced into the polynucleotide, for example, a

restriction endonuclease recognition site or a splice site, a promoter, a DNA replication initiation site, or the like.

As used herein, the term "abiotic stress" or "abiotic stress condition" refers to the exposure of a plant, plant cell, or the like, to a non-living ("abiotic") physical or chemical agent or condition that has an adverse effect on metabolism, growth, development, propagation and/or survival of the plant (collectively "growth"). An abiotic stress can be imposed on a plant due, for example, to an environmental factor such as water (e.g., flooding, drought, dehydration), anaerobic conditions (e.g., a low level of oxygen), abnormal osmotic conditions, salinity or temperature (e.g., hot/heat, cold, freezing, frost), a deficiency of nutrients or exposure to pollutants, or by a hormone, second messenger or other molecule. Anaerobic stress, for example, is due to a reduction in oxygen levels (hypoxia or anoxia) sufficient to produce a stress response. A flooding stress can be due to prolonged or transient immersion of a plant, plant part, tissue or isolated cell in a liquid medium such as occurs during monsoon, wet season, flash flooding or excessive irrigation of plants, or the like. A cold stress or heat stress can occur due to a decrease or increase, respectively, in the temperature from the optimum range of growth temperatures for a particular plant species. Such optimum growth temperature ranges are readily determined or known to those skilled in the art. Dehydration stress can be induced by the loss of water, reduced turgor, or reduced water content of a cell, tissue, organ or whole plant. Drought stress can be induced by or associated with the deprivation of water or reduced supply of water to a cell, tissue, organ or organism. Saline stress (salt stress) can be associated with or induced by a perturbation in the osmotic potential of the intracellular or extracellular environment of a cell. Osmotic stress also can be associated with or induced by a change, for example, in the concentration of molecules in the intracellular or extracellular environment of a plant cell, particularly where the molecules cannot be partitioned across the plant cell membrane.

As disclosed herein, clusters of plant stress-regulated genes (Example 1; see, also, Tables 1-31) and homologs and orthologs thereof (Table 32) have been identified. Remarkably, several of the stress-regulated genes previously were known to encode polypeptides having defined cellular functions, including roles as transcription factors, enzymes such as kinases, and structural proteins such as channel proteins (see

Tables 29-31). The identification of *Arabidopsis* stress-regulated genes provides a means to identify homologous and orthologous genes and gene sequences in other plant species using well known procedures and algorithms based on identity (or homology) to the disclosed sequences. Thus, the invention provides polynucleotide sequences comprising plant stress-regulated genes that are homologs or orthologs, variants, or otherwise substantially similar to the polynucleotides disclosed herein, and having an E value  $\leq 1 \times 10^{-8}$ , which can be identified, for example, by a BLASTN search using the *Arabidopsis* polynucleotides of Tables 1 and 2 (SEQ ID NOS:1-5379) as query sequences (see Table 32).

A polynucleotide sequence of a stress-regulated gene as disclosed herein can be particularly useful for performing the methods of the invention on a variety of plants, including but not limited to, corn (*Zea mays*), *Brassica* sp. (e.g., *B. napus*, *B. rapa*, *B. juncea*), particularly those *Brassica* species useful as sources of seed oil, alfalfa (*Medicago sativa*), rice (*Oryza sativa*), rye (*Secale cereale*), sorghum (*Sorghum bicolor*, *Sorghum vulgare*), millet (e.g., pearl millet (*Pennisetum glaucum*), proso millet (*Panicum miliaceum*), foxtail millet (*Setaria italica*), finger millet (*Eleusine coracana*)), sunflower (*Helianthus annuus*), safflower (*Carthamus tinctorius*), wheat (*Triticum aestivum*), soybean (*Glycine max*), tobacco (*Nicotiana tabacum*), potato (*Solanum tuberosum*), peanuts (*Arachis hypogaea*), cotton (*Gossypium barbadense*, *Gossypium hirsutum*), sweet potato (*Ipomoea batatas*), cassava (*Manihot esculenta*), coffee (*Cofea* spp.), coconut (*Cocos nucifera*), pineapple (*Ananas comosus*), citrus trees (*Citrus* spp.), cocoa (*Theobroma cacao*), tea (*Camellia sinensis*), banana (*Musa* spp.), avocado (*Persea utilis*), fig (*Ficus casica*), guava (*Psidium guajava*), mango (*Mangifera indica*), olive (*Olea europaea*), papaya (*Carica papaya*), cashew (*Anacardium occidentale*), macadamia (*Macadamia integrifolia*), almond (*Prunus amygdalus*), sugar beets (*Beta vulgaris*), sugarcane (*Saccharum* spp.), oats, duckweed (*Lemna*), barley, tomatoes (*Lycopersicon esculentum*), lettuce (e.g., *Lactuca sativa*), green beans (*Phaseolus vulgaris*), lima beans (*Phaseolus limensis*), peas (*Lathyrus* spp.), and members of the genus *Cucumis* such as cucumber (*C. sativus*), cantaloupe (*C. cantalupensis*), and musk melon (*C. melo*). Ornamentals such as azalea (*Rhododendron* spp.), hydrangea (*Macrophylla hydrangea*), hibiscus (*Hibiscus rosasanensis*), roses (*Rosa* spp.), tulips (*Tulipa* spp.),

daffodils (*Narcissus* spp.), petunias (*Petunia hybrida*), carnation (*Dianthus caryophyllus*), poinsettia (*Euphorbia pulcherrima*), and chrysanthemum are also included. Additional ornamentals within the scope of the invention include impatiens, Begonia, Pelargonium, Viola, Cyclamen, Verbena, Vinca, Tagetes, Primula, Saint  
 5 Paulia, Agertum, Amaranthus, Antihirrhinum, Aquilegia, Cineraria, Clover, Cosmo, Cowpea, Dahlia, Datura, Delphinium, Gerbera, Gladiolus, Gloxinia, Hippeastrum, Mesembryanthemum, Salpiglossos, and Zinnia. Conifers that may be employed in practicing the present invention include, for example, pines such as loblolly pine (*Pinus taeda*), slash pine (*Pinus elliotii*), ponderosa pine (*Pinus ponderosa*),  
 10 lodgepole pine (*Pinus contorta*), and Monterey pine (*Pinus radiata*), Douglas-fir (*Pseudotsuga menziesii*); Western hemlock (*Tsuga utilane*); Sitka spruce (*Picea glauca*); redwood (*Sequoia sempervirens*); true firs such as silver fir (*Abies amabilis*) and balsam fir (*Abies balsamea*); and cedars such as Western red cedar (*Thuja plicata*) and Alaska yellow-cedar (*Chamaecyparis nootkatensis*).

15 Leguminous plants which may be used in the practice of the present invention include beans and peas. Beans include guar, locust bean, fenugreek, soybean, garden beans, cowpea, mung bean, lima bean, fava bean, lentils, chickpea, etc. Legumes include, but are not limited to, *Arachis*, e.g., peanuts, *Vicia*, e.g., crown vetch, hairy vetch, adzuki bean, mung bean, and chickpea, *Lupinus*, e.g., lupine, trifolium,  
 20 *Phaseolus*, e.g., common bean and lima bean, *Pisum*, e.g., field bean, *Melilotus*, e.g., clover, *Medicago*, e.g., alfalfa, Lotus, e.g., trefoil, lens, e.g., lentil, and false indigo. Preferred forage and turf grass for use in the methods of the invention include alfalfa, orchard grass, tall fescue, perennial ryegrass, creeping bent grass, and redtop.

Other plants within the scope of the invention include *Acacia*, aneth,  
 25 artichoke, arugula, blackberry, canola, cilantro, clementines, escarole, eucalyptus, fennel, grapefruit, honey dew, jicama, kiwifruit, lemon, lime, mushroom, nut, okra, orange, parsley, persimmon, plantain, pomegranate, poplar, radiata pine, radicchio, Southern pine, sweetgum, tangerine, triticale, vine, yams, apple, pear, quince, cherry, apricot, melon, hemp, buckwheat, grape, raspberry, chenopodium, blueberry,  
 30 nectarine, peach, plum, strawberry, watermelon, eggplant, pepper, cauliflower, Brassica, e.g., broccoli, cabbage, ultilan sprouts, onion, carrot, leek, beet, broad bean,

celery, radish, pumpkin, endive, gourd, garlic, snapbean, spinach, squash, turnip, utilane, chicory, groundnut and zucchini.

As used herein, the term "substantially similar", when used herein with respect to a nucleotide sequence, means a nucleotide sequence corresponding to a reference nucleotide sequence, wherein the corresponding sequence encodes a polypeptide or  
5 nucleotide sequence, wherein the corresponding sequence encodes a polypeptide or comprises a regulatory element having substantially the same structure and function as the polypeptide encoded by the reference nucleotide sequence, for example, where only changes in amino acids not affecting the polypeptide function occur. For purposes of the present invention, a reference (or query) sequence is a polynucleotide  
10 sequence as set forth in any of SEQ ID NOS:1-2703 or a polypeptide encoded thereby. Desirably, a substantially similar nucleotide sequence encodes the polypeptide encoded by the reference nucleotide sequence. The percentage of identity between the substantially similar nucleotide sequence and the reference nucleotide sequence desirably is at least 60%, more desirably at least 75%, preferably at least  
15 90%, more preferably at least 95%, still more preferably at least 99% and including 100%. A nucleotide sequence is "substantially similar" to reference nucleotide sequence hybridizes to the reference nucleotide sequence in 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO<sub>4</sub>, 1 mM EDTA at 50°C with washing in 2X SSC, 0.1% SDS at 50°C, more desirably in 7% sodium dodecyl sulfate (SDS),  
20 0.5 M NaPO<sub>4</sub>, 1 mM EDTA at 50°C with washing in 1X SSC, 0.1% SDS at 50°C (stringent conditions), more desirably still in 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO<sub>4</sub>, 1 mM EDTA at 50°C with washing in 0.5X SSC, 0.1% SDS at 50°C (high stringency), preferably in 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO<sub>4</sub>, 1 mM EDTA at 50°C with washing in 0.1X SSC, 0.1% SDS at 50°C (very high  
25 stringency), more preferably in 7% sodium dodecyl sulfate (SDS), 0.5 M NaPO<sub>4</sub>, 1 mM EDTA at 50°C with washing in 0.1X SSC, 0.1% SDS at 65°C (extremely high stringency).

In addition, the term "substantially similar," when used in reference to a polypeptide sequence, means that an amino acid sequence relative to a reference (query)  
30 sequence shares at least about 65% amino acid sequence identity, particularly at least about 75% amino acid sequence identity, and preferably at least about 85%, more

preferably at least about 90% , and most preferably at least about 95% or greater amino acid sequence identity. Generally, sequences having an  $E \leq 10^{-8}$  are considered to be substantially similar to a query sequence. Such sequence identity can take into account conservative amino acid changes that do not substantially affect the function of a polypeptide. As such, homologs or orthologs of the *Arabidopsis* stress-regulated nucleotide sequences disclosed herein, variants thereof, and polypeptides substantially similar to the polynucleotide sequence of *Arabidopsis* stress-regulated genes set forth in SEQ ID NOS:1-5379 are encompassed within the present invention and, therefore, useful for practicing the methods of the invention (see, for example, Table 32).

Homology or identity is often measured using sequence analysis software such as the Sequence Analysis Software Package of the Genetics Computer Group (University of Wisconsin Biotechnology Center, 1710 University Avenue, Madison, WI 53705). Such software matches similar sequences by assigning degrees of homology to various deletions, substitutions and other modifications. The terms "homology" and "identity," when used herein in the context of two or more nucleic acids or polypeptide sequences, refer to two or more sequences or subsequences that are the same or have a specified percentage of amino acid residues or of nucleotides that are the same when compared and aligned for maximum correspondence over a comparison window or designated region as measured using any number of sequence comparison algorithms or by manual alignment and visual inspection.

For sequence comparison, typically one sequence acts as a reference sequence, to which test sequences are compared. When using a sequence comparison algorithm, test and reference sequences are entered into a computer, subsequence coordinates are designated, if necessary, and sequence algorithm program parameters are designated. Default program parameters can be used, or alternative parameters can be designated. The sequence comparison algorithm then calculates the percent sequence identities for the test sequences relative to the reference sequence, based on the program parameters.

The term "comparison window" is used broadly herein to include reference to a segment of any one of the number of contiguous positions, for example, about 20 to 600 positions, for example, amino acid or nucleotide position, usually about 50 to about 200 positions, more usually about 100 to about 150 positions, in which a sequence may be compared to a reference sequence of the same number of contiguous positions

after the two sequences are optimally aligned. Methods of alignment of sequence for comparison are well-known in the art. Optimal alignment of sequences for comparison can be conducted, for example, by the local homology algorithm of Smith and Waterman (Adv. Appl. Math. 2:482, 1981), by the homology alignment algorithm of Needleman and Wunsch (J. Mol. Biol. 48:443, 1970), by the search for similarity method of Person and Lipman (Proc. Natl. Acad. Sci., USA 85:2444, 1988), each of which is incorporated herein by reference; by computerized implementations of these algorithms (GAP, BESTFIT, FASTA, and TFASTA in the Wisconsin Genetics Software Package, Genetics Computer Group, 575 Science Dr., Madison, WI); or by manual alignment and visual inspection. Other algorithms for determining homology or identity include, for example, in addition to a BLAST program (Basic Local Alignment Search Tool at the National Center for Biological Information), ALIGN, AMAS (Analysis of Multiply Aligned Sequences), AMPS (Protein Multiple Sequence Alignment), ASSET (Aligned Segment Statistical Evaluation Tool), BANDS, BESTSCOR, BIOSCAN (Biological Sequence Comparative Analysis Node), BLIMPS (BLOCKS IMPROVED Searcher), FASTA, Intervals & Points, BMB, CLUSTAL V, CLUSTAL W, CONSENSUS, LCONSENSUS, WCONSENSUS, Smith-Waterman algorithm, DARWIN, Las Vegas algorithm, FNAT (Forced Nucleotide Alignment Tool), Framealign, Framesearch, DYNAMIC, FILTER, FSAP (Fristensky Sequence Analysis Package), GAP (Global Alignment Program), GENAL, GIBBS, GenQuest, ISSC (Sensitive Sequence Comparison), LALIGN (Local Sequence Alignment), LCP (Local Content Program), MACAW (Multiple Alignment Construction & Analysis Workbench), MAP (Multiple Alignment Program), MBLKP, MBLKN, PIMA (Pattern-Induced Multi-sequence Alignment), SAGA (Sequence Alignment by Genetic Algorithm) and WHAT-IF. Such alignment programs can also be used to screen genome databases to identify polynucleotide sequences having substantially identical sequences.

A number of genome databases are available for comparison. Several databases containing genomic information annotated with some functional information are maintained by different organizations, and are accessible via the internet, for example, at world wide web addresses (url's) "[www.tigr.org/tdb](http://www.tigr.org/tdb)"; "[genetics.wisc.edu](http://genetics.wisc.edu)";



"genome-www.stanford.edu/~ball"; "hiv-web.lanl.gov"; "ncbi.nlm.nih.gov"; "ebi.ac.uk"; "Pasteur.fr/other/biology"; and "genome.wi.mit.edu".

In particular, the BLAST and BLAST 2.0 algorithms using default parameters are particularly useful for identifying polynucleotide and polypeptides encompassed within the present invention (Altschul et al. (Nucleic Acids Res. 25:3389-3402, 1977; J. Mol. Biol. 215:403-410, 1990, each of which is incorporated herein by reference). Software for performing BLAST analyses is publicly available through the National Center for Biotechnology Information (<http://www.ncbi.nlm.nih.gov>). This algorithm involves first identifying high scoring sequence pairs (HSPs) by identifying short words of length W in the query sequence, which either match or satisfy some positive-valued threshold score T when aligned with a word of the same length in a database sequence. T is referred to as the neighborhood word score threshold (Altschul et al., *supra*, 1977, 1990). These initial neighborhood word hits act as seeds for initiating searches to find longer HSPs containing them. The word hits are extended in both directions along each sequence for as far as the cumulative alignment score can be increased. Cumulative scores are calculated using, for nucleotide sequences, the parameters M (reward score for a pair of matching residues; always >0). For amino acid sequences, a scoring matrix is used to calculate the cumulative score. Extension of the word hits in each direction are halted when: the cumulative alignment score falls off by the quantity X from its maximum achieved value; the cumulative score goes to zero or below, due to the accumulation of one or more negative-scoring residue alignments; or the end of either sequence is reached. The BLAST algorithm parameters W, T, and X determine the sensitivity and speed of the alignment. The BLASTN program (for nucleotide sequences) uses as defaults a wordlength (W) of 11, an expectation (E) of 10, M=5, N=4 and a comparison of both strands. For amino acid sequences, the BLASTP program uses as defaults a wordlength of 3, and expectations (E) of 10, and the BLOSUM62 scoring matrix (see Henikoff and Henikoff, Proc. Natl. Acad. Sci., USA 89:10915, 1989) alignments (B) of 50, expectation (E) of 10, M=5, N=4, and a comparison of both strands.

The BLAST algorithm also performs a statistical analysis of the similarity between two sequences (see, for example, Karlin and Altschul, Proc. Natl. Acad. Sci., USA 90:5873, 1993, which is incorporated herein by reference). One measure of

similarity provided by BLAST algorithm is the smallest sum probability ( $P(N)$ ), which provides an indication of the probability by which a match between two nucleotide or amino acid sequences would occur by chance. For example, a nucleic acid is considered similar to a references sequence if the smallest sum probability in a comparison of the test nucleic acid to the reference nucleic acid is less than about 0.2, more preferably less than about 0.01, and most preferably less than about 0.001. Significantly, upon identifying polynucleotides that are substantially similar to those of SEQ ID NOS:1-5379, the identified polynucleotides can be used as query sequences in a BLAST search to identify polynucleotides and polypeptides substantially similar thereto.

It should be noted that the nucleotide sequences set forth as SEQ ID NOS:1-2703 comprise coding sequences, whereas the nucleotide sequences set forth as SEQ ID NOS:2704-5379 comprise regulatory sequences. In addition, the coding sequences and regulatory sequences are related in that, for example, SEQ ID NO:1 is the coding sequence of a plant cold regulated gene having a 5' upstream (regulatory) sequence set forth as SEQ ID NO:2704 (see Table 2). Similarly, SEQ ID NO:2705 comprises a regulatory region of SEQ ID NO:2, SEQ ID NO:2706 comprises a regulatory region of SEQ ID NO:3, and so forth as shown in Table 2. As such, reference herein, for example, to a "polynucleotide comprising SEQ ID NO:1" can, unless indicated otherwise, include at least SEQ ID NO:2704. In some cases, the entire coding region of a plant stress regulated gene or the 5' upstream sequence has not yet been determined (see, for example, SEQ ID NO:43 in Table 3, where "none" indicates that 5' upstream regulatory sequences have not yet been determined). However, the determination of a complete coding sequence where only a portion is known or of regulatory sequences where a portion of the coding sequence is known can be made using methods as disclosed herein or otherwise known in the art.

In one embodiment, protein and nucleic acid sequence homologies are evaluated using the Basic Local Alignment Search Tool ("BLAST"). In particular, five specific BLAST programs are used to perform the following task:

- (1) BLASTP and BLAST3 compare an amino acid query sequence against a protein sequence database;
- (2) BLASTN compares a nucleotide query sequence against a nucleotide sequence database;

(3) BLASTX compares the six-frame conceptual translation products of a query nucleotide sequence (both strands) against a protein sequence database;

(4) TBLASTN compares a query protein sequence against a nucleotide sequence database translated in all six reading frames (both strands); and

5 (5) TBLASTX compares the six-frame translations of a nucleotide query sequence against the six-frame translations of a nucleotide sequence database.

The BLAST programs identify homologous sequences by identifying similar segments, which are referred to herein as "high-scoring segment pairs," between a query amino or nucleic acid sequence and a test sequence which is preferably  
10 obtained from a protein or nucleic acid sequence database. High-scoring segment pairs are preferably identified (*i.e.*, aligned) by means of a scoring matrix, many of which are known in the art. Preferably, the scoring matrix used is the BLOSUM62 matrix (Gonnet et al., Science 256:1443-1445, 1992; Henikoff and Henikoff, Proteins 17:49-61, 1993, each of which is incorporated herein by reference). Less preferably,  
15 the PAM or PAM250 matrices may also be used (Schwartz and Dayhoff, eds., "Matrices for Detecting Distance Relationships: Atlas of Protein Sequence and Structure" (Washington, National Biomedical Research Foundation 1978)). BLAST programs are accessible through the U.S. National Library of Medicine, for example, on the world wide web at address (url) "ncbi.nlm.nih.gov".

20 The parameters used with the above algorithms may be adapted depending on the sequence length and degree of homology studied. In some embodiments, the parameters may be the default parameters used by the algorithms in the absence of instructions from the user.

The term "substantially similar" also is used in reference to a comparison of  
25 expression profiles of nucleotide sequences, wherein a determination that an expression profile characteristic of a stress response is substantially similar to the profile of nucleic acid molecules expressed in a plant cell being examined ("test plant") is indicative of exposure of the test plant cell to one or a combination of abiotic stress conditions. When used in reference to such a comparison of expression profiles, the  
30 term "substantially similar" means that that the individual nucleotide sequences in the test plant cell profile are altered in the same manner as the corresponding nucleotide sequences in the expression profile characteristic of the stress response.

By way of example, where exposure to saline results in an increased expression of nucleotide sequences A, B and C, and a decreased expression of nucleotide sequences D and E, as indicated by the expression profile characteristic of a saline stress response, a determination that corresponding nucleotide sequences A, B and C in the test plant cell are increased and that nucleotides sequences D and E are decreased is indicative of exposure of the test plant cell to a saline stress condition. It should be recognized that, where, for example, only nucleotide sequences A, B, D and E are examined in the test plant cell, an increase in A and B and a decrease in D and E expression of the test plant cells is considered to be substantially similar to the expression profile characteristic of a saline stress condition and, therefore, is indicative of exposure of the plant cell to a saline stress condition. Similarly, where the levels of expression of the nucleotide sequences examined in a test plant are altered in the same manner, i.e., are increased or are decreased, as that observed in an expression profile characteristic of a particular stress response, the absolute levels of expression may vary, for example, two-fold, five-fold, ten-fold, or the like. Nevertheless, the expression profile of the test plant cell is considered to be substantially similar to the expression profile characteristic of the particular stress response and, therefore, indicative of exposure of the plant cell to the stress condition.

As disclosed herein, clusters of stress-regulated genes (and their products), some of which also have been described as having cellular functions such as enzymatic activity or roles as transcription factors, are involved in the response of plant cells to various abiotic stresses (see Tables 29-31; see, also, Tables 1 and 32). As such, the polynucleotide sequences comprising the genes in a cluster likely share common stress-regulated regulatory elements, including, for example, cold-regulated regulatory elements (SEQ ID NOS:2704-3955), salinity-regulated regulatory elements (SEQ ID NOS:4910-5107, and osmotic pressure-regulated regulatory elements (SEQ ID NO:5108-5263), as well as regulatory elements that are responsive to a combination of stress conditions, but not to any of the individual stress conditions, alone (SEQ ID NOS:3956-4909 and 5263-5379). The identification of such clusters of genes thus provides a means to identify the stress-regulated regulatory elements that control the level of expression of these genes.

As used herein, the term "plant stress-regulated gene" means a polynucleotide sequence of a plant, the transcription of which is altered in response to exposure to a stress condition, and the regulatory elements linked to such a polynucleotide sequence and involved in the stress response, which can be induction or repression. In general, plant stress gene regulatory elements are contained within a sequence including approximately two kilobases upstream (5') of the transcription or translation start site and two kilobases downstream (3') of the transcription or translation termination site. In the absence of an abiotic stress condition, the stress-regulated gene can normally be unexpressed in the cells, can be expressed at a basal level, which is induced to a higher level in response to the stress condition, or can be expressed at a level that is reduced (decreased) in response to the stress condition. The coding region of a plant stress-regulated gene encodes a stress-regulated polypeptide, and also can be the basis for expression of a functional RNA molecule such as an antisense molecule or ribozyme. A stress-regulated polypeptide can have an adaptive effect on a plant, thereby allowing the plant to better tolerate stress conditions; or can have a maladaptive effect, thereby decreasing the ability of the plant to tolerate the stress conditions.

The present invention provides an isolated plant stress-regulated regulatory element, which regulates expression of an operatively linked nucleotide sequence in a plant in response a stress condition. As disclosed herein, a plant stress-regulated regulatory element can be isolated from a polynucleotide sequence of a plant stress-regulated gene comprising a nucleotide sequence as set forth in SEQ ID NOS:1-2703, for example any of SEQ ID NOS:2704-5379 (see Table 2). It is recognized that certain of the polynucleotides set forth as SEQ ID NOS:1-5379 previously have been described as being involved in a stress-regulated response in plants, including SEQ ID NOS:156, 229, 233, 558, 573, 606, 625, 635, 787, 813, 1263, 1386, 1391, 1405, 1445, 1484, 1589, 1609, 1634, 1726, 1866, 1918, and 1928 and, therefore, are not encompassed, in whole or in part, within the compositions of the invention, and are encompassed within only certain particular methods of the invention, for example, methods of making a transgenic plant that is resistant to two or more stress conditions, since, even where such a gene was known to be expressed in response to a single stress condition such as cold or saline (e.g., SEQ ID NO:1263), it was not known

prior to the present disclosure that any of these genes was responsive to a combination of stress conditions (for example, a combination of cold and osmotic stress for SEQ ID NOS:1726, 1866, 1918, and 1928; or a combination of cold, osmotic and saline stress for SEQ ID NOS:1263,1386, 1391, 1405, 1445, 1484, 1589, 1609, and 1634).

5           Methods for identifying and isolating the stress-regulated regulatory element from the disclosed polynucleotides, or genomic DNA clones corresponding thereto, are well known in the art. For example, methods of making deletion constructs or linker-scanner constructs can be used to identify nucleotide sequences that are responsive to a stress condition. Generally, such constructs include a reporter gene  
10           operatively linked to the sequence to be examined for regulatory activity. By performing such assays, a plant stress-regulated regulatory element can be defined within a sequence of about 500 nucleotides or fewer, generally at least about 200 nucleotides or fewer, particularly about 50 to 100 nucleotides, and more particularly at least about 20 nucleotides or fewer. Preferably the minimal (core)  
15           sequence required for regulating a stress response of a plant is identified.

          The nucleotide sequences of the genes of a cluster also can be examined using a homology search engine such as described herein to identify sequences of conserved identity, particularly in the nucleotide sequence upstream of the transcription start site. Since all of the genes in a cluster as disclosed are induced in response to a  
20           particular stress condition or a particular combination of stress conditions, some or all of the nucleotide sequences can share conserved stress-regulated regulatory elements. By performing such a homology search, putative stress-regulated regulatory elements can be identified. The ability of such identified sequences to function as a plant stress-regulated regulatory element can be confirmed, for example, by operatively  
25           linking the sequence to a reporter gene and assaying the construct for responsiveness to a stress condition.

          As used herein, the term "regulatory element" means a nucleotide sequence that, when operatively linked to a coding region of a gene, effects transcription of the coding region such that a ribonucleic acid (RNA) molecule is transcribed from the  
30           coding region. A regulatory element generally can increase or decrease the amount of transcription of a nucleotide sequence, for example, a coding sequence, operatively linked to the element with respect to the level at which the nucleotide sequence would

be transcribed absent the regulatory element. Regulatory elements are well known in the art and include promoters, enhancers, silencers, inactivated silencer intron sequences, 3'-untranslated or 5'-untranslated sequences of transcribed sequence, for example, a poly-A signal sequence, or other protein or RNA stabilizing elements, or  
5 other gene expression control elements known to regulate gene expression or the amount of expression of a gene product. A regulatory element can be isolated from a naturally occurring genomic DNA sequence or can be synthetic, for example, a synthetic promoter.

Regulatory elements can be constitutively expressed regulatory element,  
10 which maintain gene expression at a relative level of activity (basal level), or can be regulated regulatory elements. Constitutively expressed regulatory elements can be expressed in any cell type, or can be tissue specific, which are expressed only in particular cell types, phase specific, which are expressed only during particular developmental or growth stages of a plant cell, or the like. A regulatory element such  
15 as a tissue specific or phase specific regulatory element or an inducible regulatory element useful in constructing a recombinant polynucleotide or in practicing a method of the invention can be a regulatory element that generally, in nature, is found in a plant genome. However, the regulatory element also can be from an organism other than a plant, including, for example, from a plant virus, an animal virus, or a cell  
20 from an animal or other multicellular organism.

A regulatory element useful for practicing method of the present is a promoter element. Useful promoters include, but are not limited to, constitutive, inducible, temporally regulated, developmentally regulated, spatially-regulated, chemically regulated, stress-responsive, tissue-specific, viral and synthetic promoters. Promoter  
25 sequences are known to be strong or weak. A strong promoter provides for a high level of gene expression, whereas a weak promoter provides for a very low level of gene expression. An inducible promoter is a promoter that provides for the turning on and off of gene expression in response to an exogenously added agent, or to an environmental or developmental stimulus. A bacterial promoter such as the  $P_{lac}$   
30 promoter can be induced to varying levels of gene expression depending on the level of isothiopyl galactoside added to the transformed bacterial cells. An isolated promoter sequence that is a strong promoter for heterologous nucleic acid is

advantageous because it provides for a sufficient level of gene expression to allow for easy detection and selection of transformed cells and provides for a high level of gene expression when desired.

Within a plant promoter region there are several domains that are necessary  
5 for full function of the promoter. The first of these domains lies immediately upstream of the structural gene and forms the "core promoter region" containing consensus sequences, normally 70 base pairs immediately upstream of the gene. The core promoter region contains the characteristic CAAT and TATA boxes plus surrounding sequences, and represents a transcription initiation sequence that defines  
10 the transcription start point for the structural gene.

The presence of the core promoter region defines a sequence as being a promoter: if the region is absent, the promoter is non-functional. The core promoter region, however, is insufficient to provide full promoter activity. A series of regulatory sequences upstream of the core constitute the remainder of the promoter.  
15 These regulatory sequences determine expression level, the spatial and temporal pattern of expression and, for an important subset of promoters, expression under inductive conditions (regulation by external factors such as light, temperature, chemicals, hormones).

To define a minimal promoter region, a DNA segment representing the  
20 promoter region is removed from the 5' region of the gene of interest and operably linked to the coding sequence of a marker (reporter) gene by recombinant DNA techniques well known to the art. The reporter gene is operably linked downstream of the promoter, so that transcripts initiating at the promoter proceed through the reporter gene. Reporter genes generally encode proteins which are easily measured, including,  
25 but not limited to, chloramphenicol acetyl transferase (CAT), beta-glucuronidase (GUS), green fluorescent protein (GFP),  $\beta$ -galactosidase ( $\beta$ -GAL), and luciferase.

The construct containing the reporter gene under the control of the promoter is then introduced into an appropriate cell type by transfection techniques well known to the art. To assay for the reporter protein, cell lysates are prepared and appropriate  
30 assays, which are well known in the art, for the reporter protein are performed. For example, if CAT were the reporter gene of choice, the lysates from cells transfected with constructs containing CAT under the control of a promoter under study are



mixed with isotopically labeled chloramphenicol and acetyl-coenzyme A (acetyl-CoA). The CAT enzyme transfers the acetyl group from acetyl-CoA to the 2-position or 3-position of chloramphenicol. The reaction is monitored by thin layer chromatography, which separates acetylated chloramphenicol from unreacted material. The reaction products are then visualized by autoradiography.

The level of enzyme activity corresponds to the amount of enzyme that was made, which in turn reveals the level of expression from the promoter of interest. This level of expression can be compared to other promoters to determine the relative strength of the promoter under study. In order to be sure that the level of expression is determined by the promoter, rather than by the stability of the mRNA, the level of the reporter mRNA can be measured directly, for example, by northern blot analysis. Once activity is detected, mutational and/or deletional analyses may be employed to determine the minimal region and/or sequences required to initiate transcription. Thus, sequences can be deleted at the 5' end of the promoter region and/or at the 3' end of the promoter region, and nucleotide substitutions introduced. These constructs are then introduced to cells and their activity determined.

The choice of promoter will vary depending on the temporal and spatial requirements for expression, and also depending on the target species. In some cases, expression in multiple tissues is desirable. While in others, tissue-specific, e.g., leaf-specific, seed-specific, petal-specific, anther-specific, or pith-specific, expression is desirable. Although many promoters from dicotyledons have been shown to be operational in monocotyledons and *vice versa*, ideally dicotyledonous promoters are selected for expression in dicotyledons, and monocotyledonous promoters for expression in monocotyledons. There is, however, no restriction to the origin or source of a selected promoter. It is sufficient that the promoters are operational in driving the expression of a desired nucleotide sequence in the particular cell.

A range of naturally-occurring promoters are known to be operative in plants and have been used to drive the expression of heterologous (both foreign and endogenous) genes and nucleotide sequences in plants: for example, the constitutive 35S cauliflower mosaic virus (CaMV) promoter, the ripening-enhanced tomato polygalacturonase promoter (Bird et al., 1988), the E8 promoter (Diekman and Fischer, 1988) and the fruit specific 2A1 promoter (Pear et al., 1989). Many other

promoters, e.g., U2 and U5 snRNA promoters from maize, the promoter from alcohol dehydrogenase, the Z4 promoter from a gene encoding the Z4 22 kD zein protein, the Z10 promoter from a gene encoding a 10 kD zein protein, a Z27 promoter from a gene encoding a 27 kD zein protein, the A20 promoter from the gene encoding a 19 kD zein protein, inducible promoters, such as the light inducible promoter derived from the pea *rbcS* gene and the actin promoter from rice, e.g., the actin 2 promoter (WO 00/70067); seed specific promoters, such as the phaseolin promoter from beans, may also be used. The nucleotide sequences of the stress-regulated genes of this invention can also be expressed under the regulation of promoters that are chemically regulated. This enables the nucleic acid sequence or encoded polypeptide to be synthesized only when the crop plants are treated with the inducing chemicals. Chemical induction of gene expression is detailed in EP 0 332 104 and U.S. Pat. 5,614,395.

In some instances it may be desirable to link a constitutive promoter to a polynucleotide comprising a stress regulated gene of the invention. Examples of some constitutive promoters include the rice actin 1 (Wang et al., 1992; U.S. Pat. No. 5,641,876), CaMV 35S (Odell et al., 1985), CaMV 19S (Lawton et al., 1987), *nos*, *Adh*, sucrose synthase; and the ubiquitin promoters.

In other situations it may be desirable to limit expression of stress-related sequences to specific tissues or stages of development. As used herein, the term "tissue specific or phase specific regulatory element" means a nucleotide sequence that effects transcription in only one or a few cell types, or only during one or a few stages of the life cycle of a plant, for example, only for a period of time during a particular stage of growth, development or differentiation. The terms "tissue specific" and "phase specific" are used together herein in referring to a regulatory element because a single regulatory element can have characteristics of both types of regulatory elements. For example, a regulatory element active only during a particular stage of plant development also can be expressed only in one or a few types of cells in the plant during the particular stage of development. As such, any attempt to classify such regulatory elements as tissue specific or as phase specific can be difficult. Accordingly, unless indicated otherwise, all regulatory elements having the

characteristic of a tissue specific regulatory element, or a phase specific regulatory element, or both are considered together for purposes of the present invention.

Examples of tissue specific promoters which have been described include the lectin (Vodkin, 1983; Lindstrom et al., 1990) corn alcohol dehydrogenase 1 (Vogel et al., 1989; Dennis et al., 1984), corn light harvesting complex (Simpson, 1986; Bansal et al., 1992), corn heat shock protein (Odell et al., 1985), pea small subunit RuBP carboxylase (Poulsen et al., 1986), Ti plasmid mannopine synthase and Ti plasmid nopaline synthase (Langridge et al., 1989), petunia chalcone isomerase (vanTunen et al., 1988), bean glycine rich protein 1 (Keller et al., 1989), truncated CaMV 35s (Odell et al., 1985), potato patatin (Wenzler et al., 1989), root cell (Yamamoto et al., 1990), maize zein (Reina et al., 1990; Kriz et al., 1987; Wandelt et al., 1989; Langridge et al., 1983; Reina et al., 1990), globulin-1 (Belanger et al., 1991),  $\alpha$ -tubulin, cab (Sullivan et al., 1989), PEPCase (Hudspeth & Grula, 1989), R gene complex-associated promoters (Chandler et al., 1989), histone, and chalcone synthase promoters (Franken et al., 1991). Tissue specific enhancers are described by Fromm et al. (1989).

Several other tissue-specific regulated genes and/or promoters have been reported in plants, including genes encoding seed storage proteins such as napin, cruciferin, beta-conglycinin, and phaseolin, zein or oil body proteins such as oleosin, genes involved in fatty acid biosynthesis, including acyl carrier protein, stearyl-ACP desaturase, fatty acid desaturases (fad 2-1), and other genes expressed during embryonic development such as Bce4 (see, for example, EP 255378 and Kridl et al., 1991). Particularly useful for seed-specific expression is the pea vicilin promoter (Czako et al., 1992). (See also U.S. Pat. No. 5,625,136, which is incorporated herein by reference.) Other useful promoters for expression in mature leaves are those that are switched on at the onset of senescence, such as the SAG promoter from *Arabidopsis* (Gan et al., 1995).

A class of fruit-specific promoters expressed at or during antithesis through fruit development, at least until the beginning of ripening, is discussed in U.S. Pat. No. 4,943,674. cDNA clones that are preferentially expressed in cotton fiber have been isolated (John et al., 1992). cDNA clones from tomato displaying differential expression during fruit development have been isolated and characterized (Mansson et

al., 1985, Slater et al., 1985). The promoter for polygalacturonase gene is active in fruit ripening. The polygalacturonase gene is described in U.S. Pat. Nos. 4,535,060, 4,769,061, 4,801,590, and 5,107,065, each of which is incorporated herein by reference.

5           Other examples of tissue-specific promoters include those that direct expression in leaf cells following damage to the leaf (for example, from chewing insects), in tubers (for example, patatin gene promoter), and in fiber cells (an example of a developmentally-regulated fiber cell protein is E6 (John et al., 1992). The E6 gene is most active in fiber, although low levels of transcripts are found in leaf,  
10       ovule and flower.

          Additional tissue specific or phase specific regulatory elements include, for example, the *AGL8/FRUITFULL* regulatory element, which is activated upon floral induction (Hempel et al., Development 124:3845-3853, 1997, which is incorporated herein by reference); root specific regulatory elements such as the regulatory elements  
15       from the RCP1 gene and the LRP1 gene (Tsugeki and Fedoroff, Proc. Natl. Acad. USA 96:12941-12946, 1999; Smith and Fedoroff, Plant Cell 7:735-745, 1995, each of which is incorporated herein by reference); flower specific regulatory elements such as the regulatory elements from the *LEAFY* gene and the *APETELA1* gene (Blazquez et al., Development 124:3835-3844, 1997, which is incorporated herein by reference;  
20       Hempel et al., *supra*, 1997); seed specific regulatory elements such as the regulatory element from the oleosin gene (Plant et al., Plant Mol. Biol. 25:193-205, 1994, which is incorporated herein by reference), and dehiscence zone specific regulatory element. Additional tissue specific or phase specific regulatory elements include the Zn13 promoter, which is a pollen specific promoter (Hamilton et al., Plant Mol. Biol.  
25       13:211-218, 1992, which is incorporated herein by reference); the *UNUSUAL FLORAL ORGANS (UFO)* promoter, which is active in apical shoot meristem; the promoter active in shoot meristems (Atanassova et al., Plant J. 2:291, 1992, which is incorporated herein by reference), the *cdc2a* promoter and *cyc07* promoter (see, for example, Ito et al., Plant Mol. Biol. 24:863, 1994; Martinez et al., Proc. Natl. Acad. Sci., USA 89:7360, 1992; Medford et al., Plant Cell 3:359, 1991; Terada et al., Plant J.  
30       3:241, 1993; Wissenbach et al., Plant J. 4:411, 1993, each of which is incorporated herein by reference); the promoter of the *APETELA3* gene, which is active in floral

meristems (Jack et al., *Cell* 76:703, 1994, which is incorporated herein by reference; Hempel et al., *supra*, 1997); a promoter of an agamous-like (AGL) family member, for example, AGL8, which is active in shoot meristem upon the transition to flowering (Hempel et al., *supra*, 1997); floral abscission zone promoters; L1-specific  
5 promoters; and the like.

The tissue-specificity of some "tissue-specific" promoters may not be absolute and may be tested by one skilled in the art using the diphtheria toxin sequence. One can also achieve tissue-specific expression with "leaky" expression by a combination of different tissue-specific promoters (Beals et al., 1997). Other tissue-specific  
10 promoters can be isolated by one skilled in the art (see U.S. 5,589,379). Several inducible promoters ("gene switches") have been reported, many of which are described in the review by Gatz (1996) and Gatz (1997). These include tetracycline repressor system, *Lac* repressor system, copper inducible systems, salicylate inducible systems (such as the PR1a system), glucocorticoid (Aoyama et al., 1997) and  
15 ecdysone inducible systems. Also included are the benzene sulphonamide (U.S. Pat. No. 5,364,780) and alcohol (WO 97/06269 and WO 97/06268) inducible systems and glutathione S-transferase promoters.

In some instances it might be desirable to inhibit expression of a native DNA sequence within a plant's tissues to achieve a desired phenotype. In this case, such  
20 inhibition might be accomplished with transformation of the plant to comprise a constitutive, tissue-independent promoter operably linked to an antisense nucleotide sequence, such that constitutive expression of the antisense sequence produces an RNA transcript that interferes with translation of the mRNA of the native DNA sequence.

Inducible regulatory elements also are useful for purposes of the present invention. As used herein, the term "inducible regulatory element" means a regulatory element that, when exposed to an inducing agent, effects an increased level of transcription of a nucleotide sequence to which it is operatively linked as compared to the level of transcription, if any, in the absence of an inducing agent. Inducible  
25 regulatory elements can be those that have no basal or constitutive activity and only effect transcription upon exposure to an inducing agent, or those that effect a basal or constitutive level of transcription, which is increased upon exposure to an inducing  
30

agent. Inducible regulatory elements that effect a basal or constitutive level of expression generally are useful in a method or composition of the invention where the induced level of transcription is substantially greater than the basal or constitutive level of expression, for example, at least about two-fold greater, or at least about five-fold greater. Particularly useful inducible regulatory elements do not have a basal or constitutive activity, or increase the level of transcription at least about ten-fold greater than a basal or constitutive level of transcription associated with the regulatory element.

Inducible promoters that have been described include the ABA- and turgor-inducible promoters, the promoter of the auxin-binding protein gene (Schwob et al., 1993), the UDP glucose flavonoid glycosyl-transferase gene promoter (Ralston et al., 1988), the MPI proteinase inhibitor promoter (Cordero et al., 1994), and the glyceraldehyde-3-phosphate dehydrogenase gene promoter (Kohler et al., 1995; Quigley et al., 1989; Martinez et al., 1989).

The term "inducing agent" is used to refer to a chemical, biological or physical agent or environmental condition that effects transcription from an inducible regulatory element. In response to exposure to an inducing agent, transcription from the inducible regulatory element generally is initiated *de novo* or is increased above a basal or constitutive level of expression. Such induction can be identified using the methods disclosed herein, including detecting an increased level of RNA transcribed from a nucleotide sequence operatively linked to the regulatory element, increased expression of a polypeptide encoded by the nucleotide sequence, or a phenotype conferred by expression of the encoded polypeptide.

An inducing agent useful in a method of the invention is selected based on the particular inducible regulatory element. For example, the inducible regulatory element can be a metallothionein regulatory element, a copper inducible regulatory element or a tetracycline inducible regulatory element, the transcription from which can be effected in response to metal ions, copper or tetracycline, respectively (Furst et al., Cell 55:705-717, 1988; Mett et al., Proc. Natl. Acad. Sci., USA 90:4567-4571, 1993; Gatz et al., Plant J. 2:397-404, 1992; Roder et al., Mol. Gen. Genet. 243:32-38, 1994, each of which is incorporated herein by reference). The inducible regulatory element also can be an ecdysone regulatory element or a glucocorticoid regulatory

element, the transcription from which can be effected in response to ecdysone or other steroid (Christopherson et al., Proc. Natl. Acad. Sci., USA 89:6314-6318, 1992; Schena et al., Proc. Natl. Acad. Sci., USA 88:10421-10425, 1991, each of which is incorporated herein by reference). In addition, the regulatory element can be a cold responsive regulatory element or a heat shock regulatory element, the transcription of which can be effected in response to exposure to cold or heat, respectively (Takahashi et al., Plant Physiol. 99:383-390, 1992, which is incorporated herein by reference). Additional regulatory elements useful in the methods or compositions of the invention include, for example, the spinach nitrite reductase gene regulatory element (Back et al., Plant Mol. Biol. 17:9, 1991, which is incorporated herein by reference); a light inducible regulatory element (Feinbaum et al., Mol. Gen. Genet. 226:449, 1991; Lam and Chua, Science 248:471, 1990, each of which is incorporated herein by reference), a plant hormone inducible regulatory element (Yamaguchi-Shinozaki et al., Plant Mol. Biol. 15:905, 1990; Kares et al., Plant Mol. Biol. 15:225, 1990, each of which is incorporated herein by reference), and the like.

An inducible regulatory element also can be a plant stress-regulated regulatory element of the invention. In addition to the known stress conditions that specifically induce or repress expression from such elements, the present invention provides methods of identifying agents that mimic a stress condition. Accordingly, such stress mimics are considered inducing or repressing agents with respect to a plant stress-regulated regulatory element. In addition, a recombinant polypeptide comprising a zinc finger domain, which is specific for the regulatory element, and an effector domain, particularly an activator, can be useful as an inducing agent for a plant stress-regulated regulatory element. Furthermore, such a recombinant polypeptide provides the advantage that the effector domain can be a repressor domain, thereby providing a repressing agent, which decreases expression from the regulatory element. In addition, use of such a method of modulating expression of an endogenous plant stress-regulated gene provides the advantage that the polynucleotide encoding the recombinant polypeptide can be introduced into cells of the plant, thus providing a transgenic plant that can be regulated coordinately with the endogenous plant stress-regulated gene upon exposure to a stress condition. A polynucleotide encoding such a

recombinant polypeptide can be operatively linked to and expressed from a constitutively active, inducible or tissue specific or phase specific regulatory element.

In one embodiment, the promoter may be a gamma zein promoter, an oleosin ole16 promoter, a globulin I promoter, an actin I promoter, an actin cl promoter, a  
 5 sucrose synthetase promoter, an INOPS promoter, an EXM5 promoter, a globulin2 promoter, a b-32, ADPG-pyrophosphorylase promoter, an LtpI promoter, an Ltp2 promoter, an oleosin ole17 promoter, an oleosin ole18 promoter, an actin 2 promoter, a pollen-specific protein promoter, a pollen-specific pectate lyase promoter, an anther-specific protein promoter (Huffman), an anther-specific gene RTS2 promoter, a  
 10 pollen- specific gene promoter, a tapeturn-specific gene promoter, tapeturn- specific gene RAB24 promoter, a anthranilate synthase alpha subunit promoter, an alpha zein promoter, an anthranilate synthase beta subunit promoter, a dihydrodipicolinate synthase promoter, a Thi l promoter, an alcohol dehydrogenase promoter, a cab binding protein promoter, an H3C4 promoter, a RUBISCO SS starch branching  
 15 enzyme promoter, an ACCase promoter, an actin3 promoter, an actin7 promoter, a regulatory protein GF14-12 promoter, a ribosomal protein L9 promoter, a cellulose biosynthetic enzyme promoter, an S-adenosyl-L-homocysteine hydrolase promoter, a superoxide dismutase promoter, a C-kinase receptor promoter, a phosphoglycerate mutase promoter, a root-specific RCc3 mRNA promoter, a glucose-6 phosphate  
 20 isomerase promoter, a pyrophosphate-fructose 6-phosphate phosphotransferase promoter, an ubiquitin promoter, a beta-ketoacyl-ACP synthase promoter, a 33 kDa photosystem 11 promoter, an oxygen evolving protein promoter, a 69 kDa vacuolar ATPase subunit promoter, a metallothionein-like protein promoter, a glyceraldehyde-3-phosphate dehydrogenase promoter, an ABA- and ripening- inducible-like protein  
 25 promoter, a phenylalanine ammonia lyase promoter, an adenosine triphosphatase S-adenosyl-L-homocysteine hydrolase promoter, an  $\alpha$ - tubulin promoter, a cab promoter, a PEPCase promoter, an R gene promoter, a lectin promoter, a light harvesting complex promoter, a heat shock protein promoter, a chalcone synthase promoter, a zein promoter, a globulin-1 promoter, an ABA promoter, an auxin-  
 30 binding protein promoter, a UDP glucose flavonoid glycosyl-transferase gene promoter, an NTI promoter, an actin promoter, an opaque 2 promoter, a b70 promoter, an oleosin promoter, a CaMV 35S promoter, a CaMV 19S promoter, a histone



promoter, a turgor-inducible promoter, a pea small subunit RuBP carboxylase promoter, a Ti plasmid mannopine synthase promoter, Ti plasmid nopaline synthase promoter, a petunia chalcone isomerase promoter, a bean glycine rich protein I promoter, a CaMV 35S transcript promoter, a potato patatin promoter, or a S-E9 small  
5 subunit RuBP carboxylase promoter.

In addition to promoters, a variety of 5N and 3N transcriptional regulatory sequences are also available for use in the present invention. Transcriptional terminators are responsible for the termination of transcription and correct mRNA polyadenylation. The 3'-untranslated regulatory DNA sequence preferably includes  
10 from about 50 to about 1,000, more preferably about 100 to about 1,000, nucleotide base pairs and contains plant transcriptional and translational termination sequences. Appropriate transcriptional terminators and those which are known to function in plants include the CaMV 35S terminator, the *tml* terminator, the nopaline synthase terminator, the pea rbcS E9 terminator, the terminator for the T7 transcript from the  
15 octopine synthase gene of *Agrobacterium tumefaciens*, and the 3N end of the protease inhibitor I or II genes from potato or tomato, although other 3N elements known to those of skill in the art can also be employed. Alternatively, one also could use a gamma coixin, oleosin 3 or other terminator from the genus *Coix*. Preferred 3' elements include those from the nopaline synthase gene of *Agrobacterium*  
20 *tumefaciens* (Bevan et al., 1983), the terminator for the T7 transcript from the octopine synthase gene of *Agrobacterium tumefaciens*, and the 3' end of the protease inhibitor I or II genes from potato or tomato.

As the DNA sequence between the transcription initiation site and the start of the coding sequence, i.e., the untranslated leader sequence, can influence gene  
25 expression, one may also wish to employ a particular leader sequence. Preferred leader sequences are contemplated to include those that include sequences predicted to direct optimum expression of the attached sequence, i.e., to include a preferred consensus leader sequence that may increase or maintain mRNA stability and prevent inappropriate initiation of translation. The choice of such sequences will be known to  
30 those of skill in the art in light of the present disclosure. Sequences that are derived from genes that are highly expressed in plants will be most preferred.

Other sequences that have been found to enhance gene expression in transgenic plants include intron sequences (e.g., from *Adh1*, *bronze1*, *actin1*, *actin 2* (WO 00/760067), or the sucrose synthase intron) and viral leader sequences (e.g., from TMV, MCMV and AMV). For example, a number of non-translated leader sequences derived from viruses are known to enhance expression. Specifically, leader sequences from tobacco mosaic virus (TMV), maize chlorotic mottle virus (MCMV), and alfalfa mosaic virus (AMV) have been shown to be effective in enhancing expression (e.g., Gallie et al., 1987; Skuzeski et al., 1990). Other leaders known in the art include but are not limited to picornavirus leaders, for example, EMCV leader (encephalomyocarditis virus 5' non-coding region; Elroy-Stein et al., 1989); potyvirus leaders, for example, TEV leader (tobacco etch virus); MDMV leader (maize dwarf mosaic virus); human immunoglobulin heavy chain binding protein (BiP) leader, (Macejak et al., 1991); untranslated leader from the coat protein mRNA of AMV (AMV RNA 4; Jobling et al., 1987), TMV (Gallie et al., 1989), and MCMV (Lommel et al., 1991; see also, della Cioppa et al., 1987).

Regulatory elements such as *Adh* intron 1 (Callis et al., 1987), sucrose synthase intron (Vasil et al., 1989) or TMV omega element (Gallie, et al., 1989), may further be included where desired. Examples of enhancers include elements from the CaMV 35S promoter, octopine synthase genes (Ellis et al., 1987), the rice actin I gene, the maize alcohol dehydrogenase gene (Callis et al., 1987), the maize shrunken I gene (Vasil et al., 1989), TMV Omega element (Gallie et al., 1989) and promoters from non-plant eukaryotes (e.g. yeast; Ma et al., 1988).

Vectors for use in accordance with the present invention may be constructed to include the ocs enhancer element, which was first identified as a 16 bp palindromic enhancer from the octopine synthase (ocs) gene of *utililane* (Ellis et al., 1987), and is present in at least 10 other promoters (Bouchez et al., 1989). The use of an enhancer element, such as the ocs element and particularly multiple copies of the element, will act to increase the level of transcription from adjacent promoters when applied in the context of monocot transformation.

The methods of the invention provide genetically modified plant cells, which can contain, for example, a coding region, or peptide portion thereof, of a plant stress-regulated gene operatively linked to a heterologous inducible regulatory element; or a

plant stress-regulated regulatory element operatively linked to a heterologous nucleotide sequence encoding a polypeptide of interest. In such a plant, the expression from the inducible regulatory element can be effected by exposing the plant cells to an inducing agent in any of numerous ways depending, for example, on the inducible regulatory element and the inducing agent. For example, where the inducible regulatory element is a cold responsive regulatory element present in the cells of a transgenic plant, the plant can be exposed to cold conditions, which can be produced artificially, for example, by placing the plant in a thermostatically controlled room, or naturally, for example, by planting the plant in an environment characterized, at least in part, by attaining temperatures sufficient to induce transcription from the promoter but not so cold as to kill the plants. By examining the phenotype of such transgenic plants, those plants that ectopically express a gene product that confers increased resistance of the plant to cold can be identified. Similarly, a transgenic plant containing a metallothionein promoter can be exposed to metal ions such as cadmium or copper by watering the plants with a solution containing the inducing metal ions, or can be planted in soil that is contaminated with a level of such metal ions that is toxic to most plants. The phenotype of surviving plants can be observed, those expressing desirable traits can be selected.

As used herein, the term "phenotype" refers to a physically detectable characteristic. A phenotype can be identified visually by inspecting the physical appearance of a plant following exposure, for example, to increased osmotic conditions; can be identified using an assay to detecting a product produced due to expression of reporter gene, for example, an RNA molecule, a polypeptide such as an enzyme, or other detectable signal such as disclosed herein; or by using any appropriate tool useful for identifying a phenotype of a plant, for example, a microscope, a fluorescence activated cell sorter, or the like.

A transgenic plant containing an inducible regulatory element such as a steroid inducible regulatory element can be exposed to a steroid by watering the plants with a solution containing the steroid. The use of an inducible regulatory element that is induced upon exposure to a chemical or biological inducing agent that can be placed in solution or suspension in an aqueous medium can be particularly useful because the inducing agent can be applied conveniently to a relatively large crop of transgenic

plants containing the inducible regulatory element, for example, through a watering system or by spraying the inducing agent over the field. As such, inducible regulatory elements that are responsive to an environmental inducing agent, for example, cold; heat; metal ions or other potentially toxic agents such as pesticides, which can  
5 contaminate a soil; or the like; or inducible regulatory elements that are regulated by inducing agents that conveniently can be applied to plants, can be particularly useful in a method or composition of the invention, and allow the identification and selection of plants that express desirable traits and survive and grow in environments that otherwise would not support growth of the plants.

10 As disclosed herein, the present invention provides plant stress-regulated regulatory elements, which are identified based on the expression of clusters of plant genes in response to stress. As used herein, the term "stress-regulated regulatory element of a plant" or "plant stress-regulated regulatory element" means a nucleotide sequence of a plant genome that can respond to a stress such that expression of a gene  
15 product encoded by a gene comprising the regulatory element (a stress-inducible gene) is increased above or decreased below the level of expression of the gene product in the absence of the stress condition. The regulatory element can be any gene regulatory element, including, for example, a promoter, an enhancer, a silencer, or the like. In one embodiment, the plant stress-regulated regulatory element is a  
20 plant stress-regulated promoter.

For purposes of modulating the responsiveness of a plant to a stress condition, it can be useful to introduce a modified plant stress-regulated regulatory element into a plant. Such a modified regulatory element can have any desirable characteristic, for example, it can be inducible to a greater level than the corresponding wild-type  
25 promoter, or it can be inactivated such that, upon exposure to a stress, there is little or no induction of expression of a nucleotide sequence operatively linked to the mutant element. A plant stress-regulated regulatory element can be modified by incorporating random mutations using, for example, *in vitro* recombination or DNA shuffling (Stemmer et al., Nature 370: 389-391, 1994; U.S. Pat. No. 5,605,793, each  
30 of which is incorporated herein by reference). Using such a method, millions of mutant copies of the polynucleotide, for example, stress-regulated regulatory element,

can be produced based on the original nucleotide sequence, and variants with improved properties, such as increased inducibility can be recovered.

A mutation method such as DNA shuffling encompasses forming a mutagenized double-stranded polynucleotide from a template double-stranded polynucleotide, wherein the template double-stranded polynucleotide has been  
5 cleaved into double stranded random fragments of a desired size, and comprises the steps of adding to the resultant population of double-stranded random fragments one or more single or double stranded oligonucleotides, wherein the oligonucleotides comprise an area of identity and an area of heterology to the double stranded template  
10 polynucleotide; denaturing the resultant mixture of double stranded random fragments and oligonucleotides into single stranded fragments; incubating the resultant population of single stranded fragments with a polymerase under conditions that result in the annealing of the single stranded fragments at the areas of identity to form pairs of annealed fragments, the areas of identity being sufficient for one member of a  
15 pair to prime replication of the other, thereby forming a mutagenized double-stranded polynucleotide; and repeating the second and third steps for at least two further cycles, wherein the resultant mixture in the second step of a further cycle includes the mutagenized double-stranded polynucleotide from the third step of the previous cycle, and the further cycle forms a further mutagenized double-stranded polynucleotide.  
20 Preferably, the concentration of a single species of double stranded random fragment in the population of double stranded random fragments is less than 1% by weight of the total DNA. In addition, the template double stranded polynucleotide can comprise at least about 100 species of polynucleotides. The size of the double stranded random fragments can be from about 5 base pairs to 5 kilobase pairs. In a further  
25 embodiment, the fourth step of the method comprises repeating the second and the third steps for at least 10 cycles.

A plant stress-regulated regulatory element of the invention is useful for expressing a nucleotide sequence operatively linked to the element in a cell, particularly a plant cell. As used herein, the term "expression" refers to the  
30 transcription and/or translation of an endogenous gene or a transgene in plants. In the case of an antisense molecule, for example, the term "expression" refers to the transcription of the polynucleotide encoding the antisense molecule.

As used herein, the term "operatively linked," when used in reference to a plant stress-regulated regulatory element, means that the regulatory element is positioned with respect to a second nucleotide sequence such that the regulatory element effects transcription or transcription and translation of the nucleotide sequence in substantially the same manner, but not necessarily to the same extent, as it does when the regulatory element is present in its natural position in a genome. Transcriptional promoters, for example, generally act in a position and orientation dependent manner and usually are positioned at or within about five nucleotides to about fifty nucleotides 5' (upstream) of the start site of transcription of a gene in nature. In comparison, enhancers and silencers can act in a relatively position or orientation independent manner and, therefore, can be positioned several hundred or thousand nucleotides upstream or downstream from a transcription start site, or in an intron within the coding region of a gene, yet still be operatively linked to a coding region so as to effect transcription.

The second nucleotide sequence, i.e., the sequence operatively linked to the plant stress-regulated regulatory element, can be any nucleotide sequence, including, for example, a coding region of a gene or cDNA; a sequence encoding an antisense molecule, an RNAi molecule, ribozyme, triplexing agent (see, for example, Frank-Kamenetskii and Mirkin, Ann. Rev. Biochem. 64:65-95, 1995), or the like; or a sequence that, when transcribed, can be detected in the cell using, for example, by hybridization or amplification, or when translated produces a detectable signal. The term "coding region" is used broadly herein to include a nucleotide sequence of a genomic DNA or a cDNA molecule comprising all or part of a coding region of the coding strand. A coding region can be transcribed from an operatively linked regulatory element, and can be translated into a full length polypeptide or a peptide portion of a polypeptide. It should be recognized that, in a nucleotide sequence comprising a coding region, not all of the nucleotides in the sequence need necessarily encode the polypeptide and, particularly, that a gene transcript can contain one or more introns, which do not encode an amino acid sequence of a polypeptide but, nevertheless, are part of the coding region, particularly the coding strand, of the gene.

The present invention also relates to a recombinant polynucleotide, which contains a polynucleotide portion of a plant stress-regulated gene operatively linked to

a heterologous nucleotide sequence. As used herein, the term "polynucleotide portion of plant stress-regulated sequence" means a contiguous nucleotide sequence of the plant stress-regulated gene that provides a function. The portion can be any portion of the sequence, particularly a coding sequence, or a sequence encoding a peptide  
5 portion of the stress-regulated polypeptide; the stress-regulated regulatory element; a sequence useful as an antisense molecule or triplexing agent; or a sequence useful for disrupting (knocking-out) an endogenous plant stress-regulated gene.

A heterologous nucleotide sequence is a nucleotide sequence that is not normally part of the plant stress-regulated gene from which the polynucleotide portion  
10 of the plant stress-regulated gene-component of the recombinant polynucleotide is obtained; or, if it is a part of the plant stress-regulated gene from which the polynucleotide portion is obtained, it is an orientation other than it would normally be in, for example, is an antisense sequence, or comprises at least partially discontinuous as compared to the genomic structure, for example, a single exon operatively linked to  
15 the regulatory element. In general, where the polynucleotide portion of the plant stress-regulated gene comprises the coding sequence in a recombinant polynucleotide of the invention, the heterologous nucleotide sequence will function as a regulatory element. The regulatory element can be any heterologous regulatory element, including, for example, a constitutively active regulatory element, an inducible  
20 regulatory element, or a tissue specific or phase specific regulatory element, as disclosed above. Conversely, where the polynucleotide portion of the plant stress-regulated polynucleotide comprises the stress-regulated regulatory element of a recombinant polynucleotide of the invention, the heterologous nucleotide sequence generally will be a nucleotide sequence that can be transcribed and, if desired,  
25 translated. Where the heterologous nucleotide sequence is expressed from a plant stress-regulated regulatory element, it generally confers a desirable phenotype to a plant cell containing the recombinant polynucleotide, or provides a means to identify a plant cell containing the recombinant polynucleotide. It should be recognized that a "desirable" phenotype can be one that decreases the ability of a plant cell to compete  
30 where the plant cell, or a plant containing the cell, is an undesired plant cell. Thus, a heterologous nucleotide sequence can allow a plant to grow, for example, under conditions in which it would not normally be able to grow.

A heterologous nucleotide sequence can be, or encode, a selectable marker. As used herein, the term "selectable marker" is used herein to refer to a molecule that, when present or expressed in a plant cell, provides a means to identify a plant cell containing the marker. As such, a selectable marker can provide a means for  
5 screening a population of plants, or plant cells, to identify those having the marker. A selectable marker also can confer a selective advantage to the plant cell, or a plant containing the cell. The selective advantage can be, for example, the ability to grow in the presence of a negative selective agent such as an antibiotic or herbicide, compared to the growth of plant cells that do not contain the selectable marker. The  
10 selective advantage also can be due, for example, to an enhanced or novel capacity to utilize an added compound as a nutrient, growth factor or energy source. A selectable advantage can be conferred, for example, by a single polynucleotide, or its expression product, or to a combination of polynucleotides whose expression in a plant cell gives the cell with a positive selective advantage, a negative selective advantage, or both.

15 Examples of selectable markers include those that confer antimetabolite resistance, for example, dihydrofolate reductase, which confers resistance to methotrexate (Reiss, Plant Physiol. (Life Sci. Adv.) 13:143-149, 1994); neomycin phosphotransferase, which confers resistance to the aminoglycosides neomycin, kanamycin and paromycin (Herrera-Estrella, EMBO J. 2:987-995, 1983) and hygromycin, which confers resistance to hygromycin (Marsh, Gene 32:481-485, 1984), trpB, which  
20 allows cells to utilize indole in place of tryptophan; hisD, which allows cells to utilize histinol in place of histidine (Hartman, Proc. Natl. Acad. Sci., USA 85:8047, 1988); mannose-6-phosphate isomerase which allows cells to utilize mannose (WO 94/20627); ornithine decarboxylase, which confers resistance to the ornithine  
25 decarboxylase inhibitor, 2-(difluoromethyl)-DL-ornithine (DFMO; McConlogue, 1987, In: Current Communications in Molecular Biology, Cold Spring Harbor Laboratory ed.); and deaminase from *Aspergillus terreus*, which confers resistance to Blasticidin S (Tamura, Biosci. Biotechnol. Biochem. 59:2336-2338, 1995). Additional selectable markers include those that confer herbicide resistance, for  
30 example, phosphinothricin acetyltransferase gene, which confers resistance to phosphinothricin (White et al., Nucl. Acids Res. 18:1062, 1990; Spencer et al., Theor. Appl. Genet. 79:625-631, 1990), a mutant EPSPV-synthase, which confers glyphosate



resistance (Hinchee et al., Bio/Technology 91:915-922, 1998), a mutant acetolactate synthase, which confers imidazolione or sulfonylurea resistance (Lee et al., EMBO J. 7:1241-1248, 1988), a mutant psbA, which confers resistance to atrazine (Smeda et al., Plant Physiol. 103:911-917, 1993), or a mutant protoporphyrinogen oxidase (see  
5 U.S. Pat. No. 5,767,373), or other markers conferring resistance to an herbicide such as glufosinate. In addition, markers that facilitate identification of a plant cell containing the polynucleotide encoding the marker include, for example, luciferase (Giacomin, Plant Sci. 116:59-72, 1996; Scikantha, J. Bacteriol. 178:121, 1996), green fluorescent protein (Gerdes, FEBS Lett. 389:44-47, 1996) or fl-glucuronidase  
10 (Jefferson, EMBO J. 6:3901-3907, 1997), and numerous others as disclosed herein or otherwise known in the art. Such markers also can be used as reporter molecules.

A heterologous nucleotide sequence can encode an antisense molecule, particularly an antisense molecule specific for a nucleotide sequence of a plant stress-regulated gene, for example, the gene from which the regulatory component of the  
15 recombinant polynucleotide is derived. Such a recombinant polynucleotide can be useful for reducing the expression of a plant stress-regulated polypeptide in response to a stress condition because the antisense molecule, like the polypeptide, only will be induced upon exposure to the stress. A heterologous nucleotide sequence also can be, or can encode, a ribozyme or a triplexing agent. In addition to being useful as  
20 heterologous nucleotide sequences, such molecules also can be used directly in a method of the invention, for example, to modulate the responsiveness of a plant cell to a stress condition. Thus, an antisense molecule, ribozyme, or triplexing agent can be contacted directly with a target cell and, upon uptake by the cell, can effect their antisense, ribozyme or triplexing activity; or can be encoded by a heterologous  
25 nucleotide sequence that is expressed in a plant cell from a plant stress-regulated regulatory element, whereupon it can effect its activity.

An antisense polynucleotide, ribozyme or triplexing agent is complementary to a target sequence, which can be a DNA or RNA sequence, for example, messenger RNA, and can be a coding sequence, a nucleotide sequence comprising an intron-exon  
30 junction, a regulatory sequence such as a Shine-Delgarno-like sequence, or the like. The degree of complementarity is such that the polynucleotide, for example, an antisense polynucleotide, can interact specifically with the target sequence in a cell.

Depending on the total length of the antisense or other polynucleotide, one or a few mismatches with respect to the target sequence can be tolerated without losing the specificity of the polynucleotide for its target sequence. Thus, few if any mismatches would be tolerated in an antisense molecule consisting, for example, of twenty  
5 nucleotides, whereas several mismatches will not affect the hybridization efficiency of an antisense molecule that is complementary, for example, to the full length of a target mRNA encoding a cellular polypeptide. The number of mismatches that can be tolerated can be estimated, for example, using well known formulas for determining hybridization kinetics (see Sambrook et al., "Molecular Cloning; A Laboratory  
10 Manual" 2nd Edition (Cold Spring Harbor Laboratory Press, Cold Spring Harbor, NY; 1989)) or can be determined empirically using methods as disclosed herein or otherwise known in the art, particularly by determining that the presence of the antisense polynucleotide, ribozyme, or triplexing agent in a cell decreases the level of the target sequence or the expression of a polypeptide encoded by the target sequence  
15 in the cell.

A nucleotide sequence useful as an antisense molecule, a ribozyme or a triplexing agent can inhibit translation or cleave a polynucleotide encoded by plant stress-regulated gene, thereby modulating the responsiveness of a plant cell to a stress condition. An antisense molecule, for example, can bind to an mRNA to form a  
20 double stranded molecule that cannot be translated in a cell. Antisense oligonucleotides of at least about 15 to 25 nucleotides are preferred since they are easily synthesized and can hybridize specifically with a target sequence, although longer antisense molecules can be expressed from a recombinant polynucleotide introduced into the target cell. Specific nucleotide sequences useful as antisense  
25 molecules can be identified using well known methods, for example, gene walking methods (see, for example, Seimiya et al., J. Biol. Chem. 272:4631-4636 (1997), which is incorporated herein by reference). Where the antisense molecule is contacted directly with a target cell, it can be operatively associated with a chemically reactive group such as iron-linked EDTA, which cleaves a target RNA at the site of  
30 hybridization. A triplexing agent, in comparison, can stall transcription (Maher et al., Antisense Res. Devel. 1:227 (1991); Helene, Anticancer Drug Design 6:569 (1991)).

A plant stress-regulated regulatory element can be included in an expression cassette. As used herein, the term "expression cassette" refers to a nucleotide sequence that can direct expression of an operatively linked polynucleotide. Thus, a plant stress-regulated regulatory element can constitute an expression cassette, or component thereof. An expression cassette is particularly useful for directing expression of a nucleotide sequence, which can be an endogenous nucleotide sequence or a heterologous nucleotide sequence, in a cell, particularly a plant cell. If desired, an expression cassette also can contain additional regulatory elements, for example, nucleotide sequences required for proper translation of a polynucleotide sequence into a polypeptide. In general, an expression cassette can be introduced into a plant cell such that the plant cell, a plant resulting from the plant cell, seeds obtained from such a plant, or plants produced from such seeds are resistant to a stress condition.

Additional regulatory sequences as disclosed above or other desirable sequences such as selectable markers or the like can be incorporated into an expression cassette containing a plant stress-regulated regulatory element (see, for example, WO 99/47552). Examples of suitable markers include dihydrofolate reductase (DHFR) or neomycin resistance for eukaryotic cells and tetracycline or ampicillin resistance for *E. coli*. Selection markers in plants include bleomycin, gentamycin, glyphosate, hygromycin, kanamycin, methotrexate, phleomycin, phosphinotricin, spectinomycin, streptomycin, sulfonamide and sulfonylureas resistance (see, for example, Maliga et al., *Methods in Plant Molecular Biology*, Cold Spring Harbor Laboratory Press, 1995, page 39). The selection marker can have its own promoter or its expression can be driven by the promoter operably linked to the sequence of interest. Additional sequences such as intron sequences (e.g. from *Adh1* or *brnzel*) or viral leader sequences (e.g. from TMV, MCMV and AIVIV), all of which can enhance expression, can be included in the cassette. In addition, where it is desirable to target expression of a nucleotide sequence operatively linked to the stress-regulated regulatory element, a sequence encoding a cellular localization motif can be included in the cassette, for example, such that an encoded transcript or translation product is translocated to and localizes in the cytosol, nucleus, a chloroplast, or another subcellular organelle. Examples of useful transit peptides and transit peptide

sequences can be found in Von Heijne et al., Plant Mol. Biol. Rep. 9: 104, 1991; Clark et al., J. Biol. Chem. 264:17544, 1989; della Cioppa et al., Plant Physiol. 84:965, 1987; Romer et al., Biochem. Biophys. Res. Comm. 196:1414, 1993; Shah et al., Science 233:478, 1986; Archer et al., J. Bioenerg Biomemb. 22:789, 1990; Scandalios, Prog. Clin. Biol. Res. 344:515, 1990; Weisbeek et al., J. Cell Sci. Suppl. 11:199, 1989; Bruce, Trends Cell Biol. 10:440, 2000. The present invention can utilize native or heterologous transit peptides. The encoding sequence for a transit peptide can include all or a portion of the encoding sequence for a particular transit peptide, and may also contain portions of the mature protein encoding sequence associated with a particular transit peptide.

A polynucleotide portion of a plant stress-regulated plant gene, or an expression cassette, can be introduced into a cell as a naked DNA molecule, can be incorporated in a matrix such as a liposome or a particle such as a viral particle, or can be incorporated into a vector. Such vectors can be cloning or expression vectors, but other uses are within the scope of the present invention. A cloning vector is a self-replicating DNA molecule that serves to transfer a DNA segment into a host cell. The three most common types of cloning vectors are bacterial plasmids, phages, and other viruses. An expression vector is a cloning vector designed so that a coding sequence inserted at a particular site will be transcribed and translated into a protein. Incorporation of the polynucleotide into a vector can facilitate manipulation of the polynucleotide, or introduction of the polynucleotide into a plant cell. A vector can be derived from a plasmid or a viral vector such as a T-DNA vector (Horsch et al., Science 227:1229-1231, 1985, which is incorporated herein by reference). If desired, the vector can comprise components of a plant transposable element, for example, a Ds transposon (Bancroft and Dean, Genetics 134:1221-1229, 1993, which is incorporated herein by reference) or an Spm transposon (Aarts et al., Mol. Gen. Genet. 247:555-564, 1995, which is incorporated herein by reference).

In addition to containing the polynucleotide portion of a plant stress-regulated gene, a vector can contain various nucleotide sequences that facilitate, for example, rescue of the vector from a transformed plant cell; passage of the vector in a host cell, which can be a plant, animal, bacterial, or insect host cell; or expression of an encoding nucleotide sequence in the vector, including all or a portion of a rescued

coding region. As such, the vector can contain any of a number of additional transcription and translation elements, including constitutive and inducible promoters, enhancers, and the like (see, for example, Bitter et al., Meth. Enzymol. 153:516-544, 1987). For example, a vector can contain elements useful for passage, growth or  
5 expression in a bacterial system, including a bacterial origin of replication; a promoter, which can be an inducible promoter; and the like. In comparison, a vector that can be passaged in a mammalian host cell system can have a promoter such as a metallothionein promoter, which has characteristics of both a constitutive promoter and an inducible promoter, or a viral promoter such as a retrovirus long terminal  
10 repeat, an adenovirus late promoter, or the like. A vector also can contain one or more restriction endonuclease recognition and cleavage sites, including, for example, a polylinker sequence, to facilitate rescue of a nucleotide sequence operably linked to the polynucleotide portion.

The present invention also relates to a method of using a polynucleotide  
15 portion of a plant stress-regulated gene to confer a selective advantage on a plant cell. Such a method can be performed by introducing, for example, a plant stress-regulated regulatory element into a plant cell, wherein, upon exposure of the plant cell to a stress condition to which the regulatory element is responsive, a nucleotide sequence operatively linked to the regulatory element is expressed, thereby conferring a  
20 selective advantage to plant cell. The operatively linked nucleotide sequence can be a heterologous nucleotide sequence, which can be operatively linked to the regulatory element prior to introduction of the regulatory sequence into the plant cell; or can be an endogenous nucleotide sequence into which the regulatory element was targeted by a method such as homologous recombination. The selective advantage conferred by  
25 the operatively linked nucleotide sequence can be such that the plant is better able to tolerate the stress condition; or can be any other selective advantage.

As used herein, the term "selective advantage" refers to the ability of a particular organism to better propagate, develop, grow, survive, or otherwise tolerate a condition as compared to a corresponding reference organism that does not contain  
30 a plant-stress regulated polynucleotide portion of the present invention. In one embodiment, a selective advantage is exemplified by the ability of a desired plant, plant cell, or the like, that contains an introduced plant stress-regulated regulatory

element, to grow better than an undesired plant, plant cell, or the like, that does not contain the introduced regulatory element. For example, a recombinant polynucleotide comprising a plant stress-regulated regulatory element operatively linked to a heterologous nucleotide sequence encoding an enzyme that inactivates an herbicide can be introduced in a desired plant. Upon exposure of a mixed population of plants comprising the desired plants, which contain the recombinant polynucleotide, and one or more other populations of undesired plants, which lack the recombinant polynucleotide, to a stress condition that induces expression of the regulatory element and to the herbicide, the desired plants will have a greater likelihood of surviving exposure to the toxin and, therefore, a selective advantage over the undesired plants.

In another embodiment, a selective advantage is exemplified by the ability of a desired plant, plant cell, or the like, to better propagate, develop, grow, survive, or otherwise tolerate a condition as compared to an undesired plant, plant cell, or the like, that contains an introduced plant stress-regulated regulatory element. For example, a recombinant polynucleotide comprising a plant stress-regulated regulatory element operatively linked to a plant cell toxin can be introduced into cells of an undesirable plant present in a mixed population of desired and undesired plants, for example, food crops and weeds, respectively, then the plants can be exposed to stress conditions that induce expression from the plant stress-regulated regulatory element, whereby expression of the plant cell toxin results in inhibition of growth or death of the undesired plants, thereby providing a selective advantage to the desired plants, which no longer have to compete with the undesired plants for nutrients, light, or the like. In another example, a plant stress-regulated regulatory element operatively linked to a plant cell toxin can be introduced into cells of plants used as a nurse crop. Nurse crops, also called cover or companion crops, are planted in combination with plants of interest to provide, among other things, shade and soil stability during establishment of the desired plants. Once the desired plants have become established, the presence of the nurse crop may no longer be desirable. Exposure to conditions inducing expression of the gene linked to the plant stress-regulated regulatory element allows elimination of the nurse crop. Alternatively nurse crops can be made less tolerate to abiotic stress by the inhibition of any of the stress-regulated sequences

disclosed herein. Inhibition can be accomplished by any of the method described herein. Upon exposure of the nurse crop to the stress, the decreased ability of the nurse crop to respond to the stress will result in elimination of the nurse crop, leaving only the desired plants.

5           The invention also provides a means of producing a transgenic plant, which comprises plant cells that exhibit altered responsiveness to a stress condition. As such, the present invention further provides a transgenic plant, or plant cells or tissues derived therefrom, which are genetically modified to respond to stress differently than a corresponding wild-type plant or plant not containing constructs of the present  
10       invention would respond. As used herein, the term "responsiveness to a stress condition" refers to the ability of a plant to express a plant stress-regulated gene upon exposure to the stress condition. A transgenic plant cell contains a polypeptide portion of a plant stress-regulated gene, or a mutant form thereof, for example, a knock-out mutant. A knock-out mutant form of a plant stress-regulated gene can  
15       contain, for example, a mutation such that a STOP codon is introduced into the reading frame of the translated portion of the gene such that expression of a functional stress-regulated polypeptide is prevented; or a mutation in the stress-regulated regulatory element such that inducibility of the element in response to a stress condition is inhibited. Such transgenic plants of the invention can display any of  
20       various idiotypic modifications in response to an abiotic stress, including altered tolerance to the stress condition, as well as increased or decreased plant growth, root growth, yield, or the like, as compared to the corresponding wild-type plant.

          The term "plant" is used broadly herein to include any plant at any stage of development, or to part of a plant, including a plant cutting, a plant cell, a plant cell  
25       culture, a plant organ, a plant seed, and a plantlet. A plant cell is the structural and physiological unit of the plant, comprising a protoplast and a cell wall. A plant cell can be in the form of an isolated single cell or a cultured cell, or can be part of higher organized unit, for example, a plant tissue, plant organ, or plant. Thus, a plant cell can be a protoplast, a gamete producing cell, or a cell or collection of cells that can  
30       regenerate into a whole plant. As such, a seed, which comprises multiple plant cells and is capable of regenerating into a whole plant, is considered plant cell for purposes of this disclosure. A plant tissue or plant organ can be a seed, protoplast, callus, or

any other groups of plant cells that is organized into a structural or functional unit. Particularly useful parts of a plant include harvestable parts and parts useful for propagation of progeny plants. A harvestable part of a plant can be any useful part of a plant, for example, flowers, pollen, seedlings, tubers, leaves, stems, fruit, seeds,  
5 roots, and the like. A part of a plant useful for propagation includes, for example, seeds, fruits, cuttings, seedlings, tubers, rootstocks, and the like.

A transgenic plant can be regenerated from a transformed plant cell. As used herein, the term "regenerate" means growing a whole plant from a plant cell; a group of plant cells; a protoplast; a seed; or a piece of a plant such as a callus or tissue.  
10 Regeneration from protoplasts varies from species to species of plants. For example, a suspension of protoplasts can be made and, in certain species, embryo formation can be induced from the protoplast suspension, to the stage of ripening and germination. The culture media generally contains various components necessary for growth and regeneration, including, for example, hormones such as auxins and cytokinins; and  
15 amino acids such as glutamic acid and proline, depending on the particular plant species. Efficient regeneration will depend, in part, on the medium, the genotype, and the history of the culture. If these variables are controlled, however, regeneration is reproducible.

Regeneration can occur from plant callus, explants, organs or plant parts.  
20 Transformation can be performed in the context of organ or plant part regeneration. (see Meth. Enzymol. Vol. 118; Klee et al. Ann. Rev. Plant Physiol. 38:467, 1987, which is incorporated herein by reference). Utilizing the leaf disk-transformation-regeneration method, for example, disks are cultured on selective media, followed by shoot formation in about two to four weeks (see Horsch et al., *supra*, 1985). Shoots  
25 that develop are excised from calli and transplanted to appropriate root-inducing selective medium. Rooted plantlets are transplanted to soil as soon as possible after roots appear. The plantlets can be repotted as required, until reaching maturity.

In vegetatively propagated crops, the mature transgenic plants are propagated utilizing cuttings or tissue culture techniques to produce multiple identical plants.  
30 Selection of desirable transgenotes is made and new varieties are obtained and propagated vegetatively for commercial use. In seed propagated crops, the mature transgenic plants can be self crossed to produce a homozygous inbred plant. The



resulting inbred plant produces seeds that contain the introduced plant stress-induced regulatory element, and can be grown to produce plants that express a polynucleotide or polypeptide in response to a stress condition that induces expression from the regulatory element. As such, the invention further provides seeds produced by a  
5 transgenic plant obtained by a method of the invention.

In addition, transgenic plants comprising different recombinant sequences can be crossbred, thereby providing a means to obtain transgenic plants containing two or more different transgenes, each of which contributes a desirable characteristic to the plant. Methods for breeding plants and selecting for crossbred plants having desirable  
10 characteristics or other characteristics of interest are well known in the art.

A method of the invention can be performed by introducing a polynucleotide portion of a plant stress-regulated gene into the plant. As used herein, the term "introducing" means transferring a polynucleotide into a plant cell. A polynucleotide can be introduced into a cell by a variety of methods well known to those of ordinary  
15 skill in the art. For example, the polynucleotide can be introduced into a plant cell using a direct gene transfer method such as electroporation or microprojectile mediated transformation, or using *Agrobacterium* mediated transformation. Non-limiting examples of methods for the introduction of polynucleotides into plants are provided in greater detail herein. As used herein, the term "transformed" refers to a  
20 plant cell containing an exogenously introduced polynucleotide portion of a plant stress-regulated gene that is or can be rendered active in a plant cell, or to a plant comprising a plant cell containing such a polynucleotide.

It should be recognized that one or more polynucleotides, which are the same or different can be introduced into a plant, thereby providing a means to obtain a  
25 genetically modified plant containing multiple copies of a single transgenic sequence, or containing two or more different transgenic sequences, either or both of which can be present in multiple copies. Such transgenic plants can be produced, for example, by simply selecting plants having multiple copies of a single type of transgenic sequence; by cotransfecting plant cells with two or more populations of different  
30 transgenic sequences and identifying those containing the two or more different transgenic sequences; or by crossbreeding transgenic plants, each of which contains

one or more desired transgenic sequences, and identifying those progeny having the desired sequences.

Methods for introducing a polynucleotide into a plant cell to obtain a transformed plant also include direct gene transfer (see European Patent A 164 575),  
5 injection, electroporation, biolistic methods such as particle bombardment, pollen-mediated transformation, plant RNA virus-mediated transformation, liposome-mediated transformation, transformation using wounded or enzyme-degraded immature embryos, or wounded or enzyme-degraded embryogenic callus, and the like. Transformation methods using *Agrobacterium tumefaciens* tumor inducing (Ti)  
10 plasmids or root-inducing (Ri) plasmids, or plant virus vectors are well known in the art (see, for example, WO 99/47552; Weissbach & Weissbach, "Methods for Plant Molecular Biology" (Academic Press, NY 1988), section VIII, pages 421-463; Grierson and Corey, "Plant Molecular Biology" 2d Ed. (Blackie, London 1988), Chapters 7-9, each of which is incorporated herein by reference; Horsch et al., *supra*,  
15 1985). The wild-type form of *Agrobacterium*, for example, contains a Ti plasmid, which directs production of tumorigenic crown gall growth on host plants. Transfer of the tumor inducing T-DNA region of the Ti plasmid to a plant genome requires the Ti plasmid-encoded virulence genes as well as T-DNA borders, which are a set of direct DNA repeats that delineate the region to be transferred. An *Agrobacterium*  
20 based vector is a modified form of a Ti plasmid, in which the tumor inducing functions are replaced by a nucleotide sequence of interest that is to be introduced into the plant host.

Methods of using *Agrobacterium* mediated transformation include cocultivation of *Agrobacterium* with cultured isolated protoplasts; transformation of  
25 plant cells or tissues with *Agrobacterium*; and transformation of seeds, apices or meristems with *Agrobacterium*. In addition, *in planta* transformation by *Agrobacterium* can be performed using vacuum infiltration of a suspension of *Agrobacterium* cells (Bechtold et al., C.R. Acad. Sci. Paris 316:1194, 1993, which is incorporated herein by reference).

30 *Agrobacterium* mediated transformation can employ cointegrate vectors or binary vector systems, in which the components of the Ti plasmid are divided between a helper vector, which resides permanently in the *Agrobacterium* host and carries the

virulence genes, and a shuttle vector, which contains the gene of interest bounded by T-DNA sequences. Binary vectors are well known in the art (see, for example, De Framond, BioTechnology 1:262, 1983; Hoekema et al., Nature 303:179, 1983, each of which is incorporated herein by reference) and are commercially available (Clontech; Palo Alto CA). For transformation, *Agrobacterium* can be cocultured, for example, with plant cells or wounded tissue such as leaf tissue, root explants, hypocotyledons, stem pieces or tubers (see, for example, Glick and Thompson, "Methods in Plant Molecular Biology and Biotechnology" (Boca Raton FL, CRC Press 1993), which is incorporated herein by reference). Wounded cells within the plant tissue that have been infected by *Agrobacterium* can develop organs *de novo* when cultured under the appropriate conditions; the resulting transgenic shoots eventually give rise to transgenic plants, which contain an exogenous polynucleotide portion of a plant stress-regulated gene.

*Agrobacterium* mediated transformation has been used to produce a variety of transgenic plants, including, for example, transgenic cruciferous plants such as *Arabidopsis*, mustard, rapeseed and flax; transgenic leguminous plants such as alfalfa, pea, soybean, trefoil and white clover; and transgenic solanaceous plants such as eggplant, petunia, potato, tobacco and tomato (see, for example, Wang et al., "Transformation of Plants and Soil Microorganisms" (Cambridge, University Press 1995), which is incorporated herein by reference). In addition, *Agrobacterium* mediated transformation can be used to introduce an exogenous polynucleotide sequence, for example, a plant stress-regulated regulatory element into apple, aspen, belladonna, black currant, carrot, celery, cotton, cucumber, grape, horseradish, lettuce, morning glory, muskmelon, neem, poplar, strawberry, sugar beet, sunflower, walnut, asparagus, rice and other plants (see, for example, Glick and Thompson, *supra*, 1993; Hiei et al., Plant J. 6:271-282, 1994; Shimamoto, Science 270:1772-1773, 1995).

Suitable strains of *Agrobacterium tumefaciens* and vectors as well as transformation of *Agrobacteria* and appropriate growth and selection media are well known in the art (GV3101, pMK90RK), Koncz, Mol. Gen. Genet. 204:383-396, 1986; (C58C1, pGV3850kan), Deblaere, Nucl. Acid Res. 13:4777, 1985; Bevan, Nucl. Acid Res. 12:8711, 1984; Koncz, Proc. Natl. Acad. Sci. USA 86:8467-8471, 1986; Koncz, Plant Mol. Biol. 20:963-976, 1992; Koncz, Specialized vectors for gene tagging and

expression studies. In: Plant Molecular Biology Manual Vol. 2, Gelvin and Schilperoort (Eds.), Dordrecht, The Netherlands: Kluwer Academic Publ. (1994), 1-22; European Patent A-1 20 516; Hoekema: The Binary Plant Vector System, Offsetdrukkerij Kanters B. V., Alblasterdam (1985), Chapter V; Fraley, Crit. Rev. Plant. Sci., 4:1-46; An, EMBO J. 4:277-287, 1985).

Where a polynucleotide portion of a plant stress-regulated gene is contained in vector, the vector can contain functional elements, for example "left border" and "right border" sequences of the T-DNA of *Agrobacterium*, which allow for stable integration into a plant genome. Furthermore, methods and vectors that permit the generation of marker-free transgenic plants, for example, where a selectable marker gene is lost at a certain stage of plant development or plant breeding, are known, and include, for example, methods of co-transformation (Lyznik, Plant Mol. Biol. 13:151-161, 1989; Peng, Plant Mol. Biol. 27:91-104, 1995), or methods that utilize enzymes capable of promoting homologous recombination in plants (see, e.g., W097/08331; Bayley, Plant Mol. Biol. 18:353-361, 1992; Lloyd, Mol. Gen. Genet. 242:653-657, 1994; Maeser, Mol. Gen. Genet. 230:170-176, 1991; Onouchi, Nucl. Acids Res. 19:6373-6378, 1991; see, also, Sambrook et al., *supra*, 1989).

A direct gene transfer method such as electroporation also can be used to introduce a polynucleotide portion of a plant stress-regulated gene into a cell such as a plant cell. For example, plant protoplasts can be electroporated in the presence of the regulatory element, which can be in a vector (Fromm et al., Proc. Natl. Acad. Sci., USA 82:5824, 1985, which is incorporated herein by reference). Electrical impulses of high field strength reversibly permeabilize membranes allowing the introduction of the nucleic acid. Electroporated plant protoplasts reform the cell wall, divide and form a plant callus. Microinjection can be performed as described in Potrykus and Spangenberg (eds.), *Gene Transfer To Plants* (Springer Verlag, Berlin, NY 1995). A transformed plant cell containing the introduced polynucleotide can be identified by detecting a phenotype due to the introduced polynucleotide, for example, increased or decreased tolerance to a stress condition.

Microprojectile mediated transformation also can be used to introduce a polynucleotide into a plant cell (Klein et al., Nature 327:70-73, 1987, which is incorporated herein by reference). This method utilizes microprojectiles such as gold

or tungsten, which are coated with the desired nucleic acid molecule by precipitation with calcium chloride, spermidine or polyethylene glycol. The microprojectile particles are accelerated at high speed into a plant tissue using a device such as the BIOLISTIC PD-1000 (BioRad; Hercules CA).

5           Microprojectile mediated delivery ("particle bombardment") is especially useful to transform plant cells that are difficult to transform or regenerate using other methods. Methods for the transformation using biolistic methods are well known (Wan, Plant Physiol. 104:37-48, 1984; Vasil, Bio/Technology 11:1553-1558, 1993; Christou, Trends in Plant Science 1:423-431, 1996). Microprojectile mediated  
10 transformation has been used, for example, to generate a variety of transgenic plant species, including cotton, tobacco, corn, hybrid poplar and papaya (see Glick and Thompson, *supra*, 1993). Important cereal crops such as wheat, oat, barley, sorghum and rice also have been transformed using microprojectile mediated delivery (Duan et al., Nature Biotech. 14:494-498, 1996; Shimamoto, Curr. Opin. Biotech. 5:158-162,  
15 1994). A rapid transformation regeneration system for the production of transgenic plants such as a system that produces transgenic wheat in two to three months (see European Patent No. EP 0709462A2, which is incorporated herein by reference) also can be useful for producing a transgenic plant using a method of the invention, thus allowing more rapid identification of gene functions. The transformation of most  
20 dicotyledonous plants is possible with the methods described above. Transformation of monocotyledonous plants also can be transformed using, for example, biolistic methods as described above, protoplast transformation, electroporation of partially permeabilized cells, introduction of DNA using glass fibers, *Agrobacterium* mediated transformation, and the like.

25           Plastid transformation also can be used to introduce a polynucleotide portion of a plant stress-regulated gene into a plant cell (U.S. Patent Nos. 5,451,513, 5,545,817, and 5,545,818; WO 95/16783; McBride et al., Proc. Natl. Acad. Sci., USA 91:7301-7305, 1994). Chloroplast transformation involves introducing regions of cloned plastid DNA flanking a desired nucleotide sequence, for example, a selectable  
30 marker together with polynucleotide of interest into a suitable target tissue, using, for example, a biolistic or protoplast transformation method (e.g., calcium chloride or PEG mediated transformation). One to 1.5 kb flanking regions ("targeting

sequences") facilitate homologous recombination with the plastid genome, and allow the replacement or modification of specific regions of the plastome. Using this method, point mutations in the chloroplast 16S rRNA and rps12 genes, which confer resistance to spectinomycin and streptomycin, can be utilized as selectable markers for transformation (Svab et al., Proc. Natl. Acad. Sci., USA 87:8526-8530, 1990; Staub and Maliga, Plant Cell 4:39-45, 1992), resulted in stable homoplasmic transformants; at a frequency of approximately one per 100 bombardments of target leaves. The presence of cloning sites between these markers allowed creation of a plastid targeting vector for introduction of foreign genes (Staub and Maliga, EMBO J. 12:601-606, 1993). Substantial increases in transformation frequency are obtained by replacement of the recessive rRNA or r-protein antibiotic resistance genes with a dominant selectable marker, the bacterial aadA gene encoding the spectinomycin-detoxifying enzyme aminoglycoside-3'-adenyltransferase (Svab and Maliga, Proc. Natl. Acad. Sci., USA 90:913-917, 1993). Approximately 15 to 20 cell division cycles following transformation are generally required to reach a homoplastidic state. Plastid expression, in which genes are inserted by homologous recombination into all of the several thousand copies of the circular plastid genome present in each plant cell, takes advantage of the enormous copy number advantage over nuclear-expressed genes to permit expression levels that can readily exceed 10% of the total soluble plant protein.

Plants suitable to treatment according to a method of the invention can be monocots or dicots and include, but are not limited to, corn (*Zea mays*), *Brassica* sp. (e.g., *B. napus*, *B. rapa*, *B. juncea*), particularly those *Brassica* species useful as sources of seed oil, alfalfa (*Medicago sativa*), rice (*Oryza sativa*), rye (*Secale cereale*), sorghum (*Sorghum bicolor*, *Sorghum vulgare*), millet (e.g., pearl millet (*Pennisetum glaucum*), proso millet (*Panicum miliaceum*), foxtail millet (*Setaria italica*), finger millet (*Eleusine coracana*)), sunflower (*Helianthus annuus*), safflower (*Carthamus tinctorius*), wheat (*Triticum aestivum*), soybean (*Glycine max*), tobacco (*Nicotiana tabacum*), potato (*Solanum tuberosum*), peanuts (*Arachis hypogaea*), cotton (*Gossypium barbadense*, *Gossypium hirsutum*), sweet potato (*Ipomoea batatas*), cassava (*Manihot esculenta*), coffee (*Coffea* spp.), coconut (*Cocos nucifera*), pineapple (*Ananas comosus*), citrus trees (*Citrus* spp.), cocoa (*Theobroma cacao*), tea

- (*Camellia sinensis*), banana (*Musa* spp.), avocado (*Persea utilis*), fig (*Ficus casica*), guava (*Psidium guajava*), mango (*Mangifera indica*), olive (*Olea europaea*), papaya (*Carica papaya*), cashew (*Anacardium occidentale*), macadamia (*Macadamia integrifolia*), almond (*Prunus amygdalus*), sugar beets (*Beta vulgaris*), sugarcane
- 5 (*Saccharum* spp.), oats, duckweed (*Lemna*), barley, tomatoes (*Lycopersicon esculentum*), lettuce (e.g., *Lactuca sativa*), green beans (*Phaseolus vulgaris*), lima beans (*Phaseolus limensis*), peas (*Lathyrus* spp.), and members of the genus *Cucumis* such as cucumber (*C. sativus*), cantaloupe (*C. cantalupensis*), and musk melon (*C. melo*).
- 10 Ornamentals such as azalea (*Rhododendron* spp.), hydrangea (*Macrophylla hydrangea*), hibiscus (*Hibiscus rosasanensis*), roses (*Rosa* spp.), tulips (*Tulipa* spp.), daffodils (*Narcissus* spp.), petunias (*Petunia hybrida*), carnation (*Dianthus caryophyllus*), poinsettia (*Euphorbia pulcherrima*), and chrysanthemum are also included. Additional ornamentals within the scope of the invention include impatiens,
- 15 Begonia, Pelargonium, Viola, Cyclamen, Verbena, Vinca, Tagetes, Primula, Saint Paulia, Agertum, Amaranthus, Antihirrhinum, Aquilegia, Cineraria, Clover, Cosmo, Cowpea, Dahlia, Datura, Delphinium, Gerbera, Gladiolus, Gloxinia, Hippeastrum, Mesembryanthemum, Salpiglossos, and Zinnia.

- Conifers that may be employed in practicing the present invention include, for
- 20 example, pines such as loblolly pine (*Pinus taeda*), slash pine (*Pinus elliotii*), ponderosa pine (*Pinus ponderosa*), lodgepole pine (*Pinus contorta*), and Monterey pine (*Pinus radiata*), Douglas-fir (*Pseudotsuga menziesii*); Western hemlock (*Tsuga utilis*); Sitka spruce (*Picea glauca*); redwood (*Sequoia sempervirens*); true firs such as silver fir (*Abies amabilis*) and balsam fir (*Abies balsamea*); and cedars such as
- 25 Western red cedar (*Thuja plicata*) and Alaska yellow-cedar (*Chamaecyparis nootkatensis*).

- Leguminous plants which may be used in the practice of the present invention include beans and peas. Beans include guar, locust bean, fenugreek, soybean, garden beans, cowpea, mungbean, lima bean, fava bean, lentils, chickpea, etc. Legumes
- 30 include, but are not limited to, *Arachis*, e.g., peanuts, *Vicia*, e.g., crown vetch, hairy vetch, adzuki bean, mung bean, and chickpea, *Lupinus*, e.g., lupine, trifolium, *Phaseolus*, e.g., common bean and lima bean, *Pisum*, e.g., field bean, *Melilotus*, e.g.,

clover, *Medicago*, e.g., alfalfa, Lotus, e.g., trefoil, lens, e.g., lentil, and false indigo. Preferred forage and turf grass for use in the methods of the invention include alfalfa, orchard grass, tall fescue, perennial ryegrass, creeping bent grass, and redtop.

Other plants within the scope of the invention include *Acacia*, aneth, artichoke,  
5 arugula, blackberry, canola, cilantro, clementines, escarole, eucalyptus, fennel, grapefruit, honey dew, jicama, kiwifruit, lemon, lime, mushroom, nut, okra, orange, parsley, persimmon, plantain, pomegranate, poplar, radiata pine, radicchio, Southern pine, sweetgum, tangerine, triticale, vine, yams, apple, pear, quince, cherry, apricot, melon, hemp, buckwheat, grape, raspberry, chenopodium, blueberry, nectarine, peach,  
10 plum, strawberry, watermelon, eggplant, pepper, cauliflower, Brassica, e.g., broccoli, cabbage, utilan sprouts, onion, carrot, leek, beet, broad bean, celery, radish, pumpkin, endive, gourd, garlic, snapbean, spinach, squash, turnip, utilane, chicory, groundnut and zucchini.

Angiosperms are divided into two broad classes based on the number of  
15 cotyledons, which are seed leaves that generally store or absorb food; a monocotyledonous angiosperm has a single cotyledon, and a dicotyledonous angiosperm has two cotyledons. Angiosperms produce a variety of useful products including materials such as lumber, rubber, and paper; fibers such as cotton and linen; herbs and medicines such as quinine and vinblastine; ornamental flowers such as  
20 roses and orchids; and foodstuffs such as grains, oils, fruits and vegetables.

Angiosperms encompass a variety of flowering plants, including, for example, cereal plants, leguminous plants, oilseed plants, hardwood trees, fruit-bearing plants and ornamental flowers, which general classes are not necessarily exclusive. Cereal plants, which produce an edible grain cereal, include, for example, corn, rice, wheat,  
25 barley, oat, rye, orchardgrass, guinea grass, sorghum and turfgrass. Leguminous plants include members of the pea family (*Fabaceae*) and produce a characteristic fruit known as a legume. Examples of leguminous plants include, for example, soybean, pea, chickpea, moth bean, broad bean, kidney bean, lima bean, lentil, cowpea, dry bean, and peanut, as well as alfalfa, birdsfoot trefoil, clover and sainfoin.  
30 Oilseed plants, which have seeds that are useful as a source of oil, include soybean, sunflower, rapeseed (canola) and cottonseed.



Angiosperms also include hardwood trees, which are perennial woody plants that generally have a single stem (trunk). Examples of such trees include alder, ash, aspen, basswood (linden), beech, birch, cherry, cottonwood, elm, eucalyptus, hickory, locust, maple, oak, persimmon, poplar, sycamore, walnut, sequoia, and willow. Trees  
5 are useful, for example, as a source of pulp, paper, structural material and fuel.

Angiosperms are fruit-bearing plants that produce a mature, ripened ovary, which generally contains seeds. A fruit can be suitable for human or animal consumption or for collection of seeds to propagate the species. For example, hops are a member of the mulberry family that are prized for their flavoring in malt liquor.  
10 Fruit-bearing angiosperms also include grape, orange, lemon, grapefruit, avocado, date, peach, cherry, olive, plum, coconut, apple and pear trees and blackberry, blueberry, raspberry, strawberry, pineapple, tomato, cucumber and eggplant plants. An ornamental flower is an angiosperm cultivated for its decorative flower. Examples of commercially important ornamental flowers include rose, orchid, lily, tulip and  
15 chrysanthemum, snapdragon, camellia, carnation and petunia plants. The skilled artisan will recognize that the methods of the invention can be practiced using these or other angiosperms, as desired, as well as gymnosperms, which do not produce seeds in a fruit.

A method of producing a transgenic plant can be performed by introducing a  
20 polynucleotide portion of plant stress-regulated gene into a plant cell genome, whereby the polynucleotide portion of the plant stress-regulated gene modulates a response of the plant cell to a stress condition, thereby producing a transgenic plant, which comprises plant cells that exhibit altered responsiveness to the stress condition. In one embodiment, the polynucleotide portion of the plant stress-regulated gene  
25 encodes a stress-regulated polypeptide or functional peptide portion thereof, wherein expression of the stress-regulated polypeptide or functional peptide portion thereof either increases the stress tolerance of the transgenic plant, or decreases the stress tolerance of the transgenic plant. The polynucleotide portion of the plant stress-regulated gene encoding the stress-regulated polypeptide or functional peptide portion  
30 thereof can be operatively linked to a heterologous promoter.

In another embodiment, the polynucleotide portion of the plant stress-regulated gene comprises a stress-regulated regulatory element. The stress-regulated

regulatory element can integrate into the plant cell genome in a site-specific manner, whereupon it can be operatively linked to an endogenous nucleotide sequence, which can be expressed in response to a stress condition specific for the regulatory element; or can be a mutant regulatory element, which is not responsive to the stress condition, whereby upon integrating into the plant cell genome, the mutant regulatory element disrupts an endogenous stress-regulated regulatory element of a plant stress-regulated gene, thereby altering the responsiveness of the plant stress-regulated gene to the stress condition. Accordingly, the invention also provides genetically modified plants, including transgenic plants, produced by such a method, and a plant cell obtained from such genetically modified plant, wherein said plant cell exhibits altered responsiveness to the stress condition; a seed produced by a transgenic plant; and a cDNA library prepared from a transgenic plant.

Also provided is a method of modulating the responsiveness of a plant cell to a stress condition. Such a method can be performed, for example, by introducing a polynucleotide portion of a plant stress-regulated gene into the plant cell, thereby modulating the responsiveness of the plant cell to a stress condition. As disclosed herein, the responsiveness of the plant cell can be increased or decreased upon exposure to the stress condition, and the altered responsiveness can result in increased or decreased tolerance of the plant cell to a stress condition. The polynucleotide portion of the plant stress-regulated gene can, but need not, be integrated into the genome of the plant cell, thereby modulating the responsiveness of the plant cell to the stress condition. Accordingly, the invention also provide a genetically modified plant, including a transgenic plant, which contains an introduced polynucleotide portion of a plant stress-regulated gene, as well as plant cells, tissues, and the like, which exhibit modulated responsiveness to a stress condition.

The polynucleotide portion of the plant stress-regulated gene can encode a stress-regulated polypeptide or functional peptide portion thereof, which can be operatively linked to a heterologous promoter. As used herein, reference to a "functional peptide portion of a plant stress-regulated polypeptide" means a contiguous amino acid sequence of the polypeptide that has an activity of the full length polypeptide, or that has an antagonist activity with respect to the full length polypeptide, or that presents an epitope unique to the polypeptide. Thus, by

expressing a functional peptide portion of a plant stress-regulated polypeptide in a plant cell, the peptide can act as an agonist or an antagonist of the polypeptide, thereby modulating the responsiveness of the plant cell to a stress condition.

A polynucleotide portion of the plant stress-regulated nucleotide sequence also  
5 can contain a mutation, whereby upon integrating into the plant cell genome, the polynucleotide disrupts (knocks-out) an endogenous plant stress-regulated nucleotide sequence, thereby modulating the responsiveness of said plant cell to the stress condition. Depending on whether the knocked-out gene encodes an adaptive or a maladaptive stress-regulated polypeptide, the responsiveness of the plant will be  
10 modulated accordingly. Thus, a method of the invention provides a means of producing a transgenic plant having a knock-out phenotype of a plant stress-regulated nucleotide sequence.

Alternatively, the responsiveness of a plant or plant cell to a stress condition can be modulated by use of a suppressor construct containing dominant negative  
15 mutation for any of the stress-regulated sequences described herein. Expression of a suppressor construct containing a dominant mutant mutation generates a mutant transcript that, when coexpressed with the wild-type transcript inhibits the action of the wild-type transcript. Methods for the design and use of dominant negative constructs are well known (see, for example, in Herskowitz, Nature 329:219-222,  
20 1987; Lagna and Hemmati-Brivanlou, Curr. Topics Devel. Biol. 36:75-98, 1998).

The polynucleotide portion of the plant stress-regulated gene also can comprise a stress-regulated regulatory element, which can be operatively linked to a heterologous nucleotide sequence, which, upon expression from the regulatory  
25 element in response to a stress condition, modulates the responsiveness of the plant cell to the stress condition. Such a heterologous nucleotide sequence can encode, for example, a stress-inducible transcription factor such as DREB1A, which, upon exposure to the stress condition, is expressed such that it can amplify the stress response (see Kasuga et al., *supra*, 1999). The heterologous nucleotide sequence also can encode a polynucleotide that is specific for a plant stress-regulated gene, for  
30 example, an antisense molecule, a ribozyme, and a triplexing agent, either of which, upon expression in the plant cell, reduces or inhibits expression of a stress-regulated polypeptide encoded by the gene, thereby modulating the responsiveness of the plant

cell to a stress condition, for example, an abnormal level of cold, osmotic pressure, and salinity. As used herein, the term "abnormal," when used in reference to a condition such as temperature, osmotic pressure, salinity, or any other condition that can be a stress condition, means that the condition varies sufficiently from a range generally considered optimum for growth of a plant that the condition results in an induction of a stress response in a plant. Methods of determining whether a stress response has been induced in a plant are disclosed herein or otherwise known in the art.

A plant stress-regulated regulatory element can be operatively linked to a heterologous polynucleotide sequence, such that the regulatory element can be introduced into a plant genome in a site-specific manner by homologous recombination. For example, a mutant plant stress-regulated regulatory element for a maladaptive stress-induced polypeptide can be transformed into a plant genome in a site specific manner by *in vivo* mutagenesis, using a hybrid RNA-DNA oligonucleotide ("chimeroplast" (TIBTECH 15:441- 447, 1997; W0 95/15972; Kren, Hepatology 25:1462-1468, 1997; Cole-Strauss, Science 273:1386-1389, 1996, each of which is incorporated herein by reference). Part of the DNA component of the RNA-DNA oligonucleotide is homologous to a nucleotide sequence comprising the regulatory element of the maladaptive gene, but includes a mutation or contains a heterologous region which is surrounded by the homologous regions. By means of base pairing of the homologous regions of the RNA-DNA oligonucleotide and of the endogenous nucleic acid molecule, followed by a homologous recombination the mutation contained in the DNA component of the RNA-DNA oligonucleotide or the heterologous region can be transferred to the plant genome, resulting in a "mutant" gene that, for example, is not induced in response to a stress and, therefore, does not confer the maladaptive phenotype. Such a method similarly can be used to knock-out the activity of a stress-regulated gene, for example, in an undesirable plant. Such a method can provide the advantage that a desirable wild-type plant need not compete with the undesirable plant, for example, for light, nutrients, or the like.

A method of modulating the responsiveness of a plant cell to a stress condition also can be performed by introducing a mutation in the chromosomal copy of a plant stress-regulated gene, for example, in the stress-regulated regulatory element, by

transforming a cell with a chimeric oligonucleotide composed of a contiguous stretch of RNA and DNA residues in a duplex conformation with double hairpin caps on the ends. An additional feature of the oligonucleotide is the presence of 2'-O- methylation at the RNA residues. The RNA/DNA sequence is designed to align with the sequence of a chromosomal copy of the target regulatory element and to contain the desired nucleotide change (see U.S. Pat. No. 5,501,967, which is incorporated herein by reference).

A plant stress-regulated regulatory element also can be operatively linked to a heterologous polynucleotide such that, upon expression from the regulatory element in the plant cell, confers a desirable phenotype on the plant cell. For example, the heterologous polynucleotide can encode an aptamer, which can bind to a stress-induced polypeptide. Aptamers are nucleic acid molecules that are selected based on their ability to bind to and inhibit the activity of a protein or metabolite. Aptamers can be obtained by the SELEX (Systematic Evolution of Ligands by Exponential Enrichment) method (see U.S. Pat. No. 5,270,163), wherein a candidate mixture of single stranded nucleic acids having regions of randomized sequence is contacted with a target, and those nucleic acids having a specific affinity to the target are partitioned from the remainder of the candidate mixture, and amplified to yield a ligand enriched mixture. After several iterations a nucleic acid molecule (aptamer) having optimal affinity for the target is obtained. For example, such a nucleic acid molecule can be operatively linked to a plant stress-regulated regulatory element and introduced into a plant. Where the aptamer is selected for binding to a polypeptide that normally is expressed from the regulatory element and is involved in an adaptive response of the plant to a stress, the recombinant molecule comprising the aptamer can be useful for inhibiting the activity of the stress-regulated polypeptide, thereby decreasing the tolerance of the plant to the stress condition.

The invention provides a genetically modified plant, which can be a transgenic plant, that is tolerant or resistant to a stress condition. As used herein, the term "tolerant" or "resistant," when used in reference to a stress condition of a plant, means that the particular plant, when exposed to a stress condition, shows less of an effect, or no effect, in response to the condition as compared to a corresponding reference plant (naturally occurring wild-type plant or a plant not containing a construct of the

present invention). As a consequence, a plant encompassed within the present invention grows better under more widely varying conditions, has higher yields and/or produces more seeds. Thus, a transgenic plant produced according to a method of the invention can demonstrate protection (as compared to a corresponding reference  
5 plant) from a delay to complete inhibition of alteration in cellular metabolism, or reduced cell growth or cell death caused by the stress. Preferably, the transgenic plant is capable of substantially normal growth under environmental conditions where the corresponding reference plant shows reduced growth, metabolism or viability, or increased male or female sterility.

10 The determination that a plant modified according to a method of the invention has increased resistance to a stress-inducing condition can be made by comparing the treated plant with a control (reference) plant using well known methods. For example, a plant having increased tolerance to saline stress can be identified by growing the plant on a medium such as soil, which contains a higher  
15 content of salt in the order of at least about 10% compared to a medium the corresponding reference plant is capable of growing on. Advantageously, a plant treated according to a method of the invention can grow on a medium or soil containing at least about 50%, or more than about 75%, particularly at least about more than 100%, and preferably more than about 200% salt than the medium or soil  
20 on which a corresponding reference plant can grow. In particular, such a treated plant can grow on medium or soil containing at least 40 mM, generally at least 100 mM, particularly at least 200 mM, and preferably at least 300 mM salt, including, for example, a water soluble inorganic salt such as sodium sulfate, magnesium sulfate, calcium sulfate, sodium chloride, magnesium chloride, calcium chloride, potassium  
25 chloride, or the like; salts of agricultural fertilizers, and salts associated with alkaline or acid soil conditions; particularly NaCl.

In another embodiment, the invention provides a plant that is less tolerant or less resistant to a stress condition as compared to a corresponding reference plant. As used herein, the term "less tolerant" or "less resistant," when used in reference to a  
30 stress condition of a plant, means that the particular plant, when exposed to a stress condition, shows an alteration in response to the condition as compared to a corresponding reference plant. As a consequence, such a plant, which generally is an

undesirable plant species, is less likely to grow when exposed to a stress condition than an untreated plant.

The present invention also relates to a method of expressing a heterologous nucleotide sequence in a plant cell. Such a method can be performed, for example, by  
5 introducing into the plant cell a plant stress-regulated regulatory element operatively linked to the heterologous nucleotide sequence, whereby, upon exposure of the plant cell to stress condition, the heterologous nucleotide sequence is expressed in the plant cell. The heterologous nucleotide sequence can encode a selectable marker, or preferably, a polypeptide that confers a desirable trait upon the plant cell, for example,  
10 a polypeptide that improves the nutritional value, digestibility or ornamental value of the plant cell, or a plant comprising the plant cell. Accordingly, the invention provides a transgenic plant that, in response to a stress condition, can produce a heterologous polypeptide from a plant stress-regulated regulatory element. Such transgenic plants can provide the advantage that, when grown in a cold environment for example, expression  
15 of the heterologous polypeptide from a plant cold-regulated regulatory element can result in increased nutritional value of the plant.

The present invention further relates to a method of modulating the activity of a biological pathway in a plant cell, wherein the pathway involves a stress-regulated polypeptide. As used herein, reference to a pathway that "involves" a stress-regulated  
20 polypeptide means that the polypeptide is required for normal function of the pathway. For example, plant stress-regulated polypeptides as disclosed herein include those acting as kinases or as transcription factors, which are well known to be involved in signal transduction pathways. As such, a method of the invention provides a means to modulate biological pathways involving plant stress-regulated  
25 polypeptides, for example, by altering the expression of the polypeptides in response to a stress condition. Thus, a method of the invention can be performed, for example, by introducing a polynucleotide portion of a plant stress-regulated gene into the plant cell, thereby modulating the activity of the biological pathway.

A method of the invention can be performed with respect to a pathway  
30 involving any of the stress-regulated polypeptides as encoded by a polynucleotide of SEQ ID NOS:1-2703, including for example, a stress-regulated transcription factor, an enzyme, including a kinase, a channel protein (see, for example, Tables 29-31; see,

also, Table 1). Pathways in which the disclosed stress-regulated stress factors are involved can be identified, for example, by searching the Munich Information Center for Protein Sequences (MIPS) *Arabidopsis thaliana* database (MATDB), which is at <http://www.mips.biochem.mpg.de/proj/thal/>.

5           The present invention also relates to a method of identifying a polynucleotide that modulates a stress response in a plant cell. Such a method can be performed, for example, by contacting an array of probes representative of a plant cell genome and nucleic acid molecules expressed in plant cell exposed to the stress; detecting a nucleic acid molecule that is expressed at a level different from a level of expression  
10 in the absence of the stress; introducing the nucleic acid molecule that is expressed differently into a plant cell; and detecting a modulated response of the plant cell containing the introduced nucleic acid molecule to a stress, thereby identifying a polynucleotide that modulates a stress response in a plant cell. The contacting is under conditions that allow for selective hybridization of a nucleic acid molecule with  
15 probe having sufficient complementarity, for example, under stringent hybridization conditions.

As used herein, the term "array of probes representative of a plant cell genome" means an organized group of oligonucleotide probes that are linked to a solid support, for example, a microchip or a glass slide, wherein the probes can  
20 hybridize specifically and selectively to nucleic acid molecules expressed in a plant cell. Such an array is exemplified herein by a GeneChip® *Arabidopsis* Genome Array (Affymetrix; see Example 1). In general, an array of probes that is "representative" of a plant genome will identify at least about 30% or the expressed nucleic acid molecules in a plant cell, generally at least about 50% or 70%, particularly at least  
25 about 80% or 90%, and preferably will identify all of the expressed nucleic acid molecules. It should be recognized that the greater the representation, the more likely all nucleotide sequences of cluster of stress-regulated genes will be identified.

A method of the invention is exemplified in Example 1, wherein clusters of *Arabidopsis* genes induced to cold, to increased salinity, to increased osmotic  
30 pressure, and to a combination of the above three stress conditions were identified. Based on the present disclosure, the artisan readily can obtain nucleic acid samples for *Arabidopsis* plants exposed to other stress conditions, or combinations of stress



conditions, and identify clusters of genes induced in response to the stress conditions. Similarly, the method is readily adaptable to identifying clusters of stress-regulated genes expressed in other plant species, particularly commercially valuable plant species, where a substantial amount of information is known regarding the genome.

5           The clusters of genes identified herein include those clusters of genes that are induced or repressed in response to a combination of stress conditions, but not to any of the stress conditions alone; and clusters of genes that are induced or repressed in response to a selected stress condition, but not to other stress conditions tested. Furthermore, clusters of genes that respond to a stress condition in a temporally  
10 regulated manner are also included, such as gene clusters that are induced early (for example, within about 3 hours), late (for example, after about 8 to 24 hours), or continuously in a stress response. In addition, the genes within a cluster are represented by a variety of cellular proteins, including transcription factors, enzymes such as kinases, channel proteins, and the like (see Tables 1 and 29-31). Thus, the  
15 present invention further characterizes nucleotide sequences that previously were known to encode cellular peptides by classifying them within clusters of stress-regulated genes.

          The present invention additionally relates to a method of identifying a stress condition to which a plant cell was exposed. Such a method can be performed, for  
20 example, by contacting nucleic acid molecules expressed in the plant cell and an array of probes representative of the plant cell genome; and detecting a profile of expressed nucleic acid molecules characteristic of a stress response, thereby identifying the stress condition to which the plant cell was exposed. The contacting generally is under conditions that allow for selective hybridization of a nucleic acid molecule with  
25 probe having sufficient complementarity, for example, under stringent hybridization conditions. The profile can be characteristic of exposure to a single stress condition, for example, an abnormal level of cold, osmotic pressure, or salinity (Tables 3-14), or can be characteristic of exposure to more than one stress condition (Tables 15-26, for example, cold, increased osmotic pressure and increased salinity (see Tables 24-26).

30           The method can be practiced using at least one nucleic acid probe and can identify one or combination of stress conditions by detecting altered expression of one or a plurality of polynucleotides representative of plant stress-regulated genes. As

used herein, the term "at least one" includes one, two, three or more, for example, five, ten, twenty, fifty or more polynucleotides, nucleic acid probes, and the like. The term "plurality" is used herein to mean two or more, for example, three, four, five or more, including ten, twenty, fifty or more polynucleotides, nucleic acid probes, and  
5 the like.

In a method of the invention, nucleic acid samples from the plant cells to be collected can be contacted with an array, then the profile can be compared with known expression profiles prepared from nucleic acid samples of plants exposed to a known stress condition or combination of stress conditions. By creating a panel of  
10 such profiles, representative of various stress conditions, an unknown stress condition to which a plant was exposed can be identified simply by comparing the unknown profile with the known profiles and determining which known profile that matches the unknown profile. Preferably, the comparison is automated. Such a method can be useful, for example, to identify a cause of damage to a crop, where the condition  
15 causing the stress is not known or gradually increases over time. For example, accumulation in soils over time of salts from irrigation water can result in gradually decreasing crop yields. Because the accumulation is gradual, the cause of the decreased yield may not be readily apparent. Using the present methods, it is possible to evaluate the stress to which the plants are exposed, thus revealing the cause of the  
20 decreased yields.

The present invention, therefore includes a computer readable medium containing executable instructions for receiving expression data for sequences substantially similar to any of those disclosed herein and comparing expression data from a test plant to a reference plant that has been exposed to an abiotic stress. Also  
25 provided is a computer-readable medium containing sequence data for sequences substantially similar to any of the sequences described herein, or the complements thereof, and a module for comparing such sequences to other nucleic acid sequences.

Also provided are plants and plant cells comprising plant stress-regulatory elements of the present invention operably linked to a nucleotide sequence encoding a  
30 detectable signal. Such plants can be used as diagnostic or "sentinel" plants to provide early warning that nearby plants are being stressed so that appropriate actions can be taken. In one embodiment, the signal is one that alters the appearance of the

plant. For example, an osmotic stress regulatory element of the present invention can be operably linked to a nucleotide sequence encoding a fluorescent protein such as green fluorescent protein. When subjected to osmotic stress, the expression of the green fluorescent protein in the sentinel plant provides a visible signal so that appropriate actions can be taken to remove or alleviate the stress. The use of fluorescent proteins in plants is well known (see, for example, in Leffel et al., BioTechniques 23:912, 1997).

The invention further relates to a method of identifying an agent that modulates the activity of a stress-regulated regulatory element of a plant. As used herein, the term "modulate the activity," when used in reference to a plant stress-regulated regulatory element, means that expression of a polynucleotide from the regulatory element is increased or decreased. In particular, expression can be increased or decreased with respect to the basal activity of the promoter, i.e., the level of expression, if any, in the absence of a stress condition that normally induces expression from the regulatory element; or can be increased or decreased with respect to the level of expression in the presence of the inducing stress condition. As such, an agent can act as a mimic of a stress condition, or can act to modulate the response to a stress condition.

Such a method can be performed, for example, by contacting the regulatory element with an agent suspected of having the ability to modulate the activity of the regulatory element, and detecting a change in the activity of the regulatory element. In one embodiment, the regulatory element can be operatively linked to a heterologous polynucleotide encoding a reporter molecule, and an agent that modulates the activity of the stress-regulated regulatory element can be identified by detecting a change in expression of the reporter molecule due to contacting the regulatory element with the agent. Such a method can be performed *in vitro* in a plant cell-free system, or in a plant cell in culture or in a plant *in situ*.

A method of the invention also can be performed by contacting the agent is contacted with a genetically modified cell or a transgenic plant containing an introduced plant stress-regulated regulatory element, and an agent that modulates the activity of the regulatory element is identified by detecting a phenotypic change in the modified cell or transgenic plant.

A method of the invention can be performed in the presence or absence of the stress condition to which the particularly regulatory element is responsive. As such, the method can identify an agent that modulates the activity of plant stress-regulated promoter in response to the stress, for example, an agent that can enhance the stress response or can reduce the stress response. In particular, a method of the invention  
5 can identify an agent that selectively activates the stress-regulated regulatory elements of a cluster of plant stress-regulated genes, but does not affect the activity of other stress-regulated regulatory genes. As such, the method provides a means to identify an agent that acts as a stress mimic. Such agents can be particularly useful to prepare  
10 a plant to an expected stress condition. For example, a agent that acts as a cold mimic can be applied to a field of plants prior to the arrival of an expected cold front. Thus, the cold stress response can be induced prior to the actual cold weather, thereby providing the plants with the protection of the stress response, without the plants suffering from any initial damage due to the cold. Similarly, an osmotic pressure  
15 mimic can be applied to a crop of plants prior a field being flooded by a rising river.

In one embodiment, the present invention provides a method for marker-assisted selection. Marker-assisted selection involves the selection of plants having desirable phenotypes based on the presence of particular nucleotide sequences ("markers"). The use of markers allows plants to be selected early in development,  
20 often before the phenotype would normally be manifest. Because it allows for early selection, marker-assisted selection decreases the amount of time need for selection and thus allows more rapid genetic progress.

Briefly, marker-assisted selection involves obtaining nucleic acid from a plant to be selected. The nucleic acid obtained is then probed with probes that selectively  
25 hybridize under stringent, preferably highly stringent, conditions to a nucleotide sequence or sequences associated with the desired phenotype. In one embodiment, the probes hybridize to any of the stress-responsive genes or regulatory regions disclosed herein, for example, any one of SEQ ID NOS:1-2703. The presence of any hybridization products formed is detected and plants are then selected on the presence  
30 or absence of the hybridization products.

The following examples are intended to illustrate but not limit the invention.

**EXAMPLE 1****PROFILING OF PLANT STRESS-REGULATED GENES**

This example demonstrates that clusters of stress-regulated genes can be identified in plant cells exposed to various stress conditions, either alone or in  
5 combination.

A GeneChip<sup>®</sup> Arabidopsis Genome Array (Affymetrix, Santa Clara, CA) was used to identify clusters of genes that were coordinately induced in response to various stress conditions. The GeneChip<sup>®</sup> Arabidopsis Genome Array contains probes synthesized *in situ* and is designed to measure temporal and spatial gene  
10 expression of approximately 8700 genes in greater than 100 EST clusters. The sequences used to develop the array were obtained from GenBank (<http://www.ncbi.nlm.nih.gov/>) in collaboration with Torrey Mesa Research Institute (San Diego, CA), formerly known as Novartis Agriculture Discovery Institute. Eighty percent of the nucleotide sequences represented on the array are predicted  
15 coding sequences from genomic BAC entries; twenty percent are high quality cDNA sequences. The array also contains over 100 EST clusters that share homology with the predicted coding sequences from BAC clones (see, for example, world wide web at address (url) "[affymetrix.com/products/Arabidopsis\\_content.html](http://affymetrix.com/products/Arabidopsis_content.html)").

The Affymetrix GeneChip<sup>®</sup> array was used to define nucleotide sequences/  
20 pathways affected by various abiotic stresses and to define which are uniquely regulated by one stress and those that respond to multiple stress, and to identify candidate nucleotide sequences for screening for insertional mutants. Of the approximately 8,700 nucleotide sequences represented on the Affymetrix GeneChip<sup>®</sup> array, 2862 nucleotide sequences showed at least a 2-fold change in expression in at  
25 least one sample, relative to no-treatment controls. Of those 2,862 nucleotide sequences 1,335 were regulated only by cold stress, 166 were regulated only mannitol stress and 209 were regulated only by saline stress. Furthermore, of the 2,862 nucleotide sequences 123 nucleotide sequences were regulated by salt and mannitol stress, 293 were regulated by mannitol and cold stress, 274 were regulated  
30 by cold and saline stress and 462 were regulated by cold, mannitol and salt. Of the 2,862 nucleotide sequences, 771 passed the higher stringency of showing at least a

2-fold change in expression in at least 2 samples, relative to control. And, 508 of the 771 nucleotide sequences were found in an in-house collection of insertion mutants.

The following describes in more detail how the experiments were done.

Transcriptional profiling was performed by hybridizing fluorescence labeled cRNA with  
5 the oligonucleotides probes on the chip, washing, and scanning. Each gene is represented on the chip by about sixteen oligonucleotides (25-mers). Expression level is related to fluorescence intensity. Starting material contained 1 to 10 Tg total RNA; detection specificity was about  $1:10^6$ ; approximately a 2-fold change was detectable, with less than 2% false positive; the dynamic range was approximately 500x.  
10 Nucleotide sequences having up to 70% to 80% identity could be discriminated using this system.

Seven day old axenic *Arabidopsis* seedlings were transferred to Magenta boxes with rafts floating on MS medium. Three weeks later (28 day old seedlings), stresses were applied as follows: Control - no treatment; Cold - Magenta box placed in ice;  
15 Mannitol - medium + 200 mM mannitol; Salt - medium + 100 mM NaCl. Tissue samples were collected at 3 hours and 27 hours into the stress, roots and aerial portions were harvested, RNA was purified, and the samples were analyzed using the GeneChip® *Arabidopsis* Genome Array (Affymetrix, Santa Clara, CA) following the manufacturer's protocol.

20 Raw fluorescence values as generated by Affymetrix software were processed as follows: the values were brought into Microsoft Excel and values of 25 or less were set to 25 (an empirically determined baseline, Zhu and Wang, Plant Physiol. 124:1472-1476; 2000). The values from the stressed samples were then converted to fold change relative to control by dividing the values from the stressed samples by the values from  
25 the no-treatment control samples. Expression patterns that were altered at least 2-fold with respect to the control were selected. This method gave very robust results and resulted in a larger number of nucleotide sequences called as stress-regulated than previous methods had permitted.

Based on the profiles obtained following hybridization of nucleic acid molecules  
30 obtained from plant cells exposed to various stress conditions to the probes in the microarray, clusters of nucleotide sequences that were altered in response to the stress

conditions were identified (see Tables 3-6, cold responsive; Tables 7-10, salt (saline) responsive; Tables 11 to 14, mannitol (osmotic) responsive; Tables 15-17, cold and mannitol responsive; Tables 18-20, 6 salt and cold responsive; Tables 21-23, salt and mannitol responsive; Tables 24-26, cold, salt and mannitol responsive. Examples of  
5 plant gene sequences that varied in expression at least two-fold in response to a combination of cold, saline and osmotic stress in root cells and leaf cells are shown in Tables 27 and 28, respectively. In addition, examples of plant gene sequences that encode transcription factors (Table 29), phosphatases (Table 30), and kinases (Table 31) and that varied at least two-fold in response to a combination of cold, saline and osmotic  
10 stress are provided.

Affymetrix ID numbers and corresponding SEQ ID NOS: for the respective *Arabidopsis* nucleotide sequences are provided Tables 3-26, and can be used to determine SEQ ID NOS: for the sequences shown by Affymetrix ID number in Tables 27-31. The Affymetrix ID number refers to a particular nucleotide sequence on  
15 the GeneChip® *Arabidopsis* Genome Array. In some cases, a particular plant stress-regulated gene sequence hybridized to more than one nucleotide sequence on the GeneChip® *Arabidopsis* Genome Array (see, for example, Table 3, where SEQ ID NO:36 is shown to have hybridized to the 12187\_AT and 15920\_I\_AT nucleotide sequences on the GeneChip®). In addition, it should be recognized that the disclosed  
20 sequences are not limited to coding sequences but, in some cases, include 5' untranslated sequences (see Table 2) or a longest coding region. As such, while the sequences set forth as SEQ ID NOS:1-2073 generally start with an ATG codon, in most cases each comprises a longer nucleotide sequence, including a regulatory region (see Table 2).

The results disclosed herein demonstrate that several polynucleotides, some of  
25 which were known to function as transcription factors, enzymes, and structural proteins, also are involved in the response of a plant cell to stress. The identification of the clusters of stress-regulated genes as disclosed herein provides a means to identify stress-regulated regulatory elements present in *Arabidopsis thaliana* nucleotide sequences, including consensus regulatory elements. It should be recognized, however that the  
30 regulatory elements of the plant genes comprising a sequence as set forth in SEQ ID NOS:156, 229, 233, 558, 573, 606, 625, 635, 787, and 813, which previously have

been described as cold regulated genes, are not encompassed within the stress-regulated gene regulatory element of the invention, and the regulatory elements of the plant genes comprising the nucleotide sequences set forth as SEQ ID NOS:1263, 1386, 1391, 1405, 1445, 1484, 1589, 1609, 1634, 1726, 1866, 1918, and 1928, which  
5 previously have been identified as genes that are responsive to a single stress condition such as cold or saline stress, are not encompassed within the plant stress-regulated gene regulatory elements of the invention to the extent that they confer stress-regulated expression only with respect to the known single stress. Furthermore, the identification of the *Arabidopsis* stress-regulated genes provides a means to identify  
10 the corresponding homologs and orthologs in other plants, including commercially valuable food crops such as wheat, rice, soy, and barley, and ornamental plants. BLASTN and BLASTP searches to identify such sequences revealed the polynucleotide sequences set forth in Table 32.

Although the invention has been described with reference to the above example,  
15 it will be understood that modifications and variations are encompassed within the spirit and scope of the invention. Accordingly, the invention is limited only by the claims, which follow Tables 1 to 32.



TABLE 1

SEQUENCE DESCRIPTIONS			
Seq ID	Description		
1	unknown protein	41	scarecrow-like 7 (SCL7)
2	unknown protein	42	putative protein
3	unknown protein	43	No function assigned by TIGR
4	putative auxin-induced protein	44	unknown protein
5	unknown protein	45	unknown protein
6	hypothetical protein	SEQ ID	Description
7	putative protein	46	succinyl-CoA-ligase alpha subunit
8	unknown protein	47	putative protein
9	unknown protein	48	CLV1 receptor kinase like protein
10	unknown protein	49	putative receptor-like protein kinase
11	putative protein	50	putative squalene synthase
12	Thioredoxin - like protein	51	putative receptor protein kinase
13	putative RNA helicase	52	somatic embryogenesis receptor-like kinase, putative
14	putative protein	53	putative protein
15	putative protein	54	putative beta-glucosidase
16	RING zinc finger protein, putative	55	multi-drug resistance protein
17	putative cyclin	56	receptor protein kinase (TMK1), putative
18	putative protein	57	putative receptor-like protein kinase
19	putative protein	58	putative pectate lyase
20	unknown protein	59	putative protein kinase
21	putative protein	60	putative peroxidase
22	putative protein	61	cytochrome P450-like protein
23	hypothetical protein	62	putative beta-amylase
24	unknown protein	63	monosaccharide transporter STP3
25	hypothetical protein	64	Lycopersicon esculentum proteinase TMP, Pir2:T07617
26	unknown protein	65	putative receptor-like protein kinase
27	unknown protein	66	G-box-binding factor 1
28	unknown protein	67	amino acid carrier, putative
29	unknown protein	68	myb-related protein
30	putative protein	69	No function assigned by TIGR
31	putative protein	70	SNF1 like protein kinase
32	putative protein	71	Cu/Zn superoxide dismutase-like protein
33	unknown protein	72	putative protein kinase
34	putative ribonuclease III	73	small nuclear ribonucleoprotein U1A
35	unknown protein		
36	unknown protein		
37	unknown protein		
38	unknown protein		
39	unknown protein		
40	putative histidine kinase		

TABLE 1 (cont)

74	ras-like GTP-binding protein	101	dynein light chain like protein
75	oleoyl-[acyl-carrier-protein] hydrolase-like protein	102	chaperonin CPN10
76	putative heat shock transcription factor	103	putative bHLH transcription factor
77	putative protein	104	putative glyoxysomal malate dehydrogenase precursor
78	membrane-bound small GTP-binding - like protein	105	ATP-dependent RNA helicase, putative
79	putative protein (fragment)	106	chlorophyll synthetase
80	indole-3-acetate beta-glucosyltransferase like protein	107	similar to epoxide hydrolases
81	HD-zip transcription factor (athb-8)	108	putative protein
82	putative cAMP-dependent protein kinase	109	unknown protein
83	glucuronosyl transferase-like protein	110	hypothetical protein
84	putative leucine-rich repeat disease resistance protein	111	putative membrane transporter
85	98b like protein	112	putative tyrosyl-tRNA synthetase
86	putative receptor-like protein kinase	113	ARGININE/SERINE-RICH SPLICING FACTOR RSP31
87	IAA-Ala hydrolase (IAR3)	114	putative oxidoreductase
88	putative AP2 domain transcription factor	115	unknown protein
89	putative expansin	116	linker histone protein, putative
90	putative Ap2 domain protein	117	hypothetical protein
91	expansin (At-EXP1)	118	putative protein
92	cytochrome P450 - like protein	119	putative mitochondrial carrier protein
93	putative ATP-dependent RNA helicase A	120	putative transcription factor
94	unknown protein	121	MYB-related protein
95	predicted protein	122	myb-related transcription factor, putative
96	putative glucosyltransferase	123	unknown protein
97	unknown protein	124	unknown protein
98	putative xyloglucan-specific glucanase	125	putative glycine-rich protein
99	cysteine synthase	126	No function assigned by TIGR
100	clathrin assembly protein AP19 homolog	127	unknown protein
		128	unknown protein
		129	unknown protein
		130	unknown protein
		131	putative membrane channel protein
		132	putative protein
		133	unknown protein
		134	gamma glutamyl hydrolase, putative
		135	40S ribosomal protein S5
		136	DnaJ-like protein
		137	40S ribosomal protein S26
		138	putative WRKY-type DNA binding protein

TABLE 1 (cont)

139	putative protein	161	putative photomorphogenesis repressor protein
140	hypothetical protein	162	SNF1-like protein kinase (AKin11)
141	putative ubiquitin-conjugating enzyme	163	thioredoxin h
142	peptidylprolyl isomerase	164	thioredoxin
ROC1		165	Ca <sup>2+</sup> -dependent lipid-binding protein, putative
143	glyceraldehyde-3-phosphate dehydrogenase C subunit (GapC)	166	putative auxin-induced protein
144	No function assigned by	167	putative bZIP transcription factor
TIGR		168	hypothetical protein
145	putative protein	169	putative AVR9 elicitor response protein
146	putative thioredoxin	170	putative serine/threonine protein kinase
147	thioredoxin h, putative	171	bZIP transcription factor ATB2
148	thioredoxin-like	172	putative spliceosome associated protein
149	allene oxide synthase (emb CAA73184.1)	173	3-hydroxyisobutyryl-coenzyme A hydrolase - like protein
150	anthranilate synthase component I-1 precursor (sp P32068)	174	putative protein
151	CELL DIVISION CONTROL PROTEIN 2 HOMOLOG A	175	putative Mutator-like transposase
152	protein kinase cdc2 homolog B	176	putative protein
153	ethylene responsive element binding factor 1 (frameshift !)	177	unknown protein
154	ethylene responsive element binding factor 2 (ATERF2) (sp O80338)	178	putative protein
155	ethylene responsive element binding factor 5 (ATERF5) (sp O80341)	179	putative protein
156	glucose-6-phosphate dehydrogenase	180	putative galactinol synthase
157	photomorphogenesis repressor (COP1)	181	putative transcriptional regulator
158	unknown protein	182	nuclear matrix constituent protein 1 (NMCP1)-like
159	DNA (cytosine-5)-methyltransferase (DNA methyltransferase) (DNA metase) (sp P34881)	183	putative DNA-binding protein RAV2
160	PROLIFERA	184	No function assigned by TIGR
		185	basic blue protein, 5' partial
		186	unknown protein
		187	putative calcium-binding protein, calreticulin
		188	putative pyrophosphate-fructose-6-phosphate 1-phosphotransferase
		189	ribosomal protein L11, cytosolic
		190	putative dTDP-glucose 4-6-dehydratase
		191	40S ribosomal protein S20-like protein
		192	60S ribosomal protein L24

TABLE 1 (cont)

193	coatomer-like protein, epsilon subunit	223	putative SF16 protein {Helianthus annuus}
194	glycoprotein(EP1), putative	224	unknown protein
195	putative SPL1-related protein	225	thioredoxin
196	unknown protein	226	trehalose-6-phosphate phosphatase (AtTPPB)
197	putative transport protein SEC61 beta-subunit	227	chlorophyll a/b-binding protein
198	unknown protein	228	class IV chitinase (CHIV)
199	putative cytochrome P450	229	chalcone synthase (naringenin-chalcone synthase) (testa 4 protein) (sp P13114)
200	UTP-glucose glucosyltransferase - like protein	230	unknown protein
201	60S ribosomal protein L23	231	cinnamyl-alcohol dehydrogenase ELI3-2
202	40S ribosomal protein S17	232	farnesyl-pyrophosphate synthetase FPS2
203	40S ribosomal protein S26	233	phospholipid hydroperoxide glutathione peroxidase
204	protein translation factor Sui1 homolog, putative	234	heat shock transcription factor HSF4
205	unknown protein	235	heat shock protein 101
206	gamma glutamyl hydrolase, putative	236	17.6 kDa heat shock protein (AA 1-156)
207	dTDP-glucose 4,6-dehydratase, putative	237	heat shock protein 17.6A
208	extensin - like protein	238	heat-shock protein
209	unknown protein	239	HY5
210	protein phosphatase 2C - like protein	240	putative auxin-induced protein, IAA12
211	ubiquitin-like protein	241	early auxin-induced protein, IAA19
212	protein phosphatase 2C-like protein	242	auxin-inducible gene (IAA2)
213	unknown protein	243	putative protein
214	putative RING zinc finger ankyrin protein	244	putative choline kinase
215	unknown protein	245	thymidylate kinase - like protein
216	putative rubisco subunit binding-protein alpha subunit	246	CTP synthase like protein
217	putative acetone-cyanohydrin lyase	247	putative protein
218	putative isoamylase	248	putative amidase
219	putative protein	249	4-alpha-glucanotransferase
220	HSP associated protein like	250	hypothetical protein
221	60S ribosomal protein L39	251	similar to auxin-induced protein
222	unknown protein	252	putative protein
		253	putative protein
		254	putative protein
		255	hyuC-like protein

TABLE 1 (cont)

256	putative tetracycline transporter protein	287	unknown protein
257	similar to early nodulins	288	putative esterase D
258	putative protein	289	predicted protein of unknown function
259	putative peptidyl-prolyl cis-trans isomerase	290	unknown protein
260	unknown protein	291	putative indole-3-glycerol phosphate synthase
261	unknown protein	292	isopentenyl pyrophosphate:dimethylallyl pyrophosphate isomerase
262	putative endochitinase	293	kinase associated protein phosphatase
263	putative ABC transporter	294	putative K <sup>+</sup> channel, beta subunit
264	No function assigned by TIGR	295	KNAT1 homeobox-like protein
265	CONSTANS-like B-box zinc finger protein	296	PSI type II chlorophyll a/b-binding protein, putative
266	unknown protein	297	transcription factor
267	unknown protein	298	putative WD-40 repeat protein, MSI2
268	putative mitochondrial processing peptidase alpha subunit	299	WD-40 repeat protein (MSI3)
269	putative pre-mRNA splicing factor	300	putative WD-40 repeat protein, MSI4
270	putative phosphatidylserine decarboxylase	301	unknown protein
271	unknown protein	302	hypothetical protein
272	unknown protein	303	putative protein
273	unknown protein	304	No function assigned by TIGR
274	putative casein kinase I	305	polyphosphoinositide binding protein, putative
275	unknown protein	306	hypothetical protein
276	60S ribosomal protein L23A	307	unknown protein
277	putative mitochondrial dicarboxylate carrier protein	308	chloroplast ribosomal L1 - like protein
278	enoyl-ACP reductase (enr-A)	309	cold-regulated protein cor15b precursor
279	putative isoamylase	310	cyanohydrin lyase like protein
280	formamidase - like protein	311	putative replication protein A1
281	reticuline oxidase - like protein	312	putative protein
282	unknown protein	313	possible apospory-associated like protein
283	putative transketolase precursor	314	DNA binding protein GT-1, putative
284	putative protein	315	AT-hook DNA-binding protein (AHP1)
285	unknown protein	316	putative phospholipase
286	unknown protein	317	chloroplast FtsH protease, putative

TABLE 1 (cont)

318	enoyl-CoA hydratase like protein	348	putative farnesylated protein
319	berberine bridge enzyme - like protein	349	unknown protein
320	putative sugar transporter	350	water stress-induced protein, putative
321	unknown protein	351	unknown protein
322	No function assigned by TIGR	352	unknown protein
323	hypothetical protein	353	PEROXISOMAL MEMBRANE PROTEIN PMP22
324	putative acidic ribosomal protein	354	putative peroxisomal membrane carrier protein
325	putative protein	355	putative protein
326	unknown protein	356	unknown protein
327	hypothetical protein	357	putative protein
328	putative protein	358	putative protein
329		359	argininosuccinate synthase -like protein
	dihydroxypolyprenylbenzoate methyltransferase	360	1-phosphatidylinositol-4,5-bisphosphate phosphodiesterase
330	unknown protein	361	putative JUN kinase activator protein
331	myb-related protein	362	putative 60S ribosomal protein L35
332	No function assigned by TIGR	363	nucleoid DNA-binding protein cnd41 - like protein
333	putative protein	364	SigA binding protein
334	putative disease resistance response protein	365	hypothetical protein
335	hypothetical protein	366	putative protein kinase
336	No function assigned by TIGR	367	unknown protein
337	starch branching enzyme II	368	regulatory protein NPR1-like; transcription factor inhibitor I
338	No function assigned by TIGR		kappa B-like
339	putative enolase (2-phospho-D-glycerate hydroxylase)	369	putative protein
340	putative protein kinase	370	hypothetical protein
341	HD-Zip protein, putative	371	phosphoribosylanthranilate isomerase
342	putative protein kinase	372	phosphoribosylanthranilate isomerase
343	phenylalanyl-trna synthetase - like protein	373	sterol glucosyltransferase, putative
344	putative aconitase	374	putative gigantea protein
345	NAM(no apical meristem) protein, putative	375	putative MYB family transcription factor
346	unknown protein	376	hypothetical protein
347	putative phosphomannomutase	377	hypothetical protein
		378	predicted protein
		379	cytochrome P450, putative

TABLE 1 (cont)

380	putative Na <sup>+</sup> dependent ileal bile acid transporter	416	chloroplast precursor (sp Q02166)
381	unknown protein	417	phytochrome C (sp P14714)
382	RING-H2 finger protein RHF1a	418	putative phytochrome-associated protein 3
383	putative protein	419	receptor serine/threonine kinase PR5K
384	unknown protein	420	Ran-binding protein (atranbp1a)
385	putative protein	421	small Ras-like GTP-binding protein (gb AAB58478.1)
386	putative auxin-regulated protein	422	sterol-C5-desaturase
387	hypothetical protein	423	tryptophan synthase beta chain 1 precursor (sp P14671)
388	unknown protein	424	thioredoxin f2 (gb AAD35004.1)
389	unknown protein	425	No function assigned by TIGR
390	putative protein	426	putative WRKY DNA-binding protein
391	putative protein	427	putative protein
392	unknown protein	428	unknown protein
393	histone H1	429	14-3-3 protein homolog RCI1 (pir  S47969)
394	Argonaute (AGO1)-like protein	430	unknown protein
395	unknown protein	431	putative CCCH-type zinc finger protein
396	putative protein with C-terminal RING finger	432	PINHEAD (gb AAD40098.1); translation initiation factor
397	unknown protein	433	plasma membrane proton ATPase (PMA)
398	unknown protein	434	CHLOROPHYLL A-B BINDING PROTEIN 4 PRECURSOR homolog
399	unknown protein	435	membrane related protein CP5, putative
400	unknown protein	436	ABC transporter (AtMRP2)
401	unknown protein	437	putative embryo-abundant protein
402	putative copper amine oxidase	438	putative anthocyanidin-3-glucoside rhamnosyltransferase
403	unknown protein	439	putative lipid transfer protein
404	unknown protein	440	unknown protein
405	unknown protein	441	unknown protein
406	putative protein	442	galactinol synthase, putative
407	putative protein	443	putative protein
408	unknown protein	444	putative protein
409	unknown protein	445	SCARECROW-like protein
410	putative protein	446	unknown protein
411	putative protein		
412	unknown protein		
413	serine/threonine kinase - like protein		
414	alcohol dehydrogenase, putative		
415	anthranilate phosphoribosyltransferase,		

TABLE 1 (cont)

447	unknown protein	476	phosphoenolpyruvate carboxylase (PPC)
448	unknown protein	477	chlorophyll a/b-binding protein - like
449	unknown protein	478	AtAGP4
450	asparagine--tRNA ligase	479	putative cryptochrome 2 apoprotein
451	putative protein	480	type 2 peroxiredoxin, putative
452	glutamate-1-semialdehyde 2,1-aminomutase 1 precursor (GSA 1) (glutamate-1-semialdehyde aminotransferase 1) (GSA-AT 1) (sp P42799)	481	Atpm24.1 glutathione S transferase
453	hypothetical protein	482	delta tonoplast integral protein (delta-TIP)
454	putative serine protease-like protein	483	20S proteasome subunit (PAA2)
455	No function assigned by TIGR	484	dormancy-associated protein, putative
456	unknown protein	485	putative cytidine deaminase
457	unknown protein	486	No function assigned by TIGR
458	gamma-adaptin, putative	487	putative phospholipase D-gamma
459	UDP rhamnose--anthocyanidin-3-glucoside rhamnosyltransferase - like protein	488	cell elongation protein, Dwarf1
460	carbonate dehydratase - like protein	489	germin-like protein
461	putative microtubule-associated protein	490	hevein-like protein precursor (PR-4)
462	putative ribophorin I	491	rac-like GTP binding protein (ARAC5)
463	putative zinc finger protein	492	phosphoprotein phosphatase, type 1 catalytic subunit
464	chloroplast FtsH protease, putative	493	ubiquitin-protein ligase UBC9
465	putative protein	494	xyloglucan endotransglycosylase-related protein XTR-7
466	unknown protein	495	cysteine synthase
467	putative LEA protein	496	putative villin 2
468	putative protein	497	glutathione S-transferase
469	putative protein	498	5-adenylylsulfate reductase
470	unknown protein	499	arginine decarboxylase
471	putative purple acid phosphatase	500	ATHP2, putative
472	unknown protein	501	ornithine carbamoyltransferase precursor
473	putative protein	502	putative protein
474	unknown protein	503	putative protein
475	chlorophyll binding protein, putative	504	unknown protein
		505	putative protein
		506	putative protein
		507	unknown protein
		508	unknown protein
		509	unknown protein
		510	unknown protein
		511	hypothetical protein



TABLE 1 (cont)

512	putative protein	552	putative CCCH-type zinc finger protein
513	putative DnaJ protein	553	MAP kinase kinase 2
514	plastocyanin	554	ethylene-insensitive3-like1 (EIL1)
515	unknown protein	555	histidine transport protein (PTR2-B)
516	unknown protein	556	putative auxin-induced protein AUX2-11
517	unknown protein	557	hydroxyacylglutathione hydrolase cytoplasmic (glyoxalase II) (GLX II)
518	unknown protein	558	delta-8 sphingolipid desaturase
519	unknown protein	559	cellulose synthase catalytic subunit (Ath-A)
520	unknown protein	560	nitrate transporter (NTL1)
521	putative ATP-dependent RNA helicase	561	DNA-binding homeotic protein Athb-2
522	non-race specific disease resistance protein (NDR1)	562	hypothetical protein
523	hypothetical protein	563	aspartate aminotransferase
524	putative protein	564	4-coumarate:CoA ligase 1
525	putative protein	565	pyruvate dehydrogenase E1 beta subunit, putative
526	putative protein	566	nucleotide diphosphate kinase Ia (emb CAB58230.1)
527	copper transport protein	567	chloroplast Cpn21 protein
528	putative protein	568	ATP dependent copper transporter
529	unknown protein	569	very-long-chain fatty acid condensing enzyme (CUT1)
530	unknown protein	570	putative purine-rich single-stranded DNA-binding protein
531	unknown protein	571	serine/threonine protein phosphatase (type 2A)
532	putative protein kinase	572	isopentenyl diphosphate:dimethylallyl diphosphate isomerase (IPP2)
533	unknown protein	573	putative c2h2 zinc finger transcription factor
534	putative protein	574	putative 20S proteasome beta subunit PBC2
535	putative protein	575	nucleoside diphosphate kinase 3 (ndpk3)
536	hypothetical protein	576	ras-related small GTP-binding protein
537	putative protein	577	putative 4-coumarate:CoA ligase 2
538	putative AP2 domain transcription factor		
539	putative nitrilase		
540	putative protein		
541	putative tetrahydrofolate synthase		
542	heat-shock protein		
543	unknown protein		
544	unknown protein		
545	histone H4		
546	hypothetical protein		
547	unknown protein		
548	putative protein		
549	predicted protein		
550	putative dihydrolipoamide succinyltransferase		
551	actin 3		

TABLE 1 (cont)

578	transcription factor HBP-1b homolog (sp P43273)	609	photosystem II oxygen-evolving complex protein 3 - like
579	biotin synthase (Bio B)	610	sedoheptulose-bisphosphatase precursor
580	homeobox protein HAT22	611	glutathione S-transferase (GST6)
581	putative preprotein translocase SECY protein	612	geranylgeranyl reductase
582	carbamoylphosphate synthetase, putative	613	hypothetical protein
583	putative protein kinase, ADK1	614	hypothetical protein
584	putative nuclear DNA-binding protein G2p	615	phosphoribulokinase precursor
585	hypothetical protein	616	high mobility group protein (HMG1), putative
586	hypothetical protein	617	protease inhibitor II
587	unknown protein	618	protease inhibitor II
588	unknown protein	619	cytochrome P450 90A1 (sp Q42569)
589	molybdopterin synthase (CNX2)	620	unknown protein
590	putative ribosomal protein L6	621	heat shock protein 90
591	unknown protein	622	tubulin beta-9 chain
592	En/Spm-like transposon protein	623	putative ubiquitin carboxyl terminal hydrolase
593	putative protein	624	protein kinase
594	putative protein	625	DRE/CRT-binding protein DREB1C
595	unknown protein	626	histidyl-tRNA synthetase
596	hypothetical protein	627	splicing factor, putative
597	unknown protein	628	glutamyl-tRNA synthetase
598	unknown protein	629	putative RING zinc finger protein
599	putative lysosomal acid lipase	630	phytochelatin synthase (gb AAD41794.1)
600	unknown protein	631	putative C2H2-type zinc finger protein
601	unknown protein	632	putative ligand-gated ion channel protein
602	NifS-like aminotransferase	633	putative ribosomal-protein S6 kinase (ATPK6)
603	actin 8	634	MOLYBDOPTERIN BIOSYNTHESIS CNX1 PROTEIN
604	hypothetical protein	635	temperature-sensitive omega-3 fatty acid desaturase, chloroplast precursor (sp P48622)
605	putative protein	636	adenylosuccinate synthetase
606	heat-shock protein (At-hsc70-3)	637	putative 14-3-3 protein
607	putative protein disulfide isomerase precursor	638	putative cytochrome P450
608	adenosine nucleotide translocator		

TABLE 1 (cont)

639	putative two-component response regulator 3 protein	667	putative receptor-like protein kinase
640	putative RING-H2 zinc finger protein ATL6	668	putative disease resistance protein
641	No function assigned by TIGR	669	receptor-like protein kinase - like
642	small zinc finger-like protein	670	ubiquitin activating enzyme 2 (gb AAB37569.1)
643	hypothetical protein	671	No function assigned by TIGR
644	MAP kinase (ATMPK6)	672	putative receptor-like protein kinase
645	vacuolar ATP synthase, putative	673	K <sup>+</sup> transporter, AKT1
646	kinesin-like protein	674	shaggy-like kinase beta
647	serine/threonine-specific protein kinase NAK	675	heat shock protein 70
648	No function assigned by TIGR	676	plasma membrane intrinsic protein 1a
649	ACTIN 2/7 (sp P53492)	677	HSP90-like protein
650	phosphoglycerate kinase, putative	678	histone H1, putative
651	homeotic protein BEL1 homolog	679	unknown protein
652	proline iminopeptidase	680	dnaK-type molecular chaperone hsc70.1 - like
653	pasticcino 1	681	gamma-glutamylcysteine synthetase
654	serine/threonine protein kinase	682	peroxidase (ATP22a)
655	cytochrome P450 monooxygenase (CYP71B4)	683	putative serine carboxypeptidase precursor
656	No function assigned by TIGR	684	putative dioxygenase
657	putative GDSSL-motif lipase/hydrolase	685	glucose transporter
658	putative protein	686	NOI protein, nitrate-induced
659	unknown protein	687	putative protein
660	hypothetical protein	688	putative protein
661	putative glycosylation enzyme	689	unknown protein
662	No function assigned by TIGR	690	putative photosystem I reaction center subunit II precursor
663	No function assigned by TIGR	691	putative protein
664	unknown protein	692	unknown protein
665	putative ABC transporter	693	cobalamin biosynthesis protein
666	nifU-like protein	694	adenine nucleotide translocase
		695	glutathione transferase, putative
		696	putative 60S ribosomal protein L21
		697	cytochrome P450 like protein
		698	cytochrome b245 beta chain homolog RbohAp108, putative
		699	RNA helicase, DRH1
		700	putative aldolase
		701	farnesyltransferase subunit A (FTA)

TABLE 1 (cont)

702	No function assigned by	725	putative protein
TIGR		726	NBD-like protein
703	putative putative sister- chromatide cohesion protein	(gb AAD20643.1)	
704	calcium-dependent protein kinase	727	AtHVA22c
705	serine/threonine protein phosphatase type 2A, putative	728	unknown protein
706	40S ribosomal protein S28 (sp P34789)	729	phytoene synthase (gb AAB65697.1)
707	RNA polymerase subunit	730	protein kinase (AME2/AFC1)
708	DNA-damage- repair/tolerant protein DRT102	731	hypothetical protein
709	putative C2H2-type zinc finger protein	732	cyclin-dependent protein kinase- like protein
710	putative adenosine phosphosulfate kinase	733	photosystem II stability/assembly factor HCF136 (sp O82660)
711	lipase	734	hypothetical protein
712	putative violaxanthin de- epoxidase precursor (U44133)	735	DNA binding-like protein
713	aromatic rich glycoprotein, putative	736	putative protein
714	putative fumarase	737	chorismate mutase
715	flavonol synthase (FLS) (sp Q96330)	738	putative LRR receptor protein kinase
716	response regulator 5, putative	739	putative chalcone synthase
717	sulfate transporter	740	putative protein kinase
718	putative floral homeotic protein, AGL9	741	replicase, putative
719	putative ethylene-inducible protein	742	putative cysteine proteinase
720	C-8,7 sterol isomerase	743	60S ribosomal protein L36
721	TCH4 protein (gb AAA92363.1)	744	unknown protein
722	hypothetical protein	745	CLC-b chloride channel protein
723	putative urease accessory protein	746	putative ribosomal protein S14
724	molybdopterin synthase sulphurylase (gb AAD18050.1)	747	histone H2B like protein (emb CAA69025.1)
		748	60S ribosomal protein L2
		749	60S ribosomal protein L15 homolog
		750	ribosomal protein S27
		751	ribosomal protein
		752	60S ribosomal protein L12
		753	60s ribosomal protein L34
		754	putative ribosomal protein S10
		755	drought-induced protein like
		756	blue copper-binding protein, 15K (lamin)
		757	calmodulin-like protein
		758	putative protein
		759	No function assigned by TIGR
		760	alpha-mannosidase, putative
		761	uncoupling protein (ucp/PUMP)

TABLE 1 (cont)

762	homeodomain - like protein	786	calcium-dependent protein kinase (pir  S71196)
763	ribosomal protein S18, putative	787	phosphoinositide specific phospholipase C
764	similar to SOR1 from the fungus <i>Cercospora</i> <i>nicotianae</i>	788	similarity to S-domain receptor- like protein kinase, <i>Zea mays</i>
765	60S ribosomal protein L13, BBC1 protein	789	mitosis-specific cyclin 1b
766	50S ribosomal protein L24, chloroplast precursor	790	4-coumarate:CoA ligase 3
767	putative ribosomal protein	791	transcription factor IIB (TFIIB)
768	unknown protein	792	unknown protein
769	aspartate aminotransferase (AAT1)	793	hypothetical protein
770	potassium channel protein AtKC	794	hypothetical protein
771	unknown protein	795	sugar transporter like protein
772	peroxisomal targeting signal type 2 receptor	796	putative trypsin inhibitor
773	putative protein	797	unknown protein
774	Ras-related GTP-binding protein (ARA-4)	798	putative multispinning membrane protein
775	S-receptor kinase homolog 2 precursor	799	receptor-like kinase, putative
776	pathogenesis-related group 5 protein, putative	800	putative inosine-5-monophosphate dehydrogenase
777	Nitrilase 4 (sp P46011)	801	inosine-5'-monophosphate dehydrogenase, putative
778	biotin carboxyl carrier protein of acetyl-CoA carboxylase precursor (BCCP) (sp Q42533)	802	amino acid permease 6 (emb CAA65051.1)
779	photosystem I reaction centre subunit psaN precursor (PSI-N) (sp P49107)	803	NADPH-ferrihemoprotein reductase (ATR2)
780	3(2),5-bisphosphate nucleotidase	804	putative WRKY-type DNA binding protein
781	high affinity Ca <sup>2+</sup> antiporter	805	putative ankyrin
782	putative cytoskeletal protein	806	putative hexose transporter
783	putative peroxidase	807	aquaporin/MIP - like protein
784	respiratory burst oxidase protein	808	Ser/Thr protein kinase isolog
785	beta-glucosidase	809	pectate lyase like protein
		810	putative 60S ribosomal protein L17
		811	putative protein
		812	unknown protein
		813	phenylalanine ammonia-lyase
		814	putative cytochrome P450 monooxygenase
		815	ARR1 protein, putative
		816	putative bHLH transcription factor
		817	aminomethyltransferase-like precursor protein
		818	purple acid phosphatase precursor

TABLE 1 (cont)

819	AP2 domain containing protein, putative	844	mercaptopyruvate sulfurtransferase, putative
820	ubiquitin-conjugating enzyme E2-21 kD 1 (ubiquitin-protein ligase 4) (ubiquitin carrier protein 4) (sp P42748)	845	putative thiosulfate sulfurtransferase
821	translation initiation factor	846	dihydrolipoamide S-acetyltransferase
822	putative VAMP-associated protein	847	auxin transport protein REH1, putative
823	spermidine synthase, putative	848	putative auxin transport protein
824	putative protein	849	apyrase (Atapy1)
825	unknown protein	850	root cap 1 (RCP1)
826	AtKAP alpha	851	hypothetical protein
827	glyceraldehyde-3-phosphate dehydrogenase, putative	852	putative protein
828	putative poly(A) binding protein	853	predicted protein of unknown function
829	alpha-tubulin, putative	854	hypothetical protein
830	serine/threonine-specific protein kinase ATPK64 (pir S20918)	855	hypothetical protein
831	putative aspartate-tRNA ligase	856	hypothetical protein
832	ras-related small GTP-binding protein RAB1c	857	putative aldehyde dehydrogenase
833	cycloartenol synthase	858	putative peroxidase
834	No function assigned by TIGR	859	UDP-glucose 4-epimerase - like protein
835	cytochrome P450	860	indole-3-acetate beta-glucosyltransferase like protein
836	GTPase AtRAB8	861	putative beta-1,3-glucanase
837	3-phosphoserine phosphatase	862	disease resistance protein-like
838	transcription factor CRC	863	putative respiratory burst oxidase protein B
839	nuclear cap-binding protein; CBP20 (gb AAD29697.1)	864	ubiquitin-conjugating enzyme UBC3
840	chloroplast membrane protein (ALBINO3)	865	cytoplasmic aconitate hydratase
841	biotin holocarboxylase synthetase	866	NADPH oxidoreductase, putative
842	expansin AtEx6	867	PROTEIN TRANSPORT PROTEIN SEC61 GAMMA SUBUNIT -like
843	unknown protein	868	putative protein
		869	unknown protein
		870	60S acidic ribosomal protein P2
		871	No function assigned by TIGR
		872	1,4-alpha-glucan branching enzyme protein soform SBE2.2 precursor
		873	calcium binding protein (CaBP-22)
		874	putative phosphoglucomutase

TABLE 1 (cont)

875	shaggy-like protein kinase etha (EC 2.7.1.-)	901	putative RAS superfamily GTP- binding protein
876	pyruvate decarboxylase (gb AAB16855.1)	902	disease resistance protein-like
877	hypothetical protein	903	protein kinase like protein
878	putative protein kinase	904	glucuronosyl transferase-like protein
879	putative protein kinase	905	putative homeodomain transcription factor
880	putative leucine aminopeptidase	906	putative flavonol reductase
881	probable cytochrome P450	907	putative protein
882	protein kinase 6-like protein	908	salt-tolerance protein
883	arginine methyltransferase (pam1)	909	40S ribosomal protein S30
884	MYB96 transcription factor-like protein	910	putative bZIP transcription factor
885	putative protein	911	putative protein
886	metal ion transporter	912	putative cinnamoyl CoA reductase
887	No function assigned by TIGR	913	unknown protein
888	flax rust resistance protein, putative	914	putative RNA-binding protein
889	fructose-2,6- bisphosphatase, putative	915	phosphatidylinositol synthase (PIS1)
890	exonuclease RRP41	916	unknown protein
891	squamosa promoter binding protein-like 2 (emb CAB56576.1)	917	hydroxyproline-rich glycoprotein homolog
892	putative squamosa- promoter binding protein	918	50S ribosomal protein L15, chloroplast precursor
893	O-acetylserine(thiol) lyase, putative	919	unknown protein
894	snoRNA	920	putative YME1 ATP-dependant protease
895	snoRNA	921	unknown protein
896	ferredoxin-NADP+ reductase	922	putative ribosomal protein L28
897	H+-transporting ATP synthase chain 9 - like protein	923	unknown protein
898	photosystem I subunit III precursor, putative	924	putative protein
899	photosystem I subunit VI precursor	925	protein ch-42 precursor, chloroplast
900	auxin-binding protein 1 precursor	926	protein serine/threonine kinase, putative
		927	beta-VPE
		928	putative vacuolar sorting receptor
		929	putative translation initiation factor IF-2
		930	predicted protein of unknown function
		931	putative protein
		932	hypothetical protein
		933	hypothetical protein
		934	phosphate transporter, putative

TABLE 1 (cont)

935	No function assigned by TIGR	961	unknown protein
936	beta subunit of protein farnesyl transferase ERA1	962	unknown protein
937	putative glutamate decarboxylase	963	unknown protein
938	putative indole-3-acetate beta-glucosyltransferase	964	myrosinase-associated protein, putative
939	putative receptor-like protein kinase	965	hypothetical protein
940	UDP-galactose 4-epimerase-like protein	966	hypothetical protein
941	putative proliferating cell nuclear antigen, PCNA	967	No function assigned by TIGR
942	ubiquitin conjugating enzyme E2 (UBC13)	968	unknown protein
943	cyclophilin (CYP2)	969	hypothetical protein
944	cystatin (emb CAA03929.1)	970	LAX1 / AUX1 -like permease
945	putative alcohol dehydrogenase	971	putative UDP-N-acetylglucosamine--dolichyl-phosphate N-acetylglucosaminophosphotransferase
946	acidic ribosomal protein p1	972	chorismate mutase CM2
947	glutathione transferase AtGST 10 (emb CAA10457.1)	973	inner mitochondrial membrane protein
948	putative tropinone reductase	974	DEF (CLA1) protein
949	ZIP4, a putative zinc transporter	975	decoy
950	unknown protein	976	citrate synthase
951	putative protein	977	myosin
952	putative protein	978	40S ribosomal protein S19
953	putative C2H2-type zinc finger protein	979	ripening-related protein - like
954	putative RING zinc finger protein	980	putative signal peptidase I
955	putative microtubule-associated protein	981	methionyl-tRNA synthetase (AtcpMetRS)
956	unknown protein	982	ribosomal protein precursor - like
957	putative protein	983	50S ribosomal protein L21 chloroplast precursor (CL21)
958	putative protein phosphatase-2c	984	putative MYB family transcription factor
959	V-ATPase subunit G (vag2 gene)	985	cyclophilin - like protein
960	hypothetical protein	986	hypothetical protein
		987	naringenin 3-dioxygenase like protein
		988	WD-repeat protein -like protein
		989	putative serine carboxypeptidase II
		990	prenyltransferase, putative
		991	putative ligand-gated ion channel protein
		992	clathrin adaptor medium chain protein MU1B, putative
		993	No function assigned by TIGR



TABLE 1 (cont)

994	putative Ta11-like non-LTR retroelement protein	1025	putative tropinone reductase
995	putative 3-isopropylmalate dehydrogenase	1026	signal response protein (GAI)
996	3-isopropylmalate dehydratase, small subunit	1027	putative steroid sulfotransferase
997	unknown protein	1028	hypothetical protein
998	unknown protein	1029	nucleic acid binding protein - like
999	unknown protein	1030	putative protein
1000	hypothetical protein	1031	blue copper binding protein
1001	putative protein	1032	farnesylated protein (ATFP6)
1002	No function assigned by TIGR	1033	unknown protein
1003	putative beta-glucosidase	1034	putative PCF2-like DNA binding protein
1004	putative pectate lyase A11	1035	teosinte branched1 - like protein
1005	putative beta-glucosidase	1036	putative protein
1006	HD-Zip protein	1037	unknown protein
1007	putative ubiquitin conjugating enzyme	1038	unknown protein
1008	homeobox-leucine zipper protein-like	1039	2-oxoglutarate dehydrogenase, E1 component
1009	cytochrome P450 like protein	1040	unknown protein
1010	putative cysteine proteinase inhibitor B (cystatin B)	1041	unknown protein
1011	ethylene response sensor (ERS)	1042	CCAAT-binding transcription factor subunit A(CBF-A)
1012	putative SWH1 protein	1043	hypothetical protein
1013	putative glutathione S-transferase	1044	putative growth regulator protein
1014	putative protein	1045	putative presenilin
1015	unknown protein	1046	putative expansin
1016	putative protein phosphatase 2C	1047	ribosomal - like protein
1017	dnaJ protein homolog atj3	1048	unknown protein
1018	ferredoxin	1049	unknown protein
1019	hypothetical protein	1050	putative protein
1020	putative sugar transport protein, ERD6	1051	putative protein
1021	putative DnaJ protein	1052	unknown protein
1022	putative AP2 domain transcription factor	1053	unknown protein
1023	putative protein	1054	unknown protein
1024	putative cyclin-dependent kinase regulatory subunit	1055	unknown protein
		1056	unknown protein
		1057	putative protein
		1058	putative protein
		1059	argininosuccinate lyase (AtArgH)
		1060	disease resistance protein homolog
		1061	aldehyde dehydrogenase like protein
		1062	GBF2, G-box binding factor
		1063	CDPK-related kinase
		1064	endo-1,4-beta-glucanase
		1065	putative serine protease

TABLE 1 (cont)

1066	serine/threonine-specific kinase lecRK1 precursor, lectin receptor-like	1091	putative ATP-dependent RNA helicase
1067	putative MAP kinase	1092	putative protein
1068	RNase L inhibitor-like protein	1093	putative HMG protein
1069	No function assigned by TIGR	1094	squalene monooxygenase 2 (squalene epoxidase 2) (SE 2) (sp O65403)
1070	AP2 domain transcription factor	1095	eukaryotic peptide chain release factor subunit 1, putative
1071	polygalacturonase isoenzyme 1 beta subunit, putative	1096	auxin-induced protein - like
1072	putative lipid transfer protein	1097	putative lipoamide dehydrogenase
1073	putative protein kinase	1098	putative protein
1074	putative protein	1099	unknown protein
1075	ATP-dependent RNA helicase like protein	1100	putative oligopeptide transporter
1076	putative cyclic nucleotide-regulated ion channel protein	1101	putative translation elongation factor ts
1077	COP1 like protein	1102	putative CCAAT-binding transcription factor subunit
1078	putative peroxidase	1103	putative ABC transporter
1079	putative NAK-like ser/thr protein kinase	1104	putative superoxide-generating NADPH oxidase flavocytochrome
1080	putative cytochrome C	1105	aspartate kinase-homoserine dehydrogenase - like protein
1081	cytochrome c	1106	putative bHLH transcription factor
1082	putative serine carboxypeptidase II	1107	putative geranylgeranyl transferase type I beta subunit
1083	acyl-(acyl carrier protein) thioesterase	1108	putative ARP2/3 protein complex subunit p41
1084	DNA-binding factor, putative	1109	sulphite reductase
1085	MAP3K delta-1 protein kinase	1110	putative auxin-regulated protein
1086	AtMlo-h1-like protein	1111	transcription factor scarecrow-like 14, putative
1087	No function assigned by TIGR	1112	unknown protein
1088	putative expansin	1113	monooxygenase 2 (MO2)
1089	defender against cell death protein, putative	1114	putative amine oxidase
1090	glycolate oxidase - like protein	1115	zinc finger protein, putative
		1116	DNA-binding protein, putative
		1117	putative protein
		1118	putative protein
		1119	Avr9 elicitor response like protein
		1120	putative protein
		1121	hypothetical protein
		1122	putative nucleotide-sugar dehydratase
		1123	UFD1 like protein

TABLE 1 (cont)

1124	putative trans-prenyltransferase	1155	cytochrome c oxidoreductase like protein
1125	outward rectifying potassium channel KCO	1156	putative carboxymethylenebutenolidase
1126	unknown protein	1157	unknown protein
1127	putative pectinacetyltransferase	1158	unknown protein
1128	putative protein	1159	unknown protein
1129	No function assigned by TIGR	1160	unknown protein
1130	unknown protein	1161	unknown protein
1131	unknown protein	1162	unknown protein
1132	unknown protein	1163	auxin-induced protein (IAA20)
1133	protein phosphatase homolog (PPH1)	1164	50S ribosomal protein L4
1134	unknown protein	1165	putative DNA topoisomerase III beta
1135	No function assigned by TIGR	1166	No function assigned by TIGR
1136	unknown protein	1167	isp4 like protein
1137	unknown protein	1168	putative protein kinase
1138	unknown protein	1169	hypothetical protein
1139	putative protein	1170	putative pyrophosphate--fructose-6-phosphate 1-phosphotransferase
1140	unknown protein	1171	putative protein
1141	putative ubiquinol--cytochrome-c reductase	1172	putative protein
1142	unknown protein	1173	putative protein
1143	contains similarity to high-glucose-regulated protein 8 GB:AAF08813 GI:6449083 from [Homo sapiens]	1174	unknown protein
1144	unknown protein	1175	unknown protein
1145	putative cis-Golgi SNARE protein	1176	putative protein
1146	unknown protein	1177	putative protein
1147	glutamate-1-semialdehyde aminotransferase	1178	unknown protein
1148	No function assigned by TIGR	1179	unknown protein
1149	hypothetical protein	1180	putative protein
1150	unknown protein	1181	brassinosteroid insensitive 1 gene (BRI1)
1151	unknown protein	1182	putative receptor protein kinase
1152	unknown protein	1183	vacuolar-type H <sup>+</sup> -translocating inorganic pyrophosphatase
1153	scarecrow-like 3	1184	protein kinase - like protein
1154	putative proline-rich protein	1185	glycyl tRNA synthetase, putative
		1186	subtilisin proteinase - like
		1187	hypothetical protein
		1188	cytochrome P450-like protein
		1189	cytochrome p450 like protein
		1190	putative protein kinase
		1191	pectinesterase - like protein
		1192	putative receptor-like protein kinase

TABLE 1 (cont)

1193	peroxidase ATP17a -like protein	1219	putative AP2 domain transcription factor
1194	No function assigned by TIGR	1220	brassinosteroid receptor kinase, putative
1195	cellulose synthase catalytic subunit - like protein	1221	TINY-like protein
1196	RAS-related protein, RAB7	1222	glucose-6-phosphate isomerase
1197	putative aspartate aminotransferase	1223	putative protein
1198	cyclophilin	1224	putative NAM (no apical meristem)-like protein
1199	putative SF2/ASF splicing modulator, Srp30	1225	unknown protein
1200	putative cytochrome b5	1226	putative nucleotide-binding protein
1201	glutamyl-tRNA reductase, putative	1227	bZIP transcription factor (POSF21)
1202	putative MADS-box protein	1228	ubiquitin activating enzyme - like protein
1203	ammonium transport protein (AMT1)	1229	telomere repeat-binding protein
1204	No function assigned by TIGR	1230	unknown protein
1205	putative beta-ketoacyl-CoA synthase	1231	mevalonate kinase
1206	thaumatin-like protein	1232	putative protein
1207	putative methionine aminopeptidase	1233	hypothetical protein
1208	putative protein phosphatase 2C	1234	disease resistance RPP5 like protein
1209	kinase-like protein	1235	putative protein
1210	receptor-associated kinase isolog	1236	putative pectinesterase
1211	mitochondrial ribosomal protein S14	1237	Ttg1 protein (emb CAB45372.1)
1212	oleosin, 18.5K	1238	FUSCA PROTEIN FUS6
1213	chalcone isomerase	1239	NHE1 Na <sup>+</sup> /H <sup>+</sup> exchanger
1214	putative cyclin-dependent kinase regulatory subunit	1240	No function assigned by TIGR
1215	putative thaumatin-like protein	1241	Phospholipase like protein
1216	putative two-component response regulator protein	1242	unknown protein
1217	TATA binding protein-associated factor, putative	1243	unknown protein
1218	predicted protein of unknown function	1244	unknown protein
		1245	AUX1-like amino acid permease
		1246	unknown protein
		1247	putative C2H2-type zinc finger protein
		1248	putative protein
		1249	putative protein
		1250	putative glucosyltransferase
		1251	putative lipase
		1252	putative protein
		1253	putative thioredoxin
		1254	AIG2-like protein
		1255	short-chain alcohol dehydrogenase like protein
		1256	hypothetical protein

TABLE 1 (cont)

1257	putative protein	1287	No function assigned by TIGR
1258	putative protein	1288	serine/threonine protein kinase
1259	glutathione peroxidase - like protein	ATPK10	
1260	putative protein	1289	putative lipase
1261	putative disease resistance response protein	1290	choline kinase GmCK2p -like protein
1262	putative protein	1291	putative sugar transport protein, ERD6
1263	senescence-associated protein (SAG29)	1292	MYB27 protein - like
1264	glycolate oxidase, putative	1293	DNA-binding protein, putative
1265	extensin - like protein	1294	similar to cold acclimation protein WCOR413 [ <i>Triticum aestivum</i> ]
1266	putative protein	1295	unknown protein
1267	unknown protein	1296	aquaporin (plasma membrane intrinsic protein 2B)
1268	putative disease resistance protein	1297	No function assigned by TIGR
1269	putative receptor-like protein kinase	1298	P-Protein - like protein
1270	putative receptor-like protein kinase	1299	No function assigned by TIGR
1271	basic chitinase	1300	putative cytochrome P450 monooxygenase
1272	putative pectin methylesterase	1301	putative cytochrome P450 monooxygenase
1273	peroxidase ATP N	1302	putative thioredoxin
1274	class 2 non-symbiotic hemoglobin	1303	stromal ascorbate peroxidase
1275	nitrate transporter	1304	ethylene responsive element binding factor-like protein (AtERF6)
1276	Ca <sup>2+</sup> /H <sup>+</sup> -exchanging protein-like	1305	auxin transport protein EIR1 (gb AAC39513.1)
1277	putative protein	1306	putative CONSTANS-like B-box zinc finger protein
1278	hydroxynitrile lyase like protein	1307	putative protein kinase
1279	putative AP2 domain transcription factor	1308	mitochondrial Lon protease homolog 1 precursor (sp O64948)
1280	pectin methylesterase, putative	1309	putative protein
1281	putative protein	1310	heme activated protein, putative
1282	beta-glucosidase-like protein	1311	putative cytochrome P450
1283	CCAAT box binding factor/ transcription factor Hap2a	1312	No function assigned by TIGR
1284	putative fibrillin	1313	putative lipase
1285	xyloglucan endo- transglycosylase	1314	putative protein
1286	putative 10kd chaperonin	1315	putative sugar transporter protein
		1316	putative sucrose transport protein, SUC2
		1317	putative protein
		1318	putative protein

TABLE 1 (cont)

1319	putative endochitinase	1351	unknown protein
1320	putative acetone-cyanohydrin lyase	1352	bZIP transcription factor - like protein
1321	putative protein	1353	Medicago nodulin N21-like protein
1322	calmodulin-like protein	1354	putative endo-1,4-beta glucanase
1323	hypothetical protein	1355	1-aminocyclopropane-1-carboxylate oxidase
1324	cysteine proteinase like protein	1356	putative anion exchange protein
1325	heat shock protein 17.6-II	1357	SRG1-like protein
1326	heat shock protein 18	1358	putative protein
1327	Arabidopsis mitochondrion-localized small heat shock protein (AtHSP23.6-mito)	1359	putative phi-1-like phosphate-induced protein
1328	unknown protein	1360	putative protein
1329	putative WRKY-type DNA binding protein	1361	putative embryo-abundant protein
1330	No function assigned by TIGR	1362	putative hydrolase
1331	hypothetical protein	1363	unknown protein
1332	putative integral membrane protein nodulin	1364	unknown protein
1333	putative protein	1365	hexose transporter - like protein
1334	unknown protein	1366	unknown protein
1335	3-isopropylmalate dehydratase, small subunit	1367	unknown protein
1336	unknown protein	1368	peptide transport - like protein
1337	putative homeodomain transcription factor	1369	unknown protein
1338	unknown protein	1370	putative peptide transporter
1339	putative protein	1371	disease resistance protein, putative
1340	peroxidase ATP19a	1372	cysteine protease component of protease-inhibitor complex
1341	putative Na <sup>+</sup> /H <sup>+</sup> -exchanging protein	1373	putative cytochrome P450
1342	putative auxin-regulated protein	1374	putative protein
1343	unknown protein	1375	hypothetical protein
1344	unknown protein	1376	unknown protein
1345	putative trehalose-6-phosphate synthase	1377	putative phosphoribosylaminoimidazolecarboxamide formyltransferase
1346	putative lectin	1378	putative protein
1347	Mlo protein-like	1379	HSP like protein
1348	unknown protein	1380	unknown protein
1349	ethylene response factor, putative	1381	unknown protein
1350	unknown protein	1382	putative cytochrome P450
		1383	similar to pectinesterase
		1384	putative glucosyltransferase
		1385	thaumatin-like protein
		1386	drought-inducible cysteine proteinase RD19A precursor
		1387	vegetative storage protein Vsp2
		1388	unknown protein

TABLE 1 (cont)

1389	unknown protein	1417	G-box binding bZIP transcription factor
1390	anthranilate N-benzoyltransferase - like protein	1418	putative protein
1391	delta-1-pyrroline 5-carboxylase synthetase (P5C1)	1419	putative protein
1392	glutathione S-conjugate transporting ATPase (AtMRP1)	1420	putative protein
1393	hypothetical protein	1421	ATFP4-like
1394	hypothetical protein	1422	unknown protein
1395	unknown protein	1423	unknown protein
1396	putative protein	1424	putative protein
1397	putative protein	1425	invertase inhibitor homolog (emb CAA73335.1)
1398	No function assigned by TIGR	1426	unknown protein
1399	unknown protein	1427	unknown protein
1400	putative protein kinase	1428	putative cytochrome b5
1401	unknown protein	1429	putative protein
1402	hypothetical protein	1430	putative protein
1403	unknown protein	1431	putative protein
1404	putative calcium-binding EF-hand protein	1432	No function assigned by TIGR
1405	cinnamyl-alcohol dehydrogenase ELI3-1	1433	putative copper/zinc superoxide dismutase
1406	putative protein	1434	protein phosphatase ABI1
1407	unknown protein	1435	glutamate dehydrogenase 2
1408	senescence-associated protein sen1	1436	No function assigned by TIGR
1409	hypothetical protein	1437	low-temperature-induced protein 78 (sp Q06738)
1410	putative cytochrome P450	1438	putative myo-inositol 1-phosphate synthase
1411	proline oxidase, mitochondrial precursor (osmotic stress-induced proline dehydrogenase)	1439	phosphate transporter (gb AAB17265.1)
1412	putative response regulator 3	1440	4-hydroxyphenylpyruvate dioxygenase (HPD)
1413	hypothetical protein	1441	histone H1
1414	glutamine-dependent asparagine synthetase	1442	hypothetical protein
1415	lysine-ketoglutarate reductase/saccharopine	1443	No function assigned by TIGR
1416	En/Spm-like transposon protein	1444	neoxanthin cleavage enzyme-like protein
		1445	dehydration-induced protein RD22
		1446	zinc finger protein ZAT7
		1447	unknown protein
		1448	unknown protein
		1449	unknown protein
		1450	unknown protein
		1451	putative protein
		1452	putative protein
		1453	RNA helicase, putative

TABLE 1 (cont)

1454	putative glycine-rich protein	1483	unknown protein
1455	hypothetical protein	1484	cold and ABA inducible protein kin1
1456	putative protein	1485	gamma-VPE (vacuolar processing enzyme)
1457	peroxidase	1486	putative protein 1 photosystem II oxygen-evolving complex
1458	peroxidase ATP3a (emb CAA67340.1)	1487	myrosinase-associated protein, putative
1459	metallothionein-like protein	1488	transcription factor ATMYB4
1460	endomembrane-associated protein	1489	H-protein promoter binding factor-2a
1461	ferritin 1 precursor	1490	ammonium transporter, putative
1462	dehydrin RAB18-like protein (sp P30185)	1491	putative zeta-carotene desaturase precursor
1463	HSR201 like protein	1492	high-affinity nitrate transporter NRT2
1464	light regulated protein, putative	1493	light induced protein like
1465	Dr4(protease inhibitor)	1494	putative AT-hook DNA-binding protein
1466	mitogen activated protein kinase kinase (nMAPKK)	1495	putative glycogenin
1467	glutathione S-transferase	1496	putative light repressible receptor protein kinase
1468	transcriptional activator CBF1/ CRT/CRE binding factor 1	1497	serine/threonine kinase - like protein
1469	homeobox-leucine zipper protein ATHB-12	1498	putative peroxidase
1470	amino acid permease I	1499	cytochrome P450 monooxygenase (CYP83A1)
1471	MAP kinase (ATMPK7)	1500	MYB-related transcription factor (CCA1)
1472	potassium channel protein AKT3	1501	Terminal flower1 (TFL1)
1473	cytochrome P450 monooxygenase (CYP91A2)	1502	sulfate transporter ATST1
1474	putative transport protein	1503	RING-H2 finger protein RHA3b
1475	putative protein	1504	lipoxygenase, putative
1476	hypothetical protein	1505	serine O-acetyltransferase (EC 2.3.1.30) Sat-52 (pir S71207)
1477	putative protein	1506	ferulate-5-hydroxylase (FAH1)
1478	hypothetical protein	1507	En/Spm-like transposon protein, putative
1479	receptor protein kinase-like protein	1508	calmodulin-binding - like protein
1480	serine/threonine protein kinase - like protein	1509	hypothetical protein
1481	putative auxin-regulated protein	1510	somatic embryogenesis receptor-like kinase -like protein
1482	amino acid transport protein AAP2	1511	putative giberellin beta-hydroxylase



TABLE 1 (cont)

1512	putative pectinesterase	1542	60S acidic ribosomal protein P0
1513	putative protein	1543	putative protein
1514	unknown protein	1544	auxin-induced protein, putative
1515	ribosomal protein	1545	unknown protein
1516	low-temperature-induced 65 kD protein (sp Q04980)	1546	hypothetical protein
1517	putative glucosyltransferase	1547	protein phosphatase 2C ABI2 (PP2C) (sp O04719)
1518	peroxidase (emb CAA67551.1)	1548	peroxidase, prxr2
1519	ankyrin-like protein	1549	putative peroxidase ATP12a
1520	ribosomal protein S11 - like	1550	putative beta-amylase
1521	hypothetical protein	1551	putative acetone-cyanohydrin lyase
1522	glycoprotein(EP1), putative	1552	fatty acid elongase 3-ketoacyl-CoA synthase 1
1523	calnexin - like protein	1553	putative citrate synthase
1524	SRG1-like protein	1554	pEARLI 1-like protein
1525	ethylene response factor 1 (ERF1)	1555	putative MYB family transcription factor
1526	transcriptional activator CBF1-like protein	1556	putative transcription factor MYB28
1527	xyloglucan endo-1,4-beta- D-glucanase (XTR-6)	1557	RNA helicase-like protein
1528	putative cinnamyl alcohol dehydrogenase	1558	snoRNA
1529	gibberellin 3 beta- hydroxylase, putative	1559	putative protein kinase
1530	auxin response transcription factor 3 (ETTIN/ARF3)	1560	growth regulator like protein
1531	No function assigned by TIGR	1561	putative potassium transporter
1532	putative protein	1562	putative protein
1533	similar to avrRpt2-induced protein 1	1563	60S ribosomal protein L14
1534	unknown protein	1564	unknown protein
1535	hypothetical protein	1565	putative RING-H2 zinc finger protein
1536	putative protein kinase	1566	putative pollen surface protein
1537	respiratory burst oxidase - like protein	1567	unknown protein
1538	glucose-6- phosphate/phosphate- translocator precursor, putative	1568	unknown protein
1539	class 1 non-symbiotic hemoglobin (AHB1)	1569	unknown protein
1540	endochitinase isolog	1570	putative Ca <sup>2+</sup> -ATPase
1541	putative cytochrome P450	1571	1-aminocyclopropane-1- carboxylate synthase-like protein
		1572	putative beta-glucosidase
		1573	transcription factor ZAP1
		1574	oligopeptide transporter, putative
		1575	putative protein
		1576	putative glucosyltransferase
		1577	putative serine/threonine kinase
		1578	squalene epoxidase - like protein
		1579	similar to 14KD proline-rich protein DC2.15 precursor

TABLE 1 (cont)

	(sp P14009); similar to ESTs emb Z17709 and emb Z47685	1612	DnaJ-like protein
1580	unknown protein	1613	putative inositol polyphosphate-5- phosphatase
1581	unknown protein	1614	putative cytochrome P450
1582	hypothetical protein	1615	putative protein
1583	60S ribosomal protein L38	1616	unknown protein
1584	flavin-containing monooxygenase, putative	1617	putative protein
1585	remorin	1618	hypothetical protein
1586	unknown protein	1619	putative protein
1587	putative protein	1620	sucrose-UDP glucosyltransferase
1588	lipoxygenase	1621	glucose-6-phosphate 1- dehydrogenase
1589	cold-regulated protein COR6.6 (KIN2)	1622	unknown protein
1590	Myb transcription factor homolog (ATR1)	1623	mitochondrial chaperonin (HSP60)
1591	putative protein	1624	sucrose transport protein SUC1
1592	unknown protein	1625	putative protein disulfide isomerase
1593	unknown protein	1626	putative pollen-specific protein
1594	Ca <sup>2+</sup> -transporting ATPase - like protein	1627	integral membrane protein, putative
1595	protein phosphatase 2C (AtP2C-HA)	1628	rubredoxin, putative
1596	peroxidase ATP24a	1629	putative protein
1597	branched-chain alpha keto- acid dehydrogenase, putative	1630	disease resistance protein RPS4, putative
1598	putative beta-ketoacyl-CoA synthase	1631	putative peptide/amino acid transporter
1599	putative protein	1632	peroxidase, putative
1600	putative beta-galactosidase	1633	ethylene receptor, putative (ETR2)
1601	putative protein	1634	protein phosphatase 2C (PP2C)
1602	60S ribosomal protein L27	1635	putative glutathione S-transferase
1603	putative annexin	1636	homeodomain transcription factor (ATHB-7)
1604	NAC domain protein, putative	1637	putative nitrate transporter
1605	unknown protein	1638	putative ribosomal protein L9, cytosolic
1606	late embryogenesis abundant protein LEA like	1639	putative DNA-binding protein
1607	unknown protein	1640	beta-1,3-glucanase-like protein
1608	putative protein	1641	putative zinc transporter
1609	dehydrin Xero2	1642	transcription factor TINY
1610	putative zinc finger protein	1643	putative aspartate kinase- homoserine dehydrogenase
1611	unknown protein	1644	ethylene reponse factor-like AP2 domain transcription factor
		1645	peptide transporter - like protein
		1646	trehalose-6-phosphate synthase like protein

TABLE 1 (cont)

1647	putative ribonuclease	1676	pathogenesis-related protein 1 precursor, 19.3K
1648	hypothetical protein	1677	R2R3-MYB transcription factor
1649	putative DNA-binding protein	1678	hypothetical protein
1650	nodulin-like protein	1679	putative chitinase
1651	trehalose-6-phosphate phosphatase - like protein	1680	Mlo protein, putative
1652	succinate dehydrogenase flavoprotein alpha subunit (emblCAA05025.1)	1681	putative WRKY-type DNA binding protein
1653	unknown protein	1682	putative acyl-CoA synthetase
1654	stress related protein, putative	1683	putative pathogenesis-related protein
1655	putative chloroplast initiation factor 3	1684	putative chitinase
1656	putative protein	1685	germin precursor oxalate oxidase
1657	hypothetical protein	1686	endoxylglucan transferase, putative
1658	putative CCCH-type zinc finger protein	1687	putative protein
1659	similar to harpin-induced protein hin1 from tobacco	1688	putative cytochrome P450
1660	unknown protein	1689	similar to Mlo proteins from H. vulgare
1661	unknown protein	1690	putative tropinone reductase
1662	hypothetical protein	1691	extensin-like protein
1663	No function assigned by TIGR	1692	putative sarcosine oxidase
1664	putative protein	1693	putative protein
1665	putative glutathione S-transferase TSI-1	1694	hypothetical protein
1666	putative protein	1695	late embryogenesis-abundant protein, putative
1667	putative PTR2 family peptide transporter	1696	beta-carotene hydroxylase
1668	receptor kinase-like protein	1697	putative calcium binding protein
1669	putative sugar transport protein, ERD6	1698	unknown protein
1670	putative protein	1699	unknown protein
1671	nodulin-like protein	1700	predicted glycosyl transferase
1672	unknown protein	1701	hypothetical protein
1673	putative receptor-like protein kinase	1702	hypothetical protein
1674	glutathione-conjugate transporter AtMRP4	1703	hypothetical protein
1675	ascorbate oxidase-like protein	1704	putative protein
		1705	unknown protein
		1706	putative protein
		1707	putative protein
		1708	serine/threonine kinase - like protein
		1709	No function assigned by TIGR
		1710	putative pectinesterase
		1711	peroxidase like protein
		1712	No function assigned by TIGR

TABLE 1 (cont)

1713	phenylalanine ammonia lyase (PAL1)		Coenzyme A 3-O- methyltransferase
1714	peroxidase (emb CAA68212.1)	1740	disease resistance protein EDS1
1715	putative AMP deaminase	1741	putative protein kinase
1716	putative MYB family transcription factor	1742	Gluthathione reductase, chloroplast precursor
1717	DNA-directed RNA polymerase II, third largest subunit	1743	putative heat shock protein
1718	nucleotide pyrophosphatase -like protein	1744	aspartate kinase
1719	putative peroxidase	1745	putative major intrinsic (channel) protein
1720	calcium sensor homolog (gb AAC26110.1)	1746	matrix metalloproteinase, putative
1721	putative GDSL-motif lipase/hydrolase	1747	putative GDSL-motif lipase/hydrolase
1722	putative nonspecific lipid- transfer protein	1748	putative protein
1723	acyl-carrier protein (ACP), putative	1749	DAG-like protein
1724	putative glycine dehydrogenase	1750	serine/threonine kinase -like protein
1725	AIG1	1751	formamidase - like protein
1726	ACC synthase (AtACS-6)	1752	CER2
1727	cyclin delta-3	1753	26S proteasome subunit 4
1728	putative RING zinc finger protein	1754	pectinesterase like protein
1729	aldose 1-epimerase - like protein	1755	putative disease resistance protein
1730	putative phospholipase	1756	putative RNA methyltransferase
1731	phosphoenolpyruvate carboxylase	1757	unknown protein
1732	putative galactinol synthase	1758	HOMEBOX PROTEIN KNOTTED-1 LIKE 4 (KNAT4)
1733	unknown protein	1759	glycine-rich RNA-binding protein AtGRP2 - like
1734	putative protein	1760	putative acetylornithine transaminase
1735	1-aminocyclopropane-1- carboxylate oxidase	1761	putative Sec24-like COPII protein
1736	thioredoxin (clone GIF1) (pir S58118)	1762	putative berberine bridge enzyme
1737	trehalose-6-phosphate phosphatase	1763	putative GH3-like protein
1738	beta-1,3-glucanase 2 (BG2) (PR-2)	1764	putative ABC transporter
1739	putative S-adenosyl-L- methionine:trans-caffeoyl-	1765	putative reticuline oxidase-like protein
		1766	pectate lyase - like protein
		1767	protein disulfide-isomerase-like protein
		1768	putative protein
		1769	putative membrane transporter
		1770	unknown protein
		1771	unknown protein
		1772	putative RING-H2 zinc finger protein

TABLE 1 (cont)

1773	unknown protein	1807	glycine-rich RNA binding protein
1774	unknown protein	7	
1775	unknown protein	1808	dehydrin, putative
1776	MADS-box protein	1809	putative endoxyloglucan
(AGL20)			glycosyltransferase
1777	amidophosphoribosyltransf	1810	glutamate decarboxylase 1 (GAD
erase 2 precursor		1)	(sp Q42521)
1778	putative dihydrodipicolinate	1811	delta 9 desaturase
synthase		1812	UDP-glucose glucosyltransferase
1779	hypothetical protein	1813	CARBONIC ANHYDRASE 2
1780	ABA-responsive protein -	1814	response reactor 2 (ATRR2)
like		1815	S-adenosyl-methionine-sterol-C-
1781	putative protein		methyltransferase, putative
1782	hypothetical protein	1816	putative DNA-binding protein
1783	DNA-binding protein-like	(RAV2-like)	
1784	No function assigned by	1817	gamma glutamyl hydrolase,
TIGR			putative
1785	transcription factor,	1818	protein phosphatase - like
putative		1819	unknown protein
1786	nitrate reductase, putative	1820	unknown protein
1787	putative protein	1821	unknown protein
1788	putative protein	1822	copper transport protein - like
1789	putative protein		protein
1790	putative protein	1823	hypothetical protein
1791	unknown protein	1824	unknown protein
1792	unknown protein	1825	putative peptide methionine
1793	tryptophan synthase beta-		sulfoxide reductase
subunit (TSB2)		1826	putative obtusifoliosyl 14-alpha
1794	hypothetical protein		demethylase
1795	putative protein	1827	glutamate dehydrogenase (EC
1796	putative DNA-binding	1.4.1.-) 1 (pir S71217)	
protein		1828	unknown protein
1797	putative 40S ribosomal	1829	xyloglucan endo-1,4-beta-D-
protein S10			glucanase precursor
1798	putative protein	1830	unknown protein
1799	putative cytochrome P450	1831	SNF1 related protein kinase
1800	putative protein	(ATSRPK1)	
1801	putative protein	1832	putative protein
1802	putative glucosyltransferase	1833	putative chloroplast nucleoid DNA
1803	No function assigned by		binding protein
TIGR		1834	hypothetical protein
1804	putative protein	1835	putative protein
1805	putative protein	1836	putative thiamin biosynthesis
1806	unknown protein		protein
		1837	unknown protein

TABLE 1 (cont)

1838	unknown protein	1869	putative tyrosine aminotransferase
1839	putative RNA helicase	1870	thionin
1840	putative SF21 protein { <i>Helianthus annuus</i> }	1871	No function assigned by TIGR
1841	unknown protein	1872	APETALA2 protein
1842	NBS/LRR disease resistance protein, putative	1873	MADS-box protein (AGL3)
1843	hypothetical protein	1874	putative monooxygenase
1844	unknown protein	1875	ZFP3 zinc finger protein
1845	No function assigned by TIGR	1876	cell division protein FtsZ chloroplast homolog precursor (sp Q42545)
1846	glycine-rich protein (AtGRP2)	1877	calreticulin, putative
1847	No function assigned by TIGR	1878	phosphoserine aminotransferase
1848	putative protein	1879	12-oxophytodienoate-10,11- reductase
1849	putative glucosyltransferase	1880	putative bHLH transcription factor
1850	hypothetical protein	1881	pectin methylesterase (PMEU1), putative
1851	hypothetical protein	1882	DNA-binding protein
1852	putative protein	1883	carnitine racemase like protein
1853	putative disease resistance protein	1884	putative protein
1854	thaumatin, putative	1885	endoxyloglucan transferase (dbj BAA81669.1)
1855	putative proline-rich protein	1886	RMA1 RING zinc finger protein
1856	sterol-C-methyltransferase	1887	ammonium transporter
1857	superoxidase dismutase	1888	apyrase (gb AAF00612.1)
1858	TINY-like protein	1889	potassium uptake transporter - like protein
1859	calcium-dependent protein kinase, putative	1890	putative ABC transporter
1860	hypothetical protein	1891	potassium transporter-like protein
1861	putative protein kinase	1892	integral membrane protein, putative
1862	DNA-directed RNA polymerase (mitochondrial)	1893	putative protein
1863	putative DNA-binding protein	1894	pyruvate decarboxylase-1 (Pdc1)
1864	late embryogenesis abundant M17 protein	1895	putative malate oxidoreductase
1865	putative protein	1896	putative histone H2B
1866	delta-1-pyrroline-5- carboxylate synthetase	1897	snoRNA
1867	putative 60s ribosomal protein L10	1898	symbiosis-related like protein
1868	cytochrome P450 CYP86A1	1899	unknown protein
		1900	unknown protein
		1901	hypothetical protein
		1902	putative protein
		1903	copper-binding protein-like
		1904	putative protein
		1905	unknown protein
		1906	putative glyoxalase II

TABLE 1 (cont)

1907	No function assigned by TIGR	1936	serine/threonine protein kinase, putative
1908	hypothetical protein	1937	potassium transporter - like protein
1909	flavanone 3-hydroxylase (FH3)	1938	lactate dehydrogenase (LDH1)
1910	putative laccase	1939	hypothetical protein
1911	putative protein kinase	1940	unknown protein
1912	myb-related protein, 33.3K (pir  S71284)	1941	putative thaumatin
1913	unknown protein	1942	putative reticuline oxidase-like protein
1914	endo-xyloglucan transferase - like protein	1943	uracil phosphoribosyltransferase, putative
1915	TMV resistance protein N - like	1944	transcription factor, putative
1916	putative xyloglucan endotransglycosylase	1945	unknown protein
1917	unknown protein	1946	unknown protein
1918	proline transporter 2	1947	GATA transcription factor 4
1919	resistance protein, putative	1948	unknown protein
1920	actin, putative	1949	unknown protein
1921	putative related to microbial divalent cation tolerance proteins	1950	senescence-associated protein -like
1922	unknown protein	1951	putative pollen allergen
1923	putative glycosyl transferase	1952	unknown protein
1924	unknown protein	1953	putative protein
1925	putative protein phosphatase 2C	1954	glycine-rich protein
1926	unknown protein	1955	putative protein
1927	serpin, putative	1956	3-methyladenine DNA glycosylase, putative
1928	cinnamyl-alcohol dehydrogenase CAD1	1957	endoplasmic reticulum-type calcium-transporting ATPase 4
1929	putative protein import receptor	1958	putative pectinesterase
1930	unknown protein	1959	cytochrome P450-like protein
1931	unknown protein	1960	RNA-binding protein (cp33)
1932	putative protein	1961	CONSTANS-like 1
1933	putative CDP-diacylglycerol--glycerol-3-phosphate 3-phosphatidyltransferase	1962	putative small heat shock protein
1934	unknown protein	1963	hypothetical protein
1935	putative LRR receptor-like protein kinase	1964	unknown protein
		1965	cytochrome P450 - like protein
		1966	cysteine proteinase inhibitor like protein
		1967	nicotianamine synthase (dbj BAA74589.1)
		1968	copper amine oxidase like protein (fragment2)
		1969	putative SCARECROW gene regulator
		1970	unknown protein
		1971	unknown protein

TABLE 1 (cont)

1972	putative alanine acetyl transferase	2001	auxin response factor 1
1973	unknown protein	2002	pathogenesis-related protein 1 precursor, 18.9K
1974	unknown protein	2003	hypothetical protein
1975	unknown protein	2004	unknown protein
1976	putative extensin	2005	zinc finger protein Zat12
1977	putative protein kinase	2006	unknown protein
1978	putative protein kinase	2007	unknown protein
1979	NADPH-dependent codeinone reductase, putative	2008	cyclin, putative
1980	peroxidase	2009	2-dehydro-3-deoxyphosphoheptonate aldolase
1981	putative cytochrome P450	2010	glutathione synthetase gsh2
1982	No function assigned by TIGR	2011	heat shock protein 17
1983	putative zinc-finger protein (B-box zinc finger domain)	2012	putative Na <sup>+</sup> -dependent inorganic phosphate cotransporter
1984	putative tyrosine aminotransferase	2013	No function assigned by TIGR
1985	hypothetical protein	2014	unknown protein
1986	DNA binding protein	2015	putative protein
1987	putative fatty acid elongase	2016	similar to RING-H2 finger protein RHC1a GB:AAC69854 GI:3790583 from [Arabidopsis thaliana]
1988	bZIP transcription factor - like protein	2017	calcium-binding protein - like
1989	xyloglucan fucosyltransferase, putative	2018	putative protein
1990	unknown protein	2019	putative aldehyde dehydrogenase
1991	unknown protein	2020	auxin-responsive GH3 - like protein
1992	putative protein	2021	putative protein
1993	myb factor, putative	2022	Phosphoglycerate dehydrogenase - like protein
1994	Myb-family transcription factor, putative	2023	unknown protein
1995	putative fructose bisphosphate aldolase	2024	unknown protein
1996	myrosinase-associated protein, putative	2025	PSI type III chlorophyll a/b-binding protein, putative
1997	cytochrome P450 like protein	2026	putative protein
1998	similar to SOR1 from the fungus <i>Cercospora nicotianae</i>	2027	putative protein
1999	similar to embryo-abundant protein GB:L47672 GI:1350530 from [ <i>Picea glauca</i> ]	2028	glutaredoxin, putative
2000	alcohol dehydrogenase	2029	hypothetical protein
		2030	No function assigned by TIGR
		2031	putative protein
		2032	jasmonate inducible protein, putative
		2033	putative polygalacturonase isoenzyme 1 beta subunit
		2034	putative small heat shock protein



TABLE 1 (cont)

2035	unknown protein	2068	putative chlorophyll A-B binding protein
2036	putative disease resistance protein	2069	Lhcb3 chlorophyll a/b binding protein (gb AAD28773.1)
2037	putative protein	2070	luminal binding protein (dbj BAA13948.1)
2038	ethylene-responsive element binding factor, putative	2071	hydroxypyruvate reductase (HPR)
2039	putative protein	2072	epoxide hydrolase (ATsEH)
2040	Pollen-specific protein precursor like	2073	putative protein (fragment)
2041	putative protein	2074	unknown protein
2042	unknown protein	2075	hypothetical protein
2043	EF-Hand containing protein-like	2076	putative glucosyl transferase
2044	unknown protein	2077	putative glucosyl transferase
2045	putative calcium-transporting ATPase	2078	putative 3-methylcrotonyl-CoA carboxylase
2046	antifungal protein-like (PDF1.2)	2079	putative peroxidase
2047	pathogenesis-related PR-1-like protein	2080	acyl-CoA oxidase (gb AAC13497.1)
2048	similar to Mlo proteins from <i>H. vulgare</i>	2081	alternative oxidase 1a precursor
2049	putative steroid sulfotransferase	2082	putative transcription factor (MYB4)
2050	trehalase - like protein	2083	serine acetyltransferase
2051	thioredoxin f1	2084	ATP-sulfurylase
2052	unknown protein	2085	calreticulin (crt1)
2053	alanine-glyoxylate aminotransferase	2086	putative prohibitin 2
2054	integral membrane protein, putative	2087	putative monodehydroascorbate reductase
2055	hypothetical protein	2088	branched-chain alpha-keto acid decarboxylase E1 beta subunit
2056	unknown protein	2089	cytokinin oxidase - like protein
2057	hypothetical protein	2090	putative receptor-like protein kinase
2058	unknown protein	2091	unknown protein
2059	unknown protein	2092	hypothetical protein
2060	unknown protein	2093	No function assigned by TIGR
2061	drought-induced-19-like 1	2094	putative APG protein
2062	unknown protein	2095	glutathione S-transferase, putative
2063	putative protein	2096	phytochrome-associated protein 1 (PAP1)
2064	putative protein	2097	amidophosphoribosyltransferase
2065	AIG2-like protein	2098	nonphototropic hypocotyl 1
2066	Lhca2 protein	2099	3-keto-acyl-CoA thiolase 2 (gb AAC17877.1)
2067	phytocyanin	2100	pEARLI 1
		2101	glutathione reductase, cytosolic

TABLE 1 (cont)

2102	putative protein	2128	putative protein disulfide-isomerase
2103	putative protein	2129	unknown protein
2104	putative aldehyde oxidase	2130	beta-1,3-glucanase class I precursor
2105	probable photosystem I chain XI precursor	2131	homeobox-leucine zipper protein HAT5 (HD-ZIP protein 5) (HD-ZIP protein ATHB-1)
2106	photosystem II polypeptide, putative	2132	putative cyclic nucleotide-regulated ion channel protein
2107	photosystem II reaction center 6.1KD protein	2133	P II nitrogen sensing protein GLB I
2108	33 kDa polypeptide of oxygen-evolving complex (OEC) in photosystem II (emb CAA75629.1)	2134	H-protein promoter binding factor-1 (gb AAC24592.1)
2109	60S ribosomal protein L11B	2135	GAST1-like protein
2110	extA (emb CAA47807.1)	2136	cytochrome P450 GA3
2111	zinc finger protein OBP4 - like	2137	putative protein
2112	sterol delta7 reductase	2138	Myb-related transcription factor-like protein
2113	putative RAS-related protein, RAB11C	2139	putative phloem-specific lectin
2114	glucosyltransferase like protein	2140	protein kinase - like protein
2115	zinc finger protein (PMZ), putative	2141	unknown protein
2116	6,7-dimethyl-8-ribityllumazine synthase precursor	2142	SCARECROW transcriptional regulator-like
2117	putative protein	2143	unknown protein
2118	osmotin precursor	2144	unknown protein
2119	No function assigned by TIGR	2145	putative protein
2120	ferredoxin precursor isolog	2146	calnexin homolog
2121	GH3 like protein	2147	PP1/PP2A phosphatases
2122	non-specific lipid transfer protein	2148	pleiotropic regulator PRL2
2123	homeodomain transcription factor (HAT9)	2149	xyloglucan endotransglycosylase, putative
2124	putative cytochrome P450 monooxygenase	2150	putative calmodulin
2125	putative protein kinase	2151	spermine synthase (ACL5)
2126	putative protein	2152	snoRNA
2127	glyceraldehyde-3-phosphate dehydrogenase	2153	photosystem I subunit V precursor, putative
		2154	putative potassium transporter
		2155	Homeodomain - like protein
		2156	putative protein
		2157	unknown protein
		2158	CALMODULIN-RELATED PROTEIN 2, TOUCH-INDUCED (TCH2)
			putative protein phosphatase 2C

TABLE 1 (cont)

2159	monosaccharide transport protein, STP4	2187	defender against cell death protein
2160	hypothetical protein	2188	AP2 domain containing protein, putative
2161	unknown protein	2189	actin depolymerizing factor - like protein
2162	hypothetical protein	2190	putative calcium-dependent protein kinase (U90439)
2163	putative protein kinase	2191	phosphoribosylanthranilate transferase, putative
2164	putative serine/threonine protein kinase	2192	oligopeptide transporter, putative
2165	jasmonate inducible protein, putative	2193	calmodulin-like protein
2166	similar to several small proteins (~100 aa) that are induced by heat, auxin, ethylene and wounding such as Phaseolus aureus indole-3-acetic acid induced protein ARG (SW:32292)	2194	putative protease inhibitor
2167	unknown protein	2195	MAP kinase
2168	MYB-like protein	2196	DNA binding protein MybSt1, putative
2169	putative protein kinase	2197	putative protein
2170	unknown protein	2198	putative protein
2171	CLC-d chloride channel protein	2199	unknown protein
2172	cytochrome P450-like protein	2200	unknown protein
2173	putative glutathione S-transferase	2201	unknown protein
2174	putative mandelonitrile lyase	2202	putative protein
2175	hypothetical protein	2203	unknown protein
2176	putative trypsin inhibitor	2204	unknown protein
2177	male sterility 2-like protein (emb CAA68191.1)	2205	hypothetical protein
2178	unknown protein	2206	uncharacterized protein
2179	unknown protein	2207	putative protein
2180	putative protein	2208	hypothetical protein
2181	putative peroxidase	2209	peroxidase (emb CAA66967.1)
2182	putative thromboxane-A synthase	2210	putative flavonol 3-O-glucosyltransferase
2183	putative cytochrome P450	2211	putative flavonol 3-O-glucosyltransferase
2184	peroxidase ATP21a	2212	putative protein
2185	unknown protein	2213	glycerol-3-phosphate acyltransferase
2186	putative glutathione S-transferase	2214	putative beta-1,3-glucanase
		2215	putative ethylene response element binding protein (EREBP)
		2216	putative CONSTANS-like B-box zinc finger protein
		2217	putative protein
		2218	unknown protein
		2219	putative trehalose-6-phosphate phosphatase (AtTPPA)
		2220	putative protein

TABLE 1 (cont)

2221	putative protein	2251	lysine and histidine specific transporter, putative
2222	unknown protein	2252	putative protein
2223	unknown prptein	2253	putative protein
2224	unknown protein	2254	putative sugar transporter protein
2225	hypothetical protein	2255	12S cruciferin seed storage protein
2226	putative metal-binding protein	2256	putative auxin-induced protein, IAA17/AXR3-1
2227	putative phosphoribosylglycinamide synthetase	2257	putative cyclin D
2228	unknown protein	2258	farnesyl diphosphate synthase precursor (gb AAB49290.1)
2229	putative protein	2259	putative potassium transport protein (TRH1)
2230	unknown protein	2260	putative NPK1-related MAP kinase
2231	unknown protein	2261	putative protein
2232	putative beta-galactosidase	2262	putative ABC transporter
2233	putative protein kinase	2263	putative DNA-directed RNA polymerase subunit
2234	putative protein	2264	putative small nuclear ribonucleoprotein E
2235	putative protein phosphatase 2C	2265	unknown protein
2236	putative growth regulator protein	2266	reticuline oxidase - like protein
2237	putative ABC transporter	2267	putative 1-aminocyclopropane-1-carboxylate oxidase
2238	chloride channel (emb CAA70310.1)	2268	similar to Mlo proteins from H. vulgare
2239	adrenodoxin - like protein	2269	long-chain-fatty-acid--CoA ligase-like protein
2240	NAM (no apical meristem)-like protein	2270	putative protein
2241	putative transcription factor MYB41	2271	chromatin remodelling complex ATPase chain ISWI -like protein
2242	Myb DNA binding protein - like	2272	hypothetical protein
2243	AtMYB84	2273	latex-abundant protein, putative
2244	photosystem II type I chlorophyll a/b binding protein	2274	N-acetylornithine deacetylase-like protein, fragment
2245	putative aspartic proteinase	2275	putative DNA-binding protein
2246	jasmonate inducible protein, putative	2276	putative anthranilate N-hydroxycinnamoyl/benzoyltransferase
2247	putative protein	2277	putative DNA binding protein
2248	No function assigned by TIGR	2278	cytochrome P450 - like protein
2249	putative phosphatidylserine synthase	2279	putative DNA-binding protein
2250	putative nicotianamine synthase	2280	putative peptide transporter
		2281	putative reticuline oxidase-like protein

TABLE 1 (cont)

2282	thioredoxin, putative	2313	putative protein kinase
2283	nodulin-like protein	2314	indoleacetic acid (IAA)-inducible gene (IAA7)
2284	UDP-galactose transporter - like protein	2315	ATP-dependent Clp protease regulatory subunit CLPX
2285	putative fibrillin	2316	DNA-binding protein RAV1
2286	unknown protein	2317	putative protein
2287	unknown protein	2318	hypothetical protein
2288	unknown protein	2319	unknown protein
2289	hypothetical protein	2320	unknown protein
2290	glyceraldehyde 3-phosphate dehydrogenase A subunit (GapA)	2321	putative protein
2291	predicted protein of unknown function	2322	putative thioredoxin reductase
2292	putative protein	2323	unknown protein
2293	putative protein	2324	putative lectin
2294	myb-like protein	2325	No function assigned by TIGR
2295	hypothetical protein	2326	beta-fructosidase
2296	putative U5 small nuclear ribonucleoprotein, an RNA helicase	2327	chlorophyll a/b-binding protein CP29
2297	unknown protein	2328	photosystem I subunit PSI-E - like protein
2298	cinnamyl alcohol dehydrogenase - like protein	2329	peroxidase ATP8a
2299	hypothetical protein similar to extensin-like protein	2330	putative fructose bisphosphate aldolase
2300	unknown protein	2331	zinc finger protein ATZF1, putative
2301	putative chlorophyll a/b binding protein	2332	DegP protease precursor
2302	probable plasma membrane intrinsic protein 1c	2333	transcription factor-like protein
2303	hexokinase (ATHXK2)	2334	calcium-dependent protein kinase
2304	calcium-dependent protein kinase	2335	hypothetical protein
2305	5'-adenylylphosphosulfate reductase, putative	2336	putative protein
2306	Erd1 protein precursor (sp P42762)	2337	glucose-1-phosphate adenylyltransferase (APL3)
2307	putative protein	2338	No function assigned by TIGR
2308	putative protein	2339	putative Eukaryotic initiation factor 4A
2309	unknown protein	2340	No function assigned by TIGR
2310	BCS1 protein-like protein	2341	unknown protein
2311	putative protein	2342	beta tubulin 1, putative
2312	putative protein	2343	one helix protein (OHP)
		2344	No function assigned by TIGR
		2345	zinc finger protein 5, ZFP5
		2346	putative MYB family transcription factor
		2347	putative amino acid transporter protein

TABLE 1 (cont)

2348	putative potassium transporter	2374	putative PHD-type zinc finger protein
2349	protein kinase (AFC2)	2375	nuclear RNA binding protein A-like protein
2350	putative protein	2376	unknown protein
2351	No function assigned by TIGR	2377	unknown protein
2352	putative ubiquitin-conjugating enzyme E2	2378	unknown protein
2353	unknown protein	2379	putative amino-cyclopropane-carboxylic acid oxidase (ACC oxidase)
2354	cytochrome P450 monooxygenase (CYP71B3)	2380	hypothetical protein
2355	putative myrosinase-binding protein	2381	indole-3-acetate beta-glucosyltransferase like protein
2356	putative vacuolar sorting receptor	2382	predicted protein
2357	uridine diphosphate glucose epimerase	2383	unknown protein
2358	shaggy related protein kinase, ASK-GAMMA	2384	No function assigned by TIGR
2359	ankyrin repeat protein EMB506	2385	putative photosystem I reaction center subunit IV
2360	putative beta-alanine-pyruvate aminotransferase	2386	putative homeodomain transcription factor
2361	putative alcohol dehydrogenase	2387	putative purple acid phosphatase precursor
2362	putative receptor-like protein kinase	2388	No function assigned by TIGR
2363	unknown protein	2389	nitrate reductase 1 (NR1)
2364	putative methylmalonate semi-aldehyde dehydrogenase	2390	putative casein kinase II beta subunit
2365	hypothetical protein	2391	pEARLI 1-like protein
2366	unknown protein	2392	putative protein
2367	peroxidase ATP13a	2393	No function assigned by TIGR
2368	putative glutathione peroxidase	2394	unknown protein
2369	squamosa promoter binding protein-like 7	2395	putative cell wall-plasma membrane disconnecting CLCT protein (AIR1A)
2370	photosystem II core complex protein, putative	2396	unknown protein
2371	snoRNA	2397	scarecrow-like 11 - like
2372	photosystem I subunit X precursor	2398	putative anthocyanidin synthase
2373	MYB transcription factor (Atmyb2)	2399	putative AP2 domain transcription factor
		2400	caffeoyl-CoA O-methyltransferase - like protein
		2401	unknown protein
		2402	putative protein kinase
		2403	cytochrome P450 -like protein
		2404	putative MADS-box protein ANR1
		2405	putative glutathione S-transferase

TABLE 1 (cont)

2406	hypothetical protein	2437	putative protein
2407	similar to gibberellin-regulated proteins	2438	unknown protein
2408	unknown protein	2439	unknown protein
2409	putative sensory transduction histidine kinase	2440	putative protein
2410	similar to late embryogenesis abundant proteins	2441	No function assigned by TIGR
2411	unknown protein	2442	MADS-box protein AGL14
2412	putative protein	2443	No function assigned by TIGR
2413	putative ATP-dependent RNA helicase	2444	peptidylprolyl isomerase
2414	putative protein	2445	putative s-adenosylmethionine synthetase
2415	putative sucrose synthetase	2446	peroxidase
2416	beta-fructofuranosidase 1	2447	ferrochelataase-I
2417	putative indole-3-acetate beta-glucosyltransferase	2448	putative eukaryotic initiation factor 4, eIF4
2418	hypothetical protein	2449	drought-inducible cysteine proteinase RD21A precursor -like protein
2419	DNA-directed RNA polymerase II, third largest subunit	2450	unknown protein
2420	putative transcription factor	2451	unknown protein
2421	homeobox-leucine zipper protein ATHB-5 (HD-zip protein ATHB-5) (sp P46667)	2452	No function assigned by TIGR
2422	putative ftsH chloroplast protease	2453	No function assigned by TIGR
2423	replication protein A1 - like	2454	salt-inducible like protein
2424	hypothetical protein	2455	glucose-6-phosphate 1-dehydrogenase
2425	unknown protein	2456	3-hydroxy-3-methylglutaryl CoA reductase (AA 1-592)
2426	unknown protein	2457	hypothetical protein
2427	putative methionine aminopeptidase	2458	putative protein
2428	unknown protein	2459	putative putative 60S ribosomal protein L17
2429	fatty acid elongase - like protein (cer2-like)	2460	putative inorganic pyrophosphatase
2430	unknown protein	2461	putative gamma-glutamyltransferase
2431	putative disease resistance response protein	2462	heat shock transcription factor - like protein
2432	putative protein	2463	mitochondrial chaperonin hsp60
2433	unknown protein	2464	unknown protein
2434	putative protein	2465	putative zinc finger protein identical to T10M13.22
2435	putative protein	2466	putative uridylyl transferase
2436	unknown protein	2467	nodulin-like protein
		2468	putative B-box zinc finger protein
		2469	No function assigned by TIGR
		2470	putative metalloproteinase

TABLE 1 (cont)

2471	putative cellular apoptosis susceptibility protein	2504	unknown protein
2472	hypothetical protein	2505	unknown protein
2473	hypothetical protein	2506	60S ribosomal protein L10A
2474	scarecrow-like 13 (SCL13)	2507	putative protein
2475	putative nucleoside triphosphatase	2508	receptor protein kinase (IRK1), putative
2476	unknown protein	2509	putative nematode-resistance protein
2477	No function assigned by TIGR	2510	tubulin alpha-5 chain-like protein
2478	hypothetical protein	2511	putative DNA-binding protein
2479	putative phospholipase	2512	unknown protein
2480	putative snRNP protein	2513	putative RGA1, giberellin response modulation protein
2481	putative protein	2514	non phototropic hypocotyl 1-like
2482	putative lipase	2515	RING-H2 finger protein RHA1b
2483	putative nonsense-mediated mRNA decay protein	2516	putative myb-protein
2484	No function assigned by TIGR	2517	hydroperoxide lyase (HPOL) like protein
2485	protochlorophyllide reductase precursor	2518	serine/threonine-protein kinase, PK7
2486	No function assigned by TIGR	2519	putative vacuolar proton-ATPase subunit
2487	trehalose-6-phosphate synthase, putative	2520	putative polygalacturonase
2488	unknown protein	2521	putative ribosomal protein L8
2489	germin-like protein	2522	putative adenylate kinase
2490	plastid protein	2523	germin-like protein (GLP10)
2491	putative protein	2524	putative chlorophyll a/b binding protein
2492	hypothetical protein	2525	chloroplast single subunit DNA-dependent RNA polymerase
2493	unknown protein	2526	putative protein
2494	unknown protein	2527	hypothetical protein
2495	histone deacetylase-like protein	2528	hypothetical protein
2496	unknown protein	2529	b-keto acyl reductase, putative
2497	unknown protein	2530	cellulose synthase catalytic subunit
2498	putative protein	2531	putative 1-aminocyclopropane-1-carboxylate oxidase
2499	putative protein	2532	S-linalool synthase, putative
2500	No function assigned by TIGR	2533	phosphoribosyl-ATP pyrophosphohydrolase (At-IE)
2501	putative zinc transporter ZIP2 - like	2534	disease resistance RPP5 like protein (fragment)
2502	unknown protein	2535	putative protein
2503	putative ribosomal-protein S6 kinase (ATPK19)	2536	beta-galactosidase like protein



TABLE 1 (cont)

2537	putative translation initiation factor eIF-2, gamma subunit	2566	unknown protein
2538	ankyrin like protein	2567	unknown protein
2539	histone H2A- like protein	2568	unknown protein
2540	putative protein	2569	serine/threonine kinase - like protein
2541	salt-tolerance zinc finger protein	2570	peroxidase (emb CAA66960.1)
2542	unknown protein	2571	putative protein
2543	putative protein	2572	hypothetical protein
2544	fructose-bisphosphate aldolase	2573	glycine-rich protein 2 (GRP2)
2545	peroxidase (emb CAA66964.1)	2574	unknown protein
2546	patatin-like protein	2575	berberine bridge enzyme-like protein
2547	salt-inducible protein homolog	2576	unknown protein
2548	hypothetical protein	2577	putative WD-repeat protein
2549	xyloglucan endo-transglycosylase-like protein	2578	serine/threonine kinase - like protein
2550	trihelix DNA-binding protein (GT2)	2579	serine /threonine kinase - like protein
2551	ubiquitin-conjugating enzyme 16, putative	2580	Cu <sup>2+</sup> -transporting ATPase-like protein
2552	homeobox protein	2581	translation initiation factor eIF4E
2553	envelope Ca <sup>2+</sup> -ATPase	2582	O-methyltransferase - like protein
2554	snap25a	2583	translation initiation factor eIF3 - like protein
2555	putative annexin	2584	No function assigned by TIGR
2556	putative protein	2585	unknown protein
2557	homeodomain transcription factor (ATHB-14)	2586	hypothetical protein
2558	heat shock protein, putative	2587	unknown protein
2559	peroxidase ATP23a	2588	unknown protein
2560	p68 RNA helicase, putative	2589	glycine-rich protein like
2561	potassium transporter, putative	2590	putative disease resistance protein
2562	putative eukaryotic translation initiation factor 2 alpha subunit, eIF2	2591	putative Na <sup>+</sup> /Ca <sup>2+</sup> antiporter
2563	hypothetical protein	2592	putative hydroxymethylglutaryl-CoA lyase
2564	carnitine racemase like protein	2593	putative phosphoribosylaminoimidazole carboxylase
2565	No function assigned by TIGR	2594	SAR DNA-binding protein - like
		2595	response regulator, putative
		2596	fibrillin precursor-like protein
		2597	beta-ketoacyl-CoA synthase (FIDDLEHEAD)
		2598	lectin like protein
		2599	No function assigned by TIGR

TABLE 1 (cont)

2600	acidic endochitinase (dbj BAA21861.1)	2629	unknown protein
2601	unknown protein	2630	unknown protein
2602	hypothetical protein	2631	unknown protein
2603	predicted OR23 protein of unknown function	2632	nucleosome assembly protein I-like protein
2604	putative protein	2633	membrane channel like protein
2605	hypothetical protein	2634	anthocyanin2, putative
2606	glycerol-3-phosphate dehydrogenase	2635	TWIN SISTER OF FT (TSF)
2607	hypothetical protein	2636	putative myb-related transcription factor
2608	tat-binding protein, putative	2637	hypothetical protein
2609	putative protein	2638	putative RING zinc finger protein
2610	putative trehalose-6- phosphate phosphatase	2639	amino acid transport protein AAT1
2611	hypothetical protein	2640	putative protein
2612	putative flavonol 3-O- glucosyltransferase	2641	putative protein
2613	60S ribosomal protein L30	2642	xanthine dehydrogenase
2614	putative auxin-induced protein	2643	xanthine dehydrogenase - like protein
2615	putative nonspecific lipid- transfer protein precursor	2644	receptor protein kinase (IRK1), putative
2616	AtRer1A	2645	dehydrin-like protein
2617	putative aquaporin (tonoplast intrinsic protein gamma)	2646	unknown protein
2618	hypothetical protein	2647	aldehyde dehydrogenase homolog, putative
2619	putative alanine acetyl transferase	2648	Ran binding protein (AtRanBP1b)
2620	putative NADP-dependent glyceraldehyde-3- phosphate dehydrogenase	2649	putative squamosa-promoter binding protein
2621	putative DNA binding protein	2650	putative protein
2622	putative cystathionine gamma-synthase	2651	kinesin like protein
2623	unknown protein	2652	putative cellulose synthase
2624	malate oxidoreductase (malic enzyme)	2653	calmodulin (cam2)
2625	unknown protein	2654	fibrillarin - like protein
2626	cyclic nucleotide-gated cation channel	2655	putative transmembrane protein G5p
2627	glyoxalase II, putative	2656	putative peroxidase
2628	putative trypsin inhibitor	2657	putative SNF1-related protein kinase
		2658	glutathione S-transferase, putative
		2659	unknown protein
		2660	hypothetical protein
		2661	putative protein
		2662	phosphatidylinositol-4-phosphate 5-kinase isolog
		2663	putative tyrosine decarboxylase
		2664	unknown protein

TABLE 1 (cont)

2665	SGP1 monomeric G-protein (emb CAB54517.1)	2691	putative pyrophosphate-dependent phosphofructokinase alpha subunit
2666	putative serine carboxypeptidase II	2692	putative flavonol glucosyltransferase
2667	putative L5 ribosomal protein	2693	peroxidase ATP20a (emb CAA67338.1)
2668	putative glucosyltransferase	2694	TOPP8 serine/threonine protein phosphatase type one
2669	flavonoid 3,5-hydroxylase like protein	2695	auxin regulated protein IAA18, putative
2670	putative protein	2696	putative WRKY-type DNA binding protein
2671	putative protein	2697	putative glucan synthase
2672	putative Fe(II)/ascorbate oxidase	2698	squalene monooxygenase
2673	putative anthocyanin 5- aromatic acyltransferase	2699	putative proline-rich protein
2674	casein kinase I	2700	G2484-1 protein
2675	putative 2,3- bisphosphoglycerate- independent phosphoglycerate mutase	2701	heat shock protein 70 like protein
2676	putative glutathione S- transferase TSI-1	2702	unknown protein
2677	ATP-dependent RNA helicase	2703	unknown protein
2678	putative cytochrome P450		
2679	putative WD-40 repeat protein		
2680	No function assigned by TIGR		
2681	No function assigned by TIGR		
2682	putative protein		
2683	putative extensin		
2684	nodulin-26 - like protein		
2685	RNA helicase (emb CAA09212.1)		
2686	predicted protein of unknown function		
2687	putative berberine bridge enzyme		
2688	thioredoxin, putative		
2689	putative serine carboxypeptidase I		
2690	cytochrome P450-like protein		

TABLE 2

## ABIOTIC STRESS RESPONSIVE GENE REGULATORY SEQUENCES

SEQ ID NO:	REGULATORY REGION	SEQ ID NO:	REGULATORY REGION	SEQ ID NO:	REGULATORY REGION
1	2704	51	2753	101	2802
2	2705	52	2754	102	2803
3	2706	53	2755	103	2804
4	2707	54	2756	104	2805
5	2708	55	2757	105	2806
6	2709	56	2758	106	2807
7	2710	57	2759	107	2808
8	2711	58	2760	108	2809
9	2712	59	2761	109	2810
10	2713	60	2762	110	2811
11	2714	61	2763	111	2812
12	2715	62	2764	112	2813
13	2716	63	2765	113	2814
14	2717	64	2766	114	2815
15	2718	65	2767	115	2816
16	2719	66	2768	116	2817
17	2720	67	2769	117	2818
18	2721	68	2770	118	2819
19	2722	69	NONE	119	2820
20	2723	70	2771	120	2821
21	2724	71	2772	121	2822
22	2725	72	2773	122	2823
23	2726	73	2774	123	2824
24	2727	74	2775	124	2825
25	2728	75	2776	125	2826
26	2729	76	2777	126	2827
27	2730	77	2778	127	2828
28	2731	78	2779	128	2829
29	2732	79	2780	129	2830
30	2733	80	2781	130	2831
31	2734	81	2782	131	2832
32	2735	82	2783	132	2833
33	2736	83	2784	133	2834
34	2737	84	2785	134	2835
35	2738	85	2786	135	2836
36	2739	86	2787	136	2837
37	2740	87	2788	137	2838
38	2741	88	2789	138	2839
39	2742	89	2790	139	2840
40	2743	90	2791	140	2841
41	2744	91	2792	141	2842
42	2745	92	2793	142	2843
43	NONE	93	2794	143	2844
44	2746	94	2795	144	NONE
45	2747	95	2796	145	2845
46	2748	96	2797	146	2846
47	2749	97	2798	147	2847
48	2750	98	2799	148	2848
49	2751	99	2800	149	2849
50	2752	100	2801	150	2850

TABLE 2 (cont)

151	2851	205	2905	259	2959
152	2852	206	2906	260	2960
153	2853	207	2907	261	2961
154	2854	208	2908	262	2962
155	2855	209	2909	263	2963
156	2856	210	2910	264	2964
157	2857	211	2911	265	2965
158	2858	212	2912	266	2966
159	2859	213	2913	267	2967
160	2860	214	2914	268	2968
161	2861	215	2915	269	2969
162	2862	216	2916	270	2970
163	2863	217	2917	271	2971
164	2864	218	2918	272	2972
165	2865	219	2919	273	2973
166	2866	220	2920	274	2974
167	2867	221	2921	275	2975
168	2868	222	2922	276	2976
169	2869	223	2923	277	2977
170	2870	224	2924	278	2978
171	2871	225	2925	279	2979
172	2872	226	2926	280	2980
173	2873	227	2927	281	2981
174	2874	228	2928	282	2982
175	2875	229	2929	283	2983
176	2876	230	2930	284	2984
177	2877	231	2931	285	2985
178	2878	232	2932	286	2986
179	2879	233	2933	287	2987
180	2880	234	2934	288	2988
181	2881	235	2935	289	2989
182	2882	236	2936	290	2990
183	2883	237	2937	291	2991
184	2884	238	2938	292	2992
185	2885	239	2939	293	2993
186	2886	240	2940	294	2994
187	2887	241	2941	295	2995
188	2888	242	2942	296	2996
189	2889	243	2943	297	2997
190	2890	244	2944	298	2998
191	2891	245	2945	299	2999
192	2892	246	2946	300	3000
193	2893	247	2947	301	3001
194	2894	248	2948	302	3002
195	2895	249	2949	303	3003
196	2896	250	2950	304	NONE
197	2897	251	2951	305	3004
198	2898	252	2952	306	3005
199	2899	253	2953	307	3006
200	2900	254	2954	308	3007
201	2901	255	2955	309	3008
202	2902	256	2956	310	3009
203	2903	257	2957	311	3010
204	2904	258	2958	312	3011

TABLE 2 (cont)

313	3012	367	3066	421	3120
314	3013	368	3067	422	3121
315	3014	369	3068	423	3122
316	3015	370	3069	424	3123
317	3016	371	3070	425	3124
318	3017	372	3071	426	3125
319	3018	373	3072	427	3126
320	3019	374	3073	428	3127
321	3020	375	3074	429	3128
322	3021	376	3075	430	3129
323	3022	377	3076	431	3130
324	3023	378	3077	432	3131
325	3024	379	3078	433	3132
326	3025	380	3079	434	3133
327	3026	381	3080	435	3134
328	3027	382	3081	436	3135
329	3028	383	3082	437	3136
330	3029	384	3083	438	3137
331	3030	385	3084	439	3138
332	3031	386	3085	440	3139
333	3032	387	3086	441	3140
334	3033	388	3087	442	3141
335	3034	389	3088	443	3142
336	3035	390	3089	444	3143
337	3036	391	3090	445	3144
338	3037	392	3091	446	3145
339	3038	393	3092	447	3146
340	3039	394	3093	448	3147
341	3040	395	3094	449	3148
342	3041	396	3095	450	3149
343	3042	397	3096	451	3150
344	3043	398	3097	452	3151
345	3044	399	3098	453	3152
346	3045	400	3099	454	3153
347	3046	401	3100	455	3154
348	3047	402	3101	456	3155
349	3048	403	3102	457	3156
350	3049	404	3103	458	3157
351	3050	405	3104	459	3158
352	3051	406	3105	460	3159
353	3052	407	3106	461	3160
354	3053	408	3107	462	3161
355	3054	409	3108	463	3162
356	3055	410	3109	464	3163
357	3056	411	3110	465	3164
358	3057	412	3111	466	3165
359	3058	413	3112	467	3166
360	3059	414	3113	468	3167
361	3060	415	3114	469	3168
362	3061	416	3115	470	3169
363	3062	417	3116	471	3170
364	3063	418	3117	472	3171
365	3064	419	3118	473	3172
366	3065	420	3119	474	3173

TABLE 2 (cont)

475	3174	529	3228	583	3282
476	3175	530	3229	584	3283
477	3176	531	3230	585	3284
478	3177	532	3231	586	3285
479	3178	533	3232	587	3286
480	3179	534	3233	588	3287
481	3180	535	3234	589	3288
482	3181	536	3235	590	3289
483	3182	537	3236	591	3290
484	3183	538	3237	592	3291
485	3184	539	3238	593	3292
486	3185	540	3239	594	3293
487	3186	541	3240	595	3294
488	3187	542	3241	596	3295
489	3188	543	3242	597	3296
490	3189	544	3243	598	3297
491	3190	545	3244	599	3298
492	3191	546	3245	600	3299
493	3192	547	3246	601	3300
494	3193	548	3247	602	3301
495	3194	549	3248	603	3302
496	3195	550	3249	604	3303
497	3196	551	3250	605	3304
498	3197	552	3251	606	3305
499	3198	553	3252	607	3306
500	3199	554	3253	608	3307
501	3200	555	3254	609	3308
502	3201	556	3255	610	3309
503	3202	557	3256	611	3310
504	3203	558	3257	612	3311
505	3204	559	3258	613	3312
506	3205	560	3259	614	3313
507	3206	561	3260	615	3314
508	3207	562	3261	616	3315
509	3208	563	3262	617	3316
510	3209	564	3263	618	3317
511	3210	565	3264	619	3318
512	3211	566	3265	620	3319
513	3212	567	3266	621	3320
514	3213	568	3267	622	3321
515	3214	569	3268	623	3322
516	3215	570	3269	624	3323
517	3216	571	3270	625	3324
518	3217	572	3271	626	3325
519	3218	573	3272	627	3326
520	3219	574	3273	628	3327
521	3220	575	3274	629	3328
522	3221	576	3275	630	3329
523	3222	577	3276	631	3330
524	3223	578	3277	632	3331
525	3224	579	3278	633	3332
526	3225	580	3279	634	3333
527	3226	581	3280	635	3334
528	3227	582	3281	636	3335

TABLE 2 (cont)

637	3336	691	3390	745	3444
638	3337	692	3391	746	3445
639	3338	693	3392	747	3446
640	3339	694	3393	748	3447
641	3340	695	3394	749	3448
642	3341	696	3395	750	3449
643	3342	697	3396	751	3450
644	3343	698	3397	752	3451
645	3344	699	3398	753	3452
646	3345	700	3399	754	3453
647	3346	701	3400	755	3454
648	3347	702	3401	756	3455
649	3348	703	3402	757	3456
650	3349	704	3403	758	3457
651	3350	705	3404	759	3458
652	3351	706	3405	760	3459
653	3352	707	3406	761	3460
654	3353	708	3407	762	3461
655	3354	709	3408	763	3462
656	3355	710	3409	764	3463
657	3356	711	3410	765	3464
658	3357	712	3411	766	3465
659	3358	713	3412	767	3466
660	3359	714	3413	768	3467
661	3360	715	3414	769	3468
662	3361	716	3415	770	3469
663	3362	717	3416	771	3470
664	3363	718	3417	772	3471
665	3364	719	3418	773	3472
666	3365	720	3419	774	3473
667	3366	721	3420	775	3474
668	3367	722	3421	776	3475
669	3368	723	3422	777	3476
670	3369	724	3423	778	3477
671	3370	725	3424	779	3478
672	3371	726	3425	780	3479
673	3372	727	3426	781	3480
674	3373	728	3427	782	3481
675	3374	729	3428	783	3482
676	3375	730	3429	784	3483
677	3376	731	3430	785	3484
678	3377	732	3431	786	3485
679	3378	733	3432	787	3486
680	3379	734	3433	788	3487
681	3380	735	3434	789	3488
682	3381	736	3435	790	3489
683	3382	737	3436	791	3490
684	3383	738	3437	792	3491
685	3384	739	3438	793	3492
686	3385	740	3439	794	3493
687	3386	741	3440	795	3494
688	3387	742	3441	796	3495
689	3388	743	3442	797	3496
690	3389	744	3443	798	3497



TABLE 2 (cont)

799	3498	853	3552	907	3603
800	3499	854	3553	908	3604
801	3500	855	3554	909	3605
802	3501	856	3555	910	3606
803	3502	857	3556	911	3607
804	3503	858	3557	912	3608
805	3504	859	3558	913	3609
806	3505	860	3559	914	3610
807	3506	861	3560	915	3611
808	3507	862	3561	916	3612
809	3508	863	3562	917	3613
810	3509	864	3563	918	3614
811	3510	865	3564	919	3615
812	3511	866	3565	920	3616
813	3512	867	3566	921	3617
814	3513	868	3567	922	3618
815	3514	869	3568	923	3619
816	3515	870	3569	924	3620
817	3516	871	3570	925	3621
818	3517	872	3571	926	3622
819	3518	873	3572	927	3623
820	3519	874	3573	928	3624
821	3520	875	3574	929	3625
822	3521	876	3575	930	3626
823	3522	877	3576	931	3627
824	3523	878	3577	932	3628
825	3524	879	3578	933	3629
826	3525	880	3579	934	3630
827	3526	881	3580	935	NONE
828	3527	882	3581	936	3631
829	3528	883	3582	937	3632
830	3529	884	3583	938	3633
831	3530	885	3584	939	3634
832	3531	886	3585	940	3635
833	3532	887	NONE	941	3636
834	3533	888	3586	942	3637
835	3534	889	3587	943	3638
836	3535	890	3588	944	3639
837	3536	891	3589	945	3640
838	3537	892	3590	946	3641
839	3538	893	3591	947	3642
840	3539	894	NONE	948	3643
841	3540	895	NONE	949	3644
842	3541	896	3592	950	3645
843	3542	897	3593	951	3646
844	3543	898	3594	952	3647
845	3544	899	3595	953	3648
846	3545	900	3596	954	3649
847	3546	901	3597	955	3650
848	3547	902	3598	956	3651
849	3548	903	3599	957	3652
850	3549	904	3600	958	3653
851	3550	905	3601	959	3654
852	3551	906	3602	960	3655

TABLE 2 (cont)

961	3656	1015	3710	1069	3764
962	3657	1016	3711	1070	3765
963	3658	1017	3712	1071	3766
964	3659	1018	3713	1072	3767
965	3660	1019	3714	1073	3768
966	3661	1020	3715	1074	3769
967	3662	1021	3716	1075	3770
968	3663	1022	3717	1076	3771
969	3664	1023	3718	1077	3772
970	3665	1024	3719	1078	3773
971	3666	1025	3720	1079	3774
972	3667	1026	3721	1080	3775
973	3668	1027	3722	1081	3776
974	3669	1028	3723	1082	3777
975	3670	1029	3724	1083	3778
976	3671	1030	3725	1084	3779
977	3672	1031	3726	1085	3780
978	3673	1032	3727	1086	3781
979	3674	1033	3728	1087	NONE
980	3675	1034	3729	1088	3782
981	3676	1035	3730	1089	3783
982	3677	1036	3731	1090	3784
983	3678	1037	3732	1091	3785
984	3679	1038	3733	1092	3786
985	3680	1039	3734	1093	3787
986	3681	1040	3735	1094	3788
987	3682	1041	3736	1095	3789
988	3683	1042	3737	1096	3790
989	3684	1043	3738	1097	3791
990	3685	1044	3739	1098	3792
991	3686	1045	3740	1099	3793
992	3687	1046	3741	1100	3794
993	3688	1047	3742	1101	3795
994	3689	1048	3743	1102	3796
995	3690	1049	3744	1103	3797
996	3691	1050	3745	1104	3798
997	3692	1051	3746	1105	3799
998	3693	1052	3747	1106	3800
999	3694	1053	3748	1107	3801
1000	3695	1054	3749	1108	3802
1001	3696	1055	3750	1109	3803
1002	3697	1056	3751	1110	3804
1003	3698	1057	3752	1111	3805
1004	3699	1058	3753	1112	3806
1005	3700	1059	3754	1113	3807
1006	3701	1060	3755	1114	3808
1007	3702	1061	3756	1115	3809
1008	3703	1062	3757	1116	3810
1009	3704	1063	3758	1117	3811
1010	3705	1064	3759	1118	3812
1011	3706	1065	3760	1119	3813
1012	3707	1066	3761	1120	3814
1013	3708	1067	3762	1121	3815
1014	3709	1068	3763	1122	3816

TABLE 2 (cont)

1123	3817	1177	3871	1231	3925
1124	3818	1178	3872	1232	3926
1125	3819	1179	3873	1233	3927
1126	3820	1180	3874	1234	3928
1127	3821	1181	3875	1235	3929
1128	3822	1182	3876	1236	3930
1129	3823	1183	3877	1237	3931
1130	3824	1184	3878	1238	3932
1131	3825	1185	3879	1239	3933
1132	3826	1186	3880	1240	3934
1133	3827	1187	3881	1241	3935
1134	3828	1188	3882	1242	3936
1135	3829	1189	3883	1243	3937
1136	3830	1190	3884	1244	3938
1137	3831	1191	3885	1245	3939
1138	3832	1192	3886	1246	3940
1139	3833	1193	3887	1247	3941
1140	3834	1194	3888	1248	3942
1141	3835	1195	3889	1249	3943
1142	3836	1196	3890	1250	3944
1143	3837	1197	3891	1251	3945
1144	3838	1198	3892	1252	3946
1145	3839	1199	3893	1253	3947
1146	3840	1200	3894	1254	3948
1147	3841	1201	3895	1255	3949
1148	3842	1202	3896	1256	3950
1149	3843	1203	3897	1257	3951
1150	3844	1204	3898	1258	3952
1151	3845	1205	3899	1259	3953
1152	3846	1206	3900	1260	3954
1153	3847	1207	3901	1261	3955
1154	3848	1208	3902	1262	3956
1155	3849	1209	3903	1263	3957
1156	3850	1210	3904	1264	3958
1157	3851	1211	3905	1265	3959
1158	3852	1212	3906	1266	3960
1159	3853	1213	3907	1267	3961
1160	3854	1214	3908	1268	3962
1161	3855	1215	3909	1269	3963
1162	3856	1216	3910	1270	3964
1163	3857	1217	3911	1271	3965
1164	3858	1218	3912	1272	3966
1165	3859	1219	3913	1273	3967
1166	3860	1220	3914	1274	3968
1167	3861	1221	3915	1275	3969
1168	3862	1222	3916	1276	3970
1169	3863	1223	3917	1277	3971
1170	3864	1224	3918	1278	3972
1171	3865	1225	3919	1279	3973
1172	3866	1226	3920	1280	3974
1173	3867	1227	3921	1281	3975
1174	3868	1228	3922	1282	3976
1175	3869	1229	3923	1283	3977
1176	3870	1230	3924	1284	3978

TABLE 2 (cont)

1285	3979	1339	4032	1393	4086
1286	3980	1340	4033	1394	4087
1287	3981	1341	4034	1395	4088
1288	3982	1342	4035	1396	4089
1289	3983	1343	4036	1397	4090
1290	3984	1344	4037	1398	4091
1291	3985	1345	4038	1399	4092
1292	3986	1346	4039	1400	4093
1293	3987	1347	4040	1401	4094
1294	3988	1348	4041	1402	4095
1295	3989	1349	4042	1403	4096
1296	3990	1350	4043	1404	4097
1297	3991	1351	4044	1405	4098
1298	3992	1352	4045	1406	4099
1299	3993	1353	4046	1407	4100
1300	3994	1354	4047	1408	4101
1301	3995	1355	4048	1409	4102
1302	3996	1356	4049	1410	4103
1303	3997	1357	4050	1411	4104
1304	3998	1358	4051	1412	4105
1305	3999	1359	4052	1413	4106
1306	4000	1360	4053	1414	4107
1307	4001	1361	4054	1415	4108
1308	4002	1362	4055	1416	4109
1309	4003	1363	4056	1417	4110
1310	4004	1364	4057	1418	4111
1311	4005	1365	4058	1419	4112
1312	4006	1366	4059	1420	4113
1313	4007	1367	4060	1421	4114
1314	4008	1368	4061	1422	4115
1315	4009	1369	4062	1423	4116
1316	4010	1370	4063	1424	4117
1317	4011	1371	4064	1425	4118
1318	4012	1372	4065	1426	4119
1319	4013	1373	4066	1427	4120
1320	4014	1374	4067	1428	4121
1321	4015	1375	4068	1429	4122
1322	4016	1376	4069	1430	4123
1323	4017	1377	4070	1431	4124
1324	4018	1378	4071	1432	NONE
1325	4019	1379	4072	1433	4125
1326	4020	1380	4073	1434	4126
1327	4021	1381	4074	1435	4127
1328	4022	1382	4075	1436	4128
1329	4023	1383	4076	1437	4129
1330	NONE	1384	4077	1438	4130
1331	4024	1385	4078	1439	4131
1332	4025	1386	4079	1440	4132
1333	4026	1387	4080	1441	4133
1334	4027	1388	4081	1442	4134
1335	4028	1389	4082	1443	4135
1336	4029	1390	4083	1444	4136
1337	4030	1391	4084	1445	4137
1338	4031	1392	4085	1446	4138

TABLE 2 (cont)

1447	4139	1501	4193	1555	4247
1448	4140	1502	4194	1556	4248
1449	4141	1503	4195	1557	4249
1450	4142	1504	4196	1558	NONE
1451	4143	1505	4197	1559	4250
1452	4144	1506	4198	1560	4251
1453	4145	1507	4199	1561	4252
1454	4146	1508	4200	1562	4253
1455	4147	1509	4201	1563	4254
1456	4148	1510	4202	1564	4255
1457	4149	1511	4203	1565	4256
1458	4150	1512	4204	1566	4257
1459	4151	1513	4205	1567	4258
1460	4152	1514	4206	1568	4259
1461	4153	1515	4207	1569	4260
1462	4154	1516	4208	1570	4261
1463	4155	1517	4209	1571	4262
1464	4156	1518	4210	1572	4263
1465	4157	1519	4211	1573	4264
1466	4158	1520	4212	1574	4265
1467	4159	1521	4213	1575	4266
1468	4160	1522	4214	1576	4267
1469	4161	1523	4215	1577	4268
1470	4162	1524	4216	1578	4269
1471	4163	1525	4217	1579	4270
1472	4164	1526	4218	1580	4271
1473	4165	1527	4219	1581	4272
1474	4166	1528	4220	1582	4273
1475	4167	1529	4221	1583	4274
1476	4168	1530	4222	1584	4275
1477	4169	1531	4223	1585	4276
1478	4170	1532	4224	1586	4277
1479	4171	1533	4225	1587	4278
1480	4172	1534	4226	1588	4279
1481	4173	1535	4227	1589	4280
1482	4174	1536	4228	1590	4281
1483	4175	1537	4229	1591	4282
1484	4176	1538	4230	1592	4283
1485	4177	1539	4231	1593	4284
1486	4178	1540	4232	1594	4285
1487	4179	1541	4233	1595	4286
1488	4180	1542	4234	1596	4287
1489	4181	1543	4235	1597	4288
1490	4182	1544	4236	1598	4289
1491	4183	1545	4237	1599	4290
1492	4184	1546	4238	1600	4291
1493	4185	1547	4239	1601	4292
1494	4186	1548	4240	1602	4293
1495	4187	1549	4241	1603	4294
1496	4188	1550	4242	1604	4295
1497	4189	1551	4243	1605	4296
1498	4190	1552	4244	1606	4297
1499	4191	1553	4245	1607	4298
1500	4192	1554	4246	1608	4299

TABLE 2 (cont)

1609	4300	1663	NONE	1717	4406
1610	4301	1664	4354	1718	4407
1611	4302	1665	4355	1719	4408
1612	4303	1666	4356	1720	4409
1613	4304	1667	4357	1721	4410
1614	4305	1668	4358	1722	4411
1615	4306	1669	4359	1723	4412
1616	4307	1670	4360	1724	4413
1617	4308	1671	4361	1725	4414
1618	4309	1672	4362	1726	4415
1619	4310	1673	4363	1727	4416
1620	4311	1674	4364	1728	4417
1621	4312	1675	4365	1729	4418
1622	4313	1676	4366	1730	4419
1623	4314	1677	4367	1731	4420
1624	4315	1678	4368	1732	4421
1625	4316	1679	4369	1733	4422
1626	4317	1680	4370	1734	4423
1627	4318	1681	4371	1735	4424
1628	4319	1682	4372	1736	4425
1629	4320	1683	4373	1737	4426
1630	4321	1684	4374	1738	4427
1631	4322	1685	4375	1739	4428
1632	4323	1686	4376	1740	4429
1633	4324	1687	4377	1741	4430
1634	4325	1688	4378	1742	4431
1635	4326	1689	4379	1743	4432
1636	4327	1690	4380	1744	4433
1637	4328	1691	4381	1745	4434
1638	4329	1692	4382	1746	4435
1639	4330	1693	4383	1747	4436
1640	4331	1694	4384	1748	4437
1641	4332	1695	4385	1749	4438
1642	4333	1696	4386	1750	4439
1643	4334	1697	4387	1751	4440
1644	4335	1698	4388	1752	4441
1645	4336	1699	4389	1753	4442
1646	4337	1700	4390	1754	4443
1647	4338	1701	4391	1755	4444
1648	4339	1702	4392	1756	4445
1649	4340	1703	4393	1757	4446
1650	4341	1704	4394	1758	4447
1651	4342	1705	4395	1759	4448
1652	4343	1706	4396	1760	4449
1653	4344	1707	4397	1761	4450
1654	4345	1708	4398	1762	4451
1655	4346	1709	4399	1763	4452
1656	4347	1710	4400	1764	4453
1657	4348	1711	4401	1765	4454
1658	4349	1712	NONE	1766	4455
1659	4350	1713	4402	1767	4456
1660	4351	1714	4403	1768	4457
1661	4352	1715	4404	1769	4458
1662	4353	1716	4405	1770	4459

TABLE 2 (cont)

1771	4460	1825	4512	1879	4566
1772	4461	1826	4513	1880	4567
1773	4462	1827	4514	1881	4568
1774	4463	1828	4515	1882	4569
1775	4464	1829	4516	1883	4570
1776	4465	1830	4517	1884	4571
1777	4466	1831	4518	1885	4572
1778	4467	1832	4519	1886	4573
1779	4468	1833	4520	1887	4574
1780	4469	1834	4521	1888	4575
1781	4470	1835	4522	1889	4576
1782	4471	1836	4523	1890	4577
1783	4472	1837	4524	1891	4578
1784	NONE	1838	4525	1892	4579
1785	4473	1839	4526	1893	4580
1786	4474	1840	4527	1894	4581
1787	4475	1841	4528	1895	4582
1788	4476	1842	4529	1896	4583
1789	4477	1843	4530	1897	NONE
1790	4478	1844	4531	1898	4584
1791	4479	1845	4532	1899	4585
1792	4480	1846	4533	1900	4586
1793	4481	1847	4534	1901	4587
1794	4482	1848	4535	1902	4588
1795	4483	1849	4536	1903	4589
1796	4484	1850	4537	1904	4590
1797	4485	1851	4538	1905	4591
1798	4486	1852	4539	1906	4592
1799	4487	1853	4540	1907	NONE
1800	4488	1854	4541	1908	4593
1801	4489	1855	4542	1909	4594
1802	4490	1856	4543	1910	4595
1803	NONE	1857	4544	1911	4596
1804	4491	1858	4545	1912	4597
1805	4492	1859	4546	1913	4598
1806	4493	1860	4547	1914	4599
1807	4494	1861	4548	1915	4600
1808	4495	1862	4549	1916	4601
1809	4496	1863	4550	1917	4602
1810	4497	1864	4551	1918	4603
1811	4498	1865	4552	1919	4604
1812	4499	1866	4553	1920	4605
1813	4500	1867	4554	1921	4606
1814	4501	1868	4555	1922	4607
1815	4502	1869	4556	1923	4608
1816	4503	1870	4557	1924	4609
1817	4504	1871	4558	1925	4610
1818	4505	1872	4559	1926	4611
1819	4506	1873	4560	1927	4612
1820	4507	1874	4561	1928	4613
1821	4508	1875	4562	1929	4614
1822	4509	1876	4563	1930	4615
1823	4510	1877	4564	1931	4616
1824	4511	1878	4565	1932	4617

TABLE 2 (cont)

1933	4618	1987	4672	2041	4725
1934	4619	1988	4673	2042	4726
1935	4620	1989	4674	2043	4727
1936	4621	1990	4675	2044	4728
1937	4622	1991	4676	2045	4729
1938	4623	1992	4677	2046	4730
1939	4624	1993	4678	2047	4731
1940	4625	1994	4679	2048	4732
1941	4626	1995	4680	2049	4733
1942	4627	1996	4681	2050	4734
1943	4628	1997	4682	2051	4735
1944	4629	1998	4683	2052	4736
1945	4630	1999	4684	2053	4737
1946	4631	2000	4685	2054	4738
1947	4632	2001	4686	2055	4739
1948	4633	2002	4687	2056	4740
1949	4634	2003	4688	2057	4741
1950	4635	2004	4689	2058	4742
1951	4636	2005	4690	2059	4743
1952	4637	2006	4691	2060	4744
1953	4638	2007	4692	2061	4745
1954	4639	2008	4693	2062	4746
1955	4640	2009	4694	2063	4747
1956	4641	2010	4695	2064	4748
1957	4642	2011	4696	2065	4749
1958	4643	2012	4697	2066	4750
1959	4644	2013	4698	2067	4751
1960	4645	2014	4699	2068	4752
1961	4646	2015	4700	2069	4753
1962	4647	2016	4701	2070	4754
1963	4648	2017	4702	2071	4755
1964	4649	2018	4703	2072	4756
1965	4650	2019	4704	2073	4757
1966	4651	2020	4705	2074	4758
1967	4652	2021	4706	2075	4759
1968	4653	2022	4707	2076	4760
1969	4654	2023	4708	2077	4761
1970	4655	2024	4709	2078	4762
1971	4656	2025	4710	2079	4763
1972	4657	2026	4711	2080	4764
1973	4658	2027	4712	2081	4765
1974	4659	2028	4713	2082	4766
1975	4660	2029	4714	2083	4767
1976	4661	2030	NONE	2084	4768
1977	4662	2031	4715	2085	4769
1978	4663	2032	4716	2086	4770
1979	4664	2033	4717	2087	4771
1980	4665	2034	4718	2088	4772
1981	4666	2035	4719	2089	4773
1982	4667	2036	4720	2090	4774
1983	4668	2037	4721	2091	4775
1984	4669	2038	4722	2092	4776
1985	4670	2039	4723	2093	4777
1986	4671	2040	4724	2094	4778



TABLE 2 (cont)

2095	4779	2149	4833	2203	4886
2096	4780	2150	4834	2204	4887
2097	4781	2151	NONE	2205	4888
2098	4782	2152	4835	2206	4889
2099	4783	2153	4836	2207	4890
2100	4784	2154	4837	2208	4891
2101	4785	2155	4838	2209	4892
2102	4786	2156	4839	2210	4893
2103	4787	2157	4840	2211	4894
2104	4788	2158	4841	2212	4895
2105	4789	2159	4842	2213	4896
2106	4790	2160	4843	2214	4897
2107	4791	2161	4844	2215	4898
2108	4792	2162	4845	2216	4899
2109	4793	2163	4846	2217	4900
2110	4794	2164	4847	2218	4901
2111	4795	2165	4848	2219	4902
2112	4796	2166	4849	2220	4903
2113	4797	2167	4850	2221	4904
2114	4798	2168	4851	2222	4905
2115	4799	2169	4852	2223	4906
2116	4800	2170	4853	2224	4907
2117	4801	2171	4854	2225	4908
2118	4802	2172	4855	2226	4909
2119	4803	2173	4856	2227	4910
2120	4804	2174	4857	2228	4911
2121	4805	2175	4858	2229	4912
2122	4806	2176	4859	2230	4913
2123	4807	2177	4860	2231	4914
2124	4808	2178	4861	2232	4915
2125	4809	2179	4862	2233	4916
2126	4810	2180	4863	2234	4917
2127	4811	2181	4864	2235	4918
2128	4812	2182	4865	2236	4919
2129	4813	2183	4866	2237	4920
2130	4814	2184	4867	2238	4921
2131	4815	2185	4868	2239	4922
2132	4816	2186	4869	2240	4923
2133	4817	2187	4870	2241	4924
2134	4818	2188	4871	2242	4925
2135	4819	2189	4872	2243	4926
2136	4820	2190	4873	2244	4927
2137	4821	2191	4874	2245	4928
2138	4822	2192	4875	2246	4929
2139	4823	2193	4876	2247	4930
2140	4824	2194	4877	2248	NONE
2141	4825	2195	4878	2249	4931
2142	4826	2196	4879	2250	4932
2143	4827	2197	4880	2251	4933
2144	4828	2198	4881	2252	4934
2145	4829	2199	4882	2253	4935
2146	4830	2200	4883	2254	4936
2147	4831	2201	4884	2255	4937
2148	4832	2202	4885	2256	4938

TABLE 2 (cont)

2257	4939	2311	4993	2365	5046
2258	4940	2312	4994	2366	5047
2259	4941	2313	4995	2367	5048
2260	4942	2314	4996	2368	5049
2261	4943	2315	4997	2369	5050
2262	4944	2316	4998	2370	5051
2263	4945	2317	4999	2371	NONE
2264	4946	2318	5000	2372	5052
2265	4947	2319	5001	2373	5053
2266	4948	2320	5002	2374	5054
2267	4949	2321	5003	2375	5055
2268	4950	2322	5004	2376	5056
2269	4951	2323	5005	2377	5057
2270	4952	2324	5006	2378	5058
2271	4953	2325	5007	2379	5059
2272	4954	2326	5008	2380	5060
2273	4955	2327	5009	2381	5061
2274	4956	2328	5010	2382	5062
2275	4957	2329	5011	2383	5063
2276	4958	2330	5012	2384	5064
2277	4959	2331	5013	2385	5065
2278	4960	2332	5014	2386	5066
2279	4961	2333	5015	2387	5067
2280	4962	2334	5016	2388	5068
2281	4963	2335	5017	2389	5069
2282	4964	2336	5018	2390	5070
2283	4965	2337	5019	2391	5071
2284	4966	2338	5020	2392	5072
2285	4967	2339	5021	2393	5073
2286	4968	2340	NONE	2394	5074
2287	4969	2341	5022	2395	5075
2288	4970	2342	5023	2396	5076
2289	4971	2343	5024	2397	5077
2290	4972	2344	5025	2398	5078
2291	4973	2345	5026	2399	5079
2292	4974	2346	5027	2400	5080
2293	4975	2347	5028	2401	5081
2294	4976	2348	5029	2402	5082
2295	4977	2349	5030	2403	5083
2296	4978	2350	5031	2404	5084
2297	4979	2351	5032	2405	5085
2298	4980	2352	5033	2406	5086
2299	4981	2353	5034	2407	5087
2300	4982	2354	5035	2408	5088
2301	4983	2355	5036	2409	5089
2302	4984	2356	5037	2410	5090
2303	4985	2357	5038	2411	5091
2304	4986	2358	5039	2412	5092
2305	4987	2359	5040	2413	5093
2306	4988	2360	5041	2414	5094
2307	4989	2361	5042	2415	5095
2308	4990	2362	5043	2416	5096
2309	4991	2363	5044	2417	5097
2310	4992	2364	5045	2418	5098

TABLE 2 (cont)

2419	5099	2473	5151	2527	5205
2420	5100	2474	5152	2528	5206
2421	5101	2475	5153	2529	5207
2422	5102	2476	5154	2530	5208
2423	5103	2477	5155	2531	5209
2424	5104	2478	5156	2532	5210
2425	5105	2479	5157	2533	5211
2426	5106	2480	5158	2534	5212
2427	5107	2481	5159	2535	5213
2428	5108	2482	5160	2536	5214
2429	5109	2483	5161	2537	5215
2430	5110	2484	5162	2538	5216
2431	5111	2485	5163	2539	5217
2432	5112	2486	5164	2540	5218
2433	5113	2487	5165	2541	5219
2434	5114	2488	5166	2542	5220
2435	5115	2489	5167	2543	5221
2436	5116	2490	5168	2544	5222
2437	5117	2491	5169	2545	5223
2438	5118	2492	5170	2546	5224
2439	5119	2493	5171	2547	5225
2440	5120	2494	5172	2548	5226
2441	5121	2495	5173	2549	5227
2442	5122	2496	5174	2550	5228
2443	NONE	2497	5175	2551	5229
2444	5123	2498	5176	2552	5230
2445	5124	2499	5177	2553	5231
2446	5125	2500	5178	2554	5232
2447	5126	2501	5179	2555	5233
2448	5127	2502	5180	2556	5234
2449	5128	2503	5181	2557	5235
2450	5129	2504	5182	2558	5236
2451	5130	2505	5183	2559	5237
2452	5131	2506	5184	2560	5238
2453	5132	2507	5185	2561	5239
2454	5133	2508	5186	2562	5240
2455	5134	2509	5187	2563	5241
2456	5135	2510	5188	2564	5242
2457	5136	2511	5189	2565	5243
2458	5137	2512	5190	2566	5244
2459	5138	2513	5191	2567	5245
2460	5139	2514	5192	2568	5246
2461	5140	2515	5193	2569	5247
2462	5141	2516	5194	2570	5248
2463	5142	2517	5195	2571	5249
2464	5143	2518	5196	2572	5250
2465	5144	2519	5197	2573	5251
2466	5145	2520	5198	2574	5252
2467	5146	2521	5199	2575	5253
2468	5147	2522	5200	2576	5254
2469	NONE	2523	5201	2577	5255
2470	5148	2524	5202	2578	5256
2471	5149	2525	5203	2579	5257
2472	5150	2526	5204	2580	5258

TABLE 2 (cont)

2581	5259	2635	5312	2689	5365
2582	5260	2636	5313	2690	5366
2583	5261	2637	5314	2691	5367
2584	5262	2638	5315	2692	5368
2585	5263	2639	5316	2693	5369
2586	5264	2640	5317	2694	5370
2587	5265	2641	5318	2695	5371
2588	5266	2642	5319	2696	5372
2589	5267	2643	5320	2697	5373
2590	5268	2644	5321	2698	5374
2591	5269	2645	5322	2699	5375
2592	5270	2646	5323	2700	5376
2593	5271	2647	5324	2701	5377
2594	5272	2648	5325	2702	5378
2595	5273	2649	5326	2703	5379
2596	5274	2650	5327		
2597	5275	2651	5328		
2598	5276	2652	5329		
2599	NONE	2653	5330		
2600	5277	2654	5331		
2601	5278	2655	5332		
2602	5279	2656	5333		
2603	5280	2657	5334		
2604	5281	2658	5335		
2605	5282	2659	5336		
2606	5283	2660	5337		
2607	5284	2661	5338		
2608	5285	2662	5339		
2609	5286	2663	5340		
2610	5287	2664	5341		
2611	5288	2665	5342		
2612	5289	2666	5343		
2613	5290	2667	5344		
2614	5291	2668	5345		
2615	5292	2669	5346		
2616	5293	2670	5347		
2617	5294	2671	5348		
2618	5295	2672	5349		
2619	5296	2673	5350		
2620	5297	2674	5351		
2621	5298	2675	5352		
2622	5299	2676	5353		
2623	5300	2677	5354		
2624	5301	2678	5355		
2625	5302	2679	5356		
2626	5303	2680	5357		
2627	5304	2681	NONE		
2628	5305	2682	5358		
2629	5306	2683	5359		
2630	5307	2684	5360		
2631	5308	2685	5361		
2632	5309	2686	5362		
2633	5310	2687	5363		
2634	5311	2688	5364		

TABLE 3

## COLD RESPONSIVE SEQUENCES

SEQ ID NO:	AFFYMETRIX ID NO:	SEQ ID NO:	AFFYMETRIX ID NO:	SEQ ID NO:	AFFYMETRIX ID NO:
1	11991_G_AT	50	12269_S_AT	98	12550_S_AT
2	11992_AT	51	12270_AT		17103_S_AT
3	11997_AT	52	12284_AT	99	12552_AT
4	11998_AT	53	12287_S_AT	100	12555_S_AT
5	12001_AT		17570_G_AT	101	12576_S_AT
6	12006_S_AT	54	12293_AT	102	12581_S_AT
7	12007_AT	55	12294_S_AT		16645_S_AT
8	12009_AT	56	12300_AT	103	12587_AT
9	12018_AT	57	12307_AT	104	12597_AT
10	12022_AT	58	12312_AT	105	12602_AT
11	12026_AT	59	12315_AT	106	12610_AT
12	12031_AT	60	12324_I_AT	107	12631_AT
13	12047_AT	61	12331_S_AT	108	12646_AT
14	12051_AT	62	12336_AT	109	12649_AT
15	12052_AT	63	12344_AT	110	12650_AT
16	12053_AT	64	12348_AT	111	12653_AT
17	12060_AT	65	12353_AT	112	12661_AT
18	12072_AT	66	12359_S_AT	113	12666_AT
19	12074_AT	67	12372_AT	114	12674_AT
20	12102_AT	68	12374_I_AT	115	12675_S_AT
21	12112_AT		12726_F_AT	116	12678_I_AT
22	12117_AT	69	12390_AT	117	12681_S_AT
23	12125_AT	70	12395_S_AT	118	12688_AT
24	12130_AT	71	12405_AT	119	12702_AT
25	12143_AT	72	12408_AT	120	12705_F_AT
26	12145_S_AT	73	12410_G_AT	121	12736_F_AT
27	12149_AT	74	12419_AT	122	12737_F_AT
28	12156_AT	75	12427_AT	123	12758_AT
29	12163_AT	76	12431_AT	124	12760_G_AT
30	12166_I_AT	77	12436_AT	125	12762_R_AT
31	12167_AT	78	12438_AT	126	12764_F_AT
32	12169_I_AT	79	12443_S_AT	127	12766_AT
33	12175_AT	80	12447_AT		15115_F_AT
34	12176_AT	81	12450_S_AT	128	12767_AT
35	12179_AT	82	12452_AT	129	12768_AT
36	12187_AT	83	12474_AT	130	12772_AT
	15920_I_AT	84	12477_AT	131	12773_AT
37	12195_AT	85	12491_AT	132	12776_AT
38	12196_AT	86	12497_AT	133	12788_AT
39	12198_AT	87	12500_S_AT	134	12793_AT
40	12200_AT	88	12503_AT	135	12794_AT
41	12202_AT	89	12515_AT	136	12802_AT
42	12214_G_AT	90	12516_S_AT	137	12809_G_AT
43	12219_AT	91	12523_AT	138	12812_AT
44	12224_AT	92	12526_AT	139	12815_AT
45	12226_AT	93	12527_AT	140	12816_AT
46	12233_AT	94	12532_AT	141	12818_AT
47	12240_AT	95	12534_G_AT	142	12824_S_AT
48	12253_G_AT	96	12544_AT	143	12828_S_AT
49	12256_AT	97	12549_S_AT	144	12842_S_AT

TABLE 3 (cont)

145	12846_S_AT	194	13086_R_AT	238	13285_S_AT
146	12858_AT	195	13087_AT	239	13288_S_AT
147	12860_S_AT	196	13090_AT		17043_S_AT
148	12861_S_AT	197	13092_S_AT	240	13292_S_AT
149	12881_S_AT		16950_S_AT	241	13296_S_AT
	17600_S_AT	198	13098_AT	242	13297_S_AT
150	12889_S_AT	199	13100_AT	243	13299_S_AT
151	12901_S_AT	200	13103_AT		15166_S_AT
152	12902_AT	201	13105_AT	244	13332_AT
153	12904_S_AT	202	13107_S_AT	245	13347_AT
154	12905_S_AT	203	13108_AT	246	13351_AT
155	12908_S_AT	204	13109_AT	247	13352_AT
156	12910_S_AT	205	13114_AT	248	13355_AT
	16385_S_AT	206	13118_F_AT	249	13404_AT
157	12914_S_AT	207	13119_AT	250	13422_AT
	15783_S_AT	208	13120_AT	251	13459_AT
	17645_S_AT	209	13123_AT	252	13460_AT
158	12916_S_AT	210	13128_AT	253	13461_S_AT
159	12923_S_AT	211	13133_S_AT	254	13467_AT
160	12926_S_AT		17430_S_AT	255	13488_AT
161	12927_S_AT	212	13135_S_AT	256	13523_S_AT
162	12931_S_AT	213	13139_AT	257	13529_AT
163	12937_R_AT	214	13140_AT	258	13539_I_AT
164	12941_G_AT	215	13143_AT		14631_S_AT
165	12942_AT	216	13151_G_AT	259	13541_AT
166	12947_AT	217	13160_AT	260	13542_AT
167	12949_AT	218	13161_AT	261	13545_S_AT
168	12953_AT	219	13162_AT	262	13552_AT
169	12956_I_AT	220	13165_AT	263	13556_I_AT
170	12959_AT	221	13166_AT	264	13561_AT
171	12966_S_AT	222	13167_AT	265	13563_S_AT
172	12975_AT	223	13179_AT	266	13567_AT
173	12983_AT	224	13181_AT	267	13568_AT
174	12984_AT	225	13185_AT	268	13571_AT
175	12987_S_AT	226	13193_S_AT	269	13575_AT
176	12994_S_AT	227	13213_S_AT	270	13576_AT
177	13002_AT		16004_S_AT	271	13583_AT
178	13009_I_AT	228	13219_S_AT	272	13598_AT
179	13011_AT		20288_G_AT	273	13601_AT
180	13018_AT	229	13220_S_AT	274	13604_AT
181	13023_AT		13221_AT	275	13613_AT
182	13024_AT		18929_S_AT	276	13616_S_AT
183	13034_S_AT	230	13233_AT		16544_S_AT
184	13046_G_AT		14301_S_AT	277	13617_AT
185	13048_S_AT	231	13243_R_AT	278	13618_S_AT
	13495_S_AT	232	13254_S_AT	279	13619_AT
186	13054_AT	233	13260_S_AT	280	13621_G_AT
187	13067_S_AT		15660_S_AT	281	13623_R_AT
188	13068_AT	234	13273_S_AT	282	13629_S_AT
189	13073_S_AT		16105_S_AT	283	13631_AT
190	13078_S_AT	235	13274_S_AT	284	13635_AT
191	13079_AT		17077_S_AT	285	13646_AT
192	13081_S_AT	236	13276_S_AT	286	13650_AT
193	13083_AT	237	13278_F_AT	287	13653_AT

TABLE 3 (cont)

288	13655_AT	332	13989_AT	383	14393_AT
289	13656_AT		20674_S_AT	384	14421_AT
290	13657_AT	333	14010_AT	385	14436_AT
291	13666_S_AT	334	14013_AT	386	14448_AT
	17083_S_AT	335	14014_AT	387	14450_AT
292	13667_S_AT	336	14019_AT	388	14454_AT
293	13669_S_AT	337	14021_R_AT	389	14459_AT
	17074_S_AT	338	14025_S_AT	390	14478_AT
294	13670_S_AT		18909_S_AT	391	14482_AT
	15206_S_AT	339	14027_AT	392	14485_AT
295	13671_S_AT	340	14030_AT	393	14492_S_AT
	16805_S_AT	341	14044_AT	394	14505_AT
296	13678_S_AT	342	14048_AT	395	14510_AT
297	13688_S_AT	343	14056_AT	396	14511_AT
298	13690_S_AT	344	14057_AT	397	14517_AT
	16065_S_AT	345	14058_AT	398	14519_AT
299	13691_S_AT	346	14059_AT	399	14525_S_AT
	16117_S_AT	347	14061_AT	400	14527_AT
300	13692_S_AT	348	14068_S_AT	401	14534_S_AT
	16118_S_AT	349	14072_AT	402	14538_R_AT
301	13700_AT	350	14073_AT	403	14554_AT
302	13704_S_AT	351	14074_AT	404	14558_AT
303	13714_AT	352	14084_AT	405	14559_S_AT
304	13715_AT	353	14095_S_AT	406	14566_AT
305	13724_AT	354	14100_AT	407	14572_AT
306	13748_AT	355	14101_AT	408	14579_AT
307	13759_AT	356	14103_AT	409	14587_AT
308	13767_AT	357	14105_AT	410	14591_AT
309	13785_AT	358	14106_AT	411	14595_AT
310	13803_AT	359	14121_AT	412	14602_AT
311	13850_I_AT	360	14129_S_AT	413	14603_AT
312	13876_AT	361	14133_S_AT	414	14605_AT
313	13880_S_AT	362	14143_AT	415	14620_S_AT
314	13883_AT	363	14145_AT	416	14626_S_AT
315	13887_S_AT	364	14148_AT	417	14630_S_AT
316	13895_AT	365	14186_AT		16559_S_AT
317	13904_S_AT	366	14194_AT	418	14637_S_AT
	18722_S_AT	367	14196_AT		17122_S_AT
318	13906_S_AT	368	14223_AT	419	14642_F_AT
319	13908_S_AT	369	14234_AT	420	14650_S_AT
	18597_AT	370	14236_AT		15150_S_AT
320	13923_AT	371	14251_F_AT	421	14654_S_AT
321	13927_AT	372	14252_F_AT	422	14667_S_AT
322	13932_AT	373	14270_AT		18299_S_AT
323	13935_AT	374	14298_G_AT	423	14669_S_AT
324	13940_AT		17581_G_AT		16136_S_AT
325	13949_S_AT	375	14303_S_AT	424	14672_S_AT
326	13954_G_AT	376	14312_AT	425	14679_S_AT
327	13971_S_AT	377	14316_AT	426	14682_I_AT
328	13973_AT	378	14339_AT	427	14689_AT
329	13983_AT	379	14366_AT	428	14697_G_AT
330	13985_S_AT	380	14369_AT		16902_AT
331	13987_S_AT	381	14388_AT	429	14701_S_AT
	18738_F_AT	382	14392_G_AT		14734_S_AT

TABLE 3 (cont)

430	14703_AT	483	15130_S_AT	534	15489_AT
431	14711_S_AT	484	15131_S_AT	535	15490_AT
432	14712_S_AT	485	15132_S_AT	536	15503_AT
	20530_S_AT		17585_S_AT	537	15505_AT
433	14713_S_AT	486	15139_S_AT	538	15510_R_AT
434	14715_S_AT	487	15143_S_AT	539	15512_AT
435	14728_S_AT	488	15146_S_AT	540	15514_AT
436	14731_S_AT	489	15159_S_AT	541	15515_R_AT
437	14781_AT		15160_S_AT	542	15517_S_AT
438	14797_S_AT	490	15162_S_AT	543	15518_AT
439	14800_AT	491	15167_S_AT	544	15529_AT
440	14809_AT	492	15171_S_AT	545	15534_F_AT
441	14843_AT	493	15174_F_AT	546	15538_AT
442	14847_AT	494	15178_S_AT	547	15541_AT
443	14872_AT	495	15185_S_AT	548	15543_AT
444	14886_AT		18023_S_AT	549	15544_AT
445	14896_AT	496	15188_S_AT	550	15551_AT
446	14900_AT	497	15193_S_AT	551	15574_S_AT
447	14908_AT	498	15196_S_AT	552	15576_S_AT
448	14912_AT	499	15197_S_AT	553	15577_S_AT
449	14914_AT	500	15201_F_AT	554	15578_S_AT
450	14942_AT	501	15213_S_AT	555	15583_S_AT
451	14945_AT	502	15243_AT	556	15588_S_AT
452	14955_AT	503	15256_AT	557	15595_S_AT
453	14957_S_AT	504	15270_AT	558	15600_S_AT
454	14958_AT	505	15319_AT	559	15602_F_AT
455	14965_AT	506	15325_AT	560	15608_S_AT
456	14974_AT	507	15337_AT	561	15613_S_AT
457	14980_AT	508	15341_AT	562	15616_S_AT
458	14981_AT	509	15343_AT	563	15618_S_AT
459	14984_S_AT	510	15348_AT	564	15620_S_AT
460	14995_AT	511	15350_AT	565	15627_S_AT
461	15004_AT	512	15355_S_AT	566	15634_S_AT
462	15009_AT	513	15367_AT		16125_S_AT
463	15010_AT	514	15372_AT		18046_S_AT
464	15024_AT	515	15379_AT	567	15637_S_AT
465	15026_AT	516	15381_AT	568	15639_S_AT
466	15036_R_AT	517	15383_AT	569	15642_S_AT
467	15054_AT	518	15384_AT	570	15643_S_AT
468	15056_AT	519	15385_AT	571	15651_F_AT
469	15057_AT	520	15387_AT	572	15652_S_AT
470	15066_AT	521	15410_AT	573	15665_S_AT
471	15073_AT	522	15417_S_AT	574	15667_S_AT
472	15081_AT	523	15422_AT		18610_S_AT
473	15083_AT	524	15423_AT	575	15668_S_AT
474	15091_AT	525	15431_AT	576	15671_S_AT
475	15097_S_AT	526	15433_AT	577	15675_S_AT
476	15101_S_AT	527	15452_AT	578	15679_S_AT
477	15102_S_AT	528	15464_AT	579	15685_S_AT
478	15107_S_AT	529	15468_AT	580	15687_F_AT
479	15112_S_AT	530	15471_AT	581	15688_S_AT
480	15116_F_AT	531	15472_AT	582	15689_S_AT
481	15118_S_AT	532	15475_S_AT	583	15692_S_AT
482	15122_S_AT	533	15485_AT	584	15694_S_AT



TABLE 3 (cont)

585	15712_S_AT	634	16089_S_AT	686	16496_S_AT
586	15808_AT	635	16090_S_AT	687	16499_AT
587	15845_AT	636	16102_S_AT	688	16510_AT
588	15848_AT	637	16103_S_AT	689	16511_AT
589	15850_AT	638	16108_S_AT	690	16512_S_AT
	20406_G_AT	639	16112_S_AT		18085_R_AT
590	15858_AT	640	16134_S_AT	691	16514_AT
591	15862_AT	641	16137_S_AT	692	16516_AT
592	15868_AT	642	16138_S_AT	693	16517_AT
593	15878_AT	643	16140_S_AT	694	16526_AT
594	15894_AT	644	16143_S_AT	695	16528_AT
595	15900_AT	645	16145_S_AT	696	16531_S_AT
596	15901_AT	646	16148_S_AT	697	16535_S_AT
597	15902_AT	647	16151_S_AT	698	16537_S_AT
598	15912_AT	648	16155_S_AT	699	16538_S_AT
599	15913_AT	649	16158_F_AT	700	16543_S_AT
600	15928_AT	650	16160_F_AT	701	16550_S_AT
601	15940_AT	651	16162_S_AT	702	16554_S_AT
602	15941_AT	652	16168_S_AT	703	16567_S_AT
603	15945_AT	653	16169_S_AT	704	16571_S_AT
604	15948_S_AT	654	16171_S_AT	705	16576_F_AT
605	15956_AT	655	16172_S_AT	706	16577_S_AT
606	15960_AT	656	16184_AT	707	16579_S_AT
	16466_S_AT	657	16192_AT	708	16580_S_AT
607	15976_AT	658	16222_AT	709	16583_S_AT
608	15978_AT	659	16242_AT	710	16584_S_AT
609	15986_S_AT	660	16244_AT		18706_S_AT
610	15990_AT	661	16250_AT	711	16593_S_AT
611	16009_S_AT	662	16286_AT	712	16595_S_AT
612	16015_AT	663	16288_AT	713	16598_S_AT
613	16019_AT	664	16294_S_AT	714	16604_S_AT
614	16024_AT	665	16296_AT	715	16605_S_AT
615	16034_AT	666	16297_AT	716	16610_S_AT
616	16036_I_AT	667	16325_AT	717	16611_S_AT
	18729_AT	668	16346_S_AT	718	16614_S_AT
617	16039_S_AT	669	16357_AT	719	16617_S_AT
618	16040_AT	670	16380_AT	720	16618_S_AT
619	16042_S_AT	671	16382_AT	721	16620_S_AT
620	16047_AT	672	16393_S_AT	722	16621_S_AT
621	16049_S_AT	673	16402_S_AT	723	16631_S_AT
622	16051_S_AT	674	16411_S_AT	724	16634_S_AT
623	16055_S_AT	675	16442_S_AT	725	16635_S_AT
624	16059_S_AT	676	16446_AT	726	16636_S_AT
625	16062_S_AT	677	16448_G_AT	727	16639_S_AT
626	16066_S_AT	678	16453_S_AT	728	16640_S_AT
627	16069_S_AT	679	16457_S_AT	729	16650_S_AT
628	16074_S_AT	680	16465_AT	730	16652_S_AT
629	16076_S_AT		16916_S_AT	731	16654_AT
630	16077_S_AT	681	16470_S_AT	732	16672_AT
	17579_S_AT		18735_S_AT	733	16673_AT
631	16079_S_AT	682	16481_S_AT	734	16687_S_AT
632	16084_S_AT	683	16486_AT	735	16747_AT
	17998_S_AT	684	16487_AT	736	16753_AT
633	16087_S_AT	685	16488_AT	737	16768_AT

TABLE 3 (cont)

738	16777_AT	790	17123_S_AT	843	17562_AT
739	16784_AT	791	17129_S_AT	844	17564_S_AT
740	16807_AT	792	17132_AT		19361_S_AT
741	16811_AT	793	17166_AT	845	17565_S_AT
742	16845_AT	794	17206_AT	846	17568_AT
743	16894_AT	795	17207_AT	847	17573_AT
744	16899_AT	796	17215_AT	848	17577_G_AT
745	16911_AT	797	17237_AT	849	17578_AT
746	16920_AT	798	17247_AT	850	17596_AT
747	16921_AT	799	17254_AT	851	17627_AT
748	16924_S_AT	800	17286_AT	852	17631_AT
749	16926_S_AT	801	17288_S_AT	853	17632_AT
750	16931_S_AT	802	17292_AT	854	17672_AT
751	16934_S_AT	803	17300_AT	855	17675_AT
752	16937_AT	804	17303_S_AT	856	17677_AT
753	16938_AT	805	17318_AT	857	17732_AT
754	16942_AT	806	17319_AT	858	17743_AT
755	16943_S_AT	807	17322_AT	859	17748_AT
	18231_AT	808	17323_AT	860	17782_AT
756	16949_S_AT	809	17332_S_AT	861	17823_S_AT
757	16952_S_AT	810	17374_AT	862	17841_AT
758	16956_AT	811	17381_AT	863	17849_S_AT
759	16962_S_AT	812	17388_AT	864	17852_G_AT
760	16965_S_AT	813	17392_S_AT	865	17857_AT
761	16970_S_AT	814	17405_AT	866	17865_AT
	18010_S_AT	815	17415_AT	867	17882_AT
762	16977_AT	816	17418_S_AT	868	17885_AT
763	16984_AT	817	17420_AT	869	17900_S_AT
764	16996_S_AT	818	17423_S_AT	870	17910_AT
765	16997_AT	819	17426_AT	871	17911_AT
766	17000_AT	820	17427_AT	872	17916_AT
767	17005_AT	821	17429_S_AT	873	17917_S_AT
768	17010_S_AT	822	17431_AT	874	17918_AT
769	17017_S_AT	823	17439_G_AT	875	17921_S_AT
770	17031_S_AT	824	17457_AT	876	17922_AT
771	17033_S_AT	825	17458_AT	877	17926_S_AT
772	17053_S_AT	826	17462_S_AT	878	17933_AT
773	17055_S_AT	827	17463_AT	879	17935_AT
774	17063_S_AT	828	17465_AT	880	17956_I_AT
775	17068_S_AT	829	17466_S_AT	881	17966_AT
776	17070_S_AT	830	17475_AT	882	17967_AT
777	17075_S_AT	831	17479_AT	883	17970_I_AT
778	17084_S_AT	832	17482_S_AT	884	17978_S_AT
779	17087_S_AT	833	17495_S_AT		20635_S_AT
780	17092_S_AT	834	17508_S_AT	885	17986_S_AT
781	17095_S_AT	835	17522_S_AT	886	17993_AT
782	17096_S_AT	836	17523_S_AT	887	18001_AT
783	17102_S_AT	837	17537_S_AT	888	18003_AT
784	17105_S_AT	838	17538_S_AT	889	18004_AT
785	17109_S_AT	839	17539_S_AT	890	18005_AT
786	17110_S_AT	840	17546_S_AT	891	18029_G_AT
787	17113_S_AT		18694_S_AT		18030_I_AT
788	17115_S_AT	841	17557_S_AT	892	18040_S_AT
789	17116_S_AT	842	17560_S_AT	893	18045_AT

TABLE 3 (cont)

894	18064_R_AT	947	18580_AT	1001	18889_AT
895	18065_R_AT	948	18581_AT	1002	18892_S_AT
896	18074_AT	949	18584_AT	1003	18901_AT
897	18076_S_AT	950	18587_S_AT	1004	18911_AT
898	18077_AT	951	18588_AT	1005	18917_I_AT
899	18081_AT	952	18591_AT	1006	18939_AT
900	18154_S_AT	953	18592_S_AT	1007	18947_I_AT
	18365_S_AT	954	18600_AT	1008	18950_AT
901	18165_AT	955	18601_S_AT	1009	18951_S_AT
902	18174_AT	956	18607_S_AT	1010	18954_AT
903	18176_AT	957	18611_AT	1011	18956_AT
904	18194_I_AT	958	18616_AT	1012	18959_AT
905	18197_AT	959	18622_G_AT	1013	18966_AT
906	18198_AT	960	18623_AT	1014	18974_AT
907	18213_AT	961	18628_AT	1015	18976_AT
908	18219_AT	962	18631_AT	1016	18980_AT
909	18221_AT	963	18635_AT	1017	18989_S_AT
910	18222_AT	964	18636_AT	1018	18994_AT
911	18226_S_AT	965	18638_AT	1019	19030_AT
912	18232_AT	966	18652_AT	1020	19039_AT
913	18237_AT	967	18657_AT	1021	19049_AT
914	18241_AT	968	18659_AT	1022	19083_AT
915	18257_AT	969	18660_S_AT	1023	19115_AT
916	18258_S_AT	970	18667_AT	1024	19117_S_AT
917	18269_S_AT	971	18675_AT	1025	19122_AT
918	18274_S_AT	972	18684_AT	1026	19125_S_AT
919	18275_AT	973	18686_S_AT	1027	19127_AT
920	18278_AT	974	18688_S_AT	1028	19130_AT
921	18282_AT	975	18693_S_AT	1029	19144_AT
922	18283_AT	976	18698_S_AT	1030	19157_S_AT
923	18290_AT	977	18705_AT	1031	19178_AT
924	18291_AT	978	18707_AT	1032	19190_G_AT
925	18306_AT	979	18708_AT	1033	19198_AT
926	18316_AT	980	18726_S_AT	1034	19202_AT
927	18317_AT	981	18727_AT	1035	19209_S_AT
928	18327_S_AT	982	18732_I_AT	1036	19211_AT
929	18337_S_AT	983	18736_AT	1037	19218_AT
930	18339_AT	984	18750_F_AT	1038	19222_AT
931	18347_S_AT	985	18754_AT	1039	19226_G_AT
932	18383_AT	986	18778_AT	1040	19229_AT
933	18390_AT	987	18806_S_AT	1041	19230_AT
934	18439_S_AT	988	18823_S_AT	1042	19232_S_AT
935	18465_S_AT	989	18829_AT	1043	19285_AT
936	18487_AT	990	18835_AT	1044	19326_AT
937	18508_S_AT	991	18844_AT	1045	19332_AT
938	18512_AT	992	18859_AT	1046	19346_AT
939	18543_AT	993	18864_AT	1047	19347_AT
940	18544_AT	994	18866_AT	1048	19362_AT
941	18552_AT	995	18880_AT	1049	19363_AT
942	18555_AT	996	18883_G_AT	1050	19364_AT
943	18556_AT	997	18885_AT	1051	19367_AT
944	18561_AT	998	18886_AT	1052	19373_AT
945	18567_AT	999	18887_AT	1053	19381_AT
946	18573_AT	1000	18888_AT	1054	19382_AT

TABLE 3 (cont)

1055	19384_AT	1109	19833_S_AT	1163	20093_I_AT
1056	19401_AT	1110	19834_AT	1164	20099_AT
1057	19406_AT	1111	19836_AT	1165	20100_AT
1058	19413_AT	1112	19841_AT	1166	20113_S_AT
1059	19416_AT	1113	19845_G_AT	1167	20117_AT
1060	19426_S_AT	1114	19854_AT	1168	20123_AT
1061	19439_AT	1115	19855_AT	1169	20127_S_AT
1062	19441_S_AT	1116	19866_AT	1170	20129_AT
1063	19442_AT	1117	19867_AT	1171	20150_AT
1064	19448_S_AT	1118	19870_S_AT	1172	20154_AT
1065	19454_AT	1119	19871_AT	1173	20156_AT
1066	19462_S_AT	1120	19872_AT	1174	20165_AT
1067	19464_AT	1121	19875_S_AT	1175	20173_AT
1068	19470_AT	1122	19876_AT	1176	20178_S_AT
1069	19483_AT	1123	19879_S_AT	1177	20183_AT
1070	19489_S_AT	1124	19881_AT	1178	20188_AT
1071	19513_AT	1125	19897_S_AT	1179	20189_AT
1072	19548_AT	1126	19903_AT	1180	20197_AT
1073	19562_AT	1127	19905_AT	1181	20210_G_AT
1074	19563_S_AT	1128	19906_AT	1182	20213_AT
1075	19567_AT	1129	19907_AT	1183	20229_AT
1076	19581_AT	1130	19910_AT	1184	20232_S_AT
1077	19589_S_AT	1131	19913_AT	1185	20255_AT
1078	19595_S_AT	1132	19920_S_AT	1186	20257_AT
1079	19606_AT	1133	19932_AT	1187	20262_AT
1080	19623_AT	1134	19939_AT	1188	20275_AT
1081	19624_AT	1135	19945_AT	1189	20278_S_AT
1082	19627_S_AT	1136	19947_AT	1190	20282_S_AT
1083	19636_AT	1137	19951_AT	1191	20284_AT
1084	19652_AT	1138	19956_AT	1192	20293_AT
1085	19655_AT	1139	19962_AT	1193	20294_AT
1086	19657_S_AT	1140	19963_AT	1194	20312_S_AT
1087	19658_AT	1141	19969_AT	1195	20315_I_AT
1088	19660_AT	1142	19970_S_AT	1196	20330_S_AT
1089	19665_S_AT	1143	19971_AT	1197	20331_AT
1090	19667_AT	1144	19972_AT	1198	20350_S_AT
1091	19671_AT	1145	19981_AT	1199	20354_S_AT
1092	19677_AT	1146	19990_AT	1200	20355_AT
1093	19686_AT	1147	19996_AT	1201	20360_AT
1094	19689_AT	1148	20003_S_AT	1202	20363_AT
1095	19690_S_AT	1149	20009_S_AT	1203	20369_S_AT
1096	19695_AT	1150	20013_AT	1204	20378_G_AT
1097	19698_AT	1151	20018_AT	1205	20383_AT
1098	19700_S_AT	1152	20024_S_AT	1206	20384_AT
1099	19708_AT	1153	20027_AT	1207	20387_AT
1100	19717_AT	1154	20045_AT	1208	20393_AT
1101	19726_S_AT	1155	20047_AT	1209	20396_AT
1102	19744_AT	1156	20048_AT	1210	20399_AT
1103	19752_S_AT	1157	20050_AT	1211	20409_G_AT
1104	19759_AT	1158	20051_AT	1212	20412_S_AT
1105	19782_AT	1159	20058_AT	1213	20413_AT
1106	19803_S_AT	1160	20067_AT	1214	20439_AT
1107	19828_AT	1161	20068_AT	1215	20440_AT
1108	19831_I_AT	1162	20069_AT	1216	20444_AT

**TABLE 3 (cont)**

1217	20445_AT
1218	20449_AT
1219	20456_AT
1220	20462_AT
1221	20471_AT
1222	20474_AT
1223	20495_S_AT
1224	20499_AT
1225	20501_AT
1226	20511_AT
1227	20515_S_AT
1228	20516_AT
1229	20517_AT
1230	20518_AT
1231	20520_S_AT
1232	20536_S_AT
1233	20538_S_AT
1234	20539_S_AT
1235	20558_AT
1236	20561_AT
1237	20567_AT
1238	20571_AT
1239	20582_S_AT
1240	20586_I_AT
1241	20590_AT
1242	20592_AT
1243	20594_AT
1244	20608_S_AT
1245	20612_S_AT
1246	20616_AT
1247	20620_G_AT
1248	20637_AT
1249	20643_AT
1250	20649_AT
1251	20651_AT
1252	20654_S_AT
1253	20670_AT
1254	20684_AT
1255	20685_AT
1256	20693_AT
1257	20701_S_AT
1258	20704_AT
1259	20705_AT
1260	20715_AT
1261	20719_AT

TABLE 4: 2X UP IN COLD, ONLY

11997_at	12688_at	13274_s_at	14145_at	15083_at	15639_s_at
11998_at	12701_i_at	13278_f_at	14170_at	15084_at	15641_s_at
12018_at	12702_at	13279_s_at	14186_at	15096_at	15660_s_at
12031_at	12719_f_at	13285_s_at	14196_at	15101_s_at	15665_s_at
12047_at	12726_f_at	13288_s_at	14227_at	15105_s_at	15687_f_at
12051_at	12736_f_at	13292_s_at	14234_at	15112_s_at	15694_s_at
12053_at	12754_g_at	13297_s_at	14250_r_at	15115_f_at	15712_s_at
12060_at	12762_r_at	13299_s_at	14270_at	15116_f_at	15783_s_at
12072_at	12766_at	13332_at	14298_g_at	15122_s_at	15808_at
12074_at	12767_at	13351_at	14303_s_at	15126_s_at	15837_at
12102_at	12768_at	13352_at	14312_at	15131_s_at	15850_at
12112_at	12773_at	13422_at	14339_at	15132_s_at	15862_at
12117_at	12788_at	13435_at	14388_at	15137_s_at	15868_at
12130_at	12802_at	13461_s_at	14393_at	15144_s_at	15878_at
12145_s_at	12860_s_at	13467_at	14511_at	15148_s_at	15901_at
12151_at	12861_s_at	13488_at	14525_s_at	15153_s_at	15912_at
12163_at	12879_s_at	13495_s_at	14527_at	15159_s_at	15920_i_at
12175_at	12891_at	13539_i_at	14534_s_at	15160_s_at	15941_at
12187_at	12914_s_at	13542_at	14554_at	15166_s_at	15945_at
12195_at	12927_s_at	13575_at	14566_at	15174_f_at	15960_at
12219_at	12947_at	13577_s_at	14579_at	15197_s_at	15990_at
12256_at	12956_i_at	13617_at	14591_at	15270_at	16001_at
12269_s_at	12966_s_at	13634_s_at	14595_at	15319_at	16009_s_at
12307_at	12974_at	13656_at	14600_at	15325_at	16010_s_at
12315_at	12987_s_at	13671_s_at	14631_s_at	15337_at	16034_at
12336_at	12994_s_at	13691_s_at	14635_s_at	15341_at	16036_i_at
12349_s_at	12998_at	13700_at	14679_s_at	15343_at	16039_s_at
12353_at	13002_at	13704_s_at	14691_at	15355_s_at	16040_at
12359_s_at	13018_at	13709_s_at	14697_g_at	15367_at	16042_s_at
12390_at	13023_at	13715_at	14709_at	15379_at	16047_at
12395_s_at	13046_g_at	13785_at	14711_s_at	15381_at	16049_s_at
12431_at	13054_at	13803_at	14728_s_at	15410_at	16051_s_at
12436_at	13086_r_at	13812_s_at	14731_s_at	15417_s_at	16062_s_at
12443_s_at	13087_at	13825_s_at	14797_s_at	15422_at	16079_s_at
12447_at	13100_at	13850_i_at	14809_at	15433_at	16087_s_at
12452_at	13109_at	13904_s_at	14843_at	15451_at	16090_s_at
12477_at	13119_at	13908_s_at	14847_at	15452_at	16117_s_at
12503_at	13120_at	13927_at	14872_at	15453_s_at	16118_s_at
12516_s_at	13128_at	13971_s_at	14886_at	15472_at	16137_s_at
12532_at	13134_s_at	13985_s_at	14896_at	15489_at	16155_s_at
12544_at	13140_at	14013_at	14897_at	15490_at	16162_s_at
12561_at	13143_at	14019_at	14900_at	15503_at	16184_at
12602_at	13167_at	14021_r_at	14956_s_at	15510_r_at	16192_at
12610_at	13172_s_at	14028_at	14958_at	15517_s_at	16222_at
12631_at	13178_at	14048_at	14965_at	15518_at	16244_at
12647_s_at	13179_at	14058_at	14984_s_at	15544_at	16250_at
12650_at	13181_at	14059_at	15004_at	15588_s_at	16260_at
12656_at	13187_i_at	14064_at	15010_at	15600_s_at	16286_at
12674_at	13209_s_at	14073_at	15036_r_at	15605_s_at	16296_at
12675_s_at	13219_s_at	14105_at	15040_g_at	15613_s_at	16297_at
12676_s_at	13221_at	14106_at	15046_s_at	15614_s_at	16342_at
12681_s_at	13243_r_at	14126_s_at	15057_at	15616_s_at	16367_i_at
12686_s_at	13260_s_at	14140_at	15073_at	15633_s_at	16411_s_at

TABLE 4 (cont): 2X UP IN COLD, ONLY

16442_s_at	17077_s_at	17978_s_at	18885_at	19689_at	20412_s_at
16465_at	17102_s_at	17999_at	18887_at	19698_at	20413_at
16466_s_at	17109_s_at	18001_at	18888_at	19700_s_at	20432_at
16468_at	17113_s_at	18004_at	18889_at	19707_s_at	20433_at
16486_at	17123_s_at	18012_s_at	18901_at	19708_at	20456_at
16487_at	17128_s_at	18040_s_at	18907_s_at	19713_at	20462_at
16488_at	17129_s_at	18176_at	18917_i_at	19718_at	20471_at
16489_at	17132_at	18194_i_at	18939_at	19744_at	20511_at
16496_s_at	17166_at	18197_at	18947_i_at	19836_at	20515_s_at
16499_at	17206_at	18198_at	18949_at	19839_at	20517_at
16511_at	17237_at	18213_at	18954_at	19840_s_at	20518_at
16517_at	17300_at	18219_at	18959_at	19845_g_at	20529_at
16538_s_at	17319_at	18222_at	18974_at	19854_at	20536_s_at
16554_s_at	17322_at	18231_at	18976_at	19855_at	20538_s_at
16571_s_at	17332_s_at	18232_at	18980_at	19860_at	20539_s_at
16576_f_at	17381_at	18241_at	18989_s_at	19866_at	20576_at
16595_s_at	17388_at	18269_s_at	19019_i_at	19871_at	20582_s_at
16605_s_at	17392_s_at	18272_at	19049_at	19875_s_at	20586_i_at
16610_s_at	17408_at	18282_at	19083_at	19879_s_at	20608_s_at
16620_s_at	17424_at	18298_at	19130_at	19881_at	20649_at
16621_s_at	17429_s_at	18316_at	19156_s_at	19913_at	20651_at
16635_s_at	17457_at	18317_at	19178_at	19939_at	20684_at
16636_s_at	17458_at	18331_s_at	19190_g_at	19945_at	20685_at
16638_s_at	17466_s_at	18347_s_at	19199_at	19947_at	20699_at
16650_s_at	17477_s_at	18383_at	19202_at	19951_at	20705_at
16672_at	17482_s_at	18390_at	19209_s_at	19956_at	20715_at
16673_at	17538_s_at	18455_at	19211_at	19971_at	
16687_s_at	17546_s_at	18465_s_at	19218_at	19976_at	
16747_at	17562_at	18544_at	19229_at	19998_at	
16753_at	17581_g_at	18555_at	19322_at	20003_s_at	
16768_at	17627_at	18556_at	19326_at	20015_at	
16805_s_at	17631_at	18560_at	19359_s_at	20027_at	
16807_at	17632_at	18561_at	19367_at	20051_at	
16845_at	17645_s_at	18571_at	19384_at	20068_at	
16847_at	17672_at	18588_at	19389_at	20093_i_at	
16896_s_at	17675_at	18597_at	19397_at	20117_at	
16899_at	17677_at	18601_s_at	19406_at	20150_at	
16902_at	17693_at	18611_at	19426_s_at	20156_at	
16911_at	17732_at	18623_at	19441_s_at	20165_at	
16914_s_at	17743_at	18635_at	19442_at	20257_at	
16943_s_at	17748_at	18659_at	19470_at	20262_at	
16956_at	17775_at	18660_s_at	19489_s_at	20275_at	
16996_s_at	17782_at	18673_at	19562_at	20282_s_at	
17010_s_at	17841_at	18694_s_at	19577_at	20288_g_at	
17016_s_at	17852_g_at	18705_at	19589_s_at	20293_at	
17032_s_at	17900_s_at	18708_at	19597_s_at	20315_i_at	
17033_s_at	17901_at	18738_f_at	19611_s_at	20330_s_at	
17043_s_at	17911_at	18750_f_at	19624_at	20360_at	
17050_s_at	17921_s_at	18778_at	19657_s_at	20363_at	
17055_s_at	17922_at	18829_at	19667_at	20369_s_at	
17068_s_at	17933_at	18835_at	19671_at	20384_at	
17071_s_at	17967_at	18866_at	19677_at	20393_at	
17075_s_at	17970_i_at	18875_s_at	19686_at	20396_at	

TABLE 5: 2X UP COLD 3 HR, ONLY

12117_at	13671_s_at	15453_s_at	17237_at	19624_at
12145_s_at	13691_s_at	15489_at	17319_at	19657_s_at
12151_at	13785_at	15518_at	17392_s_at	19667_at
12163_at	13803_at	15588_s_at	17429_s_at	19845_g_at
12187_at	13825_s_at	15613_s_at	17477_s_at	19855_at
12256_at	13904_s_at	15614_s_at	17538_s_at	19866_at
12315_at	14013_at	15616_s_at	17581_g_at	19945_at
12349_s_at	14021_r_at	15639_s_at	17627_at	19951_at
12353_at	14028_at	15641_s_at	17672_at	19998_at
12359_s_at	14064_at	15660_s_at	17693_at	20003_s_at
12544_at	14126_s_at	15687_f_at	17782_at	20015_at
12602_at	14145_at	15694_s_at	17841_at	20051_at
12610_at	14170_at	15862_at	17900_s_at	20093_i_at
12676_s_at	14196_at	15868_at	17933_at	20117_at
12686_s_at	14250_r_at	15878_at	17978_s_at	20288_g_at
12701_i_at	14298_g_at	15901_at	18001_at	20360_at
12702_at	14303_s_at	16034_at	18012_s_at	20369_s_at
12719_f_at	14339_at	16039_s_at	18198_at	20384_at
12736_f_at	14527_at	16040_at	18219_at	20462_at
12754_g_at	14534_s_at	16042_s_at	18241_at	20471_at
12766_at	14554_at	16047_at	18269_s_at	20515_s_at
12767_at	14595_at	16062_s_at	18272_at	20538_s_at
12768_at	14635_s_at	16087_s_at	18282_at	20576_at
12773_at	14679_s_at	16117_s_at	18298_at	20608_s_at
12788_at	14691_at	16118_s_at	18383_at	20651_at
12879_s_at	14697_g_at	16162_s_at	18556_at	20685_at
12891_at	14709_at	16184_at	18588_at	20705_at
12947_at	14728_s_at	16222_at	18601_s_at	
12966_s_at	14809_at	16250_at	18611_at	
12974_at	14896_at	16411_s_at	18694_s_at	
12994_s_at	14965_at	16442_s_at	18708_at	
13002_at	14984_s_at	16465_at	18738_f_at	
13100_at	15046_s_at	16486_at	18778_at	
13140_at	15083_at	16488_at	18829_at	
13167_at	15096_at	16489_at	18835_at	
13172_s_at	15105_s_at	16517_at	18866_at	
13179_at	15115_f_at	16571_s_at	18875_s_at	
13187_i_at	15116_f_at	16605_s_at	18888_at	
13219_s_at	15122_s_at	16610_s_at	18907_s_at	
13260_s_at	15126_s_at	16620_s_at	18917_i_at	
13278_f_at	15131_s_at	16636_s_at	18939_at	
13279_s_at	15132_s_at	16650_s_at	18974_at	
13285_s_at	15137_s_at	16805_s_at	19190_g_at	
13288_s_at	15153_s_at	16845_at	19199_at	
13292_s_at	15159_s_at	16899_at	19202_at	
13297_s_at	15160_s_at	16914_s_at	19211_at	
13351_at	15197_s_at	16943_s_at	19384_at	
13352_at	15355_s_at	16996_s_at	19406_at	
13435_at	15379_at	17010_s_at	19426_s_at	
13467_at	15417_s_at	17043_s_at	19442_at	
13488_at	15422_at	17068_s_at	19470_at	
13495_s_at	15451_at	17109_s_at	19577_at	
13656_at	15452_at	17128_s_at	19597_s_at	



TABLE 6: 2X DOWN COLD, ONLY

11991_g_at	12450_s_at	12881_s_at	13151_g_at	13621_g_at	14056_at
11992_at	12474_at	12889_s_at	13160_at	13623_r_at	14057_at
12001_at	12491_at	12901_s_at	13161_at	13629_s_at	14061_at
12006_s_at	12497_at	12902_at	13162_at	13631_at	14067_at
12007_at	12500_s_at	12904_s_at	13165_at	13635_at	14068_s_at
12009_at	12515_at	12905_s_at	13166_at	13646_at	14072_at
12022_at	12521_at	12908_s_at	13185_at	13650_at	14074_at
12023_s_at	12523_at	12910_s_at	13193_s_at	13652_at	14075_at
12026_at	12526_at	12916_s_at	13211_s_at	13653_at	14083_at
12037_at	12527_at	12923_s_at	13213_s_at	13655_at	14084_at
12052_at	12534_g_at	12926_s_at	13219_s_at	13657_at	14089_at
12125_at	12549_s_at	12931_s_at	13233_at	13666_s_at	14095_s_at
12143_at	12550_s_at	12937_r_at	13236_s_at	13667_s_at	14096_at
12149_at	12552_at	12941_g_at	13239_s_at	13669_s_at	14100_at
12156_at	12555_s_at	12942_at	13241_s_at	13670_s_at	14101_at
12166_i_at	12556_at	12949_at	13254_s_at	13672_s_at	14103_at
12167_at	12575_s_at	12953_at	13266_s_at	13678_s_at	14121_at
12169_i_at	12576_s_at	12958_at	13273_s_at	13679_s_at	14129_s_at
12176_at	12581_s_at	12959_at	13275_f_at	13688_s_at	14133_s_at
12179_at	12587_at	12966_s_at	13276_s_at	13690_s_at	14143_at
12196_at	12597_at	12975_at	13278_f_at	13691_s_at	14148_at
12198_at	12606_at	12983_at	13280_s_at	13692_s_at	14162_at
12200_at	12609_at	12984_at	13285_s_at	13714_at	14194_at
12202_at	12646_at	13002_at	13296_s_at	13724_at	14208_at
12212_at	12649_at	13009_i_at	13347_at	13748_at	14217_at
12214_g_at	12653_at	13011_at	13355_at	13751_at	14223_at
12224_at	12661_at	13014_at	13361_at	13759_at	14235_at
12226_at	12666_at	13024_at	13404_at	13767_at	14236_at
12233_at	12678_i_at	13034_s_at	13406_at	13789_at	14251_f_at
12240_at	12705_f_at	13041_s_at	13459_at	13876_at	14252_f_at
12253_g_at	12736_f_at	13048_s_at	13460_at	13880_s_at	14285_at
12270_at	12737_f_at	13067_s_at	13464_at	13883_at	14301_s_at
12278_at	12758_at	13068_at	13523_s_at	13887_s_at	14316_at
12284_at	12760_g_at	13073_s_at	13529_at	13895_at	14366_at
12287_s_at	12764_f_at	13078_s_at	13541_at	13906_s_at	14369_at
12293_at	12765_at	13079_at	13545_s_at	13919_at	14392_g_at
12294_s_at	12772_at	13081_s_at	13550_at	13923_at	14421_at
12300_at	12776_at	13083_at	13552_at	13932_at	14431_at
12312_at	12784_at	13090_at	13556_i_at	13935_at	14436_at
12315_at	12793_at	13092_s_at	13561_at	13940_at	14448_at
12324_i_at	12794_at	13098_at	13563_s_at	13949_s_at	14450_at
12331_s_at	12795_at	13103_at	13567_at	13954_g_at	14454_at
12344_at	12809_g_at	13105_at	13568_at	13973_at	14459_at
12348_at	12812_at	13107_s_at	13571_at	13983_at	14478_at
12353_at	12815_at	13108_at	13576_at	13989_at	14482_at
12372_at	12816_at	13114_at	13583_at	14010_at	14485_at
12374_i_at	12818_at	13118_f_at	13598_at	14014_at	14492_s_at
12405_at	12824_s_at	13123_at	13601_at	14015_s_at	14505_at
12408_at	12828_s_at	13124_at	13604_at	14016_s_at	14510_at
12410_g_at	12842_s_at	13133_s_at	13613_at	14025_s_at	14517_at
12419_at	12846_s_at	13135_s_at	13616_s_at	14027_at	14519_at
12427_at	12858_at	13139_at	13618_s_at	14030_at	14534_s_at
12438_at	12869_s_at	13146_s_at	13619_at	14044_at	14538_r_at

TABLE 6 (cont): 2X DOWN COLD, ONLY

14558_at	15047_at	15512_at	15940_at	16357_at	16894_at
14559_s_at	15054_at	15514_at	15948_s_at	16380_at	16899_at
14572_at	15056_at	15515_r_at	15956_at	16382_at	16920_at
14584_at	15058_s_at	15529_at	15976_at	16385_s_at	16921_at
14587_at	15063_at	15534_f_at	15978_at	16393_s_at	16924_s_at
14595_at	15066_at	15538_at	15986_s_at	16402_s_at	16926_s_at
14602_at	15081_at	15541_at	16004_s_at	16417_s_at	16931_s_at
14603_at	15091_at	15543_at	16015_at	16442_s_at	16934_s_at
14605_at	15097_s_at	15551_at	16017_at	16446_at	16937_at
14620_s_at	15102_s_at	15574_s_at	16019_at	16448_g_at	16938_at
14626_s_at	15107_s_at	15576_s_at	16024_at	16453_s_at	16942_at
14630_s_at	15118_s_at	15577_s_at	16031_at	16457_s_at	16949_s_at
14637_s_at	15127_s_at	15578_s_at	16055_s_at	16470_s_at	16950_s_at
14640_s_at	15130_s_at	15581_s_at	16059_s_at	16481_s_at	16952_s_at
14642_f_at	15132_s_at	15583_s_at	16065_s_at	16510_at	16962_s_at
14650_s_at	15133_s_at	15591_s_at	16066_s_at	16512_s_at	16965_s_at
14654_s_at	15139_s_at	15595_s_at	16069_s_at	16514_at	16970_s_at
14667_s_at	15143_s_at	15602_f_at	16074_s_at	16516_at	16977_at
14668_s_at	15146_s_at	15606_s_at	16076_s_at	16523_s_at	16984_at
14669_s_at	15150_s_at	15608_s_at	16077_s_at	16526_at	16989_at
14672_s_at	15161_s_at	15616_s_at	16084_s_at	16528_at	16993_at
14673_s_at	15162_s_at	15618_s_at	16089_s_at	16531_s_at	16997_at
14675_s_at	15167_s_at	15620_s_at	16102_s_at	16535_s_at	17000_at
14679_s_at	15170_s_at	15627_s_at	16103_s_at	16537_s_at	17005_at
14681_g_at	15171_s_at	15634_s_at	16105_s_at	16543_s_at	17010_s_at
14682_i_at	15178_s_at	15637_s_at	16108_s_at	16544_s_at	17017_s_at
14689_at	15182_s_at	15642_s_at	16112_s_at	16550_s_at	17031_s_at
14701_s_at	15185_s_at	15643_s_at	16117_s_at	16559_s_at	17040_s_at
14703_at	15188_s_at	15646_s_at	16118_s_at	16567_s_at	17053_s_at
14712_s_at	15193_s_at	15651_f_at	16125_s_at	16577_s_at	17056_s_at
14713_s_at	15196_s_at	15652_s_at	16127_s_at	16579_s_at	17063_s_at
14715_s_at	15201_f_at	15667_s_at	16134_s_at	16580_s_at	17070_s_at
14734_s_at	15206_s_at	15668_s_at	16136_s_at	16583_s_at	17074_s_at
14781_at	15207_s_at	15670_s_at	16138_s_at	16584_s_at	17084_s_at
14800_at	15213_s_at	15671_s_at	16140_s_at	16593_s_at	17085_s_at
14856_s_at	15243_at	15675_s_at	16143_s_at	16598_s_at	17087_s_at
14882_at	15256_at	15679_s_at	16144_s_at	16603_s_at	17092_s_at
14908_at	15348_at	15685_s_at	16145_s_at	16604_s_at	17095_s_at
14912_at	15350_at	15688_s_at	16148_s_at	16611_s_at	17096_s_at
14914_at	15372_at	15689_s_at	16151_s_at	16614_s_at	17097_s_at
14924_at	15383_at	15692_s_at	16158_f_at	16617_s_at	17103_s_at
14942_at	15384_at	15775_at	16160_f_at	16618_s_at	17105_s_at
14945_at	15385_at	15776_at	16168_s_at	16620_s_at	17110_s_at
14955_at	15387_at	15845_at	16169_s_at	16631_s_at	17115_s_at
14957_s_at	15406_at	15848_at	16171_s_at	16634_s_at	17116_s_at
14974_at	15423_at	15858_at	16172_s_at	16639_s_at	17119_s_at
14980_at	15431_at	15866_s_at	16222_at	16640_s_at	17122_s_at
14981_at	15464_at	15894_at	16232_s_at	16652_s_at	17207_at
14995_at	15468_at	15900_at	16242_at	16654_at	17215_at
15009_at	15471_at	15901_at	16288_at	16777_at	17247_at
15018_at	15475_s_at	15902_at	16294_s_at	16784_at	17254_at
15024_at	15485_at	15913_at	16325_at	16811_at	17286_at
15026_at	15505_at	15928_at	16346_s_at	16893_at	17288_s_at

TABLE 6 (cont): 2X DOWN COLD, ONLY

17292_at	17910_at	18337_s_at	18823_s_at	19382_at	19897_s_at
17303_s_at	17916_at	18339_at	18844_at	19401_at	19903_at
17305_at	17917_s_at	18365_s_at	18859_at	19402_at	19905_at
17318_at	17918_at	18402_at	18864_at	19406_at	19906_at
17323_at	17926_s_at	18439_s_at	18880_at	19413_at	19907_at
17374_at	17935_at	18487_at	18883_g_at	19416_at	19910_at
17405_at	17956_i_at	18508_s_at	18886_at	19429_at	19920_s_at
17415_at	17961_at	18512_at	18892_s_at	19432_s_at	19932_at
17418_s_at	17966_at	18543_at	18909_s_at	19439_at	19951_at
17420_at	17978_s_at	18552_at	18911_at	19448_s_at	19962_at
17423_s_at	17986_s_at	18567_at	18913_s_at	19454_at	19963_at
17426_at	17993_at	18573_at	18916_s_at	19462_s_at	19969_at
17427_at	17998_s_at	18580_at	18921_g_at	19464_at	19970_s_at
17430_s_at	18003_at	18581_at	18950_at	19469_at	19972_at
17431_at	18005_at	18584_at	18951_s_at	19483_at	19981_at
17439_g_at	18010_s_at	18587_s_at	18956_at	19484_s_at	19990_at
17442_i_at	18013_r_at	18590_at	18966_at	19513_at	19996_at
17449_s_at	18023_s_at	18591_at	18972_at	19548_at	19999_s_at
17462_s_at	18029_g_at	18592_s_at	18994_at	19563_s_at	20009_s_at
17463_at	18030_i_at	18600_at	19030_at	19567_at	20013_at
17465_at	18045_at	18601_s_at	19039_at	19581_at	20017_at
17475_at	18046_s_at	18607_s_at	19068_i_at	19595_s_at	20018_at
17479_at	18059_i_at	18610_s_at	19108_at	19606_at	20024_s_at
17495_s_at	18064_r_at	18611_at	19115_at	19623_at	20045_at
17508_s_at	18065_r_at	18616_at	19117_s_at	19627_s_at	20047_at
17522_s_at	18074_at	18622_g_at	19122_at	19636_at	20048_at
17523_s_at	18076_s_at	18628_at	19125_s_at	19641_at	20050_at
17529_s_at	18077_at	18631_at	19127_at	19652_at	20051_at
17537_s_at	18078_at	18636_at	19135_at	19655_at	20058_at
17539_s_at	18081_at	18638_at	19144_at	19658_at	20067_at
17543_s_at	18083_r_at	18652_at	19157_s_at	19660_at	20069_at
17555_s_at	18085_r_at	18657_at	19158_at	19665_s_at	20099_at
17557_s_at	18091_at	18667_at	19177_at	19667_at	20100_at
17560_s_at	18154_s_at	18675_at	19192_at	19690_s_at	20113_s_at
17564_s_at	18165_at	18684_at	19198_at	19695_at	20123_at
17565_s_at	18174_at	18686_s_at	19222_at	19717_at	20127_s_at
17568_at	18221_at	18688_s_at	19226_g_at	19726_s_at	20129_at
17570_g_at	18226_s_at	18693_s_at	19227_at	19752_s_at	20133_i_at
17573_at	18230_at	18698_s_at	19230_at	19759_at	20152_at
17577_g_at	18237_at	18706_s_at	19232_s_at	19782_at	20154_at
17578_at	18255_at	18707_at	19263_at	19789_s_at	20173_at
17579_s_at	18257_at	18726_s_at	19285_at	19803_s_at	20178_s_at
17585_s_at	18258_s_at	18727_at	19332_at	19828_at	20183_at
17596_at	18274_s_at	18732_i_at	19346_at	19831_i_at	20188_at
17600_s_at	18275_at	18735_s_at	19347_at	19833_s_at	20189_at
17823_s_at	18278_at	18736_at	19361_s_at	19834_at	20197_at
17840_s_at	18283_at	18738_f_at	19362_at	19835_at	20200_at
17849_s_at	18290_at	18747_f_at	19363_at	19841_at	20210_g_at
17857_at	18291_at	18754_at	19364_at	19867_at	20213_at
17865_at	18299_s_at	18782_at	19365_s_at	19870_s_at	20229_at
17882_at	18300_at	18789_at	19373_at	19871_at	20232_s_at
17885_at	18306_at	18806_s_at	19379_at	19872_at	20255_at
17902_s_at	18327_s_at	18814_at	19381_at	19876_at	20278_s_at

TABLE 6 (cont): 2X DOWN COLD, ONLY

20284_at	20693_at
20288_g_at	20701_s_at
20294_at	20704_at
20312_s_at	20707_s_at
20331_at	20719_at
20335_s_at	
20350_s_at	
20354_s_at	
20355_at	
20369_s_at	
20378_g_at	
20383_at	
20385_s_at	
20387_at	
20399_at	
20409_g_at	
20420_at	
20429_s_at	
20439_at	
20440_at	
20444_at	
20445_at	
20449_at	
20474_at	
20480_s_at	
20495_s_at	
20499_at	
20501_at	
20516_at	
20520_s_at	
20530_s_at	
20538_s_at	
20547_at	
20558_at	
20561_at	
20567_at	
20571_at	
20590_at	
20592_at	
20594_at	
20608_s_at	
20612_s_at	
20616_at	
20620_g_at	
20635_s_at	
20637_at	
20643_at	
20654_s_at	
20670_at	
20674_s_at	
20684_at	
20685_at	
20689_s_at	

TABLE 7

## SALINE STRESS RESPONSIVE SEQUENCES

SEQ AFFYMETRIX ID NO:	ID NO:	SEQ AFFYMETRIX ID NO:	ID NO:	SEQ AFFYMETRIX ID NO:	ID NO:
2227	12011_S_AT	2275	13993_S_AT	2324	15965_AT
2228	12153_AT	2276	14000_AT	2325	15969_S_AT
2229	12180_AT	2277	14003_AT	2326	15975_S_AT
2230	12186_AT	2278	14032_AT	2327	15995_S_AT
2231	12216_AT	2279	14043_AT	2328	15998_S_AT
2232	12265_AT	2280	14070_AT		18090_S_AT
2233	12335_AT	2281	14267_AT	2329	16028_AT
2234	12449_S_AT	2282	14269_AT	2330	16050_AT
2235	12470_AT	2283	14418_AT	2331	16060_S_AT
2236	12479_AT	2284	14427_AT	2332	16067_S_AT
2237	12487_AT	2285	14501_AT	2333	16072_S_AT
2238	12493_G_AT	2286	14544_AT	2334	16088_F_AT
2239	12562_AT	2287	14546_S_AT	2335	16273_AT
2240	12685_AT	2288	14570_AT	2336	16314_AT
2241	12704_F_AT	2289	14596_AT	2337	16413_S_AT
2242	12709_F_AT	2290	14729_S_AT	2338	16414_AT
2243	12734_F_AT	2291	14874_AT	2339	16426_AT
2244	12739_S_AT	2292	14888_AT	2340	16436_AT
2245	12750_S_AT	2293	14951_AT	2341	16455_AT
2246	12761_S_AT	2294	14952_AT	2342	16502_AT
2247	12813_AT	2295	14959_AT	2343	16548_S_AT
2248	12845_S_AT	2296	14979_AT	2344	16568_S_AT
2249	12946_AT	2297	15006_AT	2345	16582_S_AT
2250	13003_S_AT	2298	15042_AT	2346	16589_S_AT
2251	13052_S_AT	2299	15049_AT	2347	16594_S_AT
2252	13094_AT	2300	15062_AT	2348	16613_S_AT
2253	13142_AT	2301	15108_S_AT	2349	16651_S_AT
2254	13172_S_AT	2302	15147_S_AT	2350	16668_AT
	17880_S_AT	2303	15175_S_AT	2351	16820_AT
2255	13198_I_AT	2304	15176_S_AT	2352	16987_S_AT
2256	13209_S_AT	2305	15186_S_AT	2353	16995_AT
	16165_S_AT		18696_S_AT	2354	17039_S_AT
2257	13229_S_AT	2306	15192_S_AT	2355	17273_AT
2258	13253_F_AT	2307	15208_S_AT	2356	17278_AT
2259	13344_S_AT	2308	15324_AT	2357	17433_AT
2260	13370_AT	2309	15371_AT	2358	17467_AT
2261	13387_AT	2310	15424_AT	2359	17566_AT
2262	13408_S_AT	2311	15463_AT	2360	17595_S_AT
2263	13429_AT	2312	15465_AT	2361	17744_S_AT
2264	13472_AT	2313	15497_S_AT	2362	17758_AT
2265	13526_AT	2314	15589_S_AT	2363	17864_AT
2266	13569_AT	2315	15636_S_AT	2364	17868_AT
2267	13614_AT	2316	15663_S_AT	2365	17876_AT
2268	13686_S_AT	2317	15770_AT	2366	17894_AT
2269	13718_AT	2318	15792_AT	2367	17942_S_AT
2270	13719_AT	2319	15855_AT	2368	18008_R_AT
2271	13902_AT	2320	15860_AT	2369	18027_AT
2272	13918_AT	2321	15891_AT	2370	18053_S_AT
2273	13944_AT	2322	15898_AT	2371	18062_AT
2274	13964_AT	2323	15909_AT	2372	18082_AT

TABLE 7 (cont)

2373	18121_S_AT	2426	20648_S_AT
2374	18240_S_AT	2427	20668_AT
2375	18248_S_AT		
2376	18264_AT		
2377	18276_AT		
2378	18287_AT		
2379	18310_AT		
2380	18367_S_AT		
2381	18506_AT		
2382	18605_S_AT		
2383	18618_S_AT		
2384	18626_AT		
2385	18666_S_AT		
2386	18834_AT		
2387	18847_AT		
2388	18896_AT		
2389	18899_S_AT		
2390	18973_AT		
2391	18983_S_AT		
2392	18988_AT		
2393	18998_S_AT		
2394	19065_AT		
2395	19119_I_AT		
	19121_AT		
2396	19207_AT		
2397	19220_AT		
2398	19284_AT		
2399	19315_AT		
2400	19348_AT		
2401	19403_S_AT		
2402	19437_S_AT		
2403	19502_AT		
2404	19609_AT		
2405	19645_AT		
2406	19742_AT		
2407	19863_AT		
2408	19873_AT		
2409	19891_AT		
2410	20004_S_AT		
2411	20053_AT		
2412	20138_AT		
2413	20193_AT		
2414	20199_AT		
2415	20220_AT		
2416	20239_G_AT		
2417	20297_AT		
2418	20324_S_AT		
2419	20353_AT		
2420	20362_AT		
2421	20389_AT		
2422	20546_AT		
2423	20600_AT		
2424	20623_AT		
2425	20629_AT		

TABLE 8: 2X UP IN SALT, ONLY

12037_at	14570_at	16190_at	18506_at	20648_s_at
12137_at	14578_s_at	16196_at	18605_s_at	20678_at
12153_at	14596_at	16273_at	18626_at	20686_at
12186_at	14646_s_at	16314_at	18666_s_at	20707_s_at
12216_at	14662_f_at	16413_s_at	18747_f_at	
12268_at	14668_s_at	16414_at	18782_at	
12449_s_at	14729_s_at	16417_s_at	18834_at	
12470_at	14874_at	16455_at	18847_at	
12476_at	14888_at	16548_s_at	18913_s_at	
12487_at	14918_at	16582_s_at	18973_at	
12493_g_at	14952_at	16589_s_at	18988_at	
12609_at	14959_at	16594_s_at	18998_s_at	
12685_at	14986_at	16613_s_at	19065_at	
12704_f_at	15006_at	16651_s_at	19068_i_at	
12709_f_at	15042_at	16668_at	19123_at	
12734_f_at	15047_at	16690_g_at	19177_at	
12739_s_at	15062_at	16762_at	19220_at	
12750_s_at	15063_at	16820_at	19284_at	
12761_s_at	15108_s_at	16873_i_at	19288_at	
12819_at	15133_s_at	16987_s_at	19315_at	
12845_s_at	15147_s_at	16989_at	19437_s_at	
12946_at	15170_s_at	16995_at	19484_s_at	
13142_at	15175_s_at	17039_s_at	19502_at	
13198_i_at	15182_s_at	17040_s_at	19503_at	
13229_s_at	15190_s_at	17400_s_at	19592_at	
13275_f_at	15192_s_at	17425_s_at	19645_at	
13344_s_at	15324_at	17433_at	19742_at	
13370_at	15392_at	17467_at	19835_at	
13408_s_at	15424_at	17490_s_at	19873_at	
13464_at	15467_at	17529_s_at	19891_at	
13472_at	15497_s_at	17543_s_at	19992_at	
13526_at	15581_s_at	17566_at	20004_s_at	
13614_at	15623_f_at	17595_s_at	20053_at	
13652_at	15636_s_at	17744_s_at	20133_i_at	
13679_s_at	15646_s_at	17758_at	20138_at	
13751_at	15670_s_at	17855_at	20190_at	
13918_at	15770_at	17864_at	20199_at	
13919_at	15775_at	17876_at	20200_at	
13944_at	15778_at	18008_r_at	20297_at	
13964_at	15792_at	18013_r_at	20324_s_at	
13987_s_at	15855_at	18024_s_at	20335_s_at	
13993_s_at	15891_at	18027_at	20353_at	
14000_at	15909_at	18053_s_at	20362_at	
14032_at	15923_at	18078_at	20385_s_at	
14043_at	15969_s_at	18082_at	20389_at	
14052_at	15975_s_at	18090_s_at	20402_s_at	
14067_at	15995_s_at	18091_at	20450_at	
14070_at	15998_s_at	18121_s_at	20468_at	
14269_at	16017_at	18264_at	20489_at	
14285_at	16050_at	18276_at	20546_at	
14427_at	16067_s_at	18300_at	20569_s_at	
14501_at	16072_s_at	18367_s_at	20600_at	
14540_at	16165_s_at	18471_at	20623_at	

TABLE 9: 2X UP SALT, 3 HR ONLY

12037_at	15042_at	16987_s_at	20004_s_at
12137_at	15047_at	16989_at	20053_at
12153_at	15062_at	17039_s_at	20133_i_at
12186_at	15063_at	17040_s_at	20138_at
12216_at	15108_s_at	17425_s_at	20190_at
12268_at	15133_s_at	17433_at	20199_at
12470_at	15147_s_at	17490_s_at	20200_at
12476_at	15170_s_at	17543_s_at	20220_at
12487_at	15175_s_at	17744_s_at	20362_at
12493_g_at	15182_s_at	17864_at	20385_s_at
12609_at	15190_s_at	17876_at	20389_at
12685_at	15192_s_at	18008_r_at	20489_at
12704_f_at	15324_at	18013_r_at	20546_at
12709_f_at	15424_at	18024_s_at	20623_at
12734_f_at	15467_at	18027_at	20648_s_at
12739_s_at	15497_s_at	18053_s_at	20678_at
12750_s_at	15623_f_at	18078_at	20707_s_at
12819_at	15636_s_at	18082_at	
12946_at	15646_s_at	18090_s_at	
13142_at	15670_s_at	18091_at	
13229_s_at	15770_at	18121_s_at	
13275_f_at	15775_at	18264_at	
13370_at	15778_at	18276_at	
13408_s_at	15792_at	18367_s_at	
13464_at	15855_at	18471_at	
13472_at	15891_at	18506_at	
13614_at	15909_at	18605_s_at	
13652_at	15923_at	18626_at	
13679_s_at	15969_s_at	18666_s_at	
13918_at	15975_s_at	18747_f_at	
13919_at	15995_s_at	18782_at	
13944_at	15998_s_at	18834_at	
13987_s_at	16017_at	18847_at	
13993_s_at	16050_at	18913_s_at	
14000_at	16067_s_at	18973_at	
14032_at	16072_s_at	18988_at	
14043_at	16165_s_at	19065_at	
14052_at	16196_at	19068_i_at	
14067_at	16273_at	19123_at	
14269_at	16314_at	19177_at	
14285_at	16414_at	19220_at	
14501_at	16417_s_at	19288_at	
14540_at	16455_at	19315_at	
14570_at	16548_s_at	19437_s_at	
14596_at	16582_s_at	19484_s_at	
14668_s_at	16589_s_at	19502_at	
14729_s_at	16594_s_at	19503_at	
14888_at	16613_s_at	19592_at	
14918_at	16651_s_at	19645_at	
14952_at	16668_at	19742_at	
14959_at	16762_at	19835_at	
14986_at	16820_at	19873_at	
15006_at	16873_i_at	19891_at	



TABLE 10: 2X DOWN SALT, ONLY

12011_s_at	16046_s_at	20239_g_at
12180_at	16060_s_at	20433_at
12265_at	16088_f_at	20629_at
12335_at	16150_s_at	20668_at
12479_at	16166_s_at	
12562_at	16316_at	
12656_at	16340_at	
12813_at	16367_i_at	
13003_s_at	16426_at	
13052_s_at	16427_at	
13094_at	16436_at	
13178_at	16489_at	
13253_f_at	16502_at	
13387_at	16568_s_at	
13429_at	16638_s_at	
13472_at	16646_s_at	
13569_at	17273_at	
13686_s_at	17278_at	
13718_at	17567_at	
13719_at	17868_at	
13902_at	17880_s_at	
14003_at	17894_at	
14144_at	17901_at	
14267_at	17942_s_at	
14418_at	17960_at	
14544_at	17999_at	
14546_s_at	18062_at	
14636_s_at	18240_s_at	
14951_at	18248_s_at	
14956_s_at	18267_at	
14979_at	18279_s_at	
14990_at	18287_at	
15040_g_at	18310_at	
15049_at	18351_s_at	
15115_f_at	18455_at	
15137_s_at	18560_at	
15148_s_at	18571_at	
15176_s_at	18618_s_at	
15208_s_at	18896_at	
15371_at	18899_s_at	
15453_s_at	18967_s_at	
15463_at	18983_s_at	
15465_at	19119_i_at	
15589_s_at	19121_at	
15663_s_at	19207_at	
15860_at	19348_at	
15898_at	19403_s_at	
15931_at	19609_at	
15965_at	19742_at	
15970_s_at	19826_at	
15972_s_at	19863_at	
16005_s_at	19883_at	
16028_at	20193_at	

TABLE 11

## OSMOTIC STRESS RESPONSIVE SEQUENCES

SEQ AFFYMETRIX ID NO:	ID NO:	SEQ AFFYMETRIX ID NO:	ID NO:	SEQ AFFYMETRIX ID NO:	ID NO:
2428	11994_AT	2475	13995_AT	2523	17037_S_AT
2429	12028_AT	2476	14062_AT	2524	17054_S_AT
2430	12033_AT	2477	14118_I_AT	2525	17257_S_AT
2431	12039_AT	2478	14141_AT		18725_S_AT
2432	12068_AT	2479	14310_AT	2526	17270_AT
2433	12096_AT	2480	14354_AT	2527	17275_I_AT
2434	12110_AT	2481	14476_AT	2528	17376_AT
2435	12114_AT	2482	14513_S_AT	2529	17378_AT
2436	12135_AT	2483	14568_S_AT	2530	17468_AT
2437	12139_AT	2484	14604_AT	2531	17481_AT
2438	12189_AT	2485	14634_S_AT	2532	17511_S_AT
2439	12191_AT	2486	14660_S_AT	2533	17519_S_AT
2440	12211_AT	2487	14666_S_AT	2534	17815_S_AT
2441	12223_S_AT	2488	14686_S_AT	2535	17897_AT
2442	12366_S_AT		17464_AT	2536	17923_S_AT
	12869_S_AT	2489	14726_S_AT	2537	17934_AT
2443	12381_AT	2490	14848_S_AT	2538	17937_S_AT
2444	12406_S_AT	2491	14873_AT	2539	17944_AT
2445	12412_AT	2492	14883_AT	2540	17958_AT
2446	12453_AT	2493	15082_AT	2541	18216_AT
2447	12571_S_AT	2494	15121_S_AT	2542	18227_AT
2448	12662_AT		16014_S_AT	2543	18284_AT
2449	12746_I_AT	2495	15168_S_AT	2544	18301_S_AT
2450	12774_AT	2496	15271_AT	2545	18312_S_AT
2451	12787_AT	2497	15338_AT	2546	18326_S_AT
2452	12847_AT	2498	15418_AT	2547	18369_AT
2453	12848_AT	2499	15429_AT	2548	18411_AT
2454	12895_AT	2500	15548_AT	2549	18533_AT
2455	12911_S_AT	2501	15666_S_AT	2550	18576_S_AT
2456	12920_AT	2502	15672_S_AT	2551	18599_AT
	12921_S_AT	2503	15680_S_AT	2552	18640_AT
2457	13027_AT	2504	15867_AT	2553	18672_S_AT
2458	13059_AT	2505	15918_AT	2554	18720_S_AT
2459	13075_I_AT	2506	15999_S_AT	2555	18768_AT
2460	13180_S_AT	2507	16303_AT	2556	18877_AT
2461	13255_I_AT	2508	16363_AT	2557	18942_AT
2462	13270_AT	2509	16440_S_AT	2558	18945_AT
	18167_S_AT	2510	16458_S_AT	2559	18960_AT
2463	13283_S_AT	2511	16475_AT	2560	18965_AT
2464	13382_AT	2512	16513_S_AT	2561	19060_AT
2465	13386_S_AT	2513	16529_AT	2562	19164_G_AT
2466	13433_AT	2514	16547_S_AT	2563	19266_AT
2467	13482_AT	2515	16553_F_AT	2564	19366_S_AT
2468	13732_AT	2516	16563_S_AT	2565	19369_AT
2469	13733_I_AT	2517	16629_S_AT	2566	19371_AT
2470	13842_AT	2518	16797_AT	2567	19386_AT
2471	13860_S_AT	2519	16814_AT	2568	19412_AT
2472	13868_AT	2520	16832_AT	2569	19427_S_AT
2473	13901_AT	2521	16976_S_AT	2570	19622_G_AT
2474	13933_AT	2522	17007_AT	2571	19681_AT

**TABLE 11 (cont)**

2572	19819_S_AT
2573	19961_S_AT
2574	20002_AT
2575	20034_I_AT
2576	20062_AT
2577	20136_AT
2578	20223_AT
2579	20235_I_AT
2580	20401_AT
2581	20407_AT
2582	20470_AT
2583	20626_AT
2584	20631_S_AT
2585	20647_AT

TABLE 12: 2X UP IN MANNITOL, ONLY

12039_at	16832_at
12068_at	16993_at
12139_at	17037_s_at
12212_at	17054_s_at
12278_at	17083_s_at
12366_s_at	17097_s_at
12453_at	17119_s_at
12556_at	17270_at
12575_s_at	17305_at
12746_i_at	17376_at
12848_at	17378_at
12869_s_at	17449_s_at
12920_at	17481_at
12921_s_at	17533_s_at
13041_s_at	17832_s_at
13059_at	17923_s_at
13241_s_at	17944_at
13255_i_at	18059_i_at
13270_at	18216_at
13382_at	18230_at
13406_at	18255_at
13433_at	18284_at
13550_at	18301_s_at
13672_s_at	18312_s_at
13716_at	18326_s_at
13842_at	18599_at
13933_at	18672_s_at
13995_at	18720_s_at
14062_at	18768_at
14075_at	18814_at
14162_at	18877_at
14208_at	18921_g_at
14217_at	18960_at
14235_at	19060_at
14310_at	19182_at
14431_at	19192_at
14513_s_at	19266_at
14584_at	19369_at
14604_at	19386_at
14673_s_at	19402_at
14856_s_at	19412_at
15207_s_at	19432_s_at
15338_at	19469_at
15406_at	19622_g_at
15418_at	19819_s_at
15591_s_at	19826_at
15666_s_at	20152_at
15680_s_at	20223_at
15866_s_at	20235_i_at
15918_at	20365_s_at
16340_at	20470_at
16553_f_at	20537_at
16797_at	20547_at

TABLE 13: 2X UP IN MANNITOL, 3 HR ONLY

12039_at	17449_s_at
12068_at	17481_at
12139_at	17533_s_at
12212_at	17923_s_at
12278_at	17944_at
12366_s_at	18059_i_at
12453_at	18216_at
12556_at	18230_at
12575_s_at	18255_at
12746_i_at	18301_s_at
12848_at	18312_s_at
12869_s_at	18326_s_at
12920_at	18599_at
12921_s_at	18720_s_at
13041_s_at	18768_at
13059_at	18814_at
13241_s_at	18877_at
13382_at	18921_g_at
13406_at	18960_at
13433_at	19060_at
13550_at	19192_at
13672_s_at	19266_at
13933_at	19369_at
13995_at	19386_at
14062_at	19402_at
14075_at	19412_at
14162_at	19432_s_at
14217_at	19469_at
14310_at	19622_g_at
14431_at	19819_s_at
14513_s_at	20152_at
14584_at	20223_at
14604_at	20235_i_at
14673_s_at	20365_s_at
14856_s_at	20470_at
15207_s_at	20537_at
15338_at	
15418_at	
15591_s_at	
15866_s_at	
15918_at	
16340_at	
16553_f_at	
16797_at	
16832_at	
17037_s_at	
17054_s_at	
17083_s_at	
17097_s_at	
17270_at	
17305_at	
17376_at	
17378_at	

TABLE 14: 2X DOWN IN MANNITOL, ONLY

12028_at	14897_at	17958_at
12033_at	14918_at	18012_s_at
12110_at	15082_at	18227_at
12114_at	15084_at	18272_at
12189_at	15098_s_at	18331_s_at
12191_at	15105_s_at	18369_at
12211_at	15121_s_at	18411_at
12223_s_at	15126_s_at	18533_at
12268_at	15168_s_at	18576_s_at
12345_at	15271_at	18640_at
12381_at	15429_at	18696_s_at
12406_s_at	15548_at	18945_at
12412_at	15672_s_at	18949_at
12522_at	15753_at	18953_at
12571_s_at	15867_at	18965_at
12662_at	15999_s_at	19164_g_at
12787_at	16001_at	19322_at
12847_at	16021_s_at	19366_s_at
12895_at	16190_at	19371_at
12911_s_at	16260_at	19397_at
13027_at	16303_at	19427_s_at
13075_i_at	16363_at	19681_at
13221_at	16458_s_at	19707_s_at
13262_s_at	16468_at	19839_at
13283_s_at	16475_at	19961_s_at
13386_s_at	16513_s_at	19976_at
13447_s_at	16529_at	19998_at
13482_at	16563_s_at	20002_at
13634_s_at	16690_g_at	20034_i_at
13709_s_at	16814_at	20136_at
13732_at	16847_at	20382_s_at
13733_i_at	16927_s_at	20407_at
13812_s_at	16976_s_at	20529_at
13825_s_at	17007_at	20626_at
13860_s_at	17014_s_at	20631_s_at
13868_at	17016_s_at	20647_at
13901_at	17071_s_at	20699_at
14052_at	17090_s_at	
14224_at	17257_s_at	
14244_s_at	17275_i_at	
14254_s_at	17424_at	
14256_f_at	17464_at	
14354_at	17468_at	
14476_at	17511_s_at	
14568_s_at	17519_s_at	
14634_s_at	17525_s_at	
14646_s_at	17645_s_at	
14660_s_at	17741_at	
14686_s_at	17815_s_at	
14726_s_at	17897_at	
14848_s_at	17899_at	
14873_at	17934_at	
14883_at	17937_s_at	

TABLE 15

## COLD &amp; OSOMOTIC STRESS RESPONSIVE SEQUENCES

SEQ AFFYMETRIX	SEQ AFFYMETRIX	SEQ AFFYMETRIX
ID NO: ID NO:	ID NO: ID NO:	ID NO: ID NO:
1699 12040_AT	1742 13262_S_AT	1787 14431_AT
1700 12048_AT	1743 13286_S_AT	1788 14480_AT
1701 12054_S_AT	1744 13324_AT	1789 14497_AT
1702 12077_AT	1745 13340_S_AT	1790 14553_AT
1703 12107_I_AT	1746 13361_AT	1791 14584_AT
1704 12113_AT	1747 13406_AT	1792 14600_AT
1705 12154_AT	1748 13441_S_AT	1793 14673_S_AT
1706 12171_AT	1749 13513_AT	19432_S_AT
1707 12212_AT	1750 13550_AT	1794 14681_G_AT
1708 12278_AT	1751 13573_AT	1795 14699_AT
1709 12317_AT	1752 13577_S_AT	1796 14751_AT
1710 12325_AT	1753 13606_AT	1797 14762_AT
1711 12333_AT	1754 13609_AT	1798 14828_S_AT
1712 12345_AT	1755 13625_S_AT	1799 14856_S_AT
1713 12349_S_AT	1756 13626_AT	1800 14882_AT
14254_S_AT	1757 13634_S_AT	1801 14897_AT
14256_F_AT	1758 13672_S_AT	1802 14978_AT
1714 12356_AT	18916_S_AT	1803 14985_S_AT
1715 12380_AT	1759 13709_S_AT	1804 15031_AT
1716 12392_AT	1760 13736_AT	1805 15084_AT
1717 12460_S_AT	1761 13775_AT	1806 15096_AT
1718 12556_AT	1762 13810_AT	1807 15105_S_AT
1719 12575_S_AT	1763 13812_S_AT	1808 15110_S_AT
1720 12686_S_AT	1764 13825_S_AT	1809 15111_S_AT
1721 12701_I_AT	1765 14015_S_AT	1810 15120_S_AT
1722 12754_G_AT	14016_S_AT	1811 15126_S_AT
1723 12782_R_AT	1766 14029_AT	1812 15142_S_AT
1724 12784_AT	1767 14036_AT	1813 15144_S_AT
1725 12879_S_AT	1768 14051_AT	1814 15184_S_AT
1726 12891_AT	1769 14060_AT	1815 15198_S_AT
16817_S_AT	1770 14064_AT	1816 15203_S_AT
1727 12898_G_AT	1771 14066_AT	1817 15207_S_AT
1728 12974_AT	1772 14075_AT	1818 15240_AT
1729 12998_AT	1773 14094_S_AT	1819 15366_AT
1730 13041_S_AT	19999_S_AT	1820 15398_AT
1731 13124_AT	1774 14096_AT	1821 15406_AT
1732 13134_S_AT	1775 14104_AT	1822 15448_AT
1733 13144_AT	1776 14123_S_AT	1823 15466_AT
1734 13147_AT	1777 14126_S_AT	1824 15481_AT
1735 13152_S_AT	1778 14131_AT	1825 15484_AT
1736 13187_I_AT	1779 14136_AT	1826 15549_AT
16981_S_AT	1780 14139_AT	1827 15591_S_AT
1737 13192_S_AT	14140_AT	1828 15606_S_AT
17525_S_AT	1781 14162_AT	1829 15614_S_AT
1738 13212_S_AT	14217_AT	16927_S_AT
	1782 14178_AT	1830 15629_S_AT
1739 13215_S_AT	1783 14201_AT	1831 15633_S_AT
16649_S_AT	1784 14208_AT	1832 15641_S_AT
1740 13241_S_AT	1785 14235_AT	18012_S_AT
1741 13246_AT	1786 14242_S_AT	1833 15720_AT

TABLE 15 (cont)

1834	15815_S_AT	1884	17452_G_AT	1936	19469_AT
1835	15817_AT	1885	17540_S_AT	1937	19473_AT
1836	15837_AT	1886	17552_S_AT	1938	19597_S_AT
1837	15841_AT	1887	17571_AT	1939	19710_S_AT
1838	15866_S_AT	1888	17589_AT	1940	19830_AT
	18255_AT	1889	17641_G_AT	1941	19839_AT
1839	15872_AT	1890	17741_AT	1942	19840_S_AT
	18331_S_AT		18098_AT	1943	19853_AT
1840	15892_AT	1891	17766_AT	1944	19860_AT
1841	15933_AT	1892	17873_S_AT	1945	19880_AT
1842	15947_AT	1893	17904_AT	1946	19889_AT
1843	15959_S_AT	1894	17920_S_AT	1947	19898_AT
1844	16001_AT	1895	17925_AT	1948	19914_AT
1845	16052_AT	1896	17943_AT	1949	19924_AT
1846	16161_S_AT	1897	18059_I_AT	1950	19949_AT
1847	16204_AT	1898	18230_AT	1951	19976_AT
1848	16232_S_AT	1899	18263_AT	1952	19998_AT
1849	16252_AT	1900	18272_AT	1953	20030_AT
1850	16260_AT	1901	18540_AT	1954	20151_AT
1851	16266_AT	1902	18608_AT	1955	20152_AT
1852	16299_AT	1903	18647_AT	1956	20187_AT
1853	16365_AT	1904	18662_S_AT	1957	20214_I_AT
1854	16468_AT	1905	18664_AT	1958	20269_AT
1855	16477_AT	1906	18695_S_AT	1959	20271_AT
1856	16491_AT	1907	18704_AT	1960	20273_AT
1857	16523_S_AT	1908	18814_AT	1961	20299_AT
1858	16566_S_AT	1909	18907_S_AT	1962	20323_AT
1859	16570_S_AT	1910	18921_G_AT	1963	20429_S_AT
1860	16688_AT	1911	18924_AT	1964	20457_AT
1861	16840_AT	1912	18949_AT	1965	20480_S_AT
1862	16847_AT		19707_S_AT	1966	20529_AT
1863	16893_AT	1913	18995_AT	1967	20547_AT
1864	16896_S_AT	1914	19017_AT	1968	20555_S_AT
1865	16898_S_AT	1915	19034_AT	1969	20699_AT
1866	16912_S_AT	1916	19063_AT		
1867	16980_AT	1917	19142_AT		
1868	16993_AT	1918	19158_AT		
1869	17008_AT	1919	19180_AT		
1870	17012_S_AT	1920	19187_AT		
1871	17014_S_AT	1921	19192_AT		
1872	17016_S_AT	1922	19195_AT		
1873	17032_S_AT	1923	19199_AT		
1874	17050_S_AT	1924	19231_AT		
	17051_S_AT	1925	19263_AT		
1875	17071_S_AT	1926	19308_AT		
1876	17090_S_AT	1927	19322_AT		
	18690_S_AT	1928	19365_S_AT		
1877	17097_S_AT	1929	19372_AT		
1878	17104_S_AT	1930	19389_AT		
1879	17119_S_AT	1931	19392_AT		
1880	17160_AT	1932	19397_AT		
1881	17305_AT	1933	19400_AT		
1882	17424_AT	1934	19402_AT		
1883	17449_S_AT	1935	19458_AT		



TABLE 16: 2X UP IN MANNITOL &amp; COLD, ONLY

12345_at	17066_s_at
12784_at	17540_s_at
13153_r_at	17567_at
13212_s_at	17766_at
13215_s_at	17904_at
13246_at	17920_s_at
13262_s_at	17943_at
13361_at	18263_at
13625_s_at	18351_s_at
13764_at	18662_s_at
13810_at	18670_g_at
14015_s_at	18695_s_at
14016_s_at	18704_at
14060_at	18729_at
14096_at	18995_at
14123_s_at	19158_at
14139_at	19473_at
14219_at	19710_s_at
14248_at	19883_at
14254_s_at	19889_at
14256_f_at	20030_at
14609_at	20269_at
14636_s_at	20271_at
14681_g_at	20299_at
14699_at	20429_s_at
14704_s_at	20438_at
14828_s_at	20480_s_at
14882_at	
15110_s_at	
15184_s_at	
15448_at	
15629_s_at	
15720_at	
15846_at	
15947_at	
16161_s_at	
16365_at	
16427_at	
16566_s_at	
16570_s_at	
16649_s_at	
16688_at	
16712_at	
16817_s_at	
16840_at	
16893_at	
16912_s_at	
16916_s_at	
16927_s_at	
16981_s_at	
17012_s_at	
17014_s_at	
17051_s_at	

TABLE 17: 2X DOWN COLD &amp; MANNITOL, ONLY

12040_at	14553_at	17873_s_at
12048_at	14612_at	17925_at
12054_s_at	14751_at	18098_at
12077_at	14762_at	18540_at
12107_i_at	14978_at	18608_at
12113_at	14985_s_at	18647_at
12154_at	15031_at	18664_at
12171_at	15096_at	18690_s_at
12317_at	15111_s_at	18725_s_at
12325_at	15120_s_at	18924_at
12333_at	15142_s_at	19017_at
12356_at	15198_s_at	19034_at
12380_at	15203_s_at	19063_at
12392_at	15240_at	19141_at
12460_s_at	15366_at	19142_at
12686_s_at	15392_at	19180_at
12701_i_at	15398_at	19187_at
12782_r_at	15466_at	19195_at
12879_s_at	15481_at	19199_at
12898_g_at	15484_at	19231_at
12974_at	15549_at	19308_at
12998_at	15623_f_at	19372_at
13144_at	15815_s_at	19392_at
13147_at	15817_at	19400_at
13152_s_at	15841_at	19458_at
13192_s_at	15892_at	19597_s_at
13286_s_at	15933_at	19762_at
13324_at	15959_s_at	19830_at
13340_s_at	16052_at	19853_at
13441_s_at	16204_at	19869_at
13513_at	16252_at	19880_at
13573_at	16266_at	19898_at
13606_at	16299_at	19914_at
13609_at	16477_at	19924_at
13626_at	16491_at	19949_at
13736_at	16561_s_at	20151_at
13775_at	16645_s_at	20187_at
14029_at	16898_s_at	20214_i_at
14036_at	16980_at	20273_at
14051_at	17008_at	20323_at
14064_at	17104_s_at	20457_at
14066_at	17160_at	20555_s_at
14094_s_at	17317_at	
14104_at	17400_s_at	
14126_s_at	17452_g_at	
14131_at	17477_s_at	
14136_at	17500_s_at	
14178_at	17552_s_at	
14192_at	17571_at	
14201_at	17572_s_at	
14242_s_at	17589_at	
14480_at	17641_g_at	
14497_at	17855_at	

TABLE 18

## COLD &amp; SALINE STRESS RESPONSIVE SEQUENCES

SEQ AFFYMETRIX	2018	13544_AT	2062	15047_AT
ID NO: ID NO:	2019	13549_AT	2063	15063_AT
1970 12021_AT	2020	13565_AT	2064	15085_S_AT
1971 12037_AT	SEQ AFFYMETRIX		2065	15123_S_AT
1972 12094_AT	ID NO: ID NO:		2066	15133_S_AT
1973 12098_AT	2021	13580_AT	2067	15137_S_AT
1974 12128_AT	2022	13588_AT	SEQ AFFYMETRIX	
1975 12148_AT	2023	13649_AT	ID NO: ID NO:	
1976 12151_AT	2024	13652_AT	2068	15153_S_AT
1977 12357_S_AT	2025	13679_S_AT	2069	15170_S_AT
1978 12394_AT	2026	13696_AT	2070	15172_S_AT
1979 12472_S_AT	2027	13702_S_AT	2071	15182_S_AT
1980 12475_AT	2028	13751_AT	2072	15190_S_AT
1981 12482_S_AT	2029	13919_AT	2073	15241_S_AT
1982 12490_AT	2030	13943_AT	2074	15389_AT
1983 12505_S_AT	2031	13950_S_AT	2075	15453_S_AT
1984 12531_AT	2032	14050_AT	2076	15495_AT
1985 12540_S_AT	2033	14055_S_AT	2077	15496_AT
1986 12541_AT		16166_S_AT	2078	15519_S_AT
1987 12577_AT	2034	14067_AT	2079	15562_AT
1988 12594_AT	2035	14078_AT	2080	15580_S_AT
1989 12629_AT	2036	14110_I_AT	2081	15582_S_AT
1990 12642_AT	2037	14144_AT	2082	15638_S_AT
1991 12656_AT	2038	14232_AT		18751_F_AT
1992 12660_AT	2039	14285_AT	2083	15646_S_AT
1993 12712_F_AT	2040	14346_AT	2084	15647_S_AT
1994 12725_R_AT	2041	14432_AT	2085	15654_S_AT
1995 12745_AT	2042	14468_AT	2086	15655_S_AT
1996 12777_I_AT	2043	14479_AT	2087	15658_S_AT
1997 12790_S_AT	2044	14524_S_AT	2088	15670_S_AT
1998 12798_AT	2045	14608_AT	2089	15775_AT
1999 12801_AT	2046	14621_AT	2090	15798_AT
2000 12855_F_AT	2047	14635_S_AT	2091	15930_AT
2001 12887_S_AT		17128_S_AT	2092	15931_AT
2002 12933_R_AT	2048	14640_S_AT	2093	15949_S_AT
2003 12951_AT	2049	14643_S_AT	2094	16017_AT
2004 13005_AT	2050	14663_S_AT	2095	16053_I_AT
2005 13015_S_AT	2051	14668_S_AT	2096	16078_S_AT
2006 13115_AT	2052	14688_S_AT	2097	16086_S_AT
2007 13178_AT		18279_S_AT	2098	16120_S_AT
2008 13228_AT	2053	14737_S_AT	2099	16126_S_AT
2009 13236_S_AT	2054	14768_AT	2100	16150_S_AT
	2055	14875_AT	2101	16159_S_AT
	2056	14911_S_AT	2102	16230_AT
2010 13266_S_AT		17056_S_AT	2103	16306_AT
	2057	14924_AT	2104	16367_I_AT
2011 13275_F_AT	2058	14956_S_AT	2105	16417_S_AT
2012 13335_AT		15148_S_AT		18083_R_AT
2013 13362_S_AT		18673_AT	2106	16418_S_AT
2014 13428_AT	2059	14964_AT	2107	16423_AT
2015 13464_AT	2060	15022_AT	2108	16449_S_AT
2016 13480_AT	2061	15040_G_AT	2109	16484_S_AT
2017 13538_AT				

TABLE 18 (cont)

2110	16489_AT	2163	18455_AT	2218	20565_AT
2111	16565_S_AT	2164	18459_AT	2219	20570_AT
2112	16596_S_AT	2165	18571_AT	2220	20576_AT
2113	16600_S_AT	2166	18604_AT	2221	20577_AT
2114	16603_S_AT		19181_S_AT	2222	20609_AT
2115	16638_S_AT	2167	18644_AT	2223	20646_AT
2116	16642_S_AT	2168	18745_F_AT	2224	20672_AT
2117	16763_AT		19611_S_AT	2225	20707_S_AT
2118	16914_S_AT	2169	18782_AT	2226	20720_AT
2119	16968_AT	2170	18881_AT		
2120	16983_AT	2171	18904_S_AT		
2121	16989_AT	2172	18914_S_AT		
2122	17002_AT	2173	18963_AT		
2123	17015_S_AT	2174	19068_I_AT		
2124	17040_S_AT	2175	19078_AT		
	18913_S_AT	2176	19171_AT		
2125	17232_AT	2177	19177_AT		
2126	17380_AT	2178	19394_AT		
2127	17394_S_AT	2179	19411_AT		
	20640_S_AT	2180	19415_AT		
2128	17398_AT	2181	19466_S_AT		
2129	17448_AT	2182	19484_S_AT		
2130	17485_S_AT	2183	19549_S_AT		
2131	17490_S_AT	2184	19592_AT		
2132	17499_S_AT	2185	19633_AT		
2133	17505_S_AT	2186	19641_AT		
2134	17516_S_AT	2187	19669_AT		
2135	17529_S_AT	2188	19672_AT		
2136	17543_S_AT	2189	19684_AT		
2137	17593_R_AT	2190	19692_AT		
	19858_S_AT	2191	19746_AT		
2138	17609_AT	2192	19835_AT		
2139	17698_AT	2193	19848_S_AT		
2140	17836_AT	2194	19892_AT		
2141	17886_AT	2195	19904_AT		
2142	17896_AT	2196	19936_AT		
2143	17901_AT	2197	19974_S_AT		
2144	17902_S_AT	2198	19994_AT		
2145	17913_S_AT	2199	20005_S_AT		
2146	17924_AT	2200	20022_AT		
2147	17954_S_AT	2201	20032_AT		
2148	17960_AT	2202	20044_AT		
2149	17991_G_AT	2203	20049_AT		
	18967_S_AT	2204	20081_AT		
2150	17999_AT	2205	20133_I_AT		
2151	18057_I_AT	2206	20155_S_AT		
2152	18078_AT	2207	20163_S_AT		
2153	18091_AT	2208	20200_AT		
2154	18168_S_AT	2209	20296_S_AT		
2155	18252_AT	2210	20336_AT		
2156	18267_AT	2211	20341_AT		
2157	18300_AT	2212	20372_AT		
2158	18308_I_AT	2213	20385_S_AT		
2159	18328_AT	2214	20433_AT		
2160	18354_AT	2215	20489_AT		
2161	18402_AT	2216	20525_AT		
2162	18416_AT	2217	20543_AT		

TABLE 19: 2X UP IN SALT &amp; COLD, ONLY

12004_at	15495_at	18745_f_at
12098_at	15496_at	18904_s_at
12148_at	15519_s_at	18914_s_at
12251_at	15580_s_at	18929_s_at
12357_s_at	15582_s_at	18946_at
12394_at	15776_at	18963_at
12457_at	15798_at	19078_at
12505_s_at	15910_at	19137_at
12522_at	15931_at	19141_at
12541_at	15937_at	19411_at
12594_at	15949_s_at	19641_at
12606_at	15972_s_at	19672_at
12697_at	16048_at	19684_at
12745_at	16086_s_at	19692_at
12781_at	16120_s_at	19746_at
12798_at	16126_s_at	19762_at
12855_f_at	16150_s_at	19869_at
12945_at	16159_s_at	19894_at
12951_at	16230_at	19904_at
13005_at	16306_at	19936_at
13015_s_at	16418_s_at	19994_at
13115_at	16423_at	20005_s_at
13146_s_at	16449_s_at	20031_at
13335_at	16565_s_at	20044_at
13447_s_at	16603_s_at	20382_s_at
13480_at	16763_at	20406_g_at
13544_at	16968_at	20421_at
13549_at	16983_at	20525_at
13580_at	17002_at	20543_at
13649_at	17015_s_at	20565_at
13943_at	17019_s_at	20570_at
13950_s_at	17078_s_at	20640_s_at
14110_i_at	17232_at	20646_at
14144_at	17317_at	20720_at
14224_at	17394_s_at	
14432_at	17516_s_at	
14468_at	17585_s_at	
14479_at	17609_at	
14524_s_at	17698_at	
14640_s_at	17836_at	
14643_s_at	17896_at	
14735_s_at	17899_at	
14737_s_at	17902_s_at	
14768_at	17960_at	
14784_at	17963_at	
14924_at	18168_s_at	
15064_at	18252_at	
15127_s_at	18267_at	
15186_s_at	18308_i_at	
15189_s_at	18354_at	
15255_at	18402_at	
15389_at	18459_at	
15482_at	18484_at	

TABLE 20: 2X DOWN IN COLD &amp; SALT, ONLY

12021_at	15123_s_at	19394_at
12094_at	15153_s_at	19415_at
12128_at	15172_s_at	19466_s_at
12151_at	15190_s_at	19549_s_at
12332_s_at	15211_s_at	19592_at
12472_s_at	15241_s_at	19633_at
12475_at	15437_at	19669_at
12482_s_at	15562_at	19848_s_at
12490_at	15638_s_at	19858_s_at
12531_at	15647_s_at	19878_at
12540_s_at	15654_s_at	19892_at
12577_at	15655_s_at	19974_s_at
12629_at	15658_s_at	20022_at
12642_at	15695_s_at	20032_at
12660_at	15846_at	20049_at
12676_s_at	15930_at	20081_at
12712_f_at	16053_i_at	20155_s_at
12725_r_at	16078_s_at	20163_s_at
12777_i_at	16229_at	20296_s_at
12790_s_at	16465_at	20336_at
12801_at	16484_s_at	20341_at
12887_s_at	16596_s_at	20365_s_at
12933_r_at	16600_s_at	20372_at
13153_r_at	16642_s_at	20489_at
13228_at	16914_s_at	20491_at
13362_s_at	17027_s_at	20576_at
13428_at	17066_s_at	20577_at
13538_at	17083_s_at	20609_at
13565_at	17128_s_at	20672_at
13588_at	17380_at	
13696_at	17398_at	
13702_s_at	17448_at	
13716_at	17485_s_at	
13764_at	17490_s_at	
14050_at	17499_s_at	
14055_s_at	17505_s_at	
14069_at	17514_s_at	
14078_at	17593_r_at	
14232_at	17886_at	
14346_at	17913_s_at	
14608_at	17924_at	
14609_at	17954_s_at	
14621_at	17991_g_at	
14635_s_at	18057_i_at	
14663_s_at	18069_at	
14688_s_at	18328_at	
14691_at	18416_at	
14704_s_at	18604_at	
14875_at	18644_at	
14911_s_at	18881_at	
14964_at	19171_at	
15022_at	19181_s_at	
15085_s_at	19182_at	

TABLE 21

## OSMOTIC &amp; SALINE STRESS RESPONSIVE SEQUENCES

SEQ	AFFYMETRIX	SEQ	AFFYMETRIX	SEQ	AFFYMETRIX
ID NO:	ID NO:	ID NO:	ID NO:	ID NO:	ID NO:
2586	12126_S_AT	2634	16073_F_AT	2681	19409_AT
2587	12137_AT	2635	16114_S_AT	2682	19503_AT
2588	12227_AT	2636	16127_S_AT	2683	19826_AT
2589	12239_AT		18744_F_AT	2684	19847_S_AT
2590	12268_AT	2637	16190_AT	2685	19930_AT
2591	12369_AT	2638	16196_AT	2686	19992_AT
2592	12476_AT	2639	16236_G_AT	2687	20096_AT
2593	12484_G_AT		19531_AT	2688	20108_AT
2594	12494_AT	2640	16310_AT	2689	20256_S_AT
2595	12644_AT	2641	16316_AT	2690	20290_S_AT
2596	12645_AT	2642	16334_S_AT	2691	20298_AT
2597	12796_S_AT	2643	16335_AT	2692	20305_AT
2598	12819_AT	2644	16340_AT	2693	20322_AT
2599	12841_AT	2645	16450_S_AT	2694	20333_AT
2600	12852_S_AT	2646	16500_AT	2695	20402_S_AT
	19455_S_AT	2647	16524_AT	2696	20424_AT
2601	13084_AT	2648	16533_AT	2697	20446_S_AT
2602	13171_AT	2649	16690_G_AT	2698	20450_AT
2603	13174_R_AT	2650	16762_AT	2699	20468_AT
2604	13596_AT	2651	16819_AT	2700	20569_S_AT
2605	13807_AT	2652	16873_I_AT	2701	20639_AT
2606	13977_AT	2653	16972_AT	2702	20678_AT
2607	13999_AT	2654	16991_AT	2703	20686_AT
2608	14052_AT	2655	17099_S_AT		
2609	14293_AT	2656	17339_AT		
2610	14335_AT	2657	17397_S_AT		
2611	14486_AT	2658	17419_AT		
2612	14506_AT	2659	17460_AT		
2613	14518_AT	2660	17554_S_AT		
2614	14540_AT	2661	17939_AT		
2615	14578_S_AT	2662	18013_R_AT		
2616	14646_S_AT		18178_S_AT		
2617	14662_F_AT	2663	18024_S_AT		
	15962_S_AT	2664	18032_I_AT		
2618	14901_AT	2665	18054_AT		
2619	14918_AT	2666	18151_AT		
2620	14986_AT	2667	18281_AT		
2621	15053_S_AT	2668	18445_AT		
2622	15179_S_AT	2669	18520_AT		
2623	15252_G_AT	2670	18583_AT		
2624	15280_AT	2671	18663_S_AT		
2625	15467_AT	2672	18753_S_AT		
2626	15607_S_AT	2673	18876_AT		
2627	15625_S_AT	2674	18938_G_AT		
2628	15703_I_AT	2675	18971_AT		
2629	15827_AT	2676	18977_AT		
2630	15863_AT	2677	18981_AT		
2631	15923_AT	2678	19099_AT		
2632	15946_S_AT	2679	19196_AT		
2633	16005_S_AT	2680	19376_AT		

TABLE 22: 2X UP IN SALT &amp; MANNITOL, ONLY

12126_s_at	17548_s_at
12227_at	17554_s_at
12369_at	17961_at
12521_at	18032_i_at
12644_at	18054_at
12645_at	18151_at
12724_f_at	18167_s_at
12795_at	18281_at
12796_s_at	18520_at
12841_at	18663_s_at
12852_s_at	18744_f_at
12958_at	18753_s_at
13014_at	18789_at
13174_r_at	18876_at
13211_s_at	18909_s_at
13596_at	18938_g_at
13640_at	18977_at
13789_at	19099_at
13977_at	19108_at
13999_at	19135_at
14069_at	19227_at
14083_at	19376_at
14089_at	19429_at
14293_at	19455_s_at
14675_s_at	19531_at
15053_s_at	19789_s_at
15058_s_at	19878_at
15252_g_at	20017_at
15280_at	20096_at
15437_at	20256_s_at
15607_s_at	20290_s_at
15625_s_at	20305_at
15827_at	20322_at
15863_at	20333_at
15880_at	20420_at
16005_s_at	20424_at
16031_at	20689_s_at
16073_f_at	
16316_at	
16334_s_at	
16335_at	
16450_s_at	
16500_at	
16524_at	
16533_at	
16597_s_at	
16819_at	
17085_s_at	
17099_s_at	
17339_at	
17419_at	
17442_i_at	
17514_s_at	



TABLE 23: 2X DOWN IN MANNITOL &amp; SALT, ONLY

12239_at	20108_at
12251_at	20298_at
12476_at	20421_at
12484_g_at	20432_at
12494_at	20446_s_at
12561_at	20639_at
12647_s_at	
12719_f_at	
12819_at	
12841_at	
13084_at	
13171_at	
13172_s_at	
13435_at	
13807_at	
14250_r_at	
14335_at	
14486_at	
14506_at	
14518_at	
14901_at	
15046_s_at	
15179_s_at	
15451_at	
15703_i_at	
15946_s_at	
16014_s_at	
16114_s_at	
16310_at	
16342_at	
16712_at	
16762_at	
16972_at	
16991_at	
17397_s_at	
17408_at	
17460_at	
17775_at	
17939_at	
18445_at	
18583_at	
18751_f_at	
18971_at	
18981_at	
19156_s_at	
19196_at	
19359_s_at	
19409_at	
19503_at	
19713_at	
19718_at	
19847_s_at	
19930_at	

TABLE 24

## COLD, OSMOTIC &amp; SALINE RESPONSIVE SEQUENCES

SEQ	AFFYMETRIX	SEQ	AFFYMETRIX	SEQ	AFFYMETRIX
ID NO:	ID NO:	ID NO:	ID NO:	ID NO:	ID NO:
1262	12004_AT	1306	12945_AT	1347	13725_AT
1263	12023_S_AT	1307	12958_AT	1348	13764_AT
1264	12078_AT	1308	12964_AT	1349	13771_AT
1265	12115_AT	1309	12968_AT	1350	13789_AT
1266	12118_AT	1310	12972_AT	1351	13916_AT
1267	12150_AT	1311	12989_S_AT	1352	13965_S_AT
1268	12251_AT	1312	13004_AT	1353	13967_AT
1269	12271_S_AT	1313	13014_AT	1354	14028_AT
1270	12276_AT	1314	13025_AT	1355	14039_AT
1271	12332_S_AT	1315	13036_AT	1356	14046_AT
	13211_S_AT	1316	13099_S_AT	1357	14049_AT
1272	12338_AT	1317	13136_AT	1358	14069_AT
1273	12400_AT	1318	13146_S_AT	1359	14077_AT
1274	12430_AT		13239_S_AT	1360	14080_AT
1275	12457_AT	1319	13153_R_AT	1361	14083_AT
1276	12521_AT	1320	13159_AT	1362	14089_AT
1277	12522_AT	1321	13176_AT	1363	14090_I_AT
1278	12530_AT	1322	13217_S_AT	1364	14097_AT
1279	12536_S_AT		17500_S_AT	1365	14116_AT
1280	12538_AT	1323	13225_S_AT	1366	14151_AT
1281	12561_AT		15997_S_AT		14219_AT
1282	12574_AT	1324	13230_S_AT	1367	14170_AT
	19019_I_AT		15972_S_AT	1368	14172_AT
1283	12595_AT	1325	13279_S_AT	1369	14192_AT
1284	12606_AT		17477_S_AT	1370	14224_AT
1285	12609_AT	1326	13280_S_AT	1371	14227_AT
1286	12622_AT		20301_S_AT	1372	14244_S_AT
1287	12630_AT	1327	13282_S_AT		14245_AT
1288	12647_S_AT		17027_S_AT		14645_S_AT
1289	12676_S_AT	1328	13426_AT		15974_G_AT
1290	12697_AT	1329	13432_AT	1373	14248_AT
1291	12698_AT	1330	13435_AT	1374	14250_R_AT
1292	12719_F_AT	1331	13447_S_AT	1375	14367_AT
1293	12724_F_AT	1332	13474_AT	1376	14381_AT
	15871_S_AT	1333	13511_AT	1377	14384_AT
	16597_S_AT	1334	13546_AT	1378	14398_S_AT
1294	12749_AT	1335	13547_S_AT	1379	14487_AT
1295	12765_AT	1336	13548_AT	1380	14582_AT
1296	12769_AT	1337	13555_AT	1381	14597_AT
1297	12781_AT	1338	13587_AT	1382	14609_AT
1298	12785_AT	1339	13595_AT	1383	14612_AT
1299	12792_S_AT	1340	13610_S_AT		19267_S_AT
1300	12795_AT	1341	13627_AT	1384	14614_AT
1301	12805_S_AT	1342	13640_AT	1385	14636_S_AT
1302	12857_AT	1343	13645_AT	1386	14644_S_AT
1303	12883_S_AT	1344	13647_AT		14658_S_AT
1304	12909_S_AT	1345	13706_S_AT		14659_S_AT
	16539_S_AT		19701_S_AT		15964_S_AT
1305	12932_S_AT	1346	13716_AT	1387	14675_S_AT
	15605_S_AT		18228_AT		

TABLE 24 (cont)

1388	14691_AT	1443	15753_AT	1496	16789_AT
	14709_AT	1444	15761_AT	1497	16818_S_AT
1389	14704_S_AT	1445	15776_AT	1498	16971_S_AT
	15846_AT	1446	15778_AT	1499	17018_S_AT
1390	14705_I_AT	1447	15839_AT	1500	17019_S_AT
1391	14733_S_AT	1448	15842_AT	1501	17029_S_AT
1392	14735_S_AT	1449	15857_S_AT	1502	17041_S_AT
1393	14779_AT	1450	15859_AT	1503	17047_S_AT
1394	14784_AT	1451	15880_AT	1504	17066_S_AT
1395	14923_AT	1452	15886_AT	1505	17085_S_AT
1396	14947_AT	1453	15906_S_AT	1506	17089_S_AT
1397	14950_AT	1454	15910_AT	1507	17179_AT
1398	14990_AT	1455	15937_AT	1508	17180_AT
1399	14998_AT	1456	15957_AT	1509	17228_AT
1400	15005_S_AT	1457	15970_S_AT	1510	17252_AT
1401	15018_AT	1458	15985_AT	1511	17317_AT
1402	15045_AT	1459	16010_S_AT	1512	17338_AT
1403	15046_S_AT		16011_S_AT	1513	17384_AT
1404	15052_AT		17078_S_AT	1514	17387_S_AT
1405	15058_S_AT	1460	16021_S_AT	1515	17400_S_AT
1406	15064_AT	1461	16031_AT	1516	17407_S_AT
1407	15088_S_AT	1462	16038_S_AT	1517	17408_AT
1408	15098_S_AT	1463	16045_S_AT	1518	17413_S_AT
1409	15103_S_AT	1464	16046_S_AT	1519	17416_AT
1410	15109_S_AT	1465	16048_AT	1520	17425_S_AT
1411	15124_S_AT	1466	16061_S_AT	1521	17440_I_AT
1412	15127_S_AT	1467	16082_S_AT	1522	17442_I_AT
1413	15145_S_AT	1468	16111_F_AT	1523	17473_AT
1414	15154_S_AT	1469	16115_S_AT	1524	17484_AT
1415	15161_S_AT	1470	16141_S_AT	1525	17514_S_AT
1416	15189_S_AT	1471	16144_S_AT	1526	17520_S_AT
1417	15214_S_AT	1472	16163_S_AT	1527	17533_S_AT
1418	15255_AT	1473	16173_S_AT	1528	17548_S_AT
1419	15356_AT	1474	16229_AT		19614_AT
1420	15357_AT	1475	16298_AT	1529	17549_S_AT
1421	15364_AT	1476	16301_S_AT	1530	17555_S_AT
1422	15392_AT	1477	16322_AT	1531	17567_AT
1423	15403_S_AT	1478	16342_AT	1532	17654_AT
1424	15437_AT	1479	16351_AT	1533	17693_AT
1425	15451_AT	1480	16412_S_AT	1534	17697_AT
1426	15476_AT	1481	16422_AT	1535	17722_AT
1427	15482_AT	1482	16427_AT	1536	17752_AT
1428	15483_S_AT	1483	16438_AT	1537	17755_AT
1429	15521_S_AT	1484	16474_S_AT	1538	17775_AT
1430	15522_I_AT	1485	16482_S_AT	1539	17832_S_AT
1431	15531_I_AT	1486	16485_S_AT	1540	17840_S_AT
1432	15573_AT		18052_S_AT	1541	17843_S_AT
1433	15581_S_AT	1487	16493_AT	1542	17855_AT
1434	15586_S_AT	1488	16534_S_AT	1543	17860_AT
1435	15594_S_AT	1489	16555_S_AT	1544	17869_AT
1436	15609_S_AT	1490	16561_S_AT	1545	17888_AT
1437	15611_S_AT		17572_S_AT	1546	17899_AT
1438	15621_F_AT	1491	16592_S_AT	1547	17929_S_AT
1439	15623_F_AT	1492	16615_S_AT	1548	17930_S_AT
1440	15669_S_AT	1493	16637_S_AT	1549	17932_S_AT
1441	15695_S_AT	1494	16692_AT	1550	17936_S_AT
1442	15702_S_AT	1495	16712_AT		18670_G_AT

TABLE 24 (cont)

1551	17957_AT	1606	19152_AT	1663	20040_AT
1552	17961_AT	1607	19156_S_AT	1664	20042_S_AT
1553	17962_AT	1608	19182_AT	1665	20060_AT
1554	17963_AT	1609	19186_S_AT		20438_AT
1555	17971_S_AT	1610	19214_AT	1666	20089_AT
1556	17975_AT	1611	19216_AT	1667	20118_AT
	18742_F_AT	1612	19227_AT	1668	20144_AT
1557	18016_R_AT	1613	19243_AT	1669	20149_AT
1558	18069_AT	1614	19288_AT	1670	20179_AT
1559	18122_AT	1615	19359_S_AT	1671	20190_AT
1560	18140_AT	1616	19368_AT	1672	20194_AT
1561	18199_AT	1617	19379_AT	1673	20219_AT
1562	18224_S_AT	1618	19380_S_AT	1674	20245_S_AT
1563	18225_AT	1619	19398_AT	1675	20263_AT
1564	18235_AT	1620	19421_AT	1676	20308_S_AT
1565	18259_S_AT	1621	19424_AT	1677	20335_S_AT
1566	18265_AT	1622	19429_AT	1678	20338_AT
1567	18270_AT1568	1623	19430_AT	1679	20345_AT
	18280_AT	1624	19450_AT	1680	20365_S_AT
1569	18289_AT	1625	19457_AT	1681	20382_S_AT
1570	18296_AT	1626	19467_AT	1682	20390_S_AT
1571	18298_AT	1627	19516_AT	1683	20395_AT
1572	18314_I_AT	1628	19545_AT	1684	20420_AT
1573	18318_AT	1629	19564_AT	1685	20421_AT
1574	18325_AT	1630	19577_AT	1686	20432_AT
1575	18351_S_AT	1631	19593_AT	1687	20437_AT
1576	18471_AT	1632	19602_AT	1688	20442_I_AT
1577	18482_S_AT	1633	19618_AT	1689	20463_S_AT
1578	18484_AT	1634	19638_AT	1690	20491_AT
1579	18560_AT	1635	19640_AT	1691	20537_AT
1580	18564_AT	1636	19646_S_AT	1692	20573_AT
1581	18590_AT	1637	19656_S_AT	1693	20636_AT
1582	18594_AT	1638	19670_AT	1694	20638_AT
1583	18595_AT	1639	19696_AT	1695	20641_AT
1584	18596_AT	1640	19713_AT	1696	20658_S_AT
1585	18629_S_AT	1641	19718_AT	1697	20689_S_AT
1586	18637_AT	1642	19722_S_AT	1698	20698_S_AT
1587	18661_AT	1643	19749_AT		
1588	18668_AT	1644	19755_AT		
1589	18699_I_AT	1645	19762_AT		
1590	18747_F_AT	1646	19789_S_AT		
	18789_AT	1647	19815_AT		
1591	18761_AT	1648	19843_AT		
1592	18833_AT	1649	19869_AT		
1593	18875_S_AT	1650	19878_AT		
1594	18894_AT	1651	19883_AT		
1595	18936_AT	1652	19894_AT		
1596	18946_AT	1653	19926_AT		
1597	18953_AT	1654	19944_AT		
1598	18955_AT	1655	19968_AT		
1599	18972_AT	1656	19977_AT		
1600	19008_S_AT	1657	19982_AT		
1601	19108_AT	1658	19987_AT		
1602	19123_AT	1659	19991_AT		
1603	19135_AT	1660	20015_AT		
1604	19137_AT	1661	20017_AT		
1605	19141_AT	1662	20031_AT		

TABLE 25: 2X UP IN COLD, SALT &amp; MANNITOL

12023_s_at	14733_s_at	17047_s_at	19640_at
12332_s_at	14923_at	17179_at	19646_s_at
12530_at	14990_at	17180_at	19656_s_at
12536_s_at	15005_s_at	17252_at	19701_s_at
12574_at	15018_at	17384_at	19843_at
12595_at	15052_at	17407_s_at	19944_at
12698_at	15088_s_at	17484_at	19982_at
12749_at	15098_s_at	17520_s_at	19987_at
12765_at	15103_s_at	17555_s_at	19991_at
12769_at	15145_s_at	17572_s_at	20042_s_at
12785_at	15154_s_at	17722_at	20060_at
12857_at	15161_s_at	17752_at	20118_at
12964_at	15214_s_at	17840_s_at	20144_at
12972_at	15356_at	17843_s_at	20149_at
12989_s_at	15521_s_at	17860_at	20179_at
13004_at	15573_at	17929_s_at	20194_at
13025_at	15586_s_at	17936_s_at	20245_s_at
13036_at	15609_s_at	17962_at	20390_s_at
13099_s_at	15611_s_at	18052_s_at	20437_at
13136_at	15621_f_at	18069_at	20463_s_at
13176_at	15669_s_at	18122_at	20491_at
13220_s_at	15695_s_at	18199_at	20641_at
13225_s_at	15753_at	18259_s_at	20658_s_at
13230_s_at	15761_at	18280_at	
13239_s_at	15857_s_at	18289_at	
13426_at	15871_s_at	18314_i_at	
13474_at	15964_s_at	18318_at	
13548_at	15970_s_at	18325_at	
13555_at	15974_g_at	18482_s_at	
13595_at	15997_s_at	18590_at	
13627_at	16011_s_at	18594_at	
13645_at	16021_s_at	18595_at	
13647_at	16038_s_at	18596_at	
13706_s_at	16046_s_at	18629_s_at	
13965_s_at	16082_s_at	18661_at	
13967_at	16111_f_at	18668_at	
14080_at	16115_s_at	18699_i_at	
14090_i_at	16127_s_at	18722_s_at	
14097_at	16141_s_at	18936_at	
14116_at	16144_s_at	18953_at	
14151_at	16163_s_at	18955_at	
14172_at	16236_g_at	18972_at	
14192_at	16301_s_at	19008_s_at	
14244_s_at	16322_at	19152_at	
14245_at	16422_at	19186_s_at	
14367_at	16474_s_at	19214_at	
14398_s_at	16482_s_at	19368_at	
14582_at	16485_s_at	19379_at	
14614_at	16555_s_at	19380_s_at	
14644_s_at	16561_s_at	19421_at	
14645_s_at	16592_s_at	19545_at	
14658_s_at	16637_s_at	19614_at	
14659_s_at	17041_s_at	19638_at	

TABLE 26: 2X DOWN IN COLD, MANNITOL &amp; SALT, ONLY

12078_at	15189_s_at	17869_at	20015_at
12115_at	15357_at	17888_at	20040_at
12118_at	15364_at	17930_s_at	20089_at
12150_at	15403_s_at	17932_s_at	20190_at
12271_s_at	15476_at	17957_at	20219_at
12276_at	15483_s_at	17963_at	20263_at
12338_at	15522_i_at	17971_s_at	20301_s_at
12400_at	15531_i_at	17975_at	20308_s_at
12430_at	15594_s_at	18016_r_at	20338_at
12538_at	15702_s_at	18140_at	20345_at
12622_at	15778_at	18224_s_at	20395_at
12630_at	15839_at	18225_at	20442_i_at
12792_s_at	15842_at	18228_at	20537_at
12805_s_at	15859_at	18235_at	20573_at
12883_s_at	15872_at	18265_at	20636_at
12909_s_at	15880_at	18270_at	20638_at
12932_s_at	15886_at	18296_at	20698_s_at
12968_at	15906_s_at	18298_at	
13159_at	15957_at	18471_at	
13217_s_at	15985_at	18564_at	
13279_s_at	16045_s_at	18637_at	
13282_s_at	16061_s_at	18742_f_at	
13432_at	16173_s_at	18761_at	
13511_at	16298_at	18833_at	
13546_at	16351_at	18875_s_at	
13547_s_at	16412_s_at	18894_at	
13587_at	16438_at	18946_at	
13610_s_at	16493_at	19123_at	
13640_at	16534_s_at	19216_at	
13725_at	16539_s_at	19243_at	
13771_at	16615_s_at	19267_s_at	
13916_at	16692_at	19288_at	
14028_at	16789_at	19398_at	
14039_at	16818_s_at	19424_at	
14046_at	16971_s_at	19430_at	
14049_at	17018_s_at	19450_at	
14077_at	17029_s_at	19457_at	
14170_at	17089_s_at	19467_at	
14227_at	17228_at	19516_at	
14248_at	17338_at	19564_at	
14381_at	17387_s_at	19577_at	
14384_at	17413_s_at	19593_at	
14487_at	17416_at	19602_at	
14597_at	17425_s_at	19618_at	
14705_i_at	17440_i_at	19670_at	
14709_at	17473_at	19696_at	
14779_at	17533_s_at	19722_s_at	
14947_at	17549_s_at	19749_at	
14950_at	17654_at	19755_at	
14998_at	17693_at	19815_at	
15045_at	17697_at	19926_at	
15109_s_at	17755_at	19968_at	
15124_s_at	17832_s_at	19977_at	

TABLE 27: 2X ROOT SPECIFIC (COLD, SALINE &amp; OSMOTIC STRESSES)

11997_at	14069_at	16052_at	18327_s_at
12004_at	14072_at	16053_i_at	18597_at
12051_at	14073_at	16105_s_at	18607_s_at
12072_at	14097_at	16161_s_at	18636_at
12150_at	14139_at	16165_s_at	18663_s_at
12151_at	14235_at	16298_at	18782_at
12166_i_at	14250_r_at	16334_s_at	18885_at
12219_at	14578_s_at	16422_at	18888_at
12315_at	14582_at	16427_at	18942_at
12332_s_at	14640_s_at	16440_s_at	18955_at
12374_i_at	14643_s_at	16442_s_at	19060_at
12482_s_at	14644_s_at	16468_at	19108_at
12515_at	14658_s_at	16488_at	19135_at
12522_at	14659_s_at	16511_at	19137_at
12538_at	14711_s_at	16529_at	19195_at
12571_s_at	14900_at	16553_f_at	19263_at
12574_at	14924_at	16568_s_at	19376_at
12609_at	14990_at	16914_s_at	19406_at
12678_i_at	15018_at	16965_s_at	19432_s_at
12698_at	15022_at	16981_s_at	19835_at
12749_at	15107_s_at	16989_at	19836_at
12760_g_at	15116_f_at	17033_s_at	19840_s_at
12765_at	15120_s_at	17066_s_at	19841_at
12768_at	15124_s_at	17085_s_at	19843_at
12769_at	15131_s_at	17252_at	19926_at
12772_at	15132_s_at	17376_at	19972_at
12777_i_at	15137_s_at	17378_at	19977_at
12958_at	15184_s_at	17388_at	19991_at
12989_s_at	15188_s_at	17415_at	20034_i_at
13015_s_at	15208_s_at	17429_s_at	20042_s_at
13134_s_at	15252_g_at	17463_at	20189_at
13146_s_at	15343_at	17485_s_at	20194_at
13172_s_at	15389_at	17490_s_at	20200_at
13178_at	15392_at	17567_at	20214_i_at
13179_at	15448_at	17585_s_at	20239_g_at
13187_i_at	15503_at	17595_s_at	20262_at
13211_s_at	15531_i_at	17840_s_at	20269_at
13239_s_at	15594_s_at	17860_at	20294_at
13273_s_at	15609_s_at	17880_s_at	20312_s_at
13297_s_at	15623_f_at	17894_at	20382_s_at
13549_at	15639_s_at	17896_at	20396_at
13604_at	15670_s_at	17899_at	20432_at
13629_s_at	15680_s_at	17911_at	20444_at
13706_s_at	15859_at	17935_at	20446_s_at
13714_at	15900_at	17961_at	20480_s_at
13751_at	15923_at	18024_s_at	20586_i_at
13895_at	15962_s_at	18122_at	20612_s_at
13933_at	15964_s_at	18222_at	20672_at
13967_at	15965_at	18224_s_at	20686_at
13985_s_at	15975_s_at	18252_at	20689_s_at
14028_at	15985_at	18255_at	
14030_at	16001_at	18269_s_at	
14058_at	16048_at	18270_at	

TABLE 28: 2X LEAF SPECIFIC (COLD, SALINE &amp; OSMOTIC STRESSES)

12169_i_at	16136_s_at
12186_at	16172_s_at
12187_at	16316_at
12211_at	16385_s_at
12212_at	16455_at
12214_g_at	16485_s_at
12270_at	16512_s_at
12645_at	16547_s_at
12754_g_at	16548_s_at
12774_at	16629_s_at
12793_at	16673_at
12796_s_at	16899_at
12910_s_at	17010_s_at
12916_s_at	17018_s_at
12953_at	17054_s_at
13090_at	17095_s_at
13124_at	17097_s_at
13335_at	17273_at
13550_at	17394_s_at
13567_at	17420_at
13568_at	17449_s_at
13596_at	17600_s_at
13614_at	17843_s_at
13678_s_at	17913_s_at
13719_at	17966_at
14014_at	18003_at
14096_at	18081_at
14118_i_at	18560_at
14369_at	18588_at
14478_at	18626_at
14513_s_at	18644_at
14540_at	18666_s_at
14596_at	18742_f_at
14733_s_at	18977_at
14986_at	18994_at
15045_at	19227_at
15097_s_at	19373_at
15098_s_at	19834_at
15145_s_at	19867_at
15153_s_at	19998_at
15154_s_at	20062_at
15182_s_at	20199_at
15203_s_at	20256_s_at
15372_at	20284_at
15521_s_at	20437_at
15581_s_at	20442_i_at
15621_f_at	20450_at
15642_s_at	20468_at
15776_at	20547_at
15910_at	20635_s_at
16017_at	
16046_s_at	
16115_s_at	



TABLE 29: 2X TRANSCRIPTION (COLD, SALINE &amp; OSMOTIC STRESSES)

12068_at	15665_s_at	19836_at
12166_i_at	15679_s_at	19860_at
12374_i_at	15720_at	19866_at
12392_at	15871_s_at	19898_at
12431_at	16072_s_at	20262_at
12450_s_at	16073_f_at	20335_s_at
12503_at	16105_s_at	20362_at
12536_s_at	16111_f_at	20424_at
12540_s_at	16127_s_at	20437_at
12541_at	16534_s_at	20456_at
12587_at	16582_s_at	20515_s_at
12594_at	16589_s_at	20635_s_at
12595_at	16747_at	
12704_f_at	17019_s_at	
12705_f_at	17129_s_at	
12709_f_at	17160_at	
12712_f_at	17520_s_at	
12719_f_at	17538_s_at	
12724_f_at	17555_s_at	
12725_r_at	17609_at	
12726_f_at	17896_at	
12734_f_at	17971_s_at	
12736_f_at	17975_at	
12737_f_at	17978_s_at	
12812_at	18121_s_at	
12949_at	18167_s_at	
12951_at	18197_at	
12966_s_at	18222_at	
13023_at	18318_at	
13034_s_at	18576_s_at	
13087_at	18629_s_at	
13270_at	18738_f_at	
13273_s_at	18742_f_at	
13432_at	18744_f_at	
13555_at	18745_f_at	
13688_s_at	18747_f_at	
13714_at	18750_f_at	
13965_s_at	18751_f_at	
13987_s_at	18789_at	
14003_at	18834_at	
14144_at	18942_at	
14178_at	19083_at	
14223_at	19202_at	
14235_at	19209_s_at	
14303_s_at	19232_s_at	
14393_at	19315_at	
14553_at	19489_s_at	
14781_at	19611_s_at	
15046_s_at	19646_s_at	
15053_s_at	19707_s_at	
15214_s_at	19722_s_at	
15510_r_at	19744_at	
15638_s_at	19755_at	

TABLE 30: 2X PHOSPHATES (COLD, SALINE &amp; OSMOTIC STRESSES)

12470\_at  
12556\_at  
13128\_at  
13135\_s\_at  
13180\_s\_at  
13192\_s\_at  
13193\_s\_at  
13587\_at  
13995\_at  
14335\_at  
15073\_at  
15171\_s\_at  
15240\_at  
15586\_s\_at  
15641\_s\_at  
15651\_f\_at  
15990\_at  
16232\_s\_at  
16576\_f\_at  
16753\_at  
17423\_s\_at  
17525\_s\_at  
17537\_s\_at  
17929\_s\_at  
17954\_s\_at  
18012\_s\_at  
18308\_i\_at  
18616\_at  
18847\_at  
18936\_at  
18980\_at  
19243\_at  
19263\_at  
19638\_at  
19883\_at  
19932\_at  
20333\_at  
20393\_at  
20570\_at

TABLE 31: 2X KINASES (COLD, SALINE &amp; OSMOTIC STRESSES)

12253_g_at	16059_s_at	20144_at
12270_at	16087_s_at	20219_at
12271_s_at	16088_f_at	20223_at
12276_at	16125_s_at	20232_s_at
12278_at	16137_s_at	20235_i_at
12284_at	16140_s_at	20282_s_at
12300_at	16143_s_at	20298_at
12307_at	16144_s_at	20396_at
12353_at	16160_f_at	20439_at
12357_s_at	16171_s_at	20462_at
12390_at	16357_at	
12394_at	16412_s_at	
12395_s_at	16568_s_at	
12408_at	16570_s_at	
12452_at	16571_s_at	
12477_at	16584_s_at	
12490_at	16651_s_at	
12497_at	16652_s_at	
12532_at	16672_at	
12697_at	16818_s_at	
12901_s_at	16840_at	
12902_at	17068_s_at	
12958_at	17122_s_at	
12959_at	17252_at	
13068_at	17323_at	
13246_at	17475_at	
13324_at	17752_at	
13332_at	17921_s_at	
13362_s_at	17933_at	
13370_at	17935_at	
13550_at	18013_r_at	
14030_at	18046_s_at	
14048_at	18122_at	
14194_at	18176_at	
14196_at	18316_at	
14217_at	18455_at	
14459_at	18459_at	
14603_at	18482_s_at	
14637_s_at	18543_at	
14686_s_at	18706_s_at	
15005_s_at	18782_at	
15175_s_at	18924_at	
15270_at	19117_s_at	
15475_s_at	19437_s_at	
15497_s_at	19442_at	
15577_s_at	19458_at	
15616_s_at	19464_at	
15633_s_at	19469_at	
15634_s_at	19562_at	
15668_s_at	19655_at	
15680_s_at	19749_at	
15798_at	19854_at	
16034_at	19904_at	

TABLE 32

GenBank accession numbers and source organisms for nucleotide and amino acid sequence homologs of the listed SEQ ID NO:

SEQ ID NO. 4	SEQ ID NO. 40		
AAG14455.1	BAB20583.1	Tulipa gesneriana	Zea mays
AAG14456.1	AAK13126.1	Tulipa gesneriana	Oryza sativa
AAG14454.1	CAC09578.1	Tulipa gesneriana	Fagus sylvatica
SEQ ID NO. 12	SEQ ID NO. 41		
BAB20886.1	BAB39155.1	Oryza sativa	Pisum sativum
CAA05081.1	AAG13663.1	Triticum turgidum subsp. durum	Zea mays
AAC19392.1	BAA90816.1	Mesembryanthemum crystallinum	Oryza sativa
CAA33082.1	AAC98090.1	Spinacia oleracea	Zea mays
AAC04671.1	AAC98091.1	Brassica napus	Oryza sativa
AAF88067.1		Triticum aestivum	
BAA25681.1		Brassica rapa	
AAC32111.1		Picea mariana	
AAG35777.1		Brassica oleracea var.	
albolabura			
AAB53694.1	SEQ ID NO. 48	Brassica napus	Oryza sativa
BAA05546.1	CAA61510.1	Oryza sativa	Glycine max
BAA04864.1	AAF59906.1	Oryza sativa	Glycine max
AAB51522.1	AAF91322.1	Oryza sativa	Glycine max
CAA94534.1	AAF91324.1	Oryza sativa	Glycine max
CAA35827.1	AAF91323.1	Ricinus communis	Glycine max
CAA35826.1	AAF59905.1	Spinacia oleracea	Glycine max
	AAC36318.1	Spinacia oleracea	Malus x domestica
	AAF53127		Pinus sylvestris
	AAB36558.1		Ipomoea nil
	BAA83373.1		Oryza sativa
	BAA84787.1		Oryza sativa
	AAF34426.1		Oryza sativa
	AAC49123.1	Nicotiana sylvestris	Oryza sativa
	AAC80225.1	Pisum sativum	Oryza longistaminata
	AAB82755.1	Vigna radiata	Oryza longistaminata
	AAB82756.1	Spinacia oleracea	Oryza sativa
	BAA88636.1	Zea mays	Nicotiana tabacum
	AAG52992.1	Oryza sativa	Ipomoea nil
	AAB82753.1	Oryza sativa	Oryza longistaminata
SEQ ID NO. 13	SEQ ID NO. 49		
BAA03763.1	AAAB82755.1	Oryza sativa	Oryza longistaminata
AAF75791.1			
AAF40306.1			
CAA68193.1			
AAD20980.1			
BAA95704.1			
BAA95705.1			
SEQ ID NO. 17			
BAA13181.1			
D86925			

AAC49123.1	U37133	Oryza sativa	AAC23542.1	U20948	Ipomoea trifida
AAC80225.1	U72723	Oryza longistaminata	CAA73134.1	Y12531	Brassica oleracea
AAF34426.1	AF172282	Oryza sativa	CAA67145.1	X98520	Brassica oleracea
CAC20842.1	AJ250467	Pinus sylvestris	BAA23676.1	AB000970	Brassica rapa
BAA83373.1	AP000391	Oryza sativa	BAA92836.1	AB032473	Brassica oleracea
BAA84787.1	AP000559	Oryza sativa	CAB89179.1	AJ245479	Brassica napus subsp. nap
AAB82756.1	U72724	Oryza sativa	AAA33008.1	M97667	Brassica napus
AAF91323.1	AF244889	Glycine max	BAA92837.1	AB032474	Brassica oleracea
AAC36318.1	AF053127	Malus x domestica	CAB41879.1	Y18260	Brassica oleracea
AAF91324.1	AF244890	Glycine max	CAA79355.1	Z18921	Brassica oleracea
AAF91322.1	AF244888	Glycine max	BAA21132.1	D88193	Brassica rapa
AAF59905.1	AF197946	Glycine max	BAA06285.1	D30049	Brassica rapa
AAF59906.1	AF197947	Glycine max	AAA62232.1	U00443	Brassica napus
AAB36558.1	U77888	Ipomoea nil	CAA74662.1	Y14286	Brassica oleracea
CAA61510.1	X89226	Oryza sativa	CAB41878.1	Y18259	Brassica oleracea
AAB82753.1	U72726	Oryza longistaminata	AAA33000.1	M76647	Brassica oleracea
BAA88636.1	AB029327	Nicotiana tabacum	BAA07577.2	D38564	Brassica rapa
AAG52992.1	U77888	Ipomoea nil	BAA07576.1	D38563	Brassica rapa
AAB61708.1	U93048	Daucus carota	BAB21001.1	AB054061	Brassica rapa
SEQ ID NO. 50			AAB93834.1	U82481	Zea mays
BAA22559.1	AB007503	Glycine max	AAD21872.1	AF078082	Phaseolus vulgaris
BAA24289.1	AB010148	Panax ginseng	AAD52097.1	AF088885	Nicotiana tabacum
BAA13084.1	D86410	Glycyrrhiza glabra	AAF34428.1	AF172282	Oryza sativa
BAA13083.1	D86409	Glycyrrhiza glabra	SEQ ID NO. 52		
AAB08578.1	U60057	Nicotiana tabacum	AAB61708.1	U93048	Daucus carota
AAD20626.1	AF124842	Capsicum annuum	BAA83373.1	AP000391	Oryza sativa
BAA82093.1	AB022599	Solanum tuberosum	BAA84787.1	AP000559	Oryza sativa
AAA87048.1	U46000	Nicotiana benthamiana	AAG52992.1	U77888	Ipomoea nil
AAG14896.1	AF302464	Artemisia annua	AAF91322.1	AF244888	Glycine max
BAA22558.1	AB007502	Zea mays	AAF91323.1	AF244889	Glycine max
BAA22557.1	AB007501	Oryza sativa	AAK21965.1	AY028699	Brassica napus
AAB02945.1	U59683	Nicotiana tabacum	AAF59906.1	AF197947	Glycine max
AAF20201.1	AF205791	Botryococcus braunii	CAA61510.1	X89226	Oryza sativa
AAF71269.1	AF249900	Citrus sinensis	AAB36558.1	U77888	Ipomoea nil
AAD56387.1	AF181557	Artemisia annua	AAF59905.1	AF197946	Glycine max
AAF63255.1	AF205790	Botryococcus braunii	AAG03090.1	AC073405	Oryza sativa
SEQ ID NO. 51			AAF34426.1	AF172282	Oryza sativa
CAA73133.1	Y12530	Brassica oleracea	AAA33915.1	L27821	Oryza sativa
CAA74661.1	Y14285	Brassica oleracea	AAD21872.1	AF078082	Phaseolus vulgaris
			AAG16628.1	AY007545	Brassica napus

BAA94509.1	AB041503	Populus nigra	AAF23176.1	AF216497	Gossypium hirsutum
BAA94510.1	AB041504	Populus nigra	BAA76420.1	AB024992	Cicer arietinum
AAG52994.1	U77888	Ipomoea nil	CAA94437.1	Z70524	Spirodela polyrrhiza
AAK11674.1	AF339747	Lophopyrum elongatum	SEQ ID NO. 56		
AAF43496.1	AF131222	Lophopyrum elongatum	AAF66615.1	AF142596	Nicotiana tabacum
BAA92954.1	AP001551	Oryza sativa	AAF91324.1	AF244890	Glycine max
BAA78764.1	AB023482	Oryza sativa	CAB51834.1	00069	Oryza sativa
SEQ ID NO. 54			AAK21965.1	AY028699	Brassica napus
CAA57913.1	X82577	Brassica napus	BAA78764.1	AB023482	Oryza sativa
AAF03675.1	AF149311	Rauvolfia serpentina	CAA97692.1	Z73295	Catharanthus roseus
AAB38784.1	U72154	Brassica nigra	AAG03090.1	AC073405	Oryza sativa
AAF34650.1	AF221526	Prunus serotina	AAG16628.1	AY007545	Brassica napus
BAA11831.1	D83177	Costus speciosus	BAA94509.1	AB041503	Populus nigra
AAA91166.1	U39228	Prunus avium	AAF43496.1	AF131222	Lophopyrum elongatum
AAB22162.1	S35175	Manihot esculenta	AAK11674.1	AF339747	Lophopyrum elongatum
AAF04007.1	AF163097	Dalbergia cochinchinensis	CAA73134.1	Y12531	Brassica oleracea
AAD09850.1	U44087	Zea mays	BAA94510.1	AB041504	Populus nigra
AAF28800.1	AF112888	Catharanthus roseus	AAA33915.1	L27821	Oryza sativa
CAA64442.1	X94986	Manihot esculenta	AAB09771.1	U67422	Zea mays
BAA78708.1	AB003089	Polygonum tinctorium	AAC61805.1	U28007	Lycopersicon esculentum
AAD02839.1	AF082991	Avena sativa	AAF91337.1	AF249318	Glycine max
AAG00614.1	AF293849	Secale cereale	AAB93834.1	U82481	Zea mays
AAC49177.1	U33817	Sorghum bicolor	AAG25966.1	AF302082	Nicotiana tabacum
AAG25897.1	AF170087	Cucurbita pepo	AAF91336.1	AF249317	Glycine max
CAA55196.1	X78433	Avena sativa	AAF76313.1	AF220603	Lycopersicon esculentum
AAD10503.1	U33816	Zea mays	AAB47421.1	U59316	Lycopersicon esculentum
AAA65946.1	U25157	Zea mays	CAA74662.1	Y14286	Brassica oleracea
AAB03266.1	U44773	Zea mays	CAA74661.1	Y14285	Brassica oleracea
CAA52293.1	X74217	Zea mays	AAD21872.1	AF078082	Phaseolus vulgaris
AAC69619.1	AF072736	Pinus contorta	BAA92954.1	AP001551	Oryza sativa
CAA40058.1	X56734	Trifolium repens	BAA06538.1	D31737	Nicotiana tabacum
AAB71381.1	U95298	Manihot esculenta	AAK11566.1	AF318490	Lycopersicon hirsutum
CAA40057.1	X56733	Trifolium repens	AAK11569.1	AF318493	Lycopersicon hirsutum
AAA87339.1	L41869	Hordeum vulgare	CAA73133.1	Y12530	Brassica oleracea
AAK07429.1	AF321287	Musa acuminata	SEQ ID NO. 57		
CAA79989.2	Z21977	Brassica napus	AAG00510.1	AF285172	Phaseolus vulgaris
AAA84906.1	U28047	Oryza sativa	AAF59905.1	AF197946	Glycine max
CAC08209.1	AJ005950	Cicer arietinum	AAF59906.1	AF197947	Glycine max
SEQ ID NO. 55			AAB61708.1	U93048	Daucus carota

AAC36318.1	AF053127	Malus x domestica	BAA21673.1	AB006033	Allium cepa
AAK21965.1	AY028699	Brassica napus	AAB41817.1	M58365	Medicago sativa
AAF91324.1	AF244890	Glycine max	AAA33479.1	M60526	Zea mays
AAF91323.1	AF244889	Glycine max	CAA73997.1	Y13646	Petunia x hybrida
CAA97692.1	Z73295	Catharanthus roseus	BAA19553.1	D64036	Oryza sativa
CAA61510.1	X89226	Oryza sativa	CAA66234.1	X97638	Antirrhinum majus
AAF91322.1	AF244888	Glycine max	AAD30506.1	AF129886	Vigna radiata
AAK11569.1	AF318493	Lycopersicon hirsutum	CAA41172.1	X58194	Oryza sativa
CAB51834.1	00069	Oryza sativa	AAD08721.1	AF038570	Dunaliella tertiolecta
AAF76307.1	AF220602	Lycopersicon pimpinellifolium	CAC15504.1	AJ297917	Lycopersicon esculentum
AAB47424.1	U59317	Lycopersicon pimpinellifolium	AAG01533.1	AF289466	Nicotiana tabacum
AAK11566.1	AF318490	Lycopersicon hirsutum	AAG01532.1	AF289465	Nicotiana tabacum
AAB47423.1	U59315	Lycopersicon pimpinellifolium	CAC15503.1	AJ297916	Lycopersicon esculentum
AAC48914.1	U02271	Lycopersicon pimpinellifolium	CAA66236.1	X97640	Antirrhinum majus
AAF76306.1	AF220602	Lycopersicon pimpinellifolium	CAC17703.1	AJ278885	Chenopodium rubrum
AAF76313.1	AF220603	Lycopersicon esculentum	BAB18271.1	AB035141	Chlamydomonas reinhardtii
AAB47421.1	U59316	Lycopersicon esculentum	CAB37188.1	AJ224336	Medicago sativa
AAG03090.1	AC073405	Lycopersicon esculentum	CAA47099.1	X66469	Medicago sativa
AAA33915.1	I27821	Oryza sativa	AAB41548.1	I07042	Medicago sativa
AAF76314.1	AF220603	Lycopersicon esculentum	SEQ ID NO. 60		
AAK11568.1	AF318492	Lycopersicon hirsutum	BAA94962.1	AB042103	Asparagus officinalis
AAB47422.1	U59318	Lycopersicon esculentum	AAF63027.1	AF244924	Spinacia oleracea
BAA06538.1	D31737	Nicotiana tabacum	BAA92500.1	AP001383	Oryza sativa
AAK11567.1	AF318491	Lycopersicon hirsutum	AAF63026.1	AF244923	Spinacia oleracea
AAF34426.1	AF172282	Oryza sativa	AAF63025.1	AF244922	Spinacia oleracea
AAG25966.1	AF302082	Nicotiana tabacum	CAA62615.1	X91232	Mercurialis annua
SEQ ID NO. 59			BAA92422.1	AP001366	Oryza sativa
CAA96385.1	Z71703	Beta vulgaris	BAA92497.1	AP001383	Oryza sativa
BAA33152.1	AB008187	Pisum sativum	AAD43561.1	AF155124	Gossypium hirsutum
CAA66233.1	X97637	Antirrhinum majus	BAA82306.1	AB027752	Nicotiana tabacum
AAA92823.1	U18365	Brassica napus	CAA66037.1	X97351	Populus balsamifera subsp.
CAA76701.1	Y17226	Lycopersicon esculentum	trichocarpa		
AAG01534.1	AF289467	Nicotiana tabacum	AAD37430.1	AF149280	Phaseolus vulgaris
AAC41680.1	I34206	Petroselinum crispum	CAB65334.1	AJ250121	Picea abies
CAA61581.1	X89400	Vigna unguiculata	BAA77389.1	AB024439	Scutellaria baicalensis
CAA50038.1	X70707	Medicago sativa	BAA06334.1	D30652	Populus kitakamiensis
CAA71242.1	Y10160	Chenopodium rubrum	CAA71492.1	Y10466	Spinacia oleracea
AAA34241.1	M99497	Vigna aconitifolia	CAA66034.1	X97348	Populus balsamifera subsp.
CAA76700.1	Y17225	Lycopersicon esculentum	trichocarpa		
CAA99991.1	Z75661	Sesbania rostrata	BAA06335.1	D30653	Populus kitakamiensis

CAB94692.1	AJ242742	Ipomoea batatas	CAB56742.1	AJ249800	Cicer arietinum
CAB62226.1	X90693	Medicago sativa	AAG09208.1	AF175278	Pisum sativum
BAA14143.1	D90115	Armoracia rusticana	AAC49188.2	U29333	Pisum sativum
AAB02554.1	L37790	Stylosanthes humilis	AAA32913.1	M32885	Persea americana
CAB66036.1	X97350	Populus balsamifera subsp.	AAD56282.1	AF155332	Petunia x hybrida
trichocarpa			AAC39454.1	AF014802	Eschscholzia californica
BAA11852.1	D83224	Populus nigra	BAA92894.1	AB006790	Petunia x hybrida
BAA11853.1	D83225	Populus nigra	BAA12159.1	D83968	Glycine max
BAA07241.1	D38051	Populus kitakamiensis	CAA65580.1	X96784	Nicotiana tabacum
AAC05277.1	AF049881	Linum usitatissimum	AAB94587.1	AF022458	Glycine max
CAA66035.1	X97349	Populus balsamifera subsp.	BAA22423.1	AB001380	Glycyrrhiza echinata
trichocarpa			BAA74466.1	AB022733	Glycyrrhiza echinata
AAD37427.1	AF149277	Phaseolus vulgaris	AAG44132.1	AF218296	Pisum sativum
AAB06183.1	M37636	Arachis hypogaea	BAA13076.1	D86351	Glycine max
AAA34108.1	J02979	Nicotiana tabacum	BAA84072.1	AB028152	Torenia hybrida
CAA62227.1	X90694	Medicago sativa	AAD38930.1	AF135485	Glycine max
BAA01992.1	D11396	Nicotiana tabacum	CAA64635.1	X95342	Nicotiana tabacum
BAA92967.1	AP001551	Oryza sativa	CAB56743.1	AJ249801	Cicer arietinum
CAA40796.1	X57564	Armoracia rusticana	BAB40324.1	AB037245	Asparagus officinalis
AAC98519.1	AF007211	Glycine max			
CAA71493.1	Y10467	Spinacia oleracea	SEQ ID NO. 62		
CAA62225.1	X90692	Medicago sativa	CAA12395.1	AJ225087	Vigna unguiculata
CAA50597.1	X71593	Lycopersicon esculentum	CAA36556.1	X52321	Hordeum vulgare
CAB67121.1	Y19023	Lycopersicon esculentum	AAG25637.1	AF300799	Hordeum vulgare
AAC49819.1	AF014468	Oryza sativa	AAC67245.1	AF061203	Hordeum vulgare
BAA08499.1	D49551	Oryza sativa	AAG25638.1	AF300800	Hordeum vulgare
BAA01877.1	D11102	Populus kitakamiensis	BAB39391.1	AB048949	Hordeum vulgare
CAA59487.1	X85230	Triticum aestivum	AAK30294.1	AF353207	Castanea crenata
AAB97734.1	AF014502	Glycine max	BAA04815.1	D21349	Hordeum vulgare
BAA77388.1	AB024438	Scutellaria baicalensis	BAA08741.1	D49999	Hordeum vulgare
			AAC67246.1	AF061204	Hordeum vulgare subsp.
SEQ ID NO. 61			spontaneum		
CAB43505.1	AJ239051	Cicer arietinum	CAC16789.1	AJ301645	Hordeum vulgare
BAA93634.1	AB025016	Lotus japonicus	AAD04259.1	AF049098	Trifolium repens
BAA74465.1	AB022732	Glycyrrhiza echinata	BAA02286.1	D12882	Ipomoea batatas
BAA22422.1	AB001379	Glycyrrhiza echinata	AAD04188.1	AF026217	Medicago sativa
CAA10067.1	AJ012581	Cicer arietinum	BAA09462.1	D50866	Glycine max
CAB41490.1	AJ238439	Cicer arietinum	BAA20453.1	AB004271	Glycine max
CAA04117.1	AJ000478	Helianthus tuberosus	AAG44882.1	AF284857	Calystegia sepium
CAA04116.1	AJ000477	Helianthus tuberosus	CAA67128.1	X98504	Triticum aestivum
AAB94590.1	AF022461	Glycine max	AAA33898.1	L10345	Oryza sativa



[illegible]

CAA52895.1	X74941	Lycopersicon esculentum	SEQ ID NO. 68	Solanum tuberosum
AA42938.1	AF084972	Catharanthus roseus	AAG0959.1	AFL22051
CAA71768.1	Y10809	Petroselinum crispum	AAG0960.1	AFL22052
AA80169.1	U10270	Zea mays	AAG0961.1	AFL22053
CAA71770.1	Y10810	Petroselinum crispum	AAF67052.1	AF190303
AA40291.1	U42208	Oryza sativa	AAF67053.1	AF190304
CAA58772.1	X83920	Brassica napus	AAF34434.1	AF172282
CA88492.1	Z48602	Nicotiana tabacum	AAF67051.1	AF190302
CAB62402.1	Y15165	Zea mays	AAF67050.1	AF190301
BAA10928.1	D64051	Triticum aestivum	CAA72217.1	Y11414
AAC49398.1	U46217	Petroselinum crispum	BAA81731.1	AB029160
CAA76555.1	Y16953	Sinapis alba	BAA81730.1	AB029159
AA42937.1	AF084971	Catharanthus roseus	CAA66952.1	X98308
CA88493.1	Z48603	Nicotiana tabacum	AAD31395.1	AF114162
CAA63073.1	X92102	Raphanus sativus	BAA23341.1	D88621
AAAI7488.1	U07933	Triticum aestivum	CAB40189.1	AJ133638
CAA52897.1	X74943	Lycopersicon esculentum	CAA61021.1	X87690
AB00098.1	L01449	Glycine max	AAG22863.1	AY008692
AAAG8429.1	M63999	Triticum aestivum	BAA96421.1	AB044084
AAAI9103.1	U10466	Triticum aestivum	CAA78388.1	Z13998
AAAI9104.1	U10467	Triticum aestivum	BAA81732.1	AB029161
AAC49558.1	U04297	Oryza sativa	BAA81733.2	AB029162
SEQ ID NO. 67			CAA72218.1	Y11415
CAA10608.1	AJ132228	Ricinus communis	BAA81736.1	AB029165
CAA70778.1	Y09591	Vicia faba	CAA72185.1	Y11350
CAA07563.1	AJ007574	Ricinus communis	AAG13574.1	AC037425
AAD16014.1	AF080543	Nepenthes alata	CAA67000.1	X98355
CAA70969.1	Y09826	Solanum tuberosum	AAG28526.1	AF198499
AAD16015.1	AF080544	Nepenthes alata	BAA88222.1	AB028650
CAA70968.1	Y09825	Solanum tuberosum	AAG28525.1	AF198498
CAA92992.1	Z68759	Ricinus communis	CAA78387.1	Z13997
AAD16013.1	AF080542	Nepenthes alata	AAB41101.1	U72762
AAFI5945.1	AF061435	Vicia faba	BAA88223.1	AB028651
CAA72006.1	Y11121	Ricinus communis	CAA67575.1	X99134
AAFI5944.1	AF061434	Vicia faba	CAB43399.1	AJ006292
AAFI5946.1	AF061436	Vicia faba	AAK19616.1	AF336283
AA896830.1	U64823	Nicotiana sylvestris	SEQ ID NO. 70	
AA88944.1	U31932	Nicotiana sylvestris	CAA73067.1	Y12464
BAA93437.1	AB022783	Oryza sativa	CAA73068.1	Y12465
CAB42599.1	AJ238635	Chlorella protothecoides		

BAA83688.1	AB011967	Oryza sativa	AAA33917.1	I36320	Oryza sativa
BAA96628.1	AF002482	Oryza sativa	AAC14464.1	I19435	Oryza sativa
AAB62693.1	AF004947	Oryza sativa	BAA00799.1	D00999	Oryza sativa
AAF22219.1	AF141378	Zea mays	AAA33659.1	M63003	Pisum sativum
BAA83689.1	AB011968	Oryza sativa	AAD48484.1	AF170297	Manihot esculenta
BAA34675.1	AB011670	Triticum aestivum	CAB60191.1	AJ250667	Ananas comosus
AAF66639.1	AF143743	Lycopersicon esculentum	CAA51654.1	X73139	Ipomoea batatas
AAD23582.1	AF128443	Glycine max	CAA39444.1	X55974	Nicotiana plumbaginifolia
CAA71142.1	Y10036	Cucumis sativus	AAB40394.1	U80069	Mesembryanthemum crystalli
BAA05649.1	D26602	Nicotiana tabacum	AAK06837.1	AF328859	Avicennia marina
CAA57898.1	X82548	Hordeum vulgare	CAA60826.1	X87372	Lycopersicon esculentum
AAC99329.1	AF062479	Oryza sativa	AAB49913.1	U34727	Zea mays
CAA65244.1	X95997	Solanum tuberosum	CAB57993.1	X17564	Zea mays
CAA07813.1	AJ007990	Hordeum vulgare	CAA05633.1	AJ002604	Pinus sylvestris
CAA46556.1	X65606	Hordeum vulgare	AAD01605.1	AF016893	Populus tremuloides
AAB52224.1	U83797	Solanum tuberosum	AAK26435.1	AF354748	Solanum tuberosum
CAA46554.1	X65604	Hordeum vulgare	AAB92612.1	AF037359	Paulownia kawakamii
AAB05457.1	U55768	Oryza sativa	AAB66812.1	AF009734	Capsicum annuum
AAD00239.1	U73938	Nicotiana tabacum	AAD01604.1	AF016892	Populus tremuloides
CAA06503.1	AJ005373	Craterostigma plantagineum	CAA10160.1	AJ012739	Populus arietinum
AAB68962.1	I38855	Glycine max	CAA10132.1	AJ012691	Cicer arietinum
BAA13608.1	D88399	Oryza sativa	AAA34194.1	M37150	Lycopersicon esculentum
AAG60195.1	AC084763	Oryza sativa	CAA32199.1	X14040	Lycopersicon esculentum
BAA19573.1	AB002109	Oryza sativa	BAA19674.1	D49485	Solidago canadensis
AAD00240.1	U73939	Nicotiana tabacum	AAD05576.1	AF009735	Raphanus sativus
CAA81443.1	Z26846	Mesembryanthemum crystallinum	CAA73929.1	Y13610	Carica papaya
AAB58348.1	U29095	Triticum aestivum	CAA37866.1	X53872	Spinacia oleracea
CAA89202.1	Z49233	Chlamydomonas eugametos	AAC08581.1	AF054150	Zantedeschia aethiopica
AAF27340.1	AF186020	Vicia faba	CAA65043.1	X95728	Brassica juncea
AAA96325.1	M94726	Triticum aestivum	AAC25568.1	AF071112	Brassica rapa subsp. pekinensis
AAC98509.1	AF100162	Chlamydomonas reinhardtii	BAB21760.1	AB026724	Oryza sativa
SEQ ID NO. 71			BAA12745.1	D85239	Oryza sativa
AAC04614.1	AF034832	Mesembryanthemum crystallinum	CAA65041.1	X95726	Brassica juncea
CAA41454.1	X58578	Pinus sylvestris	BAA01088.1	D10244	Spinacia oleracea
AAC14465.1	I19434	Oryza sativa	BAA24919.1	AB004870	Marchantia paleacea
BAA00800.1	D01000	Oryza sativa	AAA33728.1	M20792	Petunia x hybrida
AAA33510.1	M54936	Zea mays	SEQ ID NO. 72		
AAB87572.1	AF034630	Panax ginseng	CAA73067.1	Y12464	Sorghum bicolor
CAC34448.1	AJ307586	Pinus sylvestris	CAA73068.1	Y12465	Sorghum bicolor
CAB57992.1	X17565	Zea mays	BAA96628.1	AP002482	Oryza sativa

BAA83689.1	AB011968	Oryza sativa	CAA95859.1	271276	Mangifera indica
BAA83688.1	AB011967	Oryza sativa	CAA55865.1	X79278	Medicago sativa
AAF22219.1	AF141378	Zea mays	BAA02111.1	D12543	Pisum sativum
BAA34675.1	AB011670	Triticum aestivum	CAA89049.1	Z49190	Beta vulgaris
AB62693.1	AF004947	Oryza sativa	CAA98179.1	Z73951	Lotus japonicus
BAA05649.1	D26602	Nicotiana tabacum	BAA02437.1	D13152	Oryza sativa
CAAT1142.1	Y10036	Cucumis sativus	CAA98177.1	Z73949	Lotus japonicus
AAD23582.1	AF128443	Glycine max	BAA06701.1	D31905	Zea mays
CAA65244.1	X95997	Solanum tuberosum	AAB97114.1	U58853	Glycine max
CAA57898.1	X82548	Hordeum vulgare	BAA06702.1	D31906	Zea mays
AAC93329.1	AF062479	Oryza sativa	CAA67153.1	X98540	Fagus sylvatica
CAA07813.1	AJ007990	Hordeum vulgare	BAA02110.1	D12542	Pisum sativum
CAA46554.1	X65604	Hordeum vulgare	CAA41966.1	X59276	Oryza sativa
AAB05457.1	U55768	Oryza sativa	BAA02109.1	D12541	Pisum sativum
CAA46556.1	X65606	Hordeum vulgare	BAA84640.1	AB007911	Pisum sativum
AAB58348.1	U29095	Triticum aestivum	CAA98185.1	Z73957	Lotus japonicus
CAA05503.1	AJ005373	Craterostigma plantagineum	CAA98186.1	Z73958	Lotus japonicus
AAA96325.1	M94726	Triticum aestivum	CAA98182.1	Z73954	Lotus japonicus
CAA81443.1	Z26846	Mesembryanthemum crystallinum	AAD48018.1	AF165095	Gossypium hirsutum
AAD00239.1	U73938	Nicotiana tabacum	CAA98183.1	Z73955	Lotus japonicus
BAA13608.1	D88399	Oryza sativa	AAD48019.1	AF165096	Gossypium hirsutum
AAB68962.1	I38855	Glycine max	CAA54506.1	X77301	Glycine max
AAG60195.1	AC084763	Oryza sativa	CAA98178.1	Z73950	Lotus japonicus
BAA19573.1	AB002109	Oryza sativa	BAA02108.1	D12540	Pisum sativum
CAA89202.1	Z49233	Chlamydomonas eugametos	AAA34253.1	I08130	Volvox carteri
AAD00240.1	U73939	Nicotiana tabacum	CAA98165.1	Z73937	Lotus japonicus
AAF27340.1	AF186020	Vicia faba	AAA90955.1	U32185	Glycine max
AAC98509.1	AF100162	Chlamydomonas reinhardtii	AAA63902.1	U22433	Zea mays
SEQ ID NO. 73			SEQ ID NO. 75		
CAA90282.1	Z49990	Solanum tuberosum	CAA52069.1	X73849	Brassica napus
SEQ ID NO. 74			CAA52070.1	X73850	Brassica napus
AAK15703.1	AF327517	Oryza sativa	CAA61111.1	X87842	Brassica napus
BAA02904.1	D13758	Oryza sativa	AAC49002.1	U17098	Brassica rapa
BAA02113.1	D12545	Pisum sativum	AAA33020.1	M96569	Carthamus tinctorius
BAA02114.1	D12546	Pisum sativum	AAB51523.1	U92876	Garcinia mangostana
CAA98180.1	Z73952	Lotus japonicus	AAG35064.1	AF318288	Capsicum chinense
BAA02112.1	D12544	Pisum sativum	AAA33019.1	M96568	Carthamus tinctorius
CAA98181.1	Z73953	Lotus japonicus	AAB51524.1	U92877	Garcinia mangostana
CAA98184.1	Z73956	Lotus japonicus	AAG43859.1	AF213478	Iris germanica
			AAD28187.1	AF110462	Elaeis guineensis

CAC14164.1	AJ278479	Brassica juncea	BAA02112.1	D12544	Pisum sativum
AAD33870.1	AF141382	Elaeis oleifera	CAA98184.1	Z73956	Lotus japonicus
AAD33895.1	AF143095	Elaeis guineensis	AAK15703.1	AF327517	Oryza sativa
AAB51525.1	U92878	Garcinia mangostana	BAA02904.1	D13758	Oryza sativa
CAA54060.1	X76561	Cuphea lanceolata	BAA02111.1	D12543	Pisum sativum
AAB71729.1	U65642	Myristica fragrans	BAA02113.1	D12545	Pisum sativum
AAF02215.1	AF076535	Gossypium hirsutum	CAA98180.1	Z73952	Lotus japonicus
AAD01982.1	AF034266	Gossypium hirsutum	BAA02114.1	D12546	Pisum sativum
AAG43858.1	AF213477	Iris germanica	CAA98181.1	Z73953	Lotus japonicus
BAA83582.1	AP000399	Oryza sativa	CAA95859.1	Z71276	Mangifera indica
AAG43860.1	AF213479	Iris tectorum	CAA55865.1	X79278	Medicago sativa
AAG43857.1	AF213476	Iris germanica	CAA89049.1	Z49190	Beta vulgaris
AAC49783.1	U56103	Cuphea wrightii	CAA98179.1	Z73951	Lotus japonicus
AAG43861.1	AF213480	Iris tectorum	BAA02437.1	D13152	Oryza sativa
CAC19934.1	AJ131741	Cuphea lanceolata	BAA06701.1	D31905	Zea mays
CAB60830.1	AJ131740	Cuphea lanceolata	BAA06702.1	D31906	Zea mays
AAC49784.1	U56104	Cuphea wrightii	BAA02110.1	D12542	Pisum sativum
AAD42220.1	AF147879	Elaeis guineensis	CAA98177.1	Z73949	Lotus japonicus
AAC49151.1	U31813	Cinnamomum camphora	CAA41966.1	X59276	Oryza sativa
AAC49001.1	U17097	Umbellularia californica	AAB97114.1	U58853	Glycine max
CAA06001.1	AJ003221	Solanum tuberosum	CAA98185.1	Z73957	Lotus japonicus
SEQ ID NO. 76			CAA67153.1	X98540	Fagus sylvatica
CAA47870.1	X67601	Lycopersicon peruvianum	CAA98183.1	Z73955	Lotus japonicus
CAA87076.1	Z46952	Glycine max	CAA98182.1	Z73954	Lotus japonicus
CAA47868.1	X67599	Lycopersicon esculentum	CAA54506.1	X77301	Glycine max
CAA47869.1	X67600	Lycopersicon peruvianum	BAA02108.1	D12540	Pisum sativum
CAA09300.1	AJ010643	Pisum sativum	AAD48018.1	AF165095	Gossypium hirsutum
AAF74563.1	AF208544	Lycopersicon peruvianum	BAA02109.1	D12541	Pisum sativum
CAA09301.1	AJ010644	Pisum sativum	CAA98186.1	Z73958	Lotus japonicus
BAA83711.1	AB014484	Nicotiana tabacum	BAA84640.1	AB007911	Pisum sativum
CAA58117.1	X82943	Zea mays	AAD48019.1	AF165096	Gossypium hirsutum
AAF37579.1	AF235958	Medicago sativa	CAA98178.1	Z73950	Lotus japonicus
CAA87077.1	Z46953	Glycine max	AAA63901.1	U22432	Zea mays
CAA39034.1	X55347	Lycopersicon peruvianum	CAA98165.1	Z73937	Lotus japonicus
BAA83710.1	AB014483	Nicotiana tabacum	AAA34253.1	L08130	Volvox carteri
CAA87080.1	Z46956	Glycine max	AAA90955.1	U32185	Glycine max
CAA87079.1	Z46955	Glycine max	AAA63902.1	U22433	Zea mays
CAA87075.1	Z46951	Glycine max	SEQ ID NO. 80		
SEQ ID NO. 78			AAF98390.1	AF287143	Brassica napus
			BAA93039.1	AB033758	Citrus unshiu

BAA89009.1	AB027455	Petunia x hybrida	BAA05622.1	D26573	Daucus carota
AAF61647.1	AF190634	Nicotiana tabacum	BAA93465.1	AB028077	Physcomitrella patens
AB013598	AB013598	Verbena x hybrida	AAD37699.1	AF145730	Oryza sativa
BAA36423.1	AB013596	Perilla frutescens			
BAA36421.1	AB013597	Perilla frutescens			
BAA36422.1	AB013597	Perilla frutescens			
AAA59054.1	I34847	Zea mays	SEQ ID NO. 82		
AAF17077.1	AF199453	Sorghum bicolor	BAB18104.1	AB042714	Chlamydomonas reinhardtii
AAB36653.1	U32644	Nicotiana tabacum	BAB18105.1	AB042715	Chlamydomonas reinhardtii
AAB36652.1	U32643	Nicotiana tabacum	CAB82852.1	Z30329	Mesembryanthemum crystallinum
AAK28303.1	AF346431	Nicotiana tabacum	CAA50374.1	X71057	Nicotiana tabacum
AAK28304.1	AF346432	Nicotiana tabacum	CAA82093.1	Z30332	Spinacia oleracea
BAA83484.1	AB031274	Scutellaria baicalensis	AAA50304.1	M92989	Pisum sativum
CAA59450.1	X85138	Lycopersicon esculentum	BAB03409.1	AP002816	Oryza sativa
BAA12737.1	D85186	Gentiana triflora	AAD37166.1	AF132743	Oryza sativa
CAB56231.1	Y18871	Dorotheanthus bellidiformis	CAA82994.1	Z30333	Mesembryanthemum crystallinum
AAD21086.1	AF127218	Forsythia x intermedia	AAF19403.1	AF203481	Lycopersicon esculentum
AAB48444.1	U82367	Solanum tuberosum	AAF19402.1	AF203480	Lycopersicon esculentum
BAA19659.1	AB002818	Perilla frutescens	AAD23582.1	AF128443	Glycine max
BAB41017.1	AB047090	Vitis labrusca x Vitis vinifera	BAA05649.1	D26602	Nicotiana tabacum
CAA31855.1	X13500	Zea mays	CAA71142.1	Y10036	Cucumis sativus
CAA54611.1	X77461	Manihot esculenta	CAA65244.1	X95997	Solanum tuberosum
AAD04166.1	AF101972	Phaseolus lunatus	AAF05112.1	AF158091	Mesembryanthemum crystallinum
BAA89008.1	AB027454	Petunia x hybrida	BAA96628.1	AP002482	Oryza sativa
AB028237	AF028237	Ipomoea purpurea	CAA57898.1	X82548	Hordeum vulgare
BAA90787.1	AB038248	Ipomoea batatas	AAF06970.1	AF162662	Kalanchoe fedtschenkoi
			AAF06969.1	AF162661	Kalanchoe fedtschenkoi
			BAA96593.1	AP002481	Oryza sativa
			CAA46556.1	X65606	Hordeum vulgare
			CAA07813.1	AJ007990	Hordeum vulgare
			CAA46554.1	X65604	Hordeum vulgare
			AAC99329.1	AF062479	Oryza sativa
			AAF66637.1	AF143505	Lycopersicon esculentum
SEQ ID NO. 81					
AAG43283.1	AF139210	Oryza sativa	SEQ ID NO. 83		
AAD37698.1	AF145729	Oryza sativa	AAB86473.1	AF028237	Ipomoea purpurea
AAF01765.1	AF184278	Glycine max	AAF61647.1	AF190634	Nicotiana tabacum
BAA93463.1	AB028075	Physcomitrella patens	CAA54558.1	X77369	Solanum melongena
CAA62608.1	X91212	Lycopersicon esculentum	BAA89008.1	AB027454	Petunia x hybrida
BAA93462.1	AF028074	Physcomitrella patens	BAA90787.1	AB038248	Ipomoea batatas
AAA63768.2	AF339748	Helianthus annuus	AAF17077.1	AF199453	Sorghum bicolor
BAA93467.1	AB028079	Physcomitrella patens	CAA54612.1	X77462	Manihot esculenta
AAD38144.1	AF139497	Prunus armeniaca	BAA12737.1	D85186	Gentiana triflora
BAA21017.1	D26578	Daucus carota			
CAA06728.1	AJ005833	Craterostigma plantagineum			
CAA06717.1	AJ005820	Craterostigma plantagineum			
AAD37700.1	AF145731	Oryza sativa			
BAA93464.1	AB028076	Physcomitrella patens			

BAA83484.1	AB031274	Scutellaria baicalensis	AAC80225.1	U72723	Oryza longistaminata
CAA54614.1	X77464	Manihot esculenta	AAB82755.1	U72725	Oryza longistaminata
AAD21086.1	AF127218	Forsythia x intermedia	AAC78595.1	AF053997	Lycopersicon esculentum
BAA93039.1	AB033758	Citrus unshiu	AAC78592.1	AF053994	Lycopersicon esculentum
AAB36652.1	U32643	Nicotiana tabacum	CAA05276.1	AJ002236	Lycopersicon pimpinellifol
AAF98390.1	AF287143	Brassica napus	AAC78594.1	AF053996	Lycopersicon pimpinellifol
AAK28304.1	AF346432	Nicotiana tabacum			
CAA30760.1	X07937	Zea mays	SEQ ID NO. 85		
BAA89009.1	AB027455	Petunia x hybrida	BAA32827.1	AB012708	Daucus carota
AAD04166.1	AF101972	Phaseolus lunatus			
CAA31855.1	X13500	Zea mays	SEQ ID NO. 86		
AAK16410.1	AF320086	Zea mays	AAG52992.1	U77888	Ipomoea nil
AAD51778.1	AF116858	Phaseolus vulgaris	AAF59906.1	AF197947	Glycine max
CAA30761.1	X07940	Zea mays	AAC36318.1	AF053127	Malus x domestica
BAA19155.1	AB000623	Nicotiana tabacum	AAF91323.1	AF244889	Glycine max
BAB41017.1	AB047090	Vitis labrusca x Vitis vinifera	AAF91324.1	AF244890	Glycine max
AAK36653.1	U32644	Nicotiana tabacum	AAB36558.1	U77888	Ipomoea nil
CAB56231.1	Y18871	Dortheanthus bellidiformis	BAA83373.1	AP000391	Oryza sativa
AAK28303.1	AF346431	Nicotiana tabacum	BAA84787.1	AP000559	Oryza sativa
CAA59450.1	X85138	Lycopersicon esculentum	AAF91322.1	AF244888	Glycine max
BAB41020.1	AB047093	Vitis vinifera	AAF59905.1	AF197946	Glycine max
BAB41022.1	AB047095	Vitis vinifera	AAAB61708.1	U93048	Daucus carota
BAB41024.1	AB047097	Vitis vinifera	CAC20842.1	AJ250467	Pinus sylvestris
BAB41026.1	AB047099	Vitis vinifera	CAA61510.1	X89226	Oryza sativa
BAB41025.1	AB047098	Vitis vinifera	AAG52994.1	U77888	Ipomoea nil
AAAB81682.1	AF000371	Vitis vinifera	AAF34426.1	AF172282	Oryza sativa
BAB41023.1	AB047096	Vitis vinifera	AAF66615.1	AF142596	Nicotiana tabacum
AAAB81683.1	AF000372	Vitis vinifera	AAB82755.1	U72725	Oryza longistaminata
BAB41021.1	AB047094	Vitis vinifera	AAK21965.1	AY028699	Brassica napus
			AAG16628.1	AY007545	Brassica napus
			BAA94509.1	AB041503	Populus nigra
			BAA94510.1	AB041504	Populus nigra
			CAB51836.1	AJ243961	Oryza sativa
			SEQ ID NO. 87		
			CAA06486.1	AJ0005340	Linum usitatissimum
			SEQ ID NO. 88		
			CAC12822.1	AJ299252	Nicotiana tabacum
			AAC24587.1	AF071893	Prunus armeniaca
			AAF63205.1	AF245119	Mesembryanthemum crystallinum

AAG43545.1	AF211527	Nicotiana tabacum
BAA07321.1	D38123	Nicotiana tabacum
CAB96900.1	AJ251250	Catharanthus roseus
CAB96899.1	AJ251249	Catharanthus roseus
BAB03248.1	AB037183	Oryza sativa
BAB16083.1	AB036883	Oryza sativa
AAF23899.1	AF193803	Oryza sativa
AAF76898.1	AF274033	Atriplex hortensis
AAC62619.1	AF057373	Nicotiana tabacum
BAA78738.1	AB023482	Oryza sativa
AAG43548.1	AF211530	Nicotiana tabacum
AAG43549.1	AF211531	Nicotiana tabacum
BAA99376.1	AP002526	Oryza sativa
AAD39439.1	AF132001	Petunia x hybrida
SEQ ID NO.	89	
CAA04385.1	AJ000885	Brassica napus
CAB46492.1	AJ243340	Lycopersicon esculentum
AAF62182.1	AF247164	Oryza sativa
AAF32410.1	AF230277	Triphysaria versicolor
AAC63088.1	U82123	Lycopersicon esculentum
CAA06271.2	AJ004997	Lycopersicon esculentum
AADI3632.1	AF059488	Lycopersicon esculentum
AAG13982.1	AF297521	Prunus avium
AAC33529.1	U93167	Prunus armeniaca
BAB19676.1	AJ029083	Prunus persica
AAB37746.1	U30382	Cucumis sativus
AAF35901.1	AF230332	Zinnia elegans
AAC33530.1	AF038815	Prunus armeniaca
CAC19184.1	AJ291817	Cicer arietinum
AAG13983.1	AF297522	Prunus avium
AAC39512.1	AF043284	Gossypium hirsutum
AAF21101.1	AF159563	Fragaria x ananassa
AAF35900.1	AF230331	Zinnia elegans
AAC96081.1	AF049354	Nicotiana tabacum
AAB40634.1	U64890	Pinus taeda
AAB40635.1	U64891	Pinus taeda
AAD47901.1	AF085330	Pinus taeda
AAF32409.1	AF230276	Triphysaria versicolor
AAB40637.1	U64893	Pinus taeda
AAB811662.1	U85246	Oryza sativa
AAC64201.1	AF096776	Lycopersicon esculentum
CAB43197.1	AJ239068	Lycopersicon esculentum
AAF35902.1	AF230333	Zinnia elegans
AAB40636.1	U64892	Pinus taeda
AAD49956.1	AF167360	Rumex palustris
AAB38074.1	U30477	Oryza sativa
AAG32921.1	AF184233	Lycopersicon esculentum
AAF17570.1	AF202119	Marsilea quadrifolia
AAC96080.1	AF049353	Nicotiana tabacum
AAF32411.1	AF230278	Triphysaria versicolor
CAC19183.1	AJ291816	Cicer arietinum
BAB32732.1	AB049406	Eustoma grandiflorum
AAD13633.1	AF059489	Lycopersicon esculentum
AAF62180.1	AF247162	Oryza sativa
AAF17571.1	AF202120	Regnellidium diphyllum
AAF62181.1	AF247163	Oryza sativa
CAC06433.1	AJ276007	Festuca pratensis
AAC96077.1	AF049350	Nicotiana tabacum
AAG01875.1	AF291659	Striga asiatica
BAA88200.1	AP000837	Oryza sativa
AAC96079.1	AF049352	Nicotiana tabacum
AAB37749.1	U30460	Cucumis sativus
AAC96078.1	AF049351	Nicotiana tabacum
AAG32920.1	AF184232	Lycopersicon esculentum
SEQ ID NO.	90	
CAC12822.1	AJ299252	Nicotiana tabacum
AAC24587.1	AF071893	Prunus armeniaca
AAF23899.1	AF193803	Oryza sativa
AAF76898.1	AF274033	Atriplex hortensis
AAF63205.1	AF245119	Mesembryanthemum crystallinum
BAB16083.1	AB036883	Oryza sativa
CAB96900.1	AJ251250	Catharanthus roseus
CAB96899.1	AJ251249	Catharanthus roseus
BAA78738.1	AB023482	Oryza sativa
BAA99376.1	AP002526	Oryza sativa
AAG32659.1	AF253971	Picea abies
SEQ ID NO.	91	
AAG13983.1	AJ297522	Prunus avium
AAC96080.1	AF049353	Nicotiana tabacum



AAF32411.1	AF230278	Triphysaria versicolor	AAB37749.1	U30460	Cucumis sativus
AAF32409.1	AF230276	Triphysaria versicolor	AAC96077.1	AF049350	Nicotiana tabacum
AAF35901.1	AF230332	Zinnia elegans	CAA69105.1	Y07782	Oryza sativa
AAF35902.1	AF230333	Zinnia elegans	AAC96078.1	AF049351	Nicotiana tabacum
AAD47901.1	AF085330	Pinus taeda	AAG01875.1	AF291659	Striga asiatica
AAB40635.1	U64891	Pinus taeda	AAC96079.1	AF049352	Nicotiana tabacum
AAG32921.1	AF184233	Lycopersicon esculentum	SEQ ID NO. 92		
CAC19184.1	AF291817	Cicer arietinum	AAA17732.1	L19074	Catharanthus roseus
AAG13982.1	AF297521	Prunus avium	AAB94586.1	AF022457	Glycine max
AAB40637.1	U64893	Pinus taeda	CAA89260.1	Z49263	Pisum sativum
AAB40634.1	U64890	Pinus taeda	CAB43505.1	AJ239051	Cicer arietinum
AAC33529.1	U93167	Prunus armeniaca	AAB94587.1	AF022458	Glycine max
AAF21101.1	AF159563	Fragaria x ananassa	AAB37231.1	U34744	Phalaenopsis sp. SM9108
BAB19676.1	AB029083	Prunus persica	BAA84071.1	AB028151	Antirrhinum majus
AAB40636.1	U64892	Pinus taeda	BAA22423.1	AB001380	Glycyrrhiza echinata
AAC96081.1	AF049354	Nicotiana tabacum	CAA83941.1	Z33875	Mentha x piperita
AAC33530.1	AF038815	Prunus armeniaca	AAG09208.1	AF175278	Pisum sativum
CAB43197.1	AJ239068	Lycopersicon esculentum	SEQ ID NO. 93		
AAC64201.1	AF096776	Lycopersicon esculentum	AAG33228.2	AF305070	Chlamydomonas reinhardtii
AAB37746.1	U30382	Cucumis sativus	BAA96166.1	AF002092	Oryza sativa
AAD13633.1	AF059489	Lycopersicon esculentum	SEQ ID NO. 96		
AAB81662.1	U85246	Oryza sativa	CAA59450.1	X85138	Lycopersicon esculentum
AAD49956.1	AF167360	Rumex palustris	AAB36653.1	U32644	Nicotiana tabacum
CAC19183.1	AJ291816	Cicer arietinum	AAK28303.1	AF346431	Nicotiana tabacum
AAF62180.1	AF247162	Oryza sativa	AAB36652.1	U32643	Nicotiana tabacum
AAC39512.1	AF043284	Gossypium hirsutum	AAK28304.1	AF346432	Nicotiana tabacum
AAB38074.1	U30477	Oryza sativa	CAB56231.1	Y18871	Dorotheanthus bellidiformis
BAB32732.1	AB049406	Eustoma grandiflorum	BAA83484.1	AB031274	Scutellaria baicalensis
AAF17570.1	AF202119	Marsilea quadrifolia	AAB48444.1	U82367	Solanum tuberosum
CAB46492.1	AJ243340	Lycopersicon esculentum	AAB62270.1	AF006081	Solanum berthaultii
CAC06433.1	AJ276007	Festuca pratensis	AAF61647.1	AF190634	Nicotiana tabacum
BAA88200.1	AF000837	Oryza sativa	CAA54612.1	X77462	Manihot esculenta
AAD13632.1	AF059488	Lycopersicon esculentum	BAB41021.1	AB047094	Vitis vinifera
AAF32410.1	AF230277	Triphysaria versicolor	BAB41019.1	AB047092	Vitis vinifera
AAC63088.1	U82123	Lycopersicon esculentum	AAD04166.1	AF101972	Phaseolus lunatus
AAF62182.1	AF247164	Oryza sativa	BAB41023.1	AB047096	Vitis vinifera
ARG01874.1	AF291658	Striga asiatica	BAB41025.1	AB047098	Vitis vinifera
AAF62181.1	AF247163	Oryza sativa	AAF98390.1	AF287143	Brassica napus
AAO06271.2	AJ004997	Lycopersicon esculentum			
AAF17571.1	AF202120	Regnellidium diphyllum			
CAA04385.1	AJ000885	Brassica napus			

AAD21086.1	AF127218	Forsythia x intermedia	CAA65533.1	X96758	Zea mays
ABAB81683.1	AF000372	Vitis vinifera	SEQ ID NO. 101		
BAB41017.1	AB047090	Vitis labrusca x Vitis vinifera	BAA85215.1	AP000570	Oryza sativa
BAB41020.1	AB047093	Vitis vinifera	AAA80586.1	U19490	Chlamydomonas reinhardtii
BAB41026.1	AB047099	Vitis vinifera	AAA80216.1	U19484	Chlamydomonas reinhardtii
BAB41024.1	AB047097	Vitis vinifera			
BAB41022.1	AB047095	Vitis vinifera	SEQ ID NO. 102		
AAB81682.1	AF000371	Vitis vinifera	AAB07452.1	U65890	Brassica napus
BAB41018.1	AB047091	Vitis labrusca x Vitis vinifera	AAB63591.1	AF009413	Oryza sativa
AAF17077.1	AF199453	Sorghum bicolor	AAB59307.1	M87646	Spinacia oleracea
CAA54611.1	X77461	Manihot esculenta	AAF60293.1	AF233745	Lycopersicon esculentum
BAA89009.1	AB027455	Petunia x hybrida			
BAA93039.1	AB033758	Citrus unshiu	SEQ ID NO. 103		
CAA54609.1	X77459	Manihot esculenta	AAG25928.1	AF260919	Petunia x hybrida
BAA89008.1	AB027454	Petunia x hybrida	AAG25927.1	AF260918	Petunia x hybrida
BAA19659.1	AB002818	Perilla frutescens	AAC28907.1	U18349	Phaseolus vulgaris
CAA54614.1	X77464	Manihot esculenta	AAB00686.1	U18348	Phaseolus vulgaris
			CAB92300.1	AJ251719	Zea mays
SEQ ID NO. 99			AAD15818.1	AF061107	Zea mays
BAB20862.1	AB029512	Solanum tuberosum	AAC49219.1	U39860	Oryza sativa
AAC25636.1	AF044173	Solanum tuberosum	AAC49216.1	U39865	Oryza officinalis
BAA03542.1	D14722	Spinacia oleracea	AAC39455.1	AF020545	Petunia x hybrida
CAA47329.1	X66860	Spinacia oleracea	AAC49212.1	U39863	Oryza australiensis
BAB20863.1	AB029513	Solanum tuberosum	AAC49213.1	U39864	Oryza eichingeri
AAD23909.1	AF073697	Oryza sativa	AAD56411.1	AF185269	Tulipa gesneriana
BAA05965.1	D28777	Citrullus lanatus			
BAB20861.1	AB029511	Solanum tuberosum	SEQ ID NO. 104		
CAA59798.1	X85803	Zea mays	AAA33041.1	M33148	Citrullus lanatus
BAA93051.1	AB040503	Allium tuberosum	AAC41647.1	L31900	Cucumis sativus
AAD23907.1	AF073695	Oryza sativa	AAB99754.1	AF020270	Medicago sativa
AAC25635.1	AF044172	Solanum tuberosum	BAA12870.1	D85763	Oryza sativa
CAC12819.1	AJ299249	Nicotiana tabacum	CAB43995.1	AJ242713	Brassica napus
BAC09469.1	AL442113	Oryza sativa	CAB43994.1	AJ242712	Brassica napus
BAA07177.1	D37963	Spinacia oleracea	CAA63268.1	X92512	Brassica napus
CAA06819.1	AJ006024	Cicer arietinum	CAA55383.1	X78800	Eucalyptus gunnii
AAD23908.1	AF073696	Oryza sativa	AAD56659.1	AF180335	Glycine max
AAD23910.1	AF073698	Oryza sativa	AAF69802.1	AF195869	Vitis vinifera
AAF78529.1	AF195239	Pyrus pyrifolia	AAF99755.1	AF020271	Medicago sativa
			AAB99757.1	AF020273	Medicago sativa
SEQ ID NO. 100			AAC28106.1	AF079850	Pisum sativum
AAB39510.1	U53345	Camptotheca acuminata			

AAC24855.1	AF068686	Glycine max	AAA81889.1	U02494	Solanum tuberosum
CAA61621.1	X89451	Brassica napus	AAA81891.1	U02496	Solanum tuberosum
AAA84971.1	U40212	Chlamydomonas reinhardtii	AAA81892.1	U02497	Solanum tuberosum
CAB45387.1	AJ006974	Plastid Nicotiana tabacum	AAA81890.1	U02495	Solanum tuberosum
AAD10324.1	U42979	Chlamydomonas reinhardtii	BAA85201.1	AF000570	Oryza sativa
AAB39506.1	U40465	Chlamydomonas reinhardtii	BAA84626.1	AF000492	Oryza sativa
CAB61751.1	AJ275317	Cicer arietinum	AAA81893.1	U02498	Solanum tuberosum
AAC19244.1	AF068687	Glycine max	BAA84627.1	AF000492	Oryza sativa
AAC19136.1	AF068688	Glycine max	BAA85202.1	AF000570	Oryza sativa
AAC19137.1	AF068689	Glycine max	AAB02006.1	U57350	Nicotiana tabacum
AAF27629.1	AF217211	Medicago truncatula	SEQ ID NO. 111		
AAF35861.1	AF220497	Medicago truncatula	AAB17501.2	U43034	Zea mays
AAB38970.1	U80676	Botryococcus braunii			
AAA62697.1	M55684	Hordeum vulgare	SEQ ID NO. 112		
BAA02971.1	D13817	Oryza sativa	CAA71881.1	Y10990	Nicotiana tabacum
AAK26431.1	AF353203	Oryza sativa			
AAG13573.1	AC037425	Oryza sativa	SEQ ID NO. 113		
AAA62696.1	M55685	Hordeum vulgare	CAA70700.1	Y09506	Nicotiana tabacum
AAB64290.1	AF007581	Zea mays	CAA77134.1	Y18349	Oryza sativa
CAA71611.1	Y10602	Lycopersicon esculentum	CAA77133.1	Y18349	Oryza sativa
CAA70100.1	Y08887	Lycopersicon esculentum			
AAB99756.1	AF020272	Medicago sativa	SEQ ID NO. 114		
CAC12826.1	AJ299256	Nicotiana tabacum	AAF20949.1	AF207691	Daucus carota
AAC21564.1	AF067859	Solanum tuberosum	AAB04951.1	U36752	Chlamydomonas reinhardtii
BAA90618.1	AF001129	Oryza sativa	AAC60560.2	S63824	Pinus mugo
CAA70101.1	Y08888	Lycopersicon esculentum	AAF89208.1	AF279251	Vigna radiata
CAA71612.1	Y10603	Lycopersicon esculentum	BAA21089.1	D50085	Cucumis sativus
CAA77808.1	Z11754	Zea mays	BAA31693.1	AB007321	Marchantia paleacea
AAA87008.1	U22533	Flaveria trinervia	AAB86734.1	AF027356	Pinus strobus
			AAF82471.1	AF243520	Lycopersicon esculentum
			AAF82475.1	AF243522	Lycopersicon esculentum
			AAD20020.1	AF126871	Chloroplast Vigna radiata
			AAF82474.1	AF243524	Lycopersicon esculentum
SEQ ID NO. 105			SEQ ID NO. 116		
AAG33228.2	AF305070	Chlamydomonas reinhardtii	CAA73171.1	Y12599	Apium graveolens
BAA96166.1	AP002092	Oryza sativa	AAK29454.1	AF352251	Lens culinaris
			CAA40362.1	X57077	Zea mays
SEQ ID NO. 106			BAA25203.1	D87064	Triticum aestivum
CAB85464.1	AJ277210	Avena sativa	AAK29455.1	AF352252	Lens culinaris
SEQ ID NO. 107					
BAA09852.1	D63781	Glycine max			
CAA55293.1	X78547	Glycine max			
CAA55294.1	X78548	Glycine max			

AAK29450.1	AF352247	Pisum sativum	SEQ ID NO. 120	Pimpinella brachycarpa
AAK29456.1	AF352253	Lens culinaris	AAF22256.1	Lycopersicon esculentum
BAA88671.1	AB029614	Nicotiana tabacum	CAA67600.1	Lycopersicon esculentum
AAK29453.1	AF352250	Lathyrus sativus	CAA64614.1	Petunia x hybrida
AAK29452.1	AF352249	Lathyrus sativus	CAA78386.1	Antirrhinum majus
AAK29449.1	AF352246	Pisum sativum	CAB43399.1	Petunia x hybrida
BAA25204.1	D87065	Triticum aestivum	CAA78387.1	Nicotiana tabacum
AAK29451.1	AF352248	Pisum sativum	BAA88221.1	Nicotiana tabacum
CAA1232.1	AF224933	Lycopersicon esculentum	BAA88224.1	Nicotiana tabacum
AAB86857.1	AF031547	Fritillaria agrestis	AAB41101.1	Nicotiana tabacum
AAC41651.1	I29456	Nicotiana tabacum	BAA88223.1	Nicotiana tabacum
AAA50578.1	U03391	Lycopersicon esculentum	BAA88222.1	Nicotiana tabacum
BAA87331.1	AB012694	Lilium longiflorum	CAA68235.1	Hordeum vulgare
AAD41007.1	AF107024	Triticum aestivum	CAA66952.1	Lycopersicon esculentum
AAF27930.1	AF222804	Euphorbia esula	SEQ ID NO. 121	
CAA29123.1	X05636	Pisum sativum	CAA78387.1	Petunia x hybrida
AAA34246.1	L07947	Volvox carteri	BAA81736.1	Glycine max
CAA07233.1	AJ006767	Cicer arietinum	BAA81732.1	Glycine max
AAA50303.1	I34578	Pisum sativum	BAA81731.1	Glycine max
AAD41008.1	AF107026	Triticum aestivum	BAA81730.1	Glycine max
AAA74723.1	L07946	Volvox carteri	BAA88221.1	Nicotiana tabacum
CAA42529.2	X59872	Triticum aestivum	BAA88224.1	Nicotiana tabacum
AAD41005.1	AF107022	Triticum aestivum	CAA66952.1	Lycopersicon esculentum
SEQ ID NO. 119			BAA81733.2	Glycine max
CAA07568.1	AJ007580	Ribes nigrum	CAA72217.1	Oryza sativa
CAA67107.1	X98474	Solanum tuberosum	BAA88222.1	Nicotiana tabacum
BAA92520.1	AF001383	Oryza sativa	AAB41101.1	Nicotiana tabacum
CAA72107.1	Y11220	Solanum tuberosum	BAA88223.1	Nicotiana tabacum
AAB71744.1	U75346	Chlamydomonas reinhardtii	CAA72185.1	Oryza sativa
AAB71743.1	U75345	Chlamydomonas reinhardtii	AAG13574.1	Oryza sativa
BAA31583.1	AB016064	Zea mays	AAK19616.1	Gossypium hirsutum
BAA31582.1	AB016063	Glycine max	CAA78386.1	Petunia x hybrida
BAA31584.1	AB016065	Oryza sativa	CAA72218.1	Oryza sativa
CAB61741.1	AJ275306	Cicer arietinum	CAA68235.1	Hordeum vulgare
CAA69726.1	Y08499	Betula pendula	AAA33500.1	Zea mays
CAC12820.1	AJ299250	Nicotiana tabacum	CAA67600.1	Lycopersicon esculentum
BAA08105.1	D45075	Panicum miliaceum	AAG36774.1	Zea mays
BAA08104.1	D45074	Panicum miliaceum	AAF22256.1	Pimpinella brachycarpa
BAA08103.1	D45073	Panicum miliaceum	CAA72187.1	Oryza sativa
CAC27140.1	AJ132535	Picea abies		

CAB43399.1	AJ006292	Antirrhinum majus	AAK19618.1	AF336285	Gossypium hirsutum
AAK19615.1	AF336282	Gossypium hirsutum	AAK19611.1	AF336278	Gossypium hirsutum
AAK19618.1	AF336285	Gossypium hirsutum	AAK19619.1	AF336286	Gossypium hirsutum
CAA72186.1	Y11351	Oryza sativa	AAK19615.1	AF336282	Gossypium hirsutum
CAA64614.1	X95296	Lycopersicon esculentum	CAA64614.1	X95296	Lycopersicon esculentum
CAA50221.1	X70876	Hordeum vulgare	BAA23338.1	D88618	Oryza sativa
BAA23338.1	D88618	Oryza sativa	BAA23337.1	D88617	Oryza sativa
AAK19619.1	AF336286	Gossypium hirsutum	CAA67575.1	X99134	Lycopersicon esculentum
AAK19611.1	AF336278	Gossypium hirsutum	CAA65525.1	X96749	Oryza sativa
BAA23337.1	D88617	Oryza sativa	CAA50221.1	X70876	Hordeum vulgare
CAA65525.1	X96749	Oryza sativa	AAF22256.1	AF161711	Pimpinella brachycarpa
AAK19617.1	AF336284	Gossypium hirsutum	AAK19617.1	AF336284	Gossypium hirsutum
CAA67575.1	X99134	Lycopersicon esculentum	CAA50222.1	X70877	Hordeum vulgare
CAA50224.1	X70879	Hordeum vulgare	CAA50224.1	X70879	Hordeum vulgare
SEQ ID NO. 122					
BAA88222.1	AB028650	Nicotiana tabacum	SEQ ID NO. 125		
BAA88221.1	AB028649	Nicotiana tabacum	BAA92155.1	AB007818	Citrus unshiu
BAA88224.1	AB028652	Nicotiana tabacum	AAB02879.1	M37152	Nicotiana tabacum
CAA78387.1	Z13997	Petunia x hybrida	BAB16425.1	AB041513	Nicotiana tabacum
CAA66952.1	X98308	Lycopersicon esculentum	SEQ ID NO. 126		
AAB41101.1	U72762	Nicotiana tabacum	CAA68993.1	Y07721	Petunia x hybrida
BAA88223.1	AB028651	Nicotiana tabacum	SEQ ID NO. 134		
BAA81733.2	AB029162	Glycine max	AAB26960.1	U63726	Glycine max
BAA81731.1	AB029160	Glycine max	SEQ ID NO. 135		
BAA81730.1	AB029159	Glycine max	CAA77403.1	Z00044	Plastid Nicotiana tabacum
BAA81736.1	AB029165	Glycine max	SEQ ID NO. 136		
CAA72217.1	Y11414	Oryza sativa	AAB36543.1	U77935	Phaseolus vulgaris
BAA81732.1	AB029161	Glycine max	SEQ ID NO. 137		
CAA72185.1	Y11350	Oryza sativa	AAC77928.1	AF084202	Medicago sativa
AAG13574.1	AC037425	Oryza sativa	BAA07208.1	D38011	Oryza sativa
CAA72218.1	Y11415	Oryza sativa	SEQ ID NO. 138		
CAA78386.1	Z13996	Petunia x hybrida	BAA77358.1	AB020023	Nicotiana tabacum
CAB43399.1	AJ006292	Antirrhinum majus	BAB16432.1	AB041520	Nicotiana tabacum
AAK19616.1	AF336283	Gossypium hirsutum	AAC49528.1	U56834	Petroselinum crispum
AAG36774.1	AF210616	Zea mays	AAD27591.1	AF121354	Petroselinum crispum
AAA33500.1	M73028	Zea mays			
CAA68235.1	X99973	Hordeum vulgare			
CAA72187.1	Y11352	Oryza sativa			
CAA72186.1	Y11351	Oryza sativa			
CAA67600.1	X99210	Lycopersicon esculentum			

BAA77383.1	AB020590	Nicotiana tabacum	AAA33031.1	M29956	Mesembryanthemum crystalli
BAA82107.1	AB022693	Nicotiana tabacum	CAA42103.1	X59517	Antirrhinum majus
BAA86031.1	AB026890	Nicotiana tabacum	CAA51675.1	X73150	Pisum sativum
CAA88326.1	Z48429	Avena fatua	AAA33667.1	L07500	Pisum sativum
AAD16138.1	AF096298	Nicotiana tabacum	CAA42903.1	X60345	Ranunculus acris
AAC31956.1	AF080595	Pimpinella brachycarpa	CAA42901.1	X60343	Hordeum vulgare
AAC49527.1	U48831	Petroselinum crispum	AAA33352.1	L26924	Ginkgo biloba
AAD55974.1	AF121353	Petroselinum crispum	AAA89207.1	L26922	Taxus baccata
AAF23898.1	AF193802	Oryza sativa	AAA34077.1	M14419	Nicotiana tabacum
AAD16139.1	AF096299	Nicotiana tabacum	CAA42902.1	X60344	Petroselinum crispum
AAC49529.1	U58540	Petroselinum crispum	AAA33779.1	L07501	Pinus sylvestris
AAG35658.1	AF204925	Cucumis sativus	AAA87579.1	U45856	Zea mays
AAC37515.1	L44134	Avena fatua	CAA55116.1	X78307	Craterostigma plantagineum
CAA88331.1	Z48431	Petroselinum crispum	AAA87880.1	U45858	Zea mays
AAG35659.1	AF204926	Nicotiana tabacum	AAA87578.1	U45855	Zea mays
AAF61864.1	AF193771	Matricaria chamomilla	CAA51676.1	X73151	Zea mays
BAA87069.1	AB035271		AAA82047.1	U31676	Oryza sativa
SEQ ID NO. 141			AAA87580.1	U45857	Zea mays
BAA90392.1	AF001081	Oryza sativa	AAB59010.1	U96623	Selaginella lepidophylla
BAB40310.1	AB026055	Nicotiana tabacum	AAB07758.1	U17005	Solanum tuberosum
AAF73016.1	AF262934	Avicennia marina	CAA51071.1	X72381	Physcomitrella patens
BAB40311.1	AB026056	Nicotiana tabacum	AAB54003.1	U97257	Lycopersicon esculentum
AAA34310.1	M62720	Triticum aestivum	AAA32956.1	M36650	Hordeum vulgare
SEQ ID NO. 142			AAB51592.1	U93208	Lycopersicon esculentum
AAD22975.1	AF126551	Solanum tuberosum subsp.	CAA06030.1	AJ003783	Marsilea quadrifolia
tuberosum			AAD10215.1	L32560	Chloroplast Pinus sylvestris
AAF65770.1	AF242312	Euphorbia esula	AAD10214.1	L32561	Chloroplast Pinus sylvestris
CAA48638.1	X68678	Zea mays	CAA04942.1	AJ001706	Pinus sylvestris
AAC05639.1	AF052206	Chlamydomonas reinhardtii	AAA33466.1	L13432	Zea mays
AAG03106.1	AC073405	Oryza sativa	AAF64241.1	AF251217	Triticum aestivum
BAA84791.1	AF000559	Oryza sativa	AAA33465.1	L13431	Zea mays
SEQ ID NO. 143			CAA09040.1	AJ010224	Cicer arietinum
CAA53269.1	X75597	Atriplex nummularia	AAA86855.1	L27668	Chloroplast Chlamydomonas
AAA03442.1	U02886	Atriplex nummularia	reinhardtii		Chloroplast Pisum sativum
CAA42905.1	X60347	Magnolia liliiflora	AAA84543.1	M55147	Nicotiana tabacum
CAB39974.1	AJ133422	Nicotiana tabacum	AAA34076.1	M14418	Oryza sativa
CAA42904.1	X60346	Petunia x hybrida	BAA85402.1	AF000615	
AAA33033.1	J05223	Mesembryanthemum crystallinum	SEQ ID NO. 146		
			CAA33082.1	X14959	Spinacia oleracea
			AAF88067.1	AF286593	Triticum aestivum

AAC19392.1	AF069314	Mesembryanthemum crystallinum	AAD49230.1	AF159385	Hordeum bulbosum
CAA05081.1	AJ001903	Triticum turgidum subsp. durum	AAD49232.1	AF159387	Lolium perenne
BAB20886.1	AB053294	Oryza sativa	AAD49233.1	AF159388	Phalaris coerulescens
AAC49357.1	U35830	Pisum sativum	AAD49234.1	AF159389	Phalaris coerulescens
CAA45098.1	X63537	Pisum sativum	BAA13524.1	D87984	Fagopyrum esculentum
CAA41415.1	X58527	Nicotiana tabacum	CAA41415.1	X58527	Nicotiana tabacum
BAA04864.1	D21836	Oryza sativa	AAD49231.1	AF159386	Secale cereale
AAB51522.1	U92541	Oryza sativa	CAA56850.1	X80887	Chlamydomonas reinhardtii
BAA05546.1	D26547	Oryza sativa	CAA55399.1	X78822	Chlamydomonas reinhardtii
AAC04671.1	AF018174	Brassica napus	AAB53695.1	U59380	Brassica napus
AAC32111.1	AF051206	Picea mariana	AAD56954.1	AF186240	Secale cereale
CAA94534.1	Z70677	Ricinus communis	CAA35827.1	X51463	Spinacia oleracea
BAA25681.1	AB010434	Brassica rapa	CAA35826.1	X51462	Spinacia oleracea
BAA13524.1	D87984	Fagopyrum esculentum	CAA45098.1	X63537	Pisum sativum
AAG35777.1	AF273844	Brassica oleracea var.	CAA33082.1	X14959	Spinacia oleracea
			AAC49357.1	U35830	Pisum sativum
			AAC19392.1	AF069314	Mesembryanthemum crystallinum
AAB53694.1	U59379	Brassica napus	CAA56851.1	X80888	Chlamydomonas reinhardtii
CAA77847.1	Z11803	Nicotiana tabacum	CAA55398.1	X78821	Chlamydomonas reinhardtii
CAA56850.1	X80887	Chlamydomonas reinhardtii	CAA53900.1	X76269	Pisum sativum
CAA55399.1	X78822	Chlamydomonas reinhardtii	AAC49358.1	U35831	Pisum sativum
CAA35827.1	X51463	Spinacia oleracea	AAC04671.1	AF018174	Brassica napus
CAA35826.1	X51462	Spinacia oleracea	CAA06736.1	AJ005841	Oryza sativa
AAD33596.1	AF133127	Hevea brasiliensis	AAB52409.1	U76831	Brassica napus
AAB53695.1	U59380	Brassica napus	AAD45358.1	AF160870	Brassica napus
SEQ ID NO. 147			SEQ ID NO. 148		
AAD33596.1	AF133127	Hevea brasiliensis	AAC49358.1	U35831	Pisum sativum
CAA77847.1	Z11803	Nicotiana tabacum	CAA53900.1	X76269	Pisum sativum
BAB20886.1	AB053294	Oryza sativa	AAB52409.1	U76831	Brassica napus
AAF88067.1	AF286593	Triticum aestivum	AAD45358.1	AF160870	Brassica napus
CAA05081.1	AJ001903	Triticum turgidum subsp. durum			
CAA94534.1	Z70677	Ricinus communis	SEQ ID NO. 149		
AAC32111.1	AF051206	Picea mariana	CAB88032.1	AJ271093	Lycopersicon esculentum
BAA25681.1	AB010434	Brassica rapa	AAF67141.1	AF230371	Lycopersicon esculentum
AAG35777.1	AF273844	Brassica oleracea var.	AAA03353.1	U00428	Linum usitatissimum
			CAB86383.1	AJ250864	Hordeum vulgare
			CAB86384.1	AJ251304	Hordeum vulgare
			AAF64041.1	AF229811	Cucumis sativus
			CAB54848.1	AJ249246	Medicago sativa
			CAB54847.1	AJ249245	Medicago sativa
SEQ ID NO. 147			SEQ ID NO. 149		
AAB53694.1	U59379	Brassica napus	CAB88032.1	AJ271093	Lycopersicon esculentum
BAB39913.1	AF002912	Oryza sativa	AAF67141.1	AF230371	Lycopersicon esculentum
BAA05546.1	D26547	Oryza sativa	AAA03353.1	U00428	Linum usitatissimum
AAB51522.1	U92541	Oryza sativa	CAB86383.1	AJ250864	Hordeum vulgare
BAA04864.1	D21836	Oryza sativa	CAB86384.1	AJ251304	Hordeum vulgare

CAB54849.1	AJ249247	Medicago sativa	AAG01533.1	AF289466	Nicotiana tabacum
AAA97465.1	U51674	Capsicum annuum	CAA65980.1	X97315	Medicago sativa
AAK27266.1	AY028374	Capsicum annuum	CAC15503.1	AJ297916	Lycopersicon esculentum
AAK15070.1	AF239670	Psidium guajava	CAA66235.1	X97639	Antirrhinum majus
AAK27265.1	AY028373	Lycopersicon esculentum	CAC17703.1	AJ278885	Chenopodium rubrum
AAF67142.1	AF230372	Lycopersicon esculentum	AAD08721.1	AF038570	Dunaliella tertiolecta
CAB43022.1	AJ239065	Lycopersicon esculentum	CAA65982.1	X97317	Medicago sativa
SEQ ID NO. 150			CAC15504.1	AJ297917	Lycopersicon esculentum
AAA74900.1	I34343	Ruta graveolens	CAA66236.1	X97640	Antirrhinum majus
AAA74901.1	I34344	Ruta graveolens	BAA19553.1	D64036	Oryza sativa
AAC27795.1	AF079168	Nicotiana tabacum	AAA33479.1	M60526	Zea mays
BAA82095.1	AB022603	Oryza sativa	CAA42922.1	X60374	Oryza sativa
BAA82094.1	AB022602	Oryza sativa	CAA54746.1	X77680	Picea abies
CAC29060.1	AJ250008	Catharanthus roseus	AAD10483.1	U23409	Triticum aestivum
SEQ ID NO. 151			AAA92823.1	U18365	Brassica napus
AAA92823.1	U18365	Brassica napus	CAA71242.1	Y10160	Chenopodium rubrum
AAK16652.1	AF194820	Populus tremula x Populus tremuloides	CAA76700.1	Y17225	Lycopersicon esculentum
CAA76700.1	Y17225	Lycopersicon esculentum	CAA56815.2	X80845	Pinus contorta
AAC41680.1	I34206	Petroselinum crispum	AAK16652.1	AF194820	Populus tremula x Populus tremuloides
CAA76701.1	Y17226	Lycopersicon esculentum	AAG01534.1	AF289467	Nicotiana tabacum
AAA34241.1	M99497	Vigna aconitifolia	CAA66233.1	X97637	Antirrhinum majus
CAA9991.1	Z75661	Sesbania rostrata	CAA76701.1	Y17226	Lycopersicon esculentum
CAA61581.1	X89400	Vigna unguiculata	AAA34241.1	M99497	Vigna aconitifolia
AAA33479.1	M60526	Zea mays	CAA61581.1	X89400	Vigna unguiculata
AAD30506.1	AF129886	Vigna radiata	CAA42923.1	X60375	Oryza sativa
AAD30494.1	AF126737	Phaseolus vulgaris	BAA33152.1	AB008187	Pisum sativum
CAC15503.1	AJ297916	Lycopersicon esculentum	AAB02567.1	L77082	Nicotiana tabacum
AAD08721.1	AF038570	Dunaliella tertiolecta	CAA9991.1	Z75661	Sesbania rostrata
CAC15504.1	AJ297917	Lycopersicon esculentum	AAC41680.1	I34206	Petroselinum crispum
BAA19553.1	D64036	Oryza sativa	CAA50038.1	X70707	Medicago sativa
CAA37207.1	X53035	Pisum sativum	BAA21673.1	AB006033	Allium cepa
CAA41172.1	X58194	Oryza sativa	AAAB73997.1	Y13646	Petunia x hybrida
AAA98856.1	U53510	Solanum tuberosum	AAB02568.1	I77083	Nicotiana tabacum
BAB18271.1	AB035141	Chlamydomonas reinhardtii	AAD10484.1	U23410	Triticum aestivum
CAA96384.1	Z71702	Beta vulgaris	AAB41817.1	M58365	Medicago sativa
SEQ ID NO. 152			AAD30506.1	AF129886	Vigna radiata
AAG01532.1	AF289465	Nicotiana tabacum	AAD30494.1	AF126737	Phaseolus vulgaris
			CAA66234.1	X97638	Antirrhinum majus
			CAA41172.1	X58194	Oryza sativa
			BAA28778.1	AB015182	Mesembryanthemum crystallinum



CAA65979.1	X97314	Medicago sativa	AAD00708.1	U91857	Stylosanthes hamata
CAA65981.1	X97316	Medicago sativa	AAC49741.1	U89257	Lycopersicon esculentum
AAG40580.1	AF216316	Oryza sativa	AAC29516.1	U77655	Solanum tuberosum
CAB61889.1	AJ251330	Oryza sativa	AAF05606.1	AF190770	Oryza sativa
BAB18271.1	AB035141	Chlamydomonas reinhardtii	BAA76734.1	AB024575	Nicotiana tabacum
			AAD45623.1	AF084185	Brassica napus
			AAG59619.1	AF243384	Oryza sativa
SEQ ID NO. 154			SEQ ID NO. 156		
AAC50047.1	U89255	Lycopersicon esculentum	CAA58775.1	X83923	Solanum tuberosum
BAA97122.1	AB016264	Nicotiana sylvestris	CAA04994.1	AJ001772	Nicotiana tabacum
BAA07321.1	D38123	Nicotiana tabacum	CAB52708.1	AJ010712	Solanum tuberosum
AAC62619.1	AF057373	Nicotiana tabacum	CAA67782.1	X99405	Nicotiana tabacum
BAA87068.1	AB035270	Matricaria chamomilla	CAA03941.1	AJ000184	Spinacia oleracea
CAB96899.1	AJ251249	Catharanthus roseus	AAB69317.1	AF012861	Petroselinum crispum
CAB96900.1	AJ251250	Catharanthus roseus	CAB52685.1	AJ132346	Dunaliella bioculata
AAB38748.1	U81157	Nicotiana tabacum	CAA03939.1	AJ000182	Spinacia oleracea
AAC49740.1	U89256	Lycopersicon esculentum	AAF87216.1	AF231351	Nicotiana tabacum
BAA97124.1	AB016266	Nicotiana sylvestris	CAA03940.1	AJ000183	Spinacia oleracea
BAA97123.1	AB016265	Nicotiana sylvestris	AAB41552.1	U18238	Medicago sativa subsp. sativa
AAD00708.1	U91857	Stylosanthes hamata	CAA03940.1	AJ000183	Triticum aestivum
BAB03248.1	AB037183	Oryza sativa	AAB41552.1	U18238	Mesembryanthemum crystallinum
AAF05606.1	AF190770	Oryza sativa	BAA97662.1	AB029454	Solanum tuberosum
BAA76734.1	AB024575	Nicotiana tabacum	AAD11426.1	AF097663	Petroselinum crispum
AAC49741.1	U89257	Lycopersicon esculentum	CAA52442.1	X74421	Triticum aestivum
AAC29516.1	U77655	Solanum tuberosum	AAB69318.1	AF012862	Petroselinum crispum
AAD45623.1	AF084185	Brassica napus	BAA97663.1	AB029455	Triticum aestivum
AAG59618.1	AF239616	Hordeum vulgare	AAB69319.1	AF012863	Petroselinum crispum
AAK01089.1	AF298231	Hordeum vulgare	BAA97664.1	AB029456	Triticum aestivum
SEQ ID NO. 155			CAA04993.1	AJ001770	Nicotiana tabacum
BAA97124.1	AB016266	Nicotiana sylvestris	CAA04992.1	AJ001769	Nicotiana tabacum
BAA87068.1	AB035270	Matricaria chamomilla	AAG23802.1	AF260736	Cucurbita pepo
AAC50047.1	U89255	Lycopersicon esculentum	CAB66330.1	AJ279688	Betula pendula
BAA97122.1	AB016264	Nicotiana sylvestris	BAA82155.1	AB011441	Triticum aestivum
BAA07321.1	D38123	Nicotiana tabacum	CAA06200.1	AJ004900	Glycine max
AAC49740.1	U89256	Lycopersicon esculentum	SEQ ID NO. 157		
AAC62619.1	AF057373	Nicotiana tabacum	CAA70768.1	Y09579	Pisum sativum
AAB38748.1	U81157	Nicotiana tabacum	CAB94801.1	AJ289774	Pisum sativum
CAB96900.1	AJ251250	Catharanthus roseus	CAB89693.1	AJ276591	Pisum sativum
CAB96899.1	AJ251249	Catharanthus roseus	AAC98912.1	AF029984	Lycopersicon esculentum
BAA97123.1	AB016265	Nicotiana sylvestris	CAB89694.1	AJ276592	Pisum sativum
BAB03248.1	AB037183	Oryza sativa	CAB94800.1	AJ289773	Pisum sativum

BAA94422.1	AB040053	Oryza sativa subsp. japonica	AAG60195.1	AC084763	Oryza sativa
AAG31173.1	AF315714	Ipomoea nil	BAA19573.1	AB002109	Oryza sativa
SEQ ID NO. 159			AAD00240.1	U73939	Nicotiana tabacum
AAC39355.1	AF007807	Daucus carota	AAB68962.1	I38855	Glycine max
CAA05207.1	AJ002140	Lycopersicon esculentum	BAA13608.1	D88399	Oryza sativa
BAA92852.1	AB030726	Nicotiana tabacum	CAA81443.1	Z26846	Mesembryanthemum crystalli
AAC49931.1	AF034419	Pisum sativum	CAA06503.1	AJ005373	Craterostigma plantagineur
AAG15406.1	AF229183	Zea mays	AAF27340.1	AF186020	Vicia faba
AAC39356.1	AF007808	Daucus carota	AAB58348.1	U29095	Triticum aestivum
AAK11516.1	AF243043	Zea mays	AAC98509.1	AF100162	Chlamydomonas reinhardtii
SEQ ID NO. 161			AAA96325.1	M94726	Triticum aestivum
CAB89693.1	AJ276591	Pisum sativum	SEQ ID NO. 163		
CAB94801.1	AJ289774	Pisum sativum	CAA94534.1	Z70677	Ricinus communis
CAB94800.1	AJ289773	Pisum sativum	CAA77847.1	Z11803	Nicotiana tabacum
CAB89694.1	AJ276592	Pisum sativum	CAA41415.1	X58527	Nicotiana tabacum
SEQ ID NO. 162			BAA05546.1	D26547	Oryza sativa
AAD23582.1	AF128443	Glycine max	AAB51522.1	U92541	Oryza sativa
CAA65244.1	X95997	Solanum tuberosum	BAA04864.1	D21836	Oryza sativa
CAA46556.1	X65606	Hordeum vulgare	BAB20886.1	AB053294	Oryza sativa
AAF66639.1	AF143743	Lycopersicon esculentum	BAA13524.1	D87984	Fagopyrum esculentum
BAA05649.1	D26602	Nicotiana tabacum	AAB53695.1	U59380	Brassica napus
AAB52224.1	U83797	Solanum tuberosum	AAC32111.1	AF051206	Picea mariana
AAC99329.1	AF062479	Oryza sativa	AAF88067.1	AF286593	Triticum aestivum
CAA07813.1	AJ007990	Hordeum vulgare	CAA05081.1	AJ001903	Triticum turgidum subsp. durum
CAA46554.1	X65604	Hordeum vulgare	AAB53694.1	U59379	Brassica napus
AAB05457.1	U55768	Oryza sativa	AAG35777.1	AF273844	Brassica oleracea var.
CAA57898.1	X82548	Hordeum vulgare	alboglabra		
CAA71142.1	Y10036	Cucumis sativus	BAA25681.1	AB010434	Brassica rapa
CAA65243.1	X95996	Solanum tuberosum	AAD49232.1	AF159387	Lolium perenne
BAA96628.1	AP002482	Oryza sativa	AAD49231.1	AF159386	Secale cereale
CAA73068.1	Y12465	Sorghum bicolor	AAD49234.1	AF159389	Phalaris coerulescens
CAA73067.1	Y12464	Sorghum bicolor	AAD49233.1	AF159388	Phalaris coerulescens
BAA83689.1	AB011968	Oryza sativa	AAD49230.1	AF159385	Hordeum bulbosum
AAF22219.1	AF141378	Zea mays	AAD56954.1	AF186240	Secale cereale
BAA83688.1	AB011967	Oryza sativa	BAB39913.1	AF002912	Oryza sativa
BAA34675.1	AB011670	Triticum aestivum	CAA55399.1	X78822	Chlamydomonas reinhardtii
AAB62693.1	AF004947	Oryza sativa	CAA56850.1	X80887	Chlamydomonas reinhardtii
AAD00239.1	U73938	Nicotiana tabacum	AAD33596.1	AF133127	Hevea brasiliensis
			AAC19392.1	AF069314	Mesembryanthemum crystallinum
			CAA45098.1	X63537	Pisum sativum

AAC49357.1	U35830	Pisum sativum	AAD56954.1	AF186240	Secale cereale
CAA35827.1	X51463	Spinacia oleracea	AAD33596.1	AF133127	Hevea brasiliensis
CAA35826.1	X51462	Spinacia oleracea	AAC49358.1	U35831	Pisum sativum
CAA53900.1	X76269	Pisum sativum	CAA53900.1	X76269	Pisum sativum
CAA53398.1	X78821	Chlamydomonas reinhardtii	CAA35826.1	X51462	Spinacia oleracea
CAA56851.1	X80888	Chlamydomonas reinhardtii	CAA35827.1	X51463	Spinacia oleracea
CAA44209.1	X62335	Chlamydomonas reinhardtii	CAA45098.1	X63537	Pisum sativum
AAC49358.1	U35831	Pisum sativum	AAC49357.1	U35830	Pisum sativum
AAC04671.1	AF018174	Brassica napus	AAD45358.1	AF160870	Brassica napus
CAA33082.1	X14959	Spinacia oleracea	AAB52409.1	U76831	Brassica napus
CAA06736.1	AJ005841	Oryza sativa	AAC19392.1	AF069314	Mesembryanthemum crystallinum
AAD45358.1	AF160870	Brassica napus	CAA06736.1	AJ005841	Oryza sativa
AAB52409.1	U76831	Brassica napus	AAC04671.1	AF018174	Brassica napus
CAA06735.1	AJ005840	Triticum aestivum	CAA56851.1	X80888	Chlamydomonas reinhardtii
AAB47556.1	U87141	Mesembryanthemum crystallinum	CAA44209.1	X62335	Chlamydomonas reinhardtii
SEQ ID NO. 164			CAA55398.1	X78821	Chlamydomonas reinhardtii
AAB53695.1	U59380	Brassica napus	CAA06735.1	AJ005840	Triticum aestivum
BAA04864.1	D21836	Oryza sativa	AAB47556.1	U87141	Mesembryanthemum crystallinum
BAA05546.1	D26547	Oryza sativa	CAA33082.1	X14959	Spinacia oleracea
AAB51522.1	U92541	Oryza sativa	SEQ ID NO. 165		
BAA25681.1	AB010434	Brassica rapa	AAF78756.1	AF271358	Oryza sativa
AAB53694.1	U59379	Brassica napus	SEQ ID NO. 166		
AAG35777.1	AF273844	Brassica oleracea var.	AAG14456.1	AF283708	Tulipa gesneriana
alboglabra			AAG14455.1	AF283707	Tulipa gesneriana
CAA94534.1	Z70677	Ricinus communis	AAG14454.1	AF283706	Tulipa gesneriana
CAA41415.1	X58527	Nicotiana tabacum	SEQ ID NO. 167		
CAA77847.1	Z11803	Nicotiana tabacum	AAC49832.1	AF005492	Oryza sativa
BAB20886.1	AB053294	Oryza sativa	BAA97100.1	AB040471	Nicotiana tabacum
AAF88067.1	AF286593	Triticum aestivum	AAC04882.1	AF046934	Paulownia kawakamii
BAA13524.1	D87984	Fagopyrum esculentum	CAA05898.1	AJ003142	Lycopersicon esculentum
CAA05081.1	AJ001903	Triticum turgidum subsp. durum	CAA52015.1	X73635	Lycopersicon esculentum
AAC32111.1	AF051206	Picea mariana	BAA96162.1	AF002092	Oryza sativa
CAA55399.1	X78822	Chlamydomonas reinhardtii	BAA07289.1	D38111	Triticum aestivum
CAA56850.1	X80887	Chlamydomonas reinhardtii	CAA40101.1	X56781	Triticum aestivum
AAD49231.1	AF159386	Secale cereale	CAA71687.1	X10685	Glycine max
AAD49232.1	AF159387	Lolium perenne	AAB36514.1	U57389	Phaseolus vulgaris
AAD49233.1	AF159388	Phalaris coerulescens	CAA41453.1	X58577	Petroselinum crispum
AAD49230.1	AF159385	Hordeum bulbosum	CAC00656.1	AJ292743	Petroselinum crispum
AAD49234.1	AF159389	Phalaris coerulescens			
BAB39913.1	AP002912	Oryza sativa			

AAB40291.1	U42208	Oryza sativa	AAB66608.1	AF012889	Zea mays
AAK14790.1	AY027510	Catharanthus roseus	AAB88537.1	AF035944	Fragaria x ananassa
CAA71768.1	Y10809	Petroselinum crispum	BAA33152.1	AB008187	Pisum sativum
AAC37418.1	I34551	Oryza sativa	AAF22219.1	AF141378	Zea mays
CAA66478.1	X97904	Vicia faba	CAA81443.1	Z26846	Mesembryanthemum crystalli
AAC49556.1	U04295	Oryza sativa	AAC25423.1	AF072908	Nicotiana tabacum
CAA88493.1	Z48603	Nicotiana tabacum	AAG46110.1	AC073166	Oryza sativa
AAK25822.1	AF350505	Phaseolus vulgaris	AAA96325.1	M94726	Triticum aestivum
CAA70216.1	Y09013	Triticum aestivum	AAK30005.1	AY029067	Rosa hybrid cultivar
CAA71795.1	Y10834	Hordeum vulgare	AAB58348.1	U29095	Triticum aestivum
SEQ ID NO. 169					
CAA06925.1	AJ006228	Nicotiana tabacum	SEQ ID NO. 171		
SEQ ID NO. 170					
BAA83689.1	AB011968	Oryza sativa	CAC00658.1	AJ292745	Petroselinum crispum
CAA06334.1	AJ005077	Lycopersicon esculentum	CAC00657.1	AJ292744	Petroselinum crispum
AAF05112.1	AF158091	Mesembryanthemum crystallinum	CAA74023.1	Y13676	Antirrhinum majus
CAA89202.1	Z49233	Chlamydomonas eugametos	CAA74022.1	Y13675	Antirrhinum majus
AAF21062.1	AF216527	Dunaliella tertiolecta	BAA22204.1	D63951	Nicotiana tabacum
AAF19402.1	AF203480	Lycopersicon esculentum	AAD53394.1	AF176641	Lycopersicon esculentum
CAA73068.1	Y12465	Sorghum bicolor	AAK25822.1	AF350505	Phaseolus vulgaris
AAF19403.1	AF203481	Lycopersicon esculentum	AAK01953.1	AY026054	Phaseolus acutifolius
AAG31141.1	AF305911	Oryza sativa	CAA71687.1	Y10685	Glycine max
AAG31142.1	AF305912	Hordeum vulgare	AAC37418.1	I34551	Oryza sativa
AAF06970.1	AF162662	Kalanchoe fedtschenkoi	BAA36492.1	AB021736	Oryza sativa
AAF06969.1	AF162661	Kalanchoe fedtschenkoi	BAA11431.1	D78609	Oryza sativa
AAF19401.1	AF203479	Glycine max	CAA41453.1	X58577	Petroselinum crispum
BAA90814.1	AF001168	Oryza sativa	CAA71768.1	Y10809	Petroselinum crispum
CAA73067.1	Y12464	Sorghum bicolor	AAC49556.1	U04295	Oryza sativa
BAA34675.1	AB011670	Triticum aestivum	BAA07289.1	D38111	Triticum aestivum
AAE05457.1	U55768	Oryza sativa	CAA71795.1	Y10834	Hordeum vulgare
BAA83688.1	AB011967	Oryza sativa	CAA70216.1	Y09013	Triticum aestivum
CAA39936.1	X56599	Oryza sativa	CAA40101.1	X56781	Triticum aestivum
CAA41172.1	X58194	Daucus carota	CAA11499.1	AJ223624	Spinacia oleracea
BAA85396.1	AF000615	Oryza sativa	AAC49474.1	U41817	Phaseolus vulgaris
AAC05270.1	AF048691	Oryza sativa	AAB40291.1	U42208	Oryza sativa
AAD17800.1	AF090835	Mesembryanthemum crystallinum	BAA02304.1	D12920	Triticum aestivum
CAA50038.1	X70707	Medicago sativa	SEQ ID NO. 180		
CAA57156.1	X81393	Oryza sativa	AAD26116.1	AF106954	Brassica napus
BAA96628.1	AP002482	Oryza sativa	CAB51533.1	AJ237693	Ajuga reptans
			CAB51534.1	AJ237694	Ajuga reptans
			AAD55726.1	AF178569	Vitis riparia

SEQ ID NO. 181	AAA80173.1	U11446	Pennisetum glaucum	AAK15502.1	AF325720	Pennisetum ciliare
	AAA80172.1	U11445	Pennisetum glaucum	CAA57914.1	X82578	Parthenium argentatum
	AAA33504.1	M26227	Zea mays	BAA77025.1	AB026251	Lithospermum erythrorhizon
	AAA80171.1	U11444	Pennisetum glaucum	SEQ ID NO. 188		
	AAG25927.1	AF260918	Petunia x hybrida	BAA04611.1	D17765	Oryza sativa
	AAG25928.1	AF260919	Petunia x hybrida			
	CAA40544.1	X57276	Zea mays	SEQ ID NO. 189		
	AAA80175.1	U11450	Sorghum bicolor	CAC12883.1	AJ295006	Nicotiana tabacum
	AAC49216.1	U39865	Oryza officinalis	CAA55090.1	X78284	Medicago sativa
	AAB03841.1	U57899	Zea mays	BAA92964.1	AF001551	Oryza sativa
				AAB82139.1	AF022736	Oryza sativa
				CAA64625.1	X95313	Chlamydomonas reinhardtii
				AAF78516.1	AF195217	Pyrus pyrifolia
				AAF43806.1	AF166114	Chloroplast Mesostigma virgide
				BAA58003.1	AB001684	Chlorella vulgaris
				AAC64970.1	AF095708	Oryza sativa
				AAD54793.1	AF137379	Chloroplast Nephroselmis
				olivacea		
SEQ ID NO. 185	CAA10134.1	AJ012693	Cicer arietinum	SEQ ID NO. 190		
	CAB65280.1	AJ248323	Medicago sativa subsp. x varia	CAB61752.1	AJ275318	Cicer arietinum
	AAC32448.1	U76296	Spinacia oleracea	CAC14890.1	AJ295156	Phragmites australis
	AAF66243.1	AF243181	Lycopersicon esculentum	AAB68605.1	U82433	Prunus armeniaca
	AAD10251.1	AF031195	Triticum aestivum	AAA86532.1	U31544	Pisum sativum
	AAF66242.1	AF243180	Lycopersicon esculentum			
	CAA80963.1	Z25471	Pisum sativum	SEQ ID NO. 191		
	AAC64163.1	AF093537	Zea mays	BAA02157.1	D12632	Oryza sativa
				BAB19390.1	AF002542	Oryza sativa
SEQ ID NO. 187	AAD32207.1	AF134733	Prunus armeniaca	AAF64190.1	AF245665	Mesembryanthemum crystallinum
	AAB70919.1	AF019376	Brassica napus	SEQ ID NO. 192		
	AAB71420.1	U74631	Ricinus communis	CAA12358.1	AJ225027	Cicer arietinum
	AAB71419.1	U74630	Ricinus communis	CAA63960.1	X94296	Hordeum vulgare
	CAA95999.1	Z71395	Nicotiana plumbaginifolia	AAG13986.1	AF298827	Prunus avium
	CAA05161.1	AJ002057	Beta vulgaris			
	AAA32949.1	I27349	Hordeum vulgare	SEQ ID NO. 193		
	AAF01470.1	AF190454	Zea mays	BAA94964.1	AB042113	Glycine max
	CAA86728.1	Z46772	Zea mays	BAA94966.1	AB042115	Oryza sativa
	CAA61939.1	X89813	Zea mays	AAF67099.1	AF216853	Zea mays
	AAG01147.1	AF283816	Pinus taeda	BAA94965.1	AB042114	Glycine max
	AAA32948.1	I27348	Hordeum vulgare			
	BAA88900.1	AB021259	Oryza sativa			
	AAD17490.1	AF052040	Berberis stolonifera			
	CAA54975.1	X78057	Zea mays			
	CAB54526.1	AJ000765	Chlamydomonas reinhardtii			
	BAA85118.1	AB018243	Solanum melongena			

[illegible]

[illegible]

CAA41415.1	X58527	Nicotiana tabacum	SEQ ID NO. 227	Lycopersicon esculentum
AAB53695.1	U59380	Brassica napus	AAA34140.1	Nicotiana tabacum
BAB20886.1	AB053294	Oryza sativa	CAA45523.1	Lycopersicon esculentum
CAA05081.1	AJ001903	Triticum turgidum subsp. durum	AAA34186.1	Hordeum vulgare
AAF88067.1	AF286593	Triticum aestivum	AAF23819.1	Oryza sativa
BAA05546.1	D26547	Oryza sativa	AAC67558.1	Pinus sylvestris
BAA04864.1	D21836	Oryza sativa	CAA41404.1	Asarina barclaiana
AAB51522.1	U92541	Oryza sativa	AAF44702.1	Pinus sylvestris
BAA25681.1	AB010434	Brassica rapa	CAA41405.1	Chlamydomonas reinhardtii
CAA94534.1	Z70677	Ricinus communis	AAG28464.1	Oryza sativa
AAB53694.1	U59379	Brassica napus	AAC14566.1	Zea mays
AAG35777.1	AF273844	Brassica oleracea var.	CAA90681.1	Hordeum vulgare
alboglabra			AAF90200.1	Sinapis alba
CAA77847.1	Z11803	Nicotiana tabacum	CAA33903.1	Sinapis alba
AAD49231.1	AF159386	Secale cereale	CAA34459.1	Oryza sativa
AAD49233.1	AF159388	Phalaris coarulescens	AAC67557.1	Triticum aestivum
AAD49234.1	AF159389	Phalaris coarulescens	AAB18209.1	Zea mays
BAB39913.1	AF002912	Oryza sativa	AAA64414.1	Hordeum vulgare
AAD49230.1	AF159385	Hordeum bulbosum	CAA44777.1	Pinus sylvestris
AAD49232.1	AF159387	Lolium perenne	CAA41406.1	Chloroplast Gossypium hirsutum
AAD3596.1	AF133127	Hevea brasiliensis	AAA18529.1	Zea mays
CAA55399.1	X78822	Chlamydomonas reinhardtii	AAA64415.1	Pinus sylvestris
CAA56850.1	X80887	Chlamydomonas reinhardtii	CAA32658.1	Lycopersicon esculentum
AAD56954.1	AF186240	Secale cereale	CAA32197.1	Lycopersicon esculentum
CAA44209.1	X62335	Chlamydomonas reinhardtii	AAA34159.1	Pisum sativum
CAA56851.1	X80888	Chlamydomonas reinhardtii	AAF13731.1	Nicotiana tabacum
CAA55398.1	X78821	Chlamydomonas reinhardtii	CAA57877.1	Lycopersicon esculentum
AAC19392.1	AF069314	Mesembryanthemum crystallinum	AAA34142.1	Nicotiana sylvestris
AAC04671.1	AF018174	Brassica napus	BAA25392.1	Nicotiana plumbaginifolia
AAC49357.1	U35830	Pisum sativum	CAA34056.1	Pisum sativum
CAA45098.1	X63537	Pisum sativum	CAA57492.1	Nicotiana sylvestris
CAA35827.1	X51463	Spinacia oleracea	BAA25396.1	Petunia x hybrida
CAA35826.1	X51462	Spinacia oleracea	CAA28639.1	Petunia x hybrida
CAA53900.1	X76269	Pisum sativum	AAA33711.1	Lycopersicon esculentum
AAC49358.1	U35831	Pisum sativum	AAA34141.1	
CAA33082.1	X14959	Spinacia oleracea		
AAD45358.1	AF160870	Brassica napus	SEQ ID NO. 228	
AAB52409.1	U76831	Brassica napus	CAA40474.1	Phaseolus vulgaris
CAA06736.1	AJ005841	Oryza sativa	AAB65776.1	Vitis vinifera
CAA06735.1	AJ005840	Triticum aestivum	CAA61281.1	Vigna unguiculata
AAB03681.1	U43609	Chlamydomonas reinhardtii		



AA65777.1	U97522	Vitis vinifera	AAA17409.1	U02607	Solanum tuberosum
BAA22966.1	D45182	Chenopodium amaranticolor	AAA18332.1	U02605	Solanum tuberosum
BAA22968.1	D45184	Chenopodium amaranticolor	CAA45821.1	X64518	Nicotiana tabacum
BAA22965.1	D45181	Chenopodium amaranticolor	SEQ ID NO. 229		
CAA43708.1	X61488	Brassica napus	AAB35812.1	S80554	Arabidopsis
BAA22967.1	D45183	Chenopodium amaranticolor	AAF23570.1	AF112095	Arabidopsis halleri
CAA53544.1	X75945	Beta vulgaris	AAF23568.1	AF112093	Arabidopsis griffithiana
AAC49435.1	U52845	Daucus carota	AAG43351.1	AF144533	Arabidopsis korshinskyi
AAB08468.1	U52846	Daucus carota	AAF23581.1	AF112106	Capsella rubella
AAB08470.1	U52848	Daucus carota	AAF23569.1	AF112094	Halimolobos perplexa var.
AAB08469.1	U52847	Daucus carota	perplexa		
AAA33445.1	M84165	Zea mays	AAG43349.1	AF144531	Arabidopsis himalaica
AAA33444.1	M84164	Zea mays	AAF23575.1	AF112100	Arabidopsis lyrata subsp.
AAA32916.1	I25826	Beta vulgaris	lyrata		
AAD28733.1	AF112966	Triticum aestivum	AAF23567.1	AF112092	Arabidopsis griffithiana
BAB21377.1	AB054811	Oryza sativa	AAF23578.1	AF112103	Arabidopsis lyrata subsp.
BAB21374.1	AB054687	Oryza sativa	petraea		
BAA19793.1	AB003194	Oryza sativa	AAF23576.1	AF112101	Arabis parishii
AAA85364.1	I42467	Picea glauca	AAF23574.1	AF112099	Arabis lyallii
AAB01665.1	U21848	Brassica napus	AAF23566.1	AF112091	Arabis glabra
AAC35981.1	AF090336	Citrus sinensis	AAF23565.1	AF112090	Arabis fendleri
AAD28730.1	AF112963	Triticum aestivum	AAF23563.1	AF112088	Arabis drummondii
AAF04454.1	AF000966	Poa pratensis	AAF23564.1	AF112089	Arabis drummondii
CAC17793.1	AJ301671	Nicotiana sylvestris	AAF23579.1	AF112104	Arabidopsis lyrata subsp.
AAF04453.1	AF000964	Poa pratensis	petraea		
CAA34812.1	X16938	Nicotiana tabacum	AAF23573.1	AF112098	Arabis lignifera
CAA34813.1	X16939	Nicotiana tabacum	AAF23560.1	AF112085	Cardamine amara
CAA45822.1	X64519	Nicotiana tabacum	AAG43348.1	AF144530	Rorippa amphibia
CAA35945.1	X51599	Nicotiana tabacum	AAG43356.1	AF144538	Cardamine penzesii
AAB23374.1	S44869	Nicotiana tabacum	AAG43359.1	AF144541	Sisymbrium irio
AAA34070.1	M15173	Nicotiana tabacum	AAG43352.1	AF144534	Lepidium campestre
CAA30142.1	X07130	Solanum tuberosum	CAA32495.1	X14314	Sinapis alba
CAA33517.1	X15494	Solanum tuberosum	AAG43357.1	AF144539	Cardamine rivularis
AAG53609.1	AF280437	Secale cereale	AAF23583.1	AF112108	Barbarea vulgaris
CAB01591.1	Z78202	Persea americana	AAC31914.1	AF076336	Brassica napus
CAA53626.1	X76041	Triticum aestivum	AAC31912.1	AF076334	Brassica napus
CAA78845.1	Z15140	Lycopersicon esculentum	AAF23577.1	AF112102	Arabis pauciflora
AAC16010.1	AF061805	Elaeagnus umbellata	AAG43350.1	AF144532	Cochlearia danica
AAA32640.1	M94106	Allium sativum	CAA34460.1	X16437	Sinapis alba
AAA32641.1	M94105	Allium sativum	CAA35600.1	X17577	Matthiola incana
AAA56787.1	I34211	Hordeum vulgare			

AAG43358.1	AF144540	Cardamine pratensis	CAA79625.1	Z19573	Medicago sativa
AAG43353.1	AF144535	Thlaspi arvense	AAF43140.1	AF217957	Populus tremuloides
AAC31913.1	AF076335	Brassica napus	AAC35845.1	AF083332	Medicago sativa
AAF23571.1	AF112096	Arabis hirsuta	CAC07423.1	AJ295837	Populus balsamifera subsp.
AAF23582.1	AF112107	Arabis turrita	trichocarpa		
AAG43406.1	AF174529	Aubrieta deltoidea	CAA79622.1	Z19568	Populus deltoides
AAG43355.1	AF144537	Alliaria petiolata	AAC07987.1	AF038561	Eucalyptus globulus
AAF23580.1	AF112105	Arabis procurrens	AAG15553.1	AF294793	Eucalyptus saligna
AAF23572.1	AF112097	Arabis jacquinii	AAK00679.1	AF229407	Brassica napus
AAF23562.1	AF112087	Arabis blepharophylla	CAA46585.1	X65631	Eucalyptus gunnii
AAF23584.1	AF112109	Aubrieta deltoidea	CAA53211.1	X75480	Eucalyptus gunnii
AAG43354.1	AF144536	Microthlaspi perfoliatum	AAK00681.1	AF229409	Brassica napus
AAF23557.1	AF112082	Aethionema grandiflora	AAE70908.1	AF010290	Lolium perenne
AAF23558.1	AF112083	Arabis alpina	AAK00682.1	AF229410	Brassica oleracea
AAF23559.1	AF112084	Arabis alpina	CAA74070.1	Y13733	Zea mays
AAB87072.1	AF031922	Raphanus sativus	CAA06687.1	AJ005702	Zea mays
AAG43360.1	AF144542	Ionopsidium abulense	AAK00678.1	AF229406	Brassica napus
AAC31911.1	AF076333	Brassica napus	CAA13177.1	AJ231135	Saccharum officinarum
			AAK00684.1	AF229412	Brassica rapa
			AAK00680.1	AF229408	Brassica napus
			AAK00683.1	AF229411	Brassica rapa
			BAA19487.1	D86590	Zinnia elegans
		Fragaria x ananassa	BAA04046.1	D16624	Eucalyptus botryoides
		Fragaria x ananassa	AAD18000.1	AF109157	Eucalyptus globulus
		Mesembryanthemum crystallinum	AAF23409.1	AF207552	Brassica napus
		Petroselinum crispum	AAF23412.1	AF207555	Brassica rapa
		Apium graveolens	AAF23411.1	AF207554	Brassica oleracea
		Medicago sativa	AAF23410.1	AF207553	Brassica napus
		Apium graveolens	AAF23416.1	AF207559	Brassica rapa
		Stylosanthes humilis	AAF23415.1	AF207558	Brassica oleracea
		Stylosanthes humilis			
		Lycopersicon esculentum			
		Pinus taeda	SEQ ID NO. 232		
		Picea abies	CAA72793.1	Y12072	Gossypium arboreum
		Pinus radiata	AAA87729.1	U20771	Lupinus albus
		Picea abies	AAA86687.1	U15777	Lupinus albus
		Picea abies	BAB40666.1	AB053487	Humulus lupulus
		Picea abies	BAB40665.1	AB053486	Humulus lupulus
		Pinus radiata	AAC73051.1	AF048747	Lycopersicon esculentum
		Pinus taeda	CAA59170.1	X84695	Capsicum annuum
		Nicotiana tabacum	CAA57892.1	X82542	Parthenium argentatum
		Nicotiana tabacum	AAC78557.1	AF019892	Helianthus annuus
		Aralia cordata			
SEQ ID NO. 231					
AAD10327.1	U63534				
AAK28509.1	AF320110				
AAB38503.1	U79770				
CAA48028.1	X67817				
AAC15467.1	U24561				
AAC35846.1	AF083333				
AAC61854.1	AF067082				
AAA74882.1	I36823				
AAA74883.1	I36456				
AAF72100.1	AF146691				
CAA86072.1	Z37991				
CAA05095.1	AJ001924				
AAB38774.1	U62394				
CAA51226.1	X72675				
CAA05097.1	AJ001926				
CAA05096.1	AJ001925				
AAC31166.1	AF060491				
CAA86073.1	Z37992				
CAA44216.1	X62343				
CAA44217.1	X62344				
BAA03099.1	D13991				

[illegible]

CAA43210.1	X60820	Oryza sativa	CAA63901.1	X94191	Pennisetum glaucum
AAA33909.1	M80938	Oryza sativa	AAA33672.1	M33899	Pisum sativum
CAA37864.1	X53870	Chenopodium rubrum	CAA41547.1	X58711	Medicago sativa
CAA63571.1	X92984	Pseudotsuga menziesii	CAA46641.1	X65725	Zea mays
CAA63901.1	X94191	Pennisetum glaucum	AAB39856.1	U81385	Oryza sativa
AAA33671.1	M33900	Pisum sativum	AAC78394.1	U83671	Oryza sativa
CAA46641.1	X65725	Zea mays	AAC78392.1	U83669	Oryza sativa
CAA31785.1	X13431	Triticum aestivum	CAA39603.1	X56138	Lycopersicon esculentum
CAA63902.1	X94192	Pennisetum glaucum	AAA33910.1	M80939	Oryza sativa
AAB39856.1	U81385	Oryza sativa	AAA33909.1	M80938	Oryza sativa
			CAA43210.1	X60820	Oryza sativa
			AAD30453.1	AF123256	Lycopersicon esculentum
			AAA34294.1	LI4444	Triticum aestivum
			AAD30454.1	AF123257	Lycopersicon esculentum
SEQ ID NO. 237			SEQ ID NO. 238		
AAC14577.1	U72396	Lycopersicon esculentum	AAD30456.1	AF123259	Lycopersicon esculentum
AAA33670.1	M33901	Pisum sativum	AAF31705.1	AF221856	Euphorbia esula
CAA82653.1	Z29554	Helianthus annuus	AAC32131.1	AF051230	Picea mariana
AAD41409.1	AF159562	Prunus dulcis	CAA78738.1	Z15018	Oryza sativa
CAA65020.1	X95716	Petroselinum crispum			
AAC36312.1	AF090115	Lycopersicon esculentum			
AAB01561.1	I47717	Picea glauca			
AAB39336.1	M99430	Ipomoea nil			
AAB01562.1	I47740	Picea glauca			
CAA67206.1	X98617	Medicago sativa			
CAA41218.1	X58279	Triticum aestivum	SEQ ID NO. 239		
CAA67726.1	X99346	Picea abies	CAB57979.1	AJ011914	Lycopersicon esculentum
CAA38012.1	X54075	Zea mays			
CAA38013.1	X54076	Zea mays			
AAB26481.1	S59777	Zea mays			
AAB39335.1	M99429	Ipomoea nil	SEQ ID NO. 240		
AAD09184.1	AF089845	Funaria hygrometrica	AAA33945.1	J03919	Glycine max
BAA04841.1	D21817	Lilium longiflorum	CAA48297.1	X68215	Pisum sativum
AAD09185.1	AF089846	Funaria hygrometrica	AAA33944.1	J03920	Glycine max
BAA04842.1	D21818	Lilium longiflorum	CAA48298.1	X68216	Pisum sativum
CAA63570.1	X92983	Pseudotsuga menziesii	CAA48300.1	X68218	Pisum sativum
CAA63571.1	X92984	Pseudotsuga menziesii	CAA48299.1	X68217	Pisum sativum
AAC39360.1	U63631	Fragaria x ananassa	AAD50278.1	AF169830	Glycine max
AAD09178.1	AF087640	Funaria hygrometrica	CAB61882.1	AJ249996	Lycopersicon esculentum
AAD09182.1	AF089843	Funaria hygrometrica			
BAA04840.1	D21816	Lilium longiflorum	SEQ ID NO. 241		
AAD30452.1	AF123255	Lycopersicon esculentum	AAA33944.1	J03920	Glycine max
AAB63311.1	U46545	Helianthus annuus	CAA48300.1	X68218	Pisum sativum
CAA31785.1	X13431	Triticum aestivum	CAA48299.1	X68217	Pisum sativum
			AAA33945.1	J03919	Glycine max
			CAA48297.1	X68215	Pisum sativum
			CAA48298.1	X68216	Pisum sativum

AAD50278.1	AF169830	Glycine max	AAF65770.1	AF242312	Euphorbia esula
SEQ ID NO. 242			AAD22975.1	AF126551	Solanum tuberosum subsp.
AAD32142.1	AF123504	Nicotiana tabacum	tuberosum		
CAA48297.1	X68215	Pisum sativum	AAG03106.1	AC073405	Oryza sativa
CAA48298.1	X68216	Pisum sativum	CAA48638.1	X68678	Zea mays
AAD32143.1	AF123505	Nicotiana tabacum	SEQ ID NO. 262		
AAD32146.1	AF123508	Nicotiana tabacum	AAB65777.1	U97522	Vitis vinifera
AAA33945.1	J03919	Glycine max	AAB65776.1	U97521	Vitis vinifera
BAA85821.1	AB026822	Cucumis sativus	AAG53609.1	AF280437	Secale cereale
AAA33944.1	J03920	Glycine max	CAA53626.1	X76041	Triticum aestivum
CAA48300.1	X68218	Pisum sativum	BAA03750.1	D16222	Oryza sativa
CAA48299.1	X68217	Pisum sativum	CAB01591.1	Z78202	Persea americana
AAC13253.1	AF022013	Lycopersicon esculentum	CAA30142.1	X07130	Solanum tuberosum
AAD50278.1	AF169830	Glycine max	BAA03751.1	D16223	Oryza sativa
BAA95840.1	AP002070	Oryza sativa	SEQ ID NO. 263		
SEQ ID NO. 244			AAD10836.1	U52079	Solanum tuberosum
AAC49376.1	U43840	Glycine max	BAA83352.1	AP000391	Oryza sativa
AAC49374.1	U43838	Glycine max	BAA90508.1	AP001111	Oryza sativa
CAC24490.1	AJ305033	Pisum sativum	BAA90507.1	AP001111	Oryza sativa
AAC49375.1	U43839	Glycine max	BAA94511.1	AB041505	Populus nigra
SEQ ID NO. 249			SEQ ID NO. 265		
CAA48630.1	X68664	Solanum tuberosum	AAC35496.1	AF052690	Raphanus sativus
AAG29840.1	AF307843	Chlamydomonas reinhardtii	AAC99310.1	AF052585	Malus x domestica
AAG29839.1	AF307842	Chlamydomonas reinhardtii	AAC99309.1	AF052584	Malus x domestica
SEQ ID NO. 251			AAG27547.1	AF269128	Brassica nigra
AAC08401.1	AF053564	Mesembryanthemum crystallinum	AAC27696.1	AF016011	Brassica napus
AAG14454.1	AF283706	Tulipa gesneriana	AAC27694.1	AF016009	Brassica napus
AAG14455.1	AF283707	Tulipa gesneriana	AAC27695.1	AF016010	Brassica napus
AAG14456.1	AF283708	Tulipa gesneriana	AAG27546.1	AF269126	Brassica nigra
SEQ ID NO. 257			AAG24863.1	AF300700	Ipomoea nil
BAA02720.1	D13502	Glycine max	AAD22518.1	AF001136	Pinus radiata
SEQ ID NO. 259			BAA33205.1	AB001887	Oryza sativa
BAA84791.1	AP000559	Oryza sativa	BAA33201.1	AB001883	Oryza sativa
CAA10766.1	AJ132763	Pseudotsuga menziesii	BAA33203.1	AB001885	Oryza sativa
AAC05639.1	AF052206	Chlamydomonas reinhardtii	BAA33206.1	AB001888	Oryza sativa
			BAA33202.1	AB001884	Oryza sativa
			BAA33204.1	AB001886	Oryza sativa
			BAA33200.1	AB001882	Oryza sativa

SEQ ID NO. 268	CAA46990.1	X66284	Solanum tuberosum	BAB21589.1	AB036786	Oryza sativa
	CAA56520.1	X80236	Solanum tuberosum	AAF06970.1	AF162662	Kalanchoe fedtschenkoi
	AAG42149.1	AY011123	Dactylis glomerata	AAF06969.1	AF162661	Kalanchoe fedtschenkoi
	AAK07827.1	AF297643	Cucumis melo	CAA41172.1	X58194	Oryza sativa
	CAA56521.1	X80237	Solanum tuberosum	CAA65500.1	X96723	Medicago sativa
	CAA56519.1	X80235	Solanum tuberosum	BAA12691.1	D84507	Zea mays
	BAA04964.1	D25241	Oryza sativa	AAAB47181.1	S82324	Zea mays
				CAA07481.1	AF007366	Zea mays
				AAF40430.1	AF234652	Mesembryanthemum crystalli
SEQ ID NO. 274	BAA92986.1	AP001550	Oryza sativa	SEQ ID NO. 276		
	AAF19807.1	AF180356	Brassica oleracea	AAK30202.1	AF349961	Daucus carota
	AAF19403.1	AF203481	Lycopersicon esculentum	AAA53296.1	IL18908	Nicotiana tabacum
	AAF19402.1	AF203480	Lycopersicon esculentum	CAA63112.1	X92367	Spinacia oleracea
	BAA05648.1	D26601	Nicotiana tabacum	CAA63107.1	X92350	Spinacia oleracea
	AAF223901.2	AF194414	Oryza sativa	AAB86852.1	AF031542	Fritillaria agrestis
	AAC04324.1	U73937	Nicotiana tabacum	AAC24573.1	AF061508	Zea mays
	AAF23900.1	AF194413	Oryza sativa	CAA62040.1	X90414	Spinacia oleracea
	BAA34675.1	AB011670	Triticum aestivum			
	BAA13440.1	D87707	Ipomoea batatas	SEQ ID NO. 277		
	AAD17800.1	AF090835	Mesembryanthemum crystallinum	BAA08104.1	D45074	Panicum miliaceum
	CAA57157.1	X81394	Oryza sativa	BAA08103.1	D45073	Panicum miliaceum
	AAD23582.1	AF128443	Glycine max	BAA08105.1	D45075	Panicum miliaceum
	CAA39936.1	X56599	Daucus carota	CAA72107.1	Y11220	Solanum tuberosum
	BAA12715.1	D85039	Zea mays	CAC12820.1	AJ299250	Nicotiana tabacum
	CAA58750.1	X83869	Daucus carota	AAB71744.1	U75346	Chlamydomonas reinhardtii
	AAB80693.1	U69174	Glycine max	AAB71743.1	U75345	Chlamydomonas reinhardtii
	AAF21062.1	AF216527	Dunaliella tertiolecta	CAA07568.1	AJ007580	Ribes nigrum
	AAD28192.2	AF115406	Solanum tuberosum	CAA56325.1	X80023	Triticum turgidum
	BAA05649.1	D26602	Nicotiana tabacum	CAA46311.1	X65194	Chlamydomonas reinhardtii
	AAA69507.1	U28376	Zea mays	CAC67107.1	X98474	Solanum tuberosum
	AAB05457.1	U55768	Oryza sativa	CAC27140.1	AJ132535	Picea abies
	AAG36872.1	AF239819	Zea mays	CAA69726.1	Y08499	Betula pendula
	CAA89202.1	Z49233	Chlamydomonas eugametos	BAA31583.1	AB016064	Zea mays
	CAA72362.1	Y11649	Zea mays	CAB61741.1	AJ275306	Cicer arietinum
	CAA72290.1	Y11526	Zea mays	BAA31584.1	AB016065	Oryza sativa
	CAA43659.1	X61387	Zea mays	BAA92520.1	AP001383	Oryza sativa
	CAA65244.1	X95997	Solanum tuberosum			
	AAF76187.1	AF271237	Zea mays	SEQ ID NO. 278		
	BAB21591.1	AB036788	Oryza sativa	CAA64729.1	X95462	Brassica napus
				AAB20114.2	S60064	Brassica napus

CAA74177.1	Y13862	Nicotiana tabacum	SEQ ID NO. 292	Brassica oleracea var. bot
CAA74176.1	Y13861	Nicotiana tabacum	AAF36996.1	Adonis palaeostina
CAA05879.1	AJ003124	Petunia x hybrida	AAF29973.1	Clarkia breweri
CAA05816.1	AJ003025	Oryza sativa	AAB67743.1	Nicotiana tabacum
AF181724	AF181724	Brassica napus	BAB40973.1	Adonis palaeostina
AAF14562.1	AF181723	Brassica napus	AAF29974.1	Oryza sativa
AAF14561.1	AF181725	Brassica oleracea	AAF29978.1	Nicotiana tabacum
AAF14563.1	AF181725	Brassica oleracea	AAF29977.1	Lactuca sativa
BAA13547.1	D88156	Hyoscyamus niger	BAB40974.1	Clarkia breweri
BAA85844.1	AB026544	Hyoscyamus niger	AAF29976.1	Tagetes erecta
AAA33281.1	L20473	Datura stramonium	CAA57947.1	Camptotheca acuminata
CAC19810.1	AJ292343	Solanum tuberosum	AAF29977.1	Camptotheca acuminata
CAB52307.1	AJ245634	Solanum tuberosum	AAB94132.1	Clarkia xantiana
AAB09776.1	L20485	Hyoscyamus niger	AAB94133.1	Tagetes erecta
BAA85845.1	AB026545	Hyoscyamus niger	AAB67742.1	Lactuca sativa
CAC34420.1	AJ307584	Solanum tuberosum	AAG10423.1	Hevea brasiliensis
AAA33282.1	L20474	Datura stramonium	AAF29975.1	Haematococcus pluvialis
AAA33280.1	L20475	Datura stramonium	AAD41766.1	Haematococcus pluvialis
SEQ ID NO. 279			AAD41765.1	Nicotiana tabacum
BAA29041.1	AB015615	Oryza sativa	AAC32208.1	Chlamydomonas reinhardtii
AAB97167.1	AF030882	Zea mays	AAC32209.1	Daucus carota
AAA91298.1	U18908	Zea mays	BAA33978.1	
AAD33898.1	AF142589	Hordeum vulgare	CAA70850.1	
AAD33890.1	AF142590	Triticum aestivum	AAC32601.1	
AAD33891.1	AF142591	Solanum tuberosum	AAF91499.1	
AAD53260.1	AF142588	Hordeum vulgare	SEQ ID NO. 293	
SEQ ID NO. 281			AAC26828.1	Oryza sativa
AAD17487.1	AF049347	Berberis stolonifera	AAB93832.1	Zea mays
AAB20352.1	S65550	Eschscholzia californica	AAC36698.1	Mesembryanthemum crystallinum
AAC39358.1	AF005655	Eschscholzia californica	AAD17804.1	Lotus japonicus
AAC61839.1	AF025430	Papaver somniferum	AAD17805.1	Lotus japonicus
SEQ ID NO. 283			AAC36700.1	Mesembryanthemum crystallinum
CAA90427.1	Z50099	Solanum tuberosum	CAA72341.1	Medicago sativa
CAA75777.1	Y15781	Capsicum annuum	AAG43835.1	Zea mays
CAA86609.1	Z46648	Craterostigma plantagineum	CAC10359.1	Nicotiana tabacum
CAA86608.1	Z46647	Craterostigma plantagineum	CAC10358.1	Nicotiana tabacum
CAA86607.1	Z46646	Craterostigma plantagineum	AAC36697.1	Mesembryanthemum crystallinum
BAA76432.1	AB025004	Cicer arietinum	AAC36699.1	Mesembryanthemum crystallinum
			CAC09575.1	Fagus sylvatica
			SEQ ID NO. 294	
			AAF36996.1	Brassica oleracea var. bot
			AAF29973.1	Adonis palaeostina
			AAB67743.1	Clarkia breweri
			BAB40973.1	Nicotiana tabacum
			AAF29974.1	Adonis palaeostina
			AAF29978.1	Oryza sativa
			BAB40974.1	Nicotiana tabacum
			AAF29976.1	Lactuca sativa
			CAA57947.1	Clarkia breweri
			AAF29977.1	Tagetes erecta
			AAB94132.1	Camptotheca acuminata
			AAB94133.1	Camptotheca acuminata
			AAB67742.1	Clarkia xantiana
			AAG10423.1	Tagetes erecta
			AAF29975.1	Lactuca sativa
			AAD41766.1	Hevea brasiliensis
			AAD41765.1	Haematococcus pluvialis
			AAC32208.1	Haematococcus pluvialis
			AAC32209.1	Haematococcus pluvialis
			BAA33978.1	Haematococcus pluvialis
			CAA70850.1	Nicotiana tabacum
			AAC32601.1	Chlamydomonas reinhardtii
			AAF91499.1	Daucus carota
			SEQ ID NO. 293	
			AAC26828.1	Oryza sativa
			AAB93832.1	Zea mays
			AAC36698.1	Mesembryanthemum crystallinum
			AAD17804.1	Lotus japonicus
			AAD17805.1	Lotus japonicus
			AAC36700.1	Mesembryanthemum crystallinum
			CAA72341.1	Medicago sativa
			AAG43835.1	Zea mays
			CAC10359.1	Nicotiana tabacum
			CAC10358.1	Nicotiana tabacum
			AAC36697.1	Mesembryanthemum crystallinum
			AAC36699.1	Mesembryanthemum crystallinum
			CAC09575.1	Fagus sylvatica
			SEQ ID NO. 294	

CAA12646.1	AJ225806	Egeria densa	AAF13731.1	AF002248	Pisum sativum
AAC50046.1	U46758	Oryza sativa	AAC67557.1	AF094775	Oryza sativa
AAB97617.1	U83687	Apium graveolens	AAF90200.1	AF287276	Hordeum vulgare
AAB41555.1	U13924	Medicago sativa subsp. sativa	CAA33330.1	X15258	Lycopersicon esculentum
AAB41556.1	U13925	Medicago sativa subsp. sativa	CAA41407.1	X58517	Pinus sylvestris
BAA12084.1	D83718	Glycyrrhiza echinata	CAA45523.1	X64198	Nicotiana tabacum
BAA13114.1	D86559	Glycyrrhiza glabra	AAD27882.2	AF139470	Vigna radiata
BAA13113.1	D86558	Glycyrrhiza glabra	AAA34140.1	M17633	Lycopersicon esculentum
			AAA34143.1	M32605	Lycopersicon esculentum
			CAA49209.1	X69434	Pyrobotrys stellata
		Nicotiana tabacum	CAA50763.1	X71965	Pyrobotrys stellata
BAA76904.1	AB025714	Oryza sativa	AAF44703.1	AF241525	Alonsoa meridionalis
BAA03959.1	D16507	Triticum aestivum	AAF23819.1	AF218305	Hordeum vulgare
AAF32399.1	AF224499	Triticum aestivum	AAA64416.1	U23190	Zea mays
AAF32400.1	AF224500	Triticum aestivum	AAC67558.1	AF094776	Oryza sativa
AAF32398.1	AF224498	Triticum aestivum	AAA34186.1	J03558	Lycopersicon esculentum
BAA77817.1	AB007623	Oryza sativa	AAA34146.1	M32606	Lycopersicon esculentum
BAA31688.1	AB016071	Oryza sativa	CAA41404.1	X58514	Pinus sylvestris
AAD00692.1	U90092	Picea abies	CAA41405.1	X58515	Pinus sylvestris
AAC84001.1	AF063248	Picea abies	CAA57408.1	X81809	Picea abies
AAD00691.1	U90091	Picea mariana	CAA57409.1	X81810	Picea abies
AAA20882.1	I13663	Glycine max	AAA33949.1	M21396	Glycine max
BAA25546.1	AB004785	Nicotiana tabacum	BAA25395.1	AB012640	Nicotiana sylvestris
CAB88029.1	AJ276389	Dendrobium grex Madame Thong-In	BAA25393.1	AB012638	Nicotiana sylvestris
BAA79223.1	AB028882	Oryza sativa	CAA47950.1	X67714	Pinus contorta
BAA76905.1	AB025715	Nicotiana tabacum	CAA44777.1	X63052	Hordeum vulgare
BAA79225.1	AB028884	Oryza sativa	AAA50172.1	U01964	Pinus thunbergii
BAA79224.1	AB028883	Oryza sativa	AAC78690.1	S73603	Glycine max
BAA76903.1	AB025713	Nicotiana tabacum	AAD27879.2	AF139467	Vigna radiata
BAA79226.1	AB028885	Oryza sativa	AAA34056.1	M21398	Nicotiana plumbaginifolia
BAA77818.1	AB007624	Oryza sativa	CAA41187.1	X58229	Nicotiana tabacum
BAA76750.1	AB025573	Nicotiana tabacum	AAA68425.1	M34396	Polystichum munitum
BAA77819.1	AB007625	Oryza sativa			
AAC79869.1	AF100326	Dendrobium grex Madame Thong-In			
			SEQ ID NO. 298		
			AAB70241.1	AF016845	Lycopersicon esculentum
		Petunia x hybrida	CAB52219.1	Y18519	Silene latifolia
		Lycopersicon esculentum	AAF97517.1	AF250047	Zea mays
		Lycopersicon esculentum	CAB52218.1	Y18517	Silene latifolia
		Pisum sativum	AAF97518.1	AF250048	Zea mays
		Pinus sylvestris	AAF27919.1	AF220203	Malus x domestica
		Nicotiana tabacum	AAF97519.1	AF250049	Zea mays
			SEQ ID NO. 296		
			AAA33711.1	M21317	
			AAA34159.1	M20241	
			CAA32197.1	X14036	
			CAA57492.1	X81962	
			CAA41406.1	X58516	
			AAA57877.1	X82497	



AAK19620.1	AF336287	Gossypium hirsutum	AAAB29483.1	S68879	Brassica napus
BAA76895.1	AB022686	Lycopersicon esculentum	AAAB29484.1	S68727	Brassica napus
AAC18914.1	U94748	Petunia x hybrida			
BAA76896.1	AB022687	Lycopersicon esculentum			
SEQ ID NO. 299					
AAB70241.1	AF016845	Lycopersicon esculentum	AAAC49184.1	U040402	Hevea brasiliensis
CAB52219.1	Y18519	Silene latifolia	CAA11219.1	AJ223281	Manihot esculenta
CAB52218.1	Y18517	Silene latifolia	CAA82334.1	Z29091	Manihot esculenta
AAF97517.1	AF250047	Zea mays			
AAF97518.1	AF250048	Zea mays			
AAK19620.1	AF336287	Gossypium hirsutum	SEQ ID NO. 313		Pennisetum ciliare
AAF97519.1	AF250049	Zea mays	AAA80575.1	U13148	Chlamydomonas reinhardtii
AAC18914.1	U94748	Petunia x hybrida	AAF34174.1	AF195243	
BAA76895.1	AB022686	Lycopersicon esculentum			
AAF37386.1	AF134835	Medicago truncatula			
AAB63030.1	U83921	Daucus carota			
SEQ ID NO. 300					
AAF97517.1	AF250047	Zea mays	CAA67291.1	X98739	Pisum sativum
CAB52219.1	Y18519	Silene latifolia	CAA67290.1	X98738	Pisum sativum
CAB52218.1	Y18517	Silene latifolia	CAA10643.1	AJ132349	Antirrhinum majus
AAF97518.1	AF250048	Zea mays			
AAF97519.1	AF250049	Zea mays	SEQ ID NO. 316		Oryza sativa
AAB70241.1	AF016845	Lycopersicon esculentum	AAAB97366.1	AF039531	
BAA76895.1	AB022686	Lycopersicon esculentum			
AAF27919.1	AF220203	Malus x domestica			
BAA76896.1	AB022687	Lycopersicon esculentum			
SEQ ID NO. 305					
AAB94599.1	AF024652	Glycine max	AAK15322.1	AF332134	Chloroplast Medicago sativa
AAB94598.1	AF024651	Glycine max	BAA33755.2	AB017480	Nicotiana tabacum
			AAD17230.1	AF117339	Nicotiana tabacum
			CAA09935.1	AJ012165	Capsicum annuum
			BAA57906.1	AB001684	Chlorella vulgaris
			CAA06853.1	AJ006095	Cicer arietinum
SEQ ID NO. 308					
CAA54255.1	X76932	Spinacia oleracea	SEQ ID NO. 318		Avicennia marina
CAA58020.1	X82776	Pisum sativum	AAF01467.1	AF190450	
SEQ ID NO. 309					
AAB29482.1	S68726	Brassica napus	SEQ ID NO. 319		Papaver somniferum
AAA66068.1	U14665	Brassica napus	AAC61839.1	AF025430	Eschscholzia californica
AAA52230.1	U16751	Brassica oleracea	AAC39358.1	AF005655	Eschscholzia californica
			AAB20352.1	S65550	Eschscholzia californica
			AAD17487.1	AF049347	Berberis stolonifera

SEQ ID NO. 320	SEQ ID NO. 331	CAA55047.1	X78213	Parthenium argentatum
AAG43998.1	AF215837			Petunia x hybrida
AAF74566.1	AF215852	CAA78387.1	Z13997	Lycopersicon esculentum
AAF74565.1	AF215851	CAA66952.1	X98308	Nicotiana tabacum
AAF74568.1	AF215854	BAA88222.1	AB028650	Glycine max
AAF74567.1	AF215853	BAA81731.1	AB029160	Glycine max
CAA68813.1	Y07520	BAA81730.1	AB029159	Nicotiana tabacum
CAA39036.1	X55349	AAB41101.1	U72762	Nicotiana tabacum
BAB19864.1	AB052885	BAA88224.1	AB028652	Nicotiana tabacum
CAB07812.1	Z93775	BAA88223.1	AB028651	Nicotiana tabacum
CAA47324.1	X66856	BAA81732.1	AB029161	Glycine max
CAA53192.1	X75440	BAA88221.1	AB028649	Nicotiana tabacum
BAB19863.1	AB052884	BAA81736.1	AB029165	Glycine max
AAB06594.1	U38651	BAA81733.2	AB029162	Glycine max
CAA04511.1	AJ001061	CAA72217.1	Y11414	Oryza sativa
AAA79761.1	L08196	CAA72185.1	Y11350	Oryza sativa
CAA09419.1	AJ010942	AAG13574.1	AC037425	Oryza sativa
CAA70777.1	Y09590	AAK19616.1	AF336283	Gossypium hirsutum
CAB52689.1	AJ132224	CAA78386.1	Z13996	Petunia x hybrida
BAB19862.1	AB052883	CAB43399.1	AJ006292	Antirrhinum majus
CAB06079.1	Z83829	CAA72218.1	Y11415	Oryza sativa
BAA85398.1	AP000615	CAA67600.1	X99210	Lycopersicon esculentum
AAD55054.1	AF173655	CAA64614.1	X95296	Lycopersicon esculentum
CAB52688.1	AJ132223	AAG36774.1	AF210616	Zea mays
CAB52690.1	AJ132225	AAA33500.1	M73028	Zea mays
AAF74025.1	AF156696	AAK19618.1	AF336285	Gossypium hirsutum
BAB21545.1	AB042950	AAF22256.1	AF161711	Pimpinella brachycarpa
BAA20522.1	AB004809	BAA23338.1	D88618	Oryza sativa
CAA67395.1	X98890	CAA67575.1	X99134	Lycopersicon esculentum
AAD38859.1	AF156695	AAK19619.1	AF336286	Gossypium hirsutum
AAB82146.1	AF022873	CAA72186.1	Y11351	Oryza sativa
SEQ ID NO. 324	SEQ ID NO. 325	CAA65525.1	X96749	Oryza sativa
AAB71078.1	U62751	AAK19611.1	AF336278	Gossypium hirsutum
BAA92988.1	AP001550	BAA23337.1	D88617	Oryza sativa
AAA91168.1	U40147	AAK19615.1	AF336282	Gossypium hirsutum
AAB71079.1	U62752	CAA72187.1	Y11352	Oryza sativa
CAA47042.1	X66411	CAA50221.1	X70876	Hordeum vulgare
AAD11446.1	U62749	CAA50224.1	X70879	Hordeum vulgare
CAA60251.1	X86553	CAA50222.1	X70877	Hordeum vulgare
		AAK19617.1	AF336284	Gossypium hirsutum

CAA68235.1	X99973	Hordeum vulgare	BAA01855.1	D11082	Oryza sativa
SEQ ID NO. 334			BAA01584.1	D10752	Oryza sativa
AAD25355.1	AF115574	Pisum sativum	AAD28284.1	AF136268	Oryza sativa subsp. japoni
AAB18669.1	U11716	Pisum sativum	CAA72987.1	Y12320	Triticum aestivum
AAA33662.1	M18250	Pisum sativum	AAG27621.1	AF286317	Triticum aestivum
			AAA82735.1	U17897	Zea mays
			BAA01854.1	D11081	Zea mays
SEQ ID NO. 337			AAC36471.1	AF072724	Zea mays
CAA56319.1	X80009	Pisum sativum	AAB61925.1	AF002820	Triticum aestivum
CAB40743.1	AJ011885	Solanum tuberosum	CAB40749.1	AJ011891	Solanum tuberosum
CAB40746.1	AJ011888	Solanum tuberosum	CAB40745.1	AJ011887	Solanum tuberosum
BAA82348.1	AB029548	Phaseolus vulgaris	CAB40744.1	AJ011886	Solanum tuberosum
CAB40748.1	AJ011890	Solanum tuberosum	BAA85762.1	AB028067	Nicotiana tabacum
AAD30186.1	AF076679	Triticum aestivum	BAB40335.1	AB042940	Ipomoea batatas
BAA01616.1	D10838	Oryza sativa	CAA49371.1	X69713	Manihot esculenta
AAB67316.1	U65948	Zea mays	CAA49370.1	X69712	Manihot esculenta
CAB40747.1	AJ011889	Solanum tuberosum	AAC72336.1	AF064563	Hordeum vulgare
BAA82828.1	AB023498	Oryza sativa			
CAA03846.1	AJ000004	Solanum tuberosum	SEQ ID NO. 339		
CAA72154.1	Y11282	Triticum aestivum	CAB96173.1	AJ271719	Spinacia oleracea
AAG27623.1	AF286319	Triticum aestivum	AAA21277.1	U09194	Mesembryanthemum crystallinum
BAA03738.1	D16201	Oryza sativa	AAB34986.1	S79242	Mesembryanthemum crystallinum
AAD30187.1	AF076680	Aegilops tauschii	CAA41115.1	X58108	Lycopersicon esculentum
AAC69754.1	AF064561	Hordeum vulgare	CAB75428.1	AJ271785	Lupinus luteus
AAK26822.1	AF338432	Triticum aestivum	CAA82232.1	Z28386	Ricinus communis
CAA56320.1	X80010	Pisum sativum	CAC00533.1	AJ132581	Hevea brasiliensis
AAC33764.1	AF072725	Zea mays	CAC00532.1	AJ132580	Hevea brasiliensis
AAA18571.1	I08065	Zea mays	AAC49173.1	U09450	Oryza sativa
AAB17086.1	U66376	Triticum aestivum	AAD04187.1	U17973	Zea mays
AAK26821.1	AF338431	Aegilops tauschii	CAA39454.1	X55981	Zea mays
AAC69753.1	AF064560	Hordeum vulgare	CAA47043.1	X66412	Chlamydomonas reinhardtii
BAB40334.1	AB042937	Ipomoea batatas	CAA41116.1	X58109	Lycopersicon esculentum
CAA54308.1	X77012	Manihot esculenta	AAB35826.2	S79816	Echinochloa phyllopogon
CAA70038.1	Y08786	Solanum tuberosum	BAA04612.1	D17767	Oryza sativa
BAA82349.1	AB029549	Phaseolus vulgaris	AAC34559.1	AF082596	Leavenworthia crassa
CAA49463.1	X69805	Solanum tuberosum	AAC34558.1	AF082595	Leavenworthia stylosa
CAB40981.1	AJ237897	Triticum aestivum	AAC34557.1	AF082594	Leavenworthia uniflora
CAB40979.1	AJ237897	Triticum aestivum	AAC34555.1	AF082592	Leavenworthia stylosa
CAB40980.1	AJ237897	Triticum aestivum	AAC34554.1	AF082591	Leavenworthia stylosa
AAG27622.1	AF286318	Triticum aestivum	AAD46409.1	AF096253	Lycopersicon esculentum
AAD50279.2	AF169833	Sorghum bicolor	AAC34556.1	AF082593	Leavenworthia uniflora

SEQ ID NO. 340	AB023482	BAA78764.1	Oryza sativa	BAA05622.1	D26573	Daucus carota
	AB041503	BAA94509.1	Populus nigra	AAD37699.1	AF145730	Oryza sativa
	AY007545	AAG15628.1	Brassica napus	SEQ ID NO. 342		
	AB041504	BAA94510.1	Populus nigra	AAK21965.1	AY028699	Brassica napus
	AF339747	AAK11674.1	Lophopyrum elongatum	AAG03090.1	AC073405	Oryza sativa
	AF131222	AAF43496.1	Lophopyrum elongatum	BAA94509.1	AB041503	Populus nigra
	AY028699	AAK21965.1	Brassica napus	AAG15628.1	AY007545	Brassica napus
	AC073405	AAG03090.1	Oryza sativa	AAB61708.1	U93048	Daucus carota
	AF249317	AAF91336.1	Glycine max	BAA94510.1	AB041504	Populus nigra
	AF249318	AAF91337.1	Glycine max	AAF43496.1	AF131222	Lophopyrum elongatum
	00069	CAB51834.1	Oryza sativa	AAK11674.1	AF339747	Lophopyrum elongatum
	U28007	AAAC61805.1	Lycopersicon esculentum	AAF91323.1	AF244889	Glycine max
	AF290411	AAG33377.1	Oryza meyeriana	AAF91324.1	AF244890	Glycine max
	AF023164	AAC27894.1	Zea mays	CAA73134.1	Y12531	Brassica oleracea
	AF023165	AAC27895.1	Zea mays	AAF91322.1	AF244888	Glycine max
	U93048	AAB61708.1	Daucus carota	AAC61805.1	U28007	Lycopersicon esculentum
	Z73295	CAA97692.1	Catharanthus roseus	AAF76313.1	AF220603	Lycopersicon esculentum
	AF318490	AAK11566.1	Lycopersicon hirsutum	AAB47421.1	U59316	Lycopersicon esculentum
	AF302082	AAG25966.1	Nicotiana tabacum	AAB09771.1	U67422	Zea mays
	AF285172	AAG00510.1	Phaseolus vulgaris	CAC20842.1	AJ250467	Pinus sylvestris
	U59317	AAB47424.1	Lycopersicon pimpinellifolium	AAF34428.1	AF172282	Oryza sativa
	AF220602	AAF76307.1	Lycopersicon pimpinellifolium	AAK11568.1	AF318492	Lycopersicon hirsutum
	AF142596	AAF66615.1	Nicotiana tabacum	AAK11569.1	AF318493	Lycopersicon hirsutum
	AF318491	AAK11567.1	Lycopersicon hirsutum	AAC23542.1	U20948	Ipomoea trifida
	Y12531	CAA73134.1	Brassica oleracea	AAB93834.1	U82481	Zea mays
	SEQ ID NO. 341			AAF76307.1	AF220602	Lycopersicon pimpinellifolium
	AF139210	AAG43283.1	Oryza sativa	AAK11567.1	AF318491	Lycopersicon hirsutum
	AF145729	AAD37698.1	Oryza sativa	AAB47424.1	U59317	Lycopersicon pimpinellifolium
	AF184278	AAF01765.1	Glycine max	AAF59906.1	AF197947	Glycine max
	X91212	CAA62608.1	Lycopersicon esculentum	AAF59905.1	AF197946	Glycine max
	D26578	BAA21017.1	Daucus carota	BAA92954.1	AP001551	Oryza sativa
	X95193	CAA64491.1	Pimpinella brachycarpa	CAA97692.1	Z73295	Catharanthus roseus
	X94375	CAA64152.1	Pimpinella brachycarpa	SEQ ID NO. 344		
	AF139497	AAD38144.1	Prunus armeniaca	BAA06108.1	D29629	Cucurbita sp.
	AF339748	AAA63768.2	Helianthus annuus	AAC26045.1	AF073507	Citrus limon
	AB028077	BAA93465.1	Physcomitrella patens	AAG28426.1	AF194945	Nicotiana tabacum
	AJ005833	CAA06728.1	Craterostigma plantagineum	CAA58047.1	X82840	Cucumis melo
	AB028079	BAA93467.1	Physcomitrella patens	SEQ ID NO. 345		

BAB03447.1	AP002817	Oryza sativa	CAA73134.1	Y12531	Brassica oleracea
BAA92400.1	AP001366	Oryza sativa	AAA33000.1	M76647	Brassica oleracea
BAA84803.1	AP000559	Oryza sativa	AAB93834.1	U82481	Zea mays
CAA63102.2	X92205	Petunia x hybrida	CAB89179.1	AJ245479	Brassica napus subsp. nap
CAA63101.1	X92204	Petunia x hybrida	BAA92836.1	AB032473	Brassica oleracea
SEQ ID NO. 348			CAA79355.1	Z18921	Brassica oleracea
CAB61745.1	AJ275311	Cicer arietinum	AAA33008.1	M97667	Brassica napus
SEQ ID NO. 350			AAA62232.1	U00443	Brassica napus
BAA05539.1	D26538	Oryza sativa	BAA06285.1	D30049	Brassica rapa
AAB66889.1	AF010584	Oryza sativa	BAA21132.1	D88193	Brassica rapa
BAA74736.1	AB016809	Citrus unshiu	AAC23542.1	U20948	Ipomoea trifida
SEQ ID NO. 354			BAA92837.1	AB032474	Brassica oleracea
AAB71743.1	U75345	Chlamydomonas reinhardtii	BAA07576.1	D38563	Brassica rapa
AAB71744.1	U75346	Chlamydomonas reinhardtii	BAA07577.2	D38564	Brassica rapa
BAA92520.1	AP001383	Oryza sativa	BAA23676.1	AB000970	Brassica rapa
CAA07568.1	AP007580	Ribes nigrum	CAA74662.1	Y14286	Brassica oleracea
CAC27140.1	AJ132535	Picea abies	BAB21001.1	AB054061	Brassica rapa
CAA56325.1	X80023	Triticum turgidum	CAA73133.1	Y12530	Brassica oleracea
CAC12820.1	AJ299250	Nicotiana tabacum	CAA67145.1	X98520	Brassica oleracea
SEQ ID NO. 360			CAB41878.1	Y18259	Brassica oleracea
CAA72681.1	Y11931	Nicotiana rustica	CAA74661.1	Y14285	Brassica oleracea
CAA63777.1	X93564	Solanum tuberosum	CAB41879.1	Y18260	Brassica oleracea
AAA74441.1	U25027	Glycine max	AAD52097.1	AF088885	Nicotiana tabacum
AAD26119.1	AF108123	Brassica napus	AAK21965.1	AY028699	Brassica napus
SEQ ID NO. 361			AAA33915.1	L27821	Oryza sativa
AAC33765.1	AF072849	Oryza sativa subsp. indica	CAB51836.1	AJ243961	Oryza sativa
SEQ ID NO. 362			BAA92954.1	AP001551	Oryza sativa
AAF34800.1	AF227980	Euphorbia esula	BAA82556.1	AB030083	Populus nigra
SEQ ID NO. 363			SEQ ID NO. 368		
BAA22813.1	D26015	Nicotiana tabacum	BAB16860.1	AP002537	Oryza sativa
BAB21205.1	AP002913	Oryza sativa	SEQ ID NO. 373		
SEQ ID NO. 366			CAB06081.1	Z83832	Avena sativa
AAD21872.1	AF078082	Phaseolus vulgaris	SEQ ID NO. 374		
			BAB32917.1	AP003047	Oryza sativa
			CAB56058.1	AJ133787	Oryza sativa
			SEQ ID NO. 375		
			AAB67721.1	AF015269	Zea mays

SEQ ID NO. 379	AAA17732.1	I19074	Catharanthus roseus	AF107023	AF107023	Triticum aestivum
	AAAB94586.1	AF022457	Glycine max	BAA87331.1	AB012694	Lilium longiflorum
	AAAK31592.1	AF029178	Brassica rapa subsp. pekinensis	AAAB6857.1	AF031547	Fritillaria agrestis
	CAAA89260.1	Z49263	Pisum sativum	CAA006767		Cicer arietinum
	AAAB94588.1	AF022459	Glycine max	CAA502303.1	I34578	Pisum sativum
	BAB40322.1	AB036772	Triticum aestivum	CAA77867.1	Z11842	Lycopersicon esculentum
	AAAG3645.1	AF092917	Vicia sativa	AAF64525.1	AF253416	Lycopersicon chilense
	AAD10204.1	AF030260	Nepeta racemosa	AAAB03076.1	U01890	Lycopersicon pennellii
	CAA70575.1	Y09423	Glycyrrhiza echinata	SEQ ID NO. 396		
	BAR22422.1	AB001379	Persea americana	CAA85320.1	Z36749	Glycine max
	AAA32913.1	M32885	Brassica napus	SEQ ID NO. 402		
	AAG14962.1	AF214008	Brassica napus	AAD40979.1	AF089851	Glycine max
	AAG14961.1	AF214007	Lotus japonicus	CAA08855.1	AJ009825	Cicer arietinum
	BAA93634.1	AB025016		AAD49420.1	AF172681	Canavalia lineata
				BAA77206.1	AB026253	Pisum sativum
SEQ ID NO. 386				AAA62490.1	L39931	Pisum sativum
AAG14454.1	AF283706		Tulipa gesneriana	CAA45526.1	X64201	Lens culinaris
AAG14456.1	AF283708		Tulipa gesneriana	AAAB34918.2	S78994	Lens culinaris
AAG14455.1	AF283707		Tulipa gesneriana	CAA06833.1	AJ006052	Cicer arietinum
AAC08401.1	AF053564		Mesembryanthemum crystallinum			
SEQ ID NO. 393				SEQ ID NO. 413		
CAA73171.1	Y12599		Apium graveolens	AAD21872.1	AF078082	Phaseolus vulgaris
AAA50578.1	U03391		Lycopersicon esculentum	AAB93834.1	U82481	Zea mays
AAK29450.1	AF352247		Pisum sativum	CAA73134.1	Y12531	Brassica oleracea
AAC41651.1	L29456		Nicotiana tabacum	AAC23542.1	U20948	Ipomoea trifida
AAK29452.1	AF352249		Lathyrus sativus	CAA67145.1	X98520	Brassica oleracea
AAK29454.1	AF352251		Lens culinaris	BAA23676.1	AB000970	Brassica rapa
AAK29456.1	AF352253		Lens culinaris	CAB41878.1	Y18259	Brassica oleracea
AAK29453.1	AF352250		Lathyrus sativus	CAA73133.1	Y12530	Brassica oleracea
BAA8671.1	AB029614		Nicotiana tabacum	CAB41879.1	Y18260	Brassica oleracea
AAK29449.1	AF352246		Pisum sativum	CAA74662.1	Y14286	Brassica napus
AAK29455.1	AF352252		Lens culinaris	AAA62232.1	U00443	Brassica oleracea
AAK29451.1	AF352248		Pisum sativum	AAA33000.1	M76647	Brassica oleracea
CAA12232.1	AJ224933		Lycopersicon esculentum	CAA74661.1	Y14285	Brassica oleracea
CAA29123.1	U55636		Pisum sativum	BAA92836.1	AB032473	Brassica oleracea
AAF27930.1	AF222804		Euphorbia esula	CAB89179.1	AJ245479	Brassica napus subsp. napus
CAA40362.1	X57077		Zea mays	AAA33008.1	M97667	Brassica napus
CAA42529.2	X59872		Triticum aestivum	BAA21132.1	D88193	Brassica rapa
				BAA06285.1	D30049	Brassica rapa

CAA79355.1	Z18921	Brassica oleracea	AAF23534.1	AF110436	Arabidopsis lyrata subsp. petraea
BAA92837.1	AB032474	Brassica oleracea	AAC34295.1	AF050457	Arabidopsis lyrata subsp. petraea
AAD52097.1	AF088885	Nicotiana tabacum	BAA07911.1	D44449	Arabidopsis lyrata subsp. petraea
BAA07576.1	D38563	Brassica rapa	CAA27681.1	X04049	Arabidopsis lyrata subsp. petraea
BAA07577.2	D38564	Brassica rapa	AAF23543.1	AF110445	Arabidopsis lyrata subsp. petraea
BAB21001.1	AB054061	Brassica rapa	AAF23537.1	AF110439	Arabidopsis lyrata subsp. petraea
BAA94516.1	AP001800	Oryza sativa	CAA32934.1	X14826	Arabidopsis lyrata subsp. petraea
BAA94517.1	AP001800	Oryza sativa	AAF23529.1	AF110431	Arabidopsis lyrata subsp. petraea
AAA33915.1	L27821	Oryza sativa	AAF23535.1	AF110437	Arabidopsis lyrata subsp. petraea
BAA94529.2	AP001800	Oryza sativa	CAA34547.1	X16547	Arabidopsis lyrata subsp. petraea
AAK21965.1	AY028699	Brassica napus	AAF23541.1	AF110443	Arabidopsis lyrata subsp. petraea
AAG16628.1	AY007545	Brassica napus	AAF23526.1	AF110428	Arabidopsis lyrata subsp. petraea
SEQ ID NO. 414			AAF23551.1	AF110453	Arabidopsis lyrata subsp. petraea
CAA57446.1	X81853	Nicotiana tabacum	BAA22973.1	D63454	Arabidopsis lyrata subsp. petraea
CAA38039.1	X54106	Petunia x hybrida	BAA22976.1	D63457	Arabidopsis lyrata subsp. petraea
AAA33807.1	M25153	Solanum tuberosum	AAG01382.1	AF194174	Arabidopsis lyrata subsp. petraea
AAA33806.1	M25154	Solanum tuberosum	CAA80691.1	Z23170	Arabidopsis lyrata subsp. petraea
AAF23527.1	AF110429	Arabidopsis lyrata	AAC49546.1	U48373	Arabidopsis lyrata subsp. petraea
CAA37333.1	X53242	Solanum tuberosum	AAC49540.1	U48367	Arabidopsis lyrata subsp. petraea
AAA33808.1	M25152	Solanum tuberosum	AAF44335.1	AF195866	Arabidopsis lyrata subsp. petraea
CAA54450.1	X77233	Lycopersicon esculentum	CAA88271.1	Z48234	Arabidopsis lyrata subsp. petraea
AAA34133.1	M86724	Lycopersicon esculentum	SEQ ID NO. 416		
AAG01381.1	AF194173	Vitis vinifera	CAA32375.1	X14172	Oryza sativa
AAF23524.1	AF110426	Arabidopsis lyrata	CAA65510.1	X96738	Pinus sylvestris
AAF23536.1	AF110438	Arabidopsis fendleri	CAA27000.1	X03243	Avena sativa
AAB65840.1	U36586	Vitis vinifera	CAA47284.1	X66784	Nicotiana tabacum
AAF23546.1	AF110448	Arabidopsis lyallii	CAA53165.1	X75412	Petroselinum crispum
AAF23548.1	AF110450	Arabidopsis parishii	CAA26999.1	X03242	Avena sativa
AAF34414.1	AF172282	Oryza sativa	AAF14344.1	AF069305	Pisum sativum
AAF23545.1	AF110447	Arabidopsis lignifera	AAA76820.1	M18822	Avena sativa
AAF23523.1	AF110425	Aubrieta deltoidea	AAC49301.2	U32444	Lycopersicon esculentum
AAF23532.1	AF110434	Brassica oleracea	AAB03339.1	U60264	Picea abies
AAA33434.1	M32984	Zea mays	CAA64796.1	X95550	Mougeotia scalaris
AAF23525.1	AF110427	Arabidopsis lyrata	AAC49128.1	U31284	Mesotaenium caldariorum
AAF23555.1	AF110457	Arabidopsis turrita	BAA33774.1	AB016231	Adiantum capillus-veneris
AAF23549.1	AF110451	Arabidopsis pauciflora	BAA33775.1	AB016232	Adiantum capillus-veneris
AAF23539.1	AF110441	Halimolobos perplexa var. lemhiensis	BAA74448.1	AB018442	Oryza sativa
CAA27682.1	X04050	Zea mays	AAF66603.1	AF141942	Oryza sativa
AAF43977.1	AF123535	Zea mays	AAB41399.1	U56731	Sorghum bicolor

BAB39687.1	AB022917	Marchantia paleacea var.	AAC01746.1	AF044489	Oryza sativa
diptera			AAF78016.1	AF238472	Oryza sativa
AAB67863.1	U56698	Ceratodon purpureus	AAD44029.1	AF085164	Hordeum vulgare
AAB19058.1	U72993	Ceratodon purpureus	AAD46416.1	AF100766	Oryza sativa
CAA43698.1	X61458	Selaginella martensii	AAF68400.1	AF237570	Oryza sativa
CAA52933.1	X75025	Physcomitrella patens	AAF78021.1	AF238477	Oryza sativa
AAB41397.1	U56729	Sorghum bicolor	AAF68397.1	AF237567	Oryza sativa
AAA33957.1	I34842	Glycine max	AAD46916.1	AF164020	Oryza sativa
CAA32242.1	X14077	Pisum sativum	AAD44032.1	AF085167	Hordeum vulgare
AAA33682.1	M37217	Pisum sativum	AAD44031.1	AF085166	Hordeum vulgare
AAB21533.2	S84872	Solanum tuberosum	BAB39437.1	AF003338	Oryza sativa
AAB47994.1	U84970	Lathyrus sativus	AAF78019.1	AF238475	Oryza sativa
AAA33115.1	M15265	Cucurbita pepo			
CAA04679.1	AJ001318	Populus tremula x Populus	SEQ ID NO. 420		
tremuloides			AAA73563.1	L16767	Nicotiana tabacum
BAA99408.1	AB036762	Armoracia rusticana	AAA34109.1	L16787	Nicotiana tabacum
BAA99410.1	AB036764	Armoracia rusticana	CAA98188.1	Z73960	Lotus japonicus
BAA99409.1	AB036763	Armoracia rusticana	CAA98187.1	Z73959	Lotus japonicus
AAB41398.2	AF182394	Sorghum bicolor	AAD18006.1	AF112244	Zea mays
BAA31856.1	AB016168	Adiantum capillus-veneris	CAA98168.1	Z73940	Lotus japonicus
BAA31710.1	AB016151	Adiantum capillus-veneris	CAA89049.1	Z49190	Beta vulgaris
CAA74992.1	Y14676	Nicotiana plumbaginifolia	AAA34254.1	L08131	Volvox carteri
AAA34092.1	L10114	Nicotiana tabacum	CAA98182.1	Z73954	Lotus japonicus
CAA74908.1	Y14572	Solanum tuberosum	CAA98169.1	Z73941	Lotus japonicus
AAG25725.1	AF309806	Populus balsamifera subsp.	CAA89021.1	Z49152	Beta vulgaris
trichocarpa			AAB97114.1	U58853	Glycine max
CAA05293.1	AJ002281	Lycopersicon esculentum	CAA98179.1	Z73951	Lotus japonicus
AAB24397.1	S51538	Solanum tuberosum	AAD28731.1	AF112964	Triticum aestivum
AAD50631.1	AF122901	Lycopersicon esculentum	CAA04701.1	AJ001367	Daucus carota
CAA40795.2	X57563	Oryza sativa subsp. indica	BAA02112.1	D12544	Pisum sativum
AAG25726.1	AF309807	Populus balsamifera subsp.	CAC19792.1	AJ292320	Oryza sativa
trichocarpa			CAA98170.1	Z73942	Lotus japonicus
SEQ ID NO. 418			AAB71504.1	U82219	Prunus armeniaca
AAF78018.1	AF238474	Oryza sativa	BAA02110.1	D12542	Pisum sativum
AAD46917.1	AF164021	Oryza sativa	CAA98171.1	Z73943	Lotus japonicus
AAF78044.1	AF248493	Oryza sativa	CAA46600.1	X65650	Pisum sativum
AAC27489.1	AF077130	Oryza sativa	CAA46112.1	X64941	Nicotiana plumbaginifolia
AAC02535.1	AF044260	Oryza sativa	CAA90082.1	Z49902	Pisum sativum
AAC49629.1	U51330	Triticum aestivum	BAA02113.1	D12545	Pisum sativum
AAF68398.1	AF237568	Oryza sativa	CAC24477.1	AJ296336	Cichorium intybus x Cichorium
			endivia		



CAA98175.1	Z73947	Lotus japonicus	AAB53694.1	U59379	Brassica napus
SEQ ID NO. 421			AAD49231.1	AF159386	Secale cereale
AAD04034.1	AF081794	Nicotiana tabacum	BAB39913.1	AP002912	Oryza sativa
AAD20458.1	AF099969	Nicotiana tabacum	AAD56954.1	AF186240	Secale cereale
			CAA55398.1	X78821	Chlamydomonas reinhardtii
			CAA44209.1	X62335	Chlamydomonas reinhardtii
			CAA56851.1	X80888	Chlamydomonas reinhardtii
SEQ ID NO. 422			AAD45358.1	AF160870	Brassica napus
BAA19928.1	AB003491	Oryza sativa	AAB52409.1	U76831	Brassica napus
AAA33491.1	M76685	Zea mays	CAA06736.1	AJ005841	Oryza sativa
AAB97526.1	AF042321	Camptotheca acuminata	CAA06735.1	AJ005840	Triticum aestivum
AAB97087.1	AF042320	Camptotheca acuminata	CAA53900.1	X76269	Pisum sativum
AAA33490.1	M76684	Zea mays	AAC49358.1	U35831	Pisum sativum
AAC25986.1	AF047024	Chlamydomonas reinhardtii	CAA35826.1	X51462	Spinacia oleracea
			CAA35827.1	X51463	Spinacia oleracea
SEQ ID NO. 423			SEQ ID NO. 425		
AAC04671.1	AF018174	Brassica napus	AAD16139.1	AF096299	Nicotiana tabacum
CAA45098.1	X63537	Pisum sativum	AAC37515.1	L44134	Cucumis sativus
AAC49357.1	U35830	Pisum sativum	AAF23898.1	AF193802	Oryza sativa
AAC19392.1	AF069314	Mesembryanthemum crystallinum	BAA82107.1	AB022693	Nicotiana tabacum
CAA33082.1	X14959	Spinacia oleracea	BAA77383.1	AB020590	Nicotiana tabacum
BAB20386.1	AB053294	Oryza sativa	AAD55974.1	AF121353	Petroselinum crispum
AAC32111.1	AF051206	Picea mariana	CAA88326.1	Z48429	Avena fatua
AAB53695.1	U59380	Brassica napus	AAC31956.1	AF080595	Pimpinella brachycarpa
CAA05081.1	AJ001903	Triticum turgidum subsp. durum	AAC49527.1	U48831	Petroselinum crispum
CAA77847.1	Z11803	Nicotiana tabacum	BAA86031.1	AB026890	Nicotiana tabacum
BAA13524.1	D87984	Fagopyrum esculentum	AAD16138.1	AF096298	Nicotiana tabacum
BAA04864.1	D21836	Oryza sativa	AAC49529.1	U58540	Petroselinum crispum
AAB51522.1	U92541	Oryza sativa	AAG35658.1	AF204925	Petroselinum crispum
BAA05546.1	D26547	Oryza sativa	BAB16432.1	AB041520	Nicotiana tabacum
AAF88067.1	AF286593	Triticum aestivum	CAA88331.1	Z48431	Avena fatua
CAA41415.1	X58527	Nicotiana tabacum	BAA77358.1	AB020023	Nicotiana tabacum
CAA94534.1	Z70677	Ricinus communis	AAC49528.1	U56834	Petroselinum crispum
AAD49232.1	AF159387	Lolium perenne	AAG35659.1	AF204926	Petroselinum crispum
AAD49234.1	AF159389	Phalaris coerulescens	CAB66338.1	AJ279697	Betula pendula
AAD49233.1	AF159388	Phalaris coerulescens	AAD27591.1	AF121354	Petroselinum crispum
AAD49230.1	AF159385	Hordeum bulbosum	AAF61864.1	AF193771	Nicotiana tabacum
BAA25681.1	AB010434	Brassica rapa	AAF61863.1	AF193770	Nicotiana tabacum
CAA55399.1	X78822	Chlamydomonas reinhardtii			
CAA56850.1	X80887	Chlamydomonas reinhardtii			
AAG35777.1	AF273844	Brassica oleracea var. alboglabra			

CAA59800.1	X85805	Zea mays	AAD20330.1	AFL10268	Oryza sativa
AAB60276.1	U09989	Zea mays	CAB85496.1	AJ132894	Medicago truncatula
AAD46188.1	AF156691	Nicotiana plumbaginifolia	CAC28223.1	AJ286748	Sesbania rostrata
BAA08134.1	D45189	Zostera marina	CAC28222.1	AJ286747	Sesbania rostrata
BAA01058.1	D10207	Oryza sativa	CAB85497.1	AJ132893	Medicago truncatula
AAB17186.1	U72148	Lycopersicon esculentum	AAB84204.1	AF029258	Kosteletzkyia virginica
CAA54045.1	X76535	Solanum tuberosum	CAC28220.1	AJ286745	Sesbania rostrata
CAA47275.1	X66737	Nicotiana plumbaginifolia	SEQ ID NO. 434		
AAB84202.2	AF029256	Kosteletzkyia virginica	AAF13731.1	AF002248	Pinus sativum
CAB69823.1	AJ271438	Prunus persica	CAA78932.1	Z17226	Pinus sylvestris
BAA37150.1	AB022442	Vicia faba	CAA78901.1	Z16409	Pinus sylvestris
CAA59799.1	X85804	Phaseolus vulgaris	CAA57877.1	X82497	Nicotiana tabacum
CAC29436.1	AJ310524	Vicia faba	AAF90200.1	AF287276	Hordeum vulgare
AAB41898.1	U84891	Mesembryanthemum crystallinum	AAC67557.1	AF094775	Oryza sativa
AAB35314.2	S79323	Vicia faba	CAA32197.1	X14036	Lycopersicon esculentum
AAD46186.1	AF156679	Nicotiana plumbaginifolia	AAA34159.1	M20241	Lycopersicon esculentum
CAB69824.1	AJ271439	Prunus persica	AAA33711.1	M21317	Petunia x hybrida
AAA34052.1	M27888	Nicotiana plumbaginifolia	CAA57492.1	X81962	Pinus sativum
AAF98344.1	AF275745	Lycopersicon esculentum	CAA41406.1	X58516	Pinus sylvestris
AAD55399.1	AF179442	Lycopersicon esculentum	CAA59049.1	X84308	Hordeum vulgare
AAA34094.1	M80489	Nicotiana plumbaginifolia	AAB65793.1	AF010321	Oryza sativa
CAA54046.1	X76536	Solanum tuberosum	AAD55568.1	AF110786	Volvox carteri f. nagariensis
AAA34173.1	M60166	Lycopersicon esculentum	CAA41407.1	X58517	Pinus sylvestris
AAA34098.1	M80490	Nicotiana plumbaginifolia	CAA33330.1	X15258	Lycopersicon esculentum
CAC29435.1	AJ310523	Vicia faba	CAA50763.1	X71965	Pyrobolrys stellata
BAA06629.1	D31843	Oryza sativa	AAA84545.1	I19651	Chloroplast. Pisum sativum
CAB85495.1	AJ132892	Medicago truncatula	AAF44703.1	AF241525	Alonsoa meridionalis
CAB85494.1	AJ132891	Medicago truncatula	CAA45523.1	X64198	Nicotiana tabacum
AAD46187.1	AF156683	Nicotiana plumbaginifolia	AAD55569.1	AF110787	Volvox carteri f. nagariensis
AAK31799.1	AY029190	Lilium longiflorum	AAA34140.1	M17633	Lycopersicon esculentum
AAA34099.1	M80491	Nicotiana plumbaginifolia	AAC67558.1	AF094776	Oryza sativa
CAA52107.1	X73901	Dunaliella bioculata	AAF23819.1	AF218305	Hordeum vulgare
AAB49042.1	U54690	Dunaliella acidophila	CAA46235.1	X65119	Chlamydomonas reinhardtii
AAG01028.1	AF289025	Cucumis sativus	AAD03734.1	AF104633	Chlamydomonas reinhardtii
AAA81348.1	U38965	Vicia faba	AAD03733.1	AF104632	Chlamydomonas reinhardtii
AAA34096.1	M80492	Nicotiana plumbaginifolia	AAA34186.1	J03558	Lycopersicon esculentum
AAA20600.1	U08984	Zea mays	AAG28464.1	AF195794	Chlamydomonas reinhardtii
AAA20601.1	U08985	Zea mays	CAA41404.1	X58514	Pinus sylvestris
AAK32118.1	AF308816	Hordeum vulgare	CAA41405.1	X58515	Pinus sylvestris
CAC10554.1	AJ295612	Hordeum vulgare	CAA78900.1	Z16408	Pinus sylvestris
AAF97591.1	AF263917	Lycopersicon esculentum			

AAF44702.1	AF241524	Asarina barclaiiana	AAF35186.1	AF195865	Gossypium hirsutum
CAA44777.1	X63052	Hordeum vulgare	CAA48623.1	X68656	Hordeum vulgare
CAA39883.1	X56538	Pisum sativum	AAA86694.1	U18127	Hordeum vulgare
CAA31232.1	X12735	Hordeum vulgare	AAF35185.1	AF195864	Gossypium hirsutum
AAA33651.1	K02067	Pisum sativum	AAF35184.1	AF195863	Gossypium hirsutum
CAA10284.1	AJ131044	Cicer arietinum	AAK20395.1	AF334185	Triticum aestivum
AAA33396.1	M29334	Lemna gibba	AAF23459.1	AF208833	Capsicum annuum
CAA74179.1	Y13865	Beta vulgaris	AAF26451.1	AF221503	Pyrus communis
AAF89207.1	AF279250	Vigna radiata	AAF14232.1	AF109195	Hordeum vulgare
AAA64414.1	U23188	Zea mays	CAA80809.1	Z23271	Oryza sativa
AAA64415.1	U23189	Zea mays	AAB06443.1	U66105	Zea mays
CAA39376.1	X55892	Zea mays	AAA75599.1	U15153	Gossypium hirsutum
CAA26211.1	X02358	Petunia sp.	AAB34774.1	S78173	Gossypium hirsutum
			AAA33493.1	J04176	Zea mays
	SEQ ID NO. 436		AAF26450.1	AF221502	Malus x domestica
AAD10836.1	U52079	Solanum tuberosum	AAF23460.1	AF208834	Capsicum annuum
BAA83352.1	AP000391	Oryza sativa	CAA50661.1	X71668	Sorghum bicolor
BAA90508.1	AP001111	Oryza sativa	CAA50660.1	X71667	Sorghum bicolor
BAA90507.1	AP001111	Oryza sativa	CAA05771.1	AJ002958	Cicer arietinum
			CAA63407.1	X92748	Beta vulgaris
	SEQ ID NO. 438		CAB96874.1	AJ277164	Malus x domestica
CAA81057.1	Z25802	Petunia x hybrida	AAA34032.1	M58635	Spinacia oleracea
CAA50377.1	X71060	Petunia x hybrida	AAD09107.1	AF101038	Brassica napus
CAA50376.1	X71059	Petunia x hybrida	CAA65477.1	X96716	Prunus dulcis
BAA89008.1	AB027454	Petunia x hybrida	CAA48622.1	X68655	Hordeum vulgare
			CAA85483.1	Z37114	Hordeum vulgare
	SEQ ID NO. 439		AAB80805.1	U90342	Pinus radiata
AAF28385.1	AF151214	Nicotiana glauca	AAB18815.1	U77295	Oryza sativa
AAA74624.1	U31766	Oryza sativa	CAA65475.1	X96714	Prunus dulcis
AAG29777.1	AF228333	Gossypium hirsutum	CAA69949.1	Y08691	Oryza sativa
AAB70539.1	AF017359	Oryza sativa	AAK28533.1	AF329829	Corylus avellana
AAB70538.1	AF017358	Oryza sativa	AAB96834.1	M64746	Daucus carota
AAC00499.1	AF044204	Gossypium hirsutum	AAF26449.1	AF221501	Prunus avium
AAF71695.1	AF198168	Aerides japonica	CAA45210.1	X63669	Triticum turgidum subsp. durum
CAA48621.1	X68654	Hordeum vulgare			
CAA91436.1	Z66529	Hordeum vulgare	SEQ ID NO. 445		
AAB05812.1	U63993	Hordeum vulgare	AAC98091.1	AF067401	Oryza sativa
CAA91435.1	Z66528	Hordeum vulgare	BAB39155.1	AB048713	Pisum sativum
AAK01293.1	AF331710	Avicennia marina	AAG13663.1	AF263457	Zea mays
AAG27707.1	AF302788	Triticum aestivum	BAA90816.1	AF001168	Oryza sativa
CAA85484.1	Z37115	Hordeum vulgare	AAC98090.1	AF067400	Zea mays

[illegible]

CAA41407.1	X58517	Pinus sylvestris	CAA11414.1	AJ223496	Brassica juncea
CAA49149.1	X69215	Pisum sativum	BAA10902.1	D64037	Pisum sativum
AAA68425.1	M34396	Polystichum munitum	AAB46618.1	M83086	Medicago sativa
CAA57407.1	X81808	Picea abies	AAB41903.1	L39371	Medicago sativa
CAA41405.1	X58515	Pinus sylvestris	AAG00180.1	AF271995	Oryza sativa
CAA41404.1	X58514	Pinus sylvestris	CAA42549.1	X59925	Sorghum bicolor
AAF44703.1	AF241525	Alonsoa meridionalis	CAA07610.1	AJ007705	Triticum aestivum
CAA33903.1	X15894	Sinapis alba	CAA09588.1	AJ011302	Vicia faba
CAA34459.1	X16436	Sinapis alba	AAG42288.1	AF268091	Chloris gayana
AAF23819.1	AF218305	Hordeum vulgare	CAA33317.1	X15239	Zea mays
			BAA28170.1	AB012228	Zea mays
			CAA46267.1	X65137	Sorghum bicolor
			CAA39197.1	X55664	Sorghum bicolor
			CAA33316.1	X15238	Zea mays
			CAA33663.1	X15642	Zea mays
			CAA32728.2	X14588	Mesembryanthemum crystallinum
			AAD45696.1	AF159051	Picea abies
			CAA60626.1	X87148	Vanilla planifolia
			CAA60627.1	X87149	Vanilla planifolia
			CAA62747.1	X91404	Welwitschia mirabilis

BAA03104.1	D14002	Lactuca sativa	BAA01394.1	D10524	Nicotiana tabacum
CAA47950.1	X67714	Pinus contorta	AAA33930.1	M84968	Silene vulgaris
AAA33124.1	M16057	Cucumis sativus	AAA33931.1	M84969	Silene vulgaris
BAA25392.1	AB012638	Nicotiana sylvestris	AAF61392.1	AF133894	Persea americana
AB012641	AB012641	Nicotiana sylvestris	CAB38119.1	AJ010296	Zea mays
BAA25396.1	U73218	Triticum aestivum	CAB38118.1	AJ010295	Zea mays
AAB18209.1	U01964	Glycine max	AAG34811.1	AF243376	Glycine max
AAA50172.1	M23532	Physcomitrella patens	CAA09190.1	AJ010451	Alopecurus myosuroides
AAA33636.1	X56538	Pisum sativum	CAA09192.1	AJ010453	Alopecurus myosuroides
CAA39983.1	AF003128	Mesembryanthemum crystallinum	CAA09193.1	AJ010454	Alopecurus myosuroides
AAB61237.1	AF003129	Mesembryanthemum crystallinum	AAG34814.1	AF243379	Glycine max
AAA61238.1	I07119	Chloroplast Gossypium hirsutum	CAA09191.1	AJ010452	Alopecurus myosuroides
AAA18529.1	Z75663	Apium graveolens	AAG34812.1	AF243377	Glycine max
CAA99993.1	AF003127	Mesembryanthemum crystallinum	CAA39487.1	X56012	Triticum aestivum
AAB61236.1	X55892	Zea mays	AAD56395.1	AF184059	Triticum aestivum
CAA39376.1	X14505	Pinus sylvestris	CAA68993.1	Y07721	Petunia x hybrida
CAA32657.1	U21112	Solanum tuberosum	AAA33469.1	M16902	Zea mays
AAA80592.1	AB006081	Fagus crenata	AAA33470.1	M16901	Zea mays
BAA24493.1	X81809	Picea abies	AAA20585.1	U12679	Zea mays
CAA57408.1	AB012637	Nicotiana sylvestris	CAA56047.1	X79515	Zea mays
BAA25389.1	AB012637	Nicotiana sylvestris	CAA39480.1	X56004	Triticum aestivum
BAA25391.1	S73603	Pinus thunbergii	AAC64007.1	AF062403	Oryza sativa
AAC78690.1	X14794	Zea mays	AAG34823.1	AF244680	Zea mays
CAA32900.1			AAG34817.1	AF244674	Zea mays
SEQ ID NO.	479		CAA05354.1	AJ002380	Oryza sativa
AAF72557.1	AF130426	Lycopersicon esculentum	AAG34820.1	AF244677	Zea mays
AAF72556.1	AF130425	Lycopersicon esculentum	AAG34821.1	AF244678	Zea mays
AAD44161.1	AF130423	Lycopersicon esculentum	CAB66333.1	AJ279691	Betula pendula
BAA83338.1	AE027528	Physcomitrella patens	AAG34818.1	AF244675	Zea mays
AAF72555.1	AF130424	Lycopersicon esculentum	AAG34816.1	AF244673	Zea mays
CAA04247.1	AJ000695	Lycopersicon esculentum	AAG34822.1	AF244679	Zea mays
CAA04246.1	AJ000694	Mougeotia scalaris	CAA05355.1	AJ002381	Oryza sativa
SEQ ID NO.	480		SEQ ID NO.	482	
AAD33602.1	AF133302	Brassica rapa subsp. pekinensis	BAA31452.1	AB010416	Raphanus sativus
AAG40130.1	AF203879	Oryza sativa	AAB04557.1	U62778	Gossypium hirsutum
			CAA49854.1	X70417	Antirrhinum majus
			AAK26770.1	AF326503	Zea mays
SEQ ID NO.	481		AAF90121.1	AF254799	Hordeum vulgare
CAA55039.1	X78203	Hyoxyamus muticus	AAK26768.1	AF326501	Zea mays
AAB65163.1	AF002692	Solanum commersonii	AAK26769.1	AF326502	Zea mays
CAA96431.1	Z71749	Nicotiana plumbaginifolia			

AAD10495.1	U86763	Triticum aestivum	AAD43343.1	AF159139	Gossypium hirsutum
BAA12711.1	D84669	Raphanus sativus	AAG45488.1	AV013256	Lycopersicon esculentum
AAD39372.1	AF118381	Brassica napus	AAF78756.1	AF271358	Oryza sativa
AAD10494.1	U86762	Triticum aestivum	AAF78754.1	AF271356	Oryza sativa
AAB51393.1	U92651	Brassica oleracea var. botrytis	CAB43062.1	AJ133000	Craterostigma plantagineum
CAA56553.1	X80266	Hordeum vulgare	CAB43063.1	AJ133001	Craterostigma plantagineum
BAB12722.1	AB048248	Pyrus communis	BAA19467.1	AB001920	Oryza sativa
BAA05017.1	D25534	Oryza sativa	BAA19466.1	AB001919	Oryza sativa
AAC09245.1	AF037061	Zea mays	CAB06620.1	Z84822	Nicotiana tabacum
AAK26767.1	AF326500	Zea mays	AAG48162.1	AF154425	Lycopersicon esculentum
AAB17284.1	U43291	Mesembryanthemum crystallinum	AAB51392.1	U92656	Vigna unguiculata
CAA64952.1	X95650	Tulipa gesneriana	AAD17208.1	AF113918	Brassica oleracea var. cap
AAC04846.1	AF020793	Medicago sativa	AAC78487.1	AF090445	Brassica oleracea
			AAG45486.1	AV013253	Lycopersicon esculentum
SEQ ID NO. 483			BAA11135.1	D73410	Zea mays
AAC28135.1	AF034572	Glycine max	AAB70463.1	U96438	Pimpinella brachycarpa
CAC19494.1	AJ293343	Zea mays	AAF78755.1	AF271357	Oryza sativa
BAA96829.1	AB026558	Oryza sativa	AAC79125.1	U85482	Brassica oleracea var. capitata
CAA74725.1	Y14339	Lycopersicon esculentum	AAD17209.1	AF113919	Brassica oleracea var. capitata
AAB51521.1	U92540	Oryza sativa	AAC78486.1	AF090444	Brassica oleracea
BAA96830.1	AB026559	Oryza sativa	BAA11136.1	D73411	Oryza sativa
BAA99540.1	AB032061	Oryza sativa	AAB04095.1	L33686	Ricinus communis
BAA96832.1	AB026561	Oryza sativa	AAB37305.1	U72693	Ricinus communis
CAA65660.1	X96974	Spinacia oleracea	AAG45485.1	AV013252	Lycopersicon esculentum
AAB82138.1	AF022735	Oryza sativa	AAF17557.1	AF201661	Lycopersicon esculentum
AAC35982.1	AF088914	Petunia x hybrida	AAF05818.1	AF195614	Nicotiana tabacum
BAA07128.1	D37886	Oryza sativa	AAG50297.1	AV013254	Lycopersicon esculentum
AAF70292.1	AF255338	Glycine max			
AAF34770.1	AF227625	Euphorbia esula	SEQ ID NO. 489		
BAA78755.1	AB023482	Oryza sativa	CAC34417.1	AJ311624	Pisum sativum
BAA95832.1	AF002069	Oryza sativa	AAA86365.1	U21743	Brassica napus
BAA95822.1	AF002069	Oryza sativa	BAB17848.1	AB015593	Oryza sativa
BAA96831.1	AB026560	Oryza sativa	AAC04836.1	AF032975	Oryza sativa
BAA21651.1	D78173	Spinacia oleracea	AAC05682.1	AF051156	Oryza sativa
BAA96833.1	AB026562	Oryza sativa	BAA74702.1	AB010876	Oryza sativa
			CAA75907.1	Y15962	Hordeum vulgare
SEQ ID NO. 484			CAB77393.1	AJ276491	Phaseolus vulgaris
AAB84193.1	AF029242	Pisum sativum	BAA08266.1	D45425	Ipomoea nil
			AAG36666.1	AF310017	Beta vulgaris
SEQ ID NO. 487			AAG36667.1	AF310018	Beta vulgaris
AAG45487.1	AY013255	Lycopersicon esculentum	AAK28807.1	AF310960	Linum usitatissimum

AAG36665.1	AF310016	Beta vulgaris	CAA89050.1	Z49191	Beta vulgaris
CAAL1031.1	AJ222979	Pisum sativum	AAF91343.1	AF250327	Oryza sativa
CAB55394.1	AL117264	Oryza sativa	AAD34356.1	AF126053	Zea mays
BAB39980.1	AF003020	Oryza sativa	AAD34358.1	AF126055	Zea mays
BAB39965.1	AF003018	Oryza sativa	AAB97458.1	AF042330	Brassica rapa
AAC04835.1	AF032974	Oryza sativa	AAA96980.1	L19093	Mitochondrion Pisum sativi
BAA86880.1	AB028454	Barbula unguiculata	CAA10815.2	AJ222545	Nicotiana tabacum
AAC25777.1	AF072694	Oryza sativa	AAF43429.1	AF233446	Physcomitrella patens
BAA78563.1	AB024338	Atriplex lentiformis	CAE98190.1	Z73962	Lotus japonicus
AAA33030.1	M93041	Mesembryanthemum crystallinum	CAB62075.1	AJ251210	Medicago sativa
AAF03355.1	AF132671	Nicotiana plumbaginifolia	AAB35093.1	S79308	Gossypium hirsutum
CAB65369.1	AJ250832	Pisum sativum	AAC32124.1	AF051223	Picea mariana
CAB65371.1	AJ250834	Pisum sativum	AAD47828.1	AF165925	Gossypium hirsutum
CAB65370.1	AJ250833	Pisum sativum	AAB35094.1	S79309	Gossypium hirsutum
AAG00425.1	AF250933	Hordeum vulgare	AAF43430.1	AF233447	Physcomitrella patens
AAC05146.1	AF049065	Pinus radiata	BAA84494.1	AB029510	Oryza sativa
CAB55559.1	AJ237943	Triticum aestivum	AAD34355.1	AF126052	Zea mays
AAC04833.1	AF032972	Oryza sativa	AAF43923.1	AF239751	Tradescantia virginiana
AAC78470.1	AF067731	Solanum tuberosum	BAA94775.1	AP001859	Oryza sativa
CAA63659.1	X93171	Hordeum vulgare	BAA84492.1	AB029508	Oryza sativa
CAB55558.1	AJ237942	Triticum aestivum	BAA84493.1	AB029509	Oryza sativa
BAA25197.1	AB012138	Lycopersicon esculentum	AAD34357.1	AF126054	Zea mays
AAC04832.1	AF032971	Oryza sativa	AAD45722.1	AF161018	Erysimum cheiri
AAC99473.1	AF039201	Pinus caribaea	AAA34251.1	L08128	Volvox carteri
AAA20245.1	U01963	Hordeum vulgare	CAA04701.1	AJ001367	Daucus carota
AAA34270.1	M63223	Triticum aestivum	CAA98172.1	Z73944	Lotus japonicus
AAA34268.1	M21962	Triticum aestivum	CAA90081.1	Z49901	Pisum sativum
SEQ ID NO. 490			CAA90082.1	Z49902	Pisum sativum
CAB62537.1	AJ012583	Hevea brasiliensis	CAA90080.1	Z49900	Pisum sativum
AAA33357.1	M36986	Hevea brasiliensis	CAA98176.1	Z73948	Lotus japonicus
CAA05978.1	AJ003196	Hevea brasiliensis	CAA98175.1	Z73947	Lotus japonicus
SEQ ID NO. 491			CAA49600.1	X69980	Lycopersicon esculentum
AAD44769.1	AF146341	Physcomitrella patens	CAA98174.1	Z73946	Lotus japonicus
AAD44768.1	AF146340	Physcomitrella patens	CAA89021.1	Z49152	Beta vulgaris
AAD26198.1	AF115476	Physcomitrella patens	AAB17726.1	U38471	Brassica rapa
AAK27450.1	AF329814	Oryza sativa subsp. japonica	AAA34253.1	L08130	Volvox carteri
AAF28764.1	ZF218381	Oryza sativa subsp. japonica	SEQ ID NO. 492		
CAA98189.1	Z73961	Lotus japonicus	CAA45119.1	X63558	Brassica oleracea
BAA76424.1	AB024996	Cicer arietinum	CAB07804.1	Z93769	Nicotiana tabacum
			AAA74625.1	U31773	Oryza sativa



CAB07803.1	Z93768	Nicotiana tabacum	BAA92337.1	AB038790	Vicia faba
CAA05491.1	AJ002485	Medicago sativa	BAA92336.1	AB038789	Vicia faba
BAA92244.1	AB038648	Vicia faba			
CAA07470.1	AJ007332	Catharanthus roseus	SEQ ID NO. 493		Mesembryanthemum crystallinum
CAA05492.1	AJ002486	Medicago sativa	AAD51109.1	AF176040	Lycopersicon esculentum
CAA05494.1	AJ002488	Medicago sativa	CAA51821.1	X73419	Pisum sativum
AAA33545.1	M60215	Zea mays	AAA64427.1	L29077	Lycopersicon esculentum
CAA82263.1	Z28627	Acetabularia cliftonii	AAA34125.1	L23762	Zea mays
CAA82264.1	Z28632	Acetabularia cliftonii	AAB88617.1	AF034946	Oryza sativa
CAA56766.1	X80788	Medicago sativa subsp. x varia	AAB02168.1	U15971	Brassica oleracea
AAD38856.1	AF156101	Chlamydomonas reinhardtii	AAA86089.1	U17250	Oryza sativa
CAA05493.1	AJ002487	Medicago sativa	BAA21006.1	D17786	Brassica oleracea
CAB07805.1	Z93770	Nicotiana tabacum	AAD42941.1	AF091621	Catharanthus roseus
CAA88254.1	Z48221	Phaseolus vulgaris	BAB40310.1	AB026055	Nicotiana tabacum
CAA40686.1	X57438	Brassica napus	BAB40311.1	AB026056	Nicotiana tabacum
AAD41126.1	AF159061	Oryza sativa subsp. indica	AAA34310.1	M62720	Triticum aestivum
CAB46506.1	AJ007496	Nicotiana tabacum	AAF73016.1	AF262934	Avicennia marina
AAD22116.1	AF134552	Oryza sativa subsp. indica	CAA58111.1	X82938	Lycopersicon esculentum
BAA92699.1	AB039918	Vicia faba	CAA06493.1	AJ005348	Cicer arietinum
CAA49849.1	X70399	Medicago sativa	BAA90392.1	AP001081	Oryza sativa
AAD48068.1	AF173881	Oryza sativa subsp. indica	AAC12662.1	AF032468	Zea mays
CAA81395.1	Z26654	Acetabularia cliftonii	CAA05772.1	AJ002959	Zea mays
CAB07807.1	Z93772	Nicotiana tabacum	AAF22280.1	AF165420	Mesembryanthemum crystallinum
CAA40687.1	X57439	Brassica napus	AAB63513.1	AF008910	Prunus armeniaca
CAA07471.1	AJ007333	Catharanthus roseus	AAF03236.1	AF180143	Glycine max
BAA92698.1	AB039917	Vicia faba	AAA34309.1	M28059	Triticum aestivum
BAA92697.1	AB039916	Vicia faba	CAA10494.1	AJ131733	Pseudotsuga menziesii
AAF86353.1	AF283668	Oryza sativa subsp. indica	AAC32141.1	AF051240	Picea mariana
CAA81126.1	Z26041	Helianthus annuus			
AAC72838.1	AF097182	Oryza sativa	SEQ ID NO. 495		
CAC11129.1	AJ298829	Fagus sylvatica	BAA05965.1	D28777	Citrullus lanatus
AAA91806.1	U49113	Oryza sativa	BAB20861.1	AB029511	Solanum tuberosum
AAD09953.1	AF107464	Hevea brasiliensis	AAC25635.1	AF044172	Solanum tuberosum
CAA87385.1	Z47076	Malus x domestica	AAD23909.1	AF073697	Oryza sativa
CAB07806.1	Z93771	Nicotiana tabacum	AAD23907.1	AF073695	Oryza sativa
CAC11128.1	AJ298828	Fagus sylvatica	CAA59798.1	X85803	Zea mays
CAA87387.1	Z47078	Malus x domestica	BAB20862.1	AB029512	Solanum tuberosum
BAA92333.1	AB038786	Vicia faba	AAC25636.1	AF044173	Solanum tuberosum
CAA87386.1	Z47077	Malus x domestica	BAA03542.1	D14722	Spinacia oleracea
BAA92338.1	AB038791	Vicia faba	CAA47329.1	X66860	Spinacia oleracea
BAA92334.1	AB038787	Vicia faba	CAC12819.1	AJ299249	Nicotiana tabacum

BAA93051.1	AB040503	Allium tuberosum	AAG34816.1	AF2444673	Zea mays
BAB20863.1	AB029513	Solanum tuberosum	CAA05354.1	AJ002380	Oryza sativa
CAA06819.1	AJ006024	Cicer arietinum	AAG34824.1	AF244681	Zea mays
CAC09469.1	AL442113	Oryza sativa	CAA05355.1	AJ002381	Oryza sativa
BAA07177.1	D37963	Spinacia oleracea			
AAD23908.1	AF073696	Oryza sativa	SEQ ID NO. 498		Catharanthus roseus
AAD23910.1	AF073698	Oryza sativa	AAB05871.2	U63784	Lemna minor
AAF78529.1	AF195239	Pyrus pyrifolia	CAB65911.1	AJ249831	Allium cepa
			AAF18999.1	AF212155	Enteromorpha intestinalis
			AAC26855.1	AF069951	
SEQ ID NO. 497					
AAG34812.1	AF243377	Glycine max	SEQ ID NO. 499		Brassica juncea
AAG34814.1	AF243379	Glycine max	AAC62017.1	AF077547	Brassica juncea
CAA68993.1	Y07721	Petunia x hybrida	AAF26434.1	AF220097	Brassica juncea
CAB38119.1	AJ010296	Zea mays	AAF26435.1	AF220098	Dianthus caryophyllus
CAA09190.1	AJ010451	Alopecurus myosuroides	AAB60880.1	AF002017	Nicotiana tabacum
CAA09192.1	AJ010453	Alopecurus myosuroides	AAF42972.1	AF127241	Nicotiana sylvestris
CAA09191.1	AJ010452	Alopecurus myosuroides	BAA25685.1	AB012873	Pisum sativum
CAB38118.1	AJ010295	Zea mays	CAA85773.1	Z37540	Datura stramonium
CAA09193.1	AJ010454	Alopecurus myosuroides	CAB64599.1	AJ251898	Glycine max
AAG34811.1	AF243376	Glycine max	AAD09204.1	U35367	Oryza sativa
CAA55039.1	X78203	Hyoscyamus muticus	BAA84799.1	AP000559	Dianthus caryophyllus
AAA20585.1	U12679	Zea mays	AAB67887.1	U63832	Nicotiana tabacum
AAA33930.1	M84968	Silene vulgaris	AAF42971.1	AF127240	Nicotiana tabacum
CAA56047.1	X79515	Zea mays	AAF42970.1	AF127239	Theobroma cacao
AAA33931.1	M84969	Silene vulgaris	AAC68511.1	AF045666	Vitis vinifera
AAB65163.1	AF002692	Solanum commersonii	CAA65585.1	X96791	Lycopersicon esculentum
BAA01394.1	D10524	Nicotiana tabacum	AAA61347.1	L16582	Arabidopsis arenosa
AAG34823.1	AF244680	Zea mays	AAC68530.1	AF045685	Capsella bursa-pastoris
AAC64007.1	AF062403	Oryza sativa	AAC68529.1	AF045684	Arabidopsis thaliana
CAA96431.1	Z71749	Nicotiana glauca	AAC68525.1	AF045680	Barbarea vulgaris
AAA33470.1	M16901	Zea mays	AAC68526.1	AF045681	Nasturtium officinale
AAA33469.1	M16902	Zea mays	AAC68535.1	AF045690	Thellungiella salsuginea
CAA39487.1	X56012	Triticum aestivum	AAC68534.1	AF045689	Thlaspi arvense
AAG34817.1	AF244674	Zea mays	AAC68533.1	AF045688	Stanleya pinnata
AAG34822.1	AF244679	Zea mays	AAC68532.1	AF045687	Sisymbrium altissimum
AAD56395.1	AF184059	Triticum aestivum	AAC68531.1	AF045686	Aethionema grandiflora
AAG34820.1	AF244677	Zea mays	AAC68510.1	AF045665	Brassica oleracea
CAA39480.1	X56004	Triticum aestivum	AAC68528.1	AF045683	Arabidopsis arenosa
AAF61392.1	AF133894	Persea americana	AAC68519.1	AF045674	Brassica nigra
AAG34821.1	AF244678	Zea mays	AAC68527.1	AF045682	
AAG34818.1	AF244675	Zea mays			

AAC68523.1	AF045678	Thellungiella salsuginea	AAF75791.1	AF271892	Pisum sativum
AAC68514.1	AF045669	Arabis drummondii	AAF40306.1	AF156667	Vigna radiata
AAC68524.1	AF045679	Nasturtium officinale	CAA68193.1	X99937	Spinacia oleracea
AAC68522.1	AF045677	Thlaspi arvense	BAA95704.1	AB042643	Oryza sativa
AAC68513.1	AF045668	Polanisia dodecandra	BAA95705.1	AB042644	Oryza sativa
AAC68518.1	AF045673	Capsella bursa-pastoris	AAD20980.1	AF079782	Zea mays
AAC68515.1	AF045670	Barbarea vulgaris			
AAC68521.1	AF045676	Stanleya pinnata	SEQ ID NO. 532		
AAC68520.1	AF045675	Sisymbrium altissimum	BAA95893.1	AF002071	Oryza sativa
AAC68517.1	AF045672	Brassica oleracea	AAB09771.1	U67422	Zea mays
AAC68516.1	AF045671	Brassica nigra	AAG25966.1	AF302082	Nicotiana tabacum
AAC68512.1	AF045667	Carica papaya	BAA78764.1	AB023482	Oryza sativa
CAA40137.1	X56802	Avena sativa	AAK21965.1	AY028699	Brassica napus
AAD24801.1	AF132498	Brassica napus	AAF91323.1	AF244889	Glycine max
BAA21617.1	AB005880	Nicotiana tabacum	AAF91324.1	AF244890	Glycine max
AAB82607.1	AF026809	Ipomoea nil	CAB51834.1	U0069	Oryza sativa
			CAC20842.1	AJ250467	Pinus sylvestris
SEQ ID NO. 501			BAA06538.1	D31737	Nicotiana tabacum
CAA52201.1	X74072	Lycopersicon esculentum	AAG00510.1	AF285172	Phaseolus vulgaris
			AAC27894.1	AF023164	Zea mays
SEQ ID NO. 513			AAF91322.1	AF244888	Glycine max
AAB36543.1	U77935	Phaseolus vulgaris	AAG16628.1	AY007545	Brassica napus
			AAF59906.1	AF197947	Glycine max
SEQ ID NO. 514			AAF43496.1	AF131222	Lophopyrum elongatum
CAA32121.1	X13934	Lycopersicon esculentum	BAA84787.1	AF000559	Oryza sativa
CAA90564.1	Z50185	Populus nigra	BAA83373.1	AF000391	Oryza sativa
CAA28398.1	X04693	Spinacia oleracea	AAK11674.1	AF339747	Lophopyrum elongatum
CAA90565.1	Z50186	Populus nigra	AAC27895.1	AF023165	Zea mays
AAB86855.1	AF031545	Fritillaria agrestis	BAA94509.1	AB041503	Populus nigra
AAC78108.1	AF093636	Oryza sativa	BAA94510.1	AB041504	Populus nigra
AAB63590.1	AF009412	Oryza sativa	AAB61708.1	U93048	Daucus carota
CAA82201.1	Z28347	Hordeum vulgare	AAC36318.1	AF053127	Malus x domestica
CAA68696.1	Y00704	Hordeum vulgare	AAF76313.1	AF220603	Lycopersicon esculentum
BAA77274.1	AB026687	Physcomitrella patens	AAB47421.1	U59316	Lycopersicon esculentum
AAA33089.1	L07282	Chlamydomonas reinhardtii	AAK11569.1	AF318493	Lycopersicon hirsutum
AAA33078.1	J05524	Chlamydomonas reinhardtii	AAF59905.1	AF197946	Glycine max
AAD03610.1	AF114235	Scenedesmus obliquus			
BAA84778.1	AB017810	Pediastrum boryanum	SEQ ID NO. 538		
			AAD39440.1	AF132002	Petunia x hybrida
SEQ ID NO. 521			AAD39439.1	AF132001	Petunia x hybrida
AAA03763.1	D16247	Nicotiana sylvestris	AAG32659.1	AF253971	Picea abies

AAG32658.1	AF253970	Picea abies	AAA34292.1	M12277	Triticum aestivum
AAD22495.3	AF134116	Hyacinthus orientalis	AAA98456.1	U16825	Chlamydomonas reinhardtii
CAC12822.1	AJ299252	Nicotiana tabacum	AAA98449.1	U16725	Chlamydomonas reinhardtii
BAB03248.1	AB037183	Oryza sativa	AAA98445.1	U16724	Chlamydomonas reinhardtii
BAB16083.1	AB036883	Oryza sativa	CAA59110.1	X84376	Zea mays
AAC24587.1	AF071893	Prunus armeniaca	CAA30036.1	X06964	Volvox carteri
AAF63205.1	AF245119	Mesembryanthemum crystallinum	CAA30034.1	X06963	Volvox carteri
BAA78738.1	AF2023482	Oryza sativa	CAA64985.1	X95689	Allium cepa
AAF76898.1	AF274033	Atriplex hortensis	SEQ ID NO. 550		
AAG43545.1	AF211527	Nicotiana tabacum	AAD46491.1	AF135014	Zea mays
AAG43549.1	AF211531	Nicotiana tabacum	BAA90623.1	AP001129	Oryza sativa
AAG43548.1	AF211530	Nicotiana tabacum	BAA77024.1	AB026124	Lithospermum erythrorhizon
SEQ ID NO. 539					
BAA09645.1	D63331	Nicotiana tabacum	SEQ ID NO. 551		
BAA11770.1	D83078	Nicotiana tabacum	AAC31886.1	AF059484	Gossypium hirsutum
BAA77679.1	AB027054	Oryza sativa	AAC49651.1	U68461	Striga asiatica
SEQ ID NO. 541			CAA39280.1	X55751	Solanum tuberosum
CAB56756.1	AJ0111589	Pisum sativum	AAC49652.1	U68462	Striga asiatica
AAD01907.1	AF030516	Pisum sativum	AAF03692.1	AF172094	Picea rubens
AAG48834.1	AC084218	Oryza sativa	AAF71264.1	AF246714	Phalaenopsis sp. 'True Lady'
SEQ ID NO. 542			AAG10041.1	AF288226	Setaria italica
AAD29703.1	AF140490	Oryza sativa	AAD41039.1	AF112538	Malva pusilla
SEQ ID NO. 545			CAA45149.1	X63603	Nicotiana tabacum
CAA24924.1	X00043	Triticum aestivum	AAF31643.1	AF143208	Vigna radiata
CAB01914.1	Z79638	Sesbania rostrata	BAA89214.1	AB032361	Mimosa pudica
AAA86948.1	U10042	Pisum sativum	CAA39278.1	X55749	Solanum tuberosum
AAA33476.1	M13377	Zea mays	AAD03741.1	AF111812	Brassica napus
AAA33475.1	M13370	Zea mays	AAF71265.1	AF246715	Phalaenopsis sp. 'True Lady'
AAA33474.1	M36659	Zea mays	CAA39281.1	X55752	Solanum tuberosum
CAC34411.1	Y18575	Flaveria trinervia	AAB38512.1	U81047	Pisum sativum
AAG46106.1	AC073166	Oryza sativa	AAB38511.1	U81046	Pisum sativum
BAA85120.1	AB018245	Solanum melongena	AAB18642.1	U76191	Pisum sativum
CAB01913.1	Z79637	Sesbania rostrata	AAB18641.1	U76190	Pisum sativum
CAA48924.1	X69180	Lycopersicon esculentum	CAA62028.1	X90378	Pisum sativum
CAA48923.1	X69179	Lycopersicon esculentum	CAA47899.1	X67666	Pisum sativum
AAB94924.1	AF038387	Capsicum annuum	CAA33874.1	X15865	Oryza sativa
CAA56154.1	X79715	Lolium temulentum	AAF82805.1	AF282624	Helianthus annuus
			CAA48609.1	X68649	Pisum sativum
			AAC64127.1	AF091809	Anemia phyllitidis
			AAF40438.1	AF234528	Avena nuda

CAA39279.1	X55750	Solanum tuberosum	BAA96628.1	AP002482	Oryza sativa
CAA55923.1	X79378	Sorghum bicolor	BAA05649.1	D26602	Nicotiana tabacum
CAA34356.1	X16280	Oryza sativa	CAA57898.1	X82548	Hordeum vulgare
AAC16054.1	AF061019	Coleochaete scutata	AAC99329.1	AF062479	Oryza sativa
AAB38514.1	U81049	Pisum sativum	CAA65244.1	X95997	Solanum tuberosum
AAB18644.1	U76193	Pisum sativum	AAD23582.1	AF128443	Glycine max
CAA33873.1	X15864	Oryza sativa	AAF19402.1	AF203480	Lycopersicon esculentum
AAC64128.1	AF091810	Anemia phyllitidis	AAF19403.1	AF203481	Lycopersicon esculentum
AAD02328.1	AF044573	Brassica oleracea	CAA46556.1	X65606	Hordeum vulgare
AAC05272.1	AF049106	Glycine max	CAA07813.1	AJ007990	Hordeum vulgare
AAC16055.1	AF061020	Mesostigma viride	AAF19401.1	AF203479	Glycine max
AAF87302.1	AF281323	Magnolia denudata	BAA83688.1	AB011967	Oryza sativa
BAA09450.1	D50839	Chlamydomonas reinhardtii	AAB05457.1	U55768	Oryza sativa
BAA09449.1	D50838	Chlamydomonas reinhardtii	AAD17800.1	AF090835	Mesembryanthemum crystalli
AAA34243.1	M33963	Volvox carteri	AAD28791.1	AF145593	Nicotiana tabacum
AAC16053.1	AF061018	Scherffelia dubia	AAD52098.1	U70923	Nicotiana tabacum
AAA33433.1	J01238	Zea mays	CAA82993.1	Z30332	Spinacia oleracea
AAC64126.1	AF091808	Anemia phyllitidis	CAA46554.1	X65604	Hordeum vulgare
CAA33871.1	X15862	Oryza sativa	BAA34675.1	AB011670	Triticum aestivum
AAA33940.1	J01297	Glycine max			
BAA25911.1	AB013098	Nannochloris bacillaris	SEQ ID NO. 554		
AAD48335.1	AF090969	Selaginella apoda	AAF69017.1	AF261654	Dianthus caryophyllus
AAD48334.1	AF090968	Selaginella apoda	CAC09582.1	AJ298994	Fagus sylvatica
CAA39276.1	X55746	Solanum tuberosum	AAG00419.1	AF247568	Nicotiana tabacum
SEQ ID NO. 553			SEQ ID NO. 555		
AAF67262.1	AF165186	Nicotiana tabacum	AAF20002.1	AF213936	Prunus dulcis
CAA04261.2	AJ000728	Lycopersicon esculentum	AAC32034.1	AF023472	Hordeum vulgare
AAC83393.1	U83625	Zea mays	AAD01600.1	AF016713	Lycopersicon esculentum
BAB32405.1	AB055514	Nicotiana tabacum	AAF07875.1	AF140606	Oryza sativa
CAC24705.1	AJ302651	Nicotiana tabacum	AAD16016.1	AF080545	Nepenthes alata
AAG40578.1	AF216314	Oryza sativa	CAC07206.1	AJ278966	Brassica napus
BAA06731.1	D31964	Nicotiana tabacum	AAB69642.1	AF000392	Lotus japonicus
AAG53979.1	AF325168	Nicotiana tabacum	CAA93316.1	Z69370	Cucumis sativus
CAA08758.1	AJ009609	Brassica napus	BAB19760.1	AB052788	Glycine max
CAA08757.1	AJ009608	Brassica napus	BAB19757.1	AB052785	Glycine max
BAA05648.1	D26601	Nicotiana tabacum	BAB19756.1	AB052784	Glycine max
AAF34436.1	AF172282	Oryza sativa	AAD42860.1	AF154930	Prunus dulcis
CAA08995.1	AJ010091	Brassica napus			
CAA08997.1	AJ010093	Brassica napus	SEQ ID NO. 556		
CAA71142.1	Y10036	Cucumis sativus	BAA20848.1	AB004932	Vigna radiata

SEQ ID NO.	561	SEQ ID NO.	563	SEQ ID NO.	564
CAA48297.1	X68215	Pisum sativum	AAA33134.1	M92660	Daucus carota
CAA48298.1	X68216	Pisum sativum	AAA50160.1	L23875	Lupinus angustifolius
BAA20849.1	AB004933	Vigna radiata	AAA33408.1	M92094	Lupinus angustifolius
AAA33945.1	J03919	Glycine max	AAB46610.1	L25334	Medicago sativa
AAA33944.1	J03920	Glycine max	CAA43779.1	X61577	Medicago sativa
BAA20847.1	AB004931	Vigna radiata	AAC50015.1	AF034210	Glycine max
CAA48300.1	X68218	Pisum sativum	AAC50014.1	AF034210	Glycine max
CAA48299.1	X68217	Pisum sativum	BAA03504.1	D14673	Oryza sativa
AAD50278.1	AF169830	Glycine max	CAA45023.1	X63429	Panicum miliaceum
CAA11857.1	AJ224160	Brassica napus	BAA04992.1	D25322	Panicum miliaceum
CAA60621.1	X87143	Helianthus annuus	CAA63894.1	X94184	Lotus japonicus
AAD01240.1	AF005096	Ricinus communis	AAA33942.1	L09702	Glycine max
AAG43277.1	AF133728	Borago officinalis	CAA42430.1	X59761	Lupinus angustifolius
AAD01410.1	AF007561	Borago officinalis	AAC12674.1	AF029898	Lotus corniculatus
AAC49700.1	U79010	Borago officinalis	AAB26677.2	S60967	Chloroplast Glycine max
AAD10250.1	AF031194	Triticum aestivum	BAA08106.1	D45076	Panicum miliaceum
CAB94992.1	AJ250734	Ceratodon purpureus	AAB46611.1	L25335	Medicago sativa
CAB94993.1	AJ250735	Ceratodon purpureus	AAB68396.1	U89494	Canavalia lineata
CAA11033.1	AJ222981	Physcomitrella patens	CAA45022.1	X63428	Panicum miliaceum
CAA11032.1	AJ222980	Physcomitrella patens	CAA04697.1	AJ001360	Plastid Canavalia lineata
SEQ ID NO.	559	Oryza sativa subsp. japonica	CAA45024.1	X63430	Panicum miliaceum
AAC39333.1	AF030052	Gossypium hirsutum	BAA04993.1	D25323	Panicum miliaceum
AAD39534.2	AF150630		AAA98603.1	L40579	Glycine max
SEQ ID NO.	560	Lycopersicon esculentum	BAA23815.1	D67043	Oryza sativa
AAD01600.1	AF016713	Hordeum vulgare	BAA23814.1	D67042	Oryza sativa
AAC32034.1	AF023472	Brassica napus	SEQ ID NO.	564	
CAC07206.1	AJ278966	Prunus dulcis	AAF37732.1	AF052221	Lolium perenne
AAF20002.1	AF213936	Oryza sativa	BAA08366.2	D49367	Lithospermum erythrorhizon
AF140606	AF140606	Cucumis sativus	BAA08365.1	D49366	Lithospermum erythrorhizon
CAA93316.1	Z69370	Lotus japonicus	CAC36095.1	X69955	Glycine max
AAB69642.1	AF000392	Glycine max	AAF91308.1	AF239685	Rubus idaeus
BAB19757.1	AB052785	Glycine max			
BAB19756.1	AB052784	Glycine max			
BAB19760.1	AB052788	Nepenthes alata			
AAD16016.1	AF080545	Prunus dulcis			
AAD42860.1	AF154930				

AAF91309.1	AF239686	Rubus idaeus	AAA64913.1	U23787	Sorghum bicolor
AAB18638.1	U50846	Nicotiana tabacum	AAF74000.2	AF144507	Pseudotsuga menziesii
BAA07828.1	D43773	Nicotiana tabacum	AAF74021.2	AF144528	Pseudolarix amabilis
AAC39366.1	AF008184	Populus x generosa	SEQ ID NO. 565		
AAC24504.1	AF041050	Populus tremuloides	AAC32149.1	AF051249	Picea mariana
AAG43823.1	AF212317	Capsicum annuum	AAF43837.1	AF166114	Chloroplast Mesostigma vir
AAC24503.1	AF041049	Populus tremuloides	AAC72192.1	AF069908	Zea mays
AAB18637.1	U50845	Nicotiana tabacum	AAC72193.1	AF069909	Zea mays
AAA33842.1	M62755	Solanum tuberosum	AAC72194.1	AF069910	Zea mays
AAD40664.1	AF150686	Solanum tuberosum	AAB01223.1	U56697	Pisum sativum
AAF37733.1	AF052222	Lolium perenne	AAD22077.1	AF124755	Pinus banksiana
AAF37734.1	AF052223	Lolium perenne	AAD38941.1	AF143812	Lycopersicon esculentum
AAF91310.1	AF239687	Rubus idaeus	AAD56390.2	AF182286	Artemisia annua
AAC39365.1	AF008183	Populus x generosa	SEQ ID NO. 566		
CAA31696.1	X13324	Petroselinum crispum	BAA02018.1	D11465	Spinacia oleracea
CAA31697.1	X13325	Petroselinum crispum	CAA86071.1	Z37990	Pisum sativum
CAA36850.1	X52623	Oryza sativa	AAF91407.1	AF271362	Lolium perenne
AAB42382.1	U39404	Pinus taeda	AAC25999.1	AF072289	Mesembryanthemum crystallinum
AAB42383.1	U39405	Pinus taeda	AAF65509.1	AF108881	Capsicum annuum
AAA92669.1	U12013	Pinus taeda	AAB67996.1	U72142	Helianthus annuus
AAA92668.1	U12012	Pinus taeda	BAA01510.1	D10659	Spinacia oleracea
AAD40665.1	AF150687	Solanum tuberosum	CAA50511.1	X71388	Pisum sativum
AAF73997.2	AF144504	Picea smithiana	BAA03798.1	D16292	Oryza sativa
AAF73998.2	AF144505	Cathaya argyrophylla	AAA19005.1	U10283	Flaveria bidentis
AAF73995.2	AF144502	Pinus armandii	AAB40609.1	U55019	Saccharum officinarum
AAF73994.2	AF144501	Pinus armandii	AAA19004.1	U10282	Flaveria bidentis
AAF73996.2	AF144503	Pinus armandii	AAA93030.1	U50150	Glycine max
CAA49575.1	X69954	Glycine max	CAA53073.1	X75324	Lycopersicon esculentum
AAF74019.2	AF144526	Tsuga canadensis	AAF08537.1	AF191098	Pisum sativum
AAF74004.2	AF144511	Pseudotsuga sinensis	BAA96460.1	AB029400	Brassica rapa
AAF74016.2	AF144523	Nothotsuga longibracteata	SEQ ID NO. 567		
AAF74022.2	AF144529	Cedrus atlantica	AAF60293.1	AF233745	Lycopersicon esculentum
AAF74018.2	AF144525	Tsuga canadensis	SEQ ID NO. 568		
AAF74002.2	AF144509	Pseudotsuga sinensis	AAG28436.1	AF195029	Glycine max
AAF74001.2	AF144508	Pseudotsuga menziesii	AAG28435.1	AF195028	Glycine max
AAF73993.2	AF144500	Pinus banksiana	AAD46188.1	AF156691	Nicotiana plumbaginifolia
AAF73992.1	AF144499	Pinus banksiana	CAA68234.1	X99972	Brassica oleracea
CAB97359.1	AF278455	Juglans nigra			
AAF74003.2	AF144510	Pseudotsuga sinensis			
AAF73999.2	AF144506	Pseudotsuga menziesii			
AAF74007.2	AF144514	Abies firma			

AAA34094.1	M80489	Nicotiana plumbaginifolia	AAA34096.1	M80492	Nicotiana plumbaginifolia
AAF98344.1	AF275745	Lycopersicon esculentum	AAG01028.1	AF289025	Cucumis sativus
AAD55399.1	AF179442	Lycopersicon esculentum			
AAA34052.1	M27888	Nicotiana plumbaginifolia	SEQ ID NO. 569		
CAA54046.1	X76536	Solanum tuberosum	AAC49186.1	U37088	Simmondsia chinensis
AAA34098.1	M80490	Nicotiana plumbaginifolia	AAG28600.1	AF247134	Limnanthes douglasii
AAB41898.1	U84891	Mesembryanthemum crystallinum	AAC34858.1	AF082033	Hemerocallis hybrid cultiv
CAA52107.1	X73901	Dunaliella bioculata	AAB72178.1	AF009563	Brassica napus
BAA06629.1	D31843	Oryza sativa	AAA96054.1	U50771	Brassica napus
AAB60276.1	U09989	Zea mays	CAA71898.1	Y11007	Brassica juncea
CAC29435.1	AJ310523	Vicia faba	AAK11266.1	AF333040	Dunaliella salina
AAA34173.1	M60166	Lycopersicon esculentum	CAC17746.1	AJ291728	Zea mays
CAB69824.1	AJ271439	Prunus persica	AAC25109.1	AF054497	Brassica napus
AAD46187.1	AF156683	Nicotiana plumbaginifolia	AAC25110.1	AF054498	Brassica napus
AAB49042.1	U54690	Dunaliella acidophila	AAC25111.1	AF054499	Brassica rapa
CAA59799.1	X85804	Phaseolus vulgaris	AAC25112.1	AF054500	Brassica oleracea
AAB84202.2	AF029256	Kosteletzkyia virginica			
CAA47275.1	X66737	Nicotiana plumbaginifolia	SEQ ID NO. 571		
AAB35314.2	S79323	Vicia faba	AAD41126.1	AF159061	Oryza sativa subsp. indica
BAA37150.1	AB022442	Vicia faba	BAA92697.1	AB039916	Vicia faba
CAC29436.1	AJ310524	Vicia faba	BAA92698.1	AB039917	Vicia faba
AAK31799.1	AY029190	Lilium longiflorum	CAC11129.1	AJ298829	Fagus sylvatica
CAA54045.1	X76535	Solanum tuberosum	AAC72838.1	AF097182	Oryza sativa
BAA01058.1	D10207	Oryza sativa	AAD09953.1	AF107464	Hevea brasiliensis
AAB17186.1	U72148	Lycopersicon esculentum	CAA81126.1	Z26041	Helianthus annuus
CAB85495.1	AJ132892	Medicago truncatula	AAA91806.1	U49113	Oryza sativa
CAB85494.1	AJ132891	Medicago truncatula	CAB07806.1	Z93771	Nicotiana tabacum
CAA59800.1	X85805	Zea mays	AAD48068.1	AF173881	Oryza sativa subsp. indica
BAA08134.1	D45189	Zostera marina	CAB46506.1	AJ007496	Nicotiana tabacum
CAB69823.1	AJ271438	Prunus persica	AAD22116.1	AF134552	Oryza sativa subsp. indica
AAD46186.1	AF156679	Nicotiana plumbaginifolia	BAA92699.1	AB039918	Vicia faba
AAD31896.1	AF145478	Mesembryanthemum crystallinum	CAA49849.1	X70399	Medicago sativa
BAA90510.2	AF001111	Oryza sativa	CAA40687.1	X57439	Brassica napus
AAD11617.1	AF050495	Lycopersicon esculentum	CAB07807.1	Z93772	Nicotiana tabacum
AAD11618.1	AF050496	Lycopersicon esculentum	CAA07471.1	AJ007333	Catharanthus roseus
AAA34138.1	M96324	Lycopersicon esculentum	AAF86353.1	AJ283668	Oryza sativa subsp. indica
CAA63790.1	X93592	Dunaliella bioculata	CAA81395.1	Z26654	Acetabularia cliftonii
AAA81348.1	U38965	Vicia faba	CAA87385.1	Z47076	Malus x domestica
AAK32118.1	AF308816	Hordeum vulgare	CAA05491.1	AJ002485	Medicago sativa
AAK32119.1	AF308817	Hordeum vulgare	CAA82263.1	Z28627	Acetabularia cliftonii
AAF97591.1	AF263917	Lycopersicon esculentum	CAA07470.1	AJ007332	Catharanthus roseus



CAA88254.1	Z48221	Phaseolus vulgaris	AAF29975.1	AF188062	Lactuca sativa
AAD38856.1	AF156101	Chlamydomonas reinhardtii	AAD41765.1	AF111842	Hevea brasiliensis
BAA92244.1	AB038648	Vicia faba	AAD41766.1	AF111843	Hevea brasiliensis
AAA33545.1	M60215	Zea mays	AAC32209.1	AF082326	Haematococcus pluvialis
CAA56766.1	X80788	Medicago sativa subsp. x varia	AAC32208.1	AF082325	Haematococcus pluvialis
CAB07803.1	Z93768	Nicotiana tabacum	BAA33978.1	AB019034	Haematococcus pluvialis
CAA05493.1	AJ002487	Medicago sativa	CAA70850.1	Y09634	Nicotiana tabacum
CAB07804.1	Z93769	Nicotiana tabacum	AAF91499.1	AF227951	Daucus carota
CAA82264.1	Z28632	Acetabularia cliftonii	AAC32601.1	AF082869	Chlamydomonas reinhardtii
CAB07805.1	Z93770	Nicotiana tabacum	SEQ ID NO. 573		
CAA45119.1	X63558	Brassica oleracea	BAA05079.1	D26086	Petunia x hybrida
CAA05492.1	AJ002486	Medicago sativa	AAD26942.1	AF119050	Datisca glomerata
AAA74625.1	U31773	Oryza sativa	AAC06243.1	AF053077	Nicotiana tabacum
CAA05494.1	AJ002488	Medicago sativa	BAA05077.1	D26084	Petunia x hybrida
CAA40686.1	X57438	Brassica napus	BAA05076.1	D26083	Petunia x hybrida
CAA87386.1	Z47077	Malus x domestica	BAA05078.1	D26085	Petunia x hybrida
CAA87387.1	Z47078	Vicia faba	AAK01713.1	AF332876	Oryza sativa
BAA92334.1	AB038787	Fagus sylvatica	AAB53260.1	U76554	Brassica rapa
CAC11128.1	AJ298828	Vicia faba	AAB53261.1	U76555	Brassica rapa
BAA92335.1	AB038788	Fagus sylvatica	BAA96070.1	AB035132	Petunia x hybrida
CAC09574.1	AJ298986	Fagus sylvatica	BAA21919.1	AB006597	Petunia x hybrida
BAA92337.1	AB038790	Vicia faba	BAA96071.1	AB035133	Petunia x hybrida
BAA92336.1	AB038789	Vicia faba	BAA21927.1	AB006605	Petunia x hybrida
BAA92338.1	AB038791	Vicia faba	BAA19112.1	AB000453	Petunia x hybrida
AAG29592.1	AF196285	Medicago sativa subsp. x varia	BAA21928.1	AB006606	Petunia x hybrida
SEQ ID NO. 572			BAA21922.1	AB006600	Petunia x hybrida
AAF36996.1	AF236092	Brassica oleracea var. botrytis	BAA19114.1	AB000455	Petunia x hybrida
AAF29978.1	AF188065	Oryza sativa	BAA21920.1	AB006598	Petunia x hybrida
AAB67743.1	U48963	Clarkia breweri	BAA21921.1	AB006599	Petunia x hybrida
BAB40974.1	AB049816	Nicotiana tabacum	BAA19110.1	AB000451	Petunia x hybrida
AAF29974.1	AF188061	Adonis palaeostina	BAA21926.1	AB006604	Petunia x hybrida
AAF29973.1	AF188060	Adonis palaeostina	BAA21925.1	AB006603	Petunia x hybrida
CAA57947.1	X82627	Clarkia breweri	BAA19111.1	AB000452	Petunia x hybrida
AAF29976.1	AF188063	Lactuca sativa	BAA21923.1	AB006601	Petunia x hybrida
BAB40973.1	AB049815	Nicotiana tabacum	BAA21924.1	AB006602	Petunia x hybrida
AAF29977.1	AF188064	Tagetes erecta	BAA19113.1	AB000454	Petunia x hybrida
AAG10423.1	AF251011	Tagetes erecta	BAA19926.1	AB000456	Petunia x hybrida
AAB94132.1	AF031079	Camptotheca acuminata	SEQ ID NO. 574		
AAB94133.1	AF031080	Camptotheca acuminata	AAC32146.1	AF051246	Picea mariana
AAB67742.1	U48962	Clarkia xantiana			

BAA96836.1	AB026565	Oryza sativa	AAC32124.1	AF051223	Picea mariana
BAA28276.1	AB014058	Oryza sativa	AAF43429.1	AF233446	Physcomitrella patens
AAC35983.1	AF088915	Petunia x hybrida	CAA98190.1	Z73962	Lotus japonicus
BAA21650.1	D78172	Spinacia oleracea	AAB35093.1	S79308	Gossypium hirsutum
BAA96838.1	AB026567	Oryza sativa	BAA84494.1	AB029510	Oryza sativa
CAA09603.1	AJ011383	Cicer arietinum	AAB35094.1	S79309	Gossypium hirsutum
BAA96834.1	AB026563	Oryza sativa	AAD34355.1	AF126052	Zea mays
SEQ ID NO. 575			AAF43430.1	AF233447	Physcomitrella patens
AAF08537.1	AF191098	Pisum sativum	AAF43923.1	AF239751	Tradescantia virginiana
BAA96460.1	AB029400	Brassica rapa	BAA94775.1	AP001859	Oryza sativa
AAC25999.1	AF072289	Mesembryanthemum crystallinum	BAA84492.1	AB029508	Oryza sativa
AAA19005.1	U10283	Flaveria bidentis	BAA84493.1	AB029509	Oryza sativa
AAB67996.1	U72142	Helianthus annuus	AAD34357.1	AF126054	Zea mays
BAA01510.1	D10659	Spinacia oleracea	AAD45722.1	AF161018	Erysimum cheiri
AAF91407.1	AF271362	Lolium perenne	AAA34251.1	L08128	Volvox carteri
AAF65509.1	AF108881	Capsicum annuum	CAA89021.1	Z49152	Beta vulgaris
AAB40609.1	U55019	Saccharum officinarum	CAA90081.1	Z49901	Pisum sativum
AAA93030.1	U50150	Glycine max	CAA90080.1	Z49900	Pisum sativum
CAA50511.1	X71388	Pisum sativum	CAA98172.1	Z73944	Lotus japonicus
BAA02018.1	D11465	Spinacia oleracea	CAA90082.1	Z49902	Pisum sativum
CAA86071.1	Z37990	Pisum sativum	CAA98176.1	Z73948	Lotus japonicus
AAA19004.1	U10282	Flaveria bidentis	CAA04701.1	AJ001367	Daucus carota
BAA03798.1	D16292	Oryza sativa	AAF65510.1	AF108883	Capsicum annuum
CAA53073.1	X75324	Lycopersicon esculentum	AAA80680.1	U38466	Lycopersicon esculentum
SEQ ID NO. 576			CAA98164.1	Z73936	Lotus japonicus
AAA96980.1	I119093	Mitochondrion Pisum sativum	CAA98175.1	Z73947	Lotus japonicus
CAA89050.1	Z49191	Beta vulgaris	AAD10389.1	U35026	Petunia x hybrida
CAA10815.2	AJ222545	Nicotiana tabacum	SEQ ID NO. 577		
AAK27450.1	AF329814	Oryza sativa subsp. japonica	BAA08366.2	D49367	Lithospermum erythrorhizon
AAF28764.1	AF218381	Oryza sativa subsp. japonica	CAC36095.1	X69955	Glycine max
CAA98189.1	Z73961	Lotus japonicus	AAF91308.1	AF239685	Rubus idaeus
AAD34358.1	AF126055	Zea mays	AAC24504.1	AF041050	Populus tremuloides
BAA76424.1	AB024996	Cicer arietinum	BAA08365.1	D49366	Lithospermum erythrorhizon
AAF91343.1	AF250327	Oryza sativa	AAB18638.1	U50846	Nicotiana tabacum
AAD34356.1	AF126053	Zea mays	AAC39366.1	AF008184	Populus x generosa
AAB97458.1	AF042330	Brassica rapa	AAF91309.1	AF239686	Rubus idaeus
AAD44769.1	AF146341	Physcomitrella patens	AAF37732.1	AF052221	Lolium perenne
AAD44768.1	AF146340	Physcomitrella patens	CAA36850.1	X52623	Oryza sativa
AAD26198.1	AF115476	Physcomitrella patens	AAB18637.1	U50845	Nicotiana tabacum
			AAA33842.1	M62755	Solanum tuberosum

AAG43823.1	AF121317	Capsicum annuum	AAB68661.1	U90214	Nicotiana tabacum
AAD40664.1	AF150686	Solanum tuberosum	AAD34570.1	AF143442	Lycopersicon esculentum
AAF91310.1	AF239687	Rubus idaeus	BAA87835.1	AP000815	Oryza sativa
BAA07828.1	D43773	Nicotiana tabacum	AAB31249.1	S73826	Solanum tuberosum
AAC39365.1	AF008183	Populus x generosa	AAB31250.2	S73827	Solanum tuberosum
AAC24503.1	AF041049	Populus tremuloides	CAA57894.1	X82544	Solanum tuberosum
CAA31696.1	X13324	Petroselinum crispum	AAB31251.2	S73828	Solanum tuberosum
CAA31697.1	X13325	Petroselinum crispum	BAA06486.1	D30809	Triticum aestivum
AAF37733.1	AF052222	Lolium perenne	AAC24123.1	AF067187	Cichorium intybus
AAF37734.1	AF052223	Lolium perenne	BAA06487.1	D30810	Triticum aestivum
AAB42383.1	U39405	Pinus taeda	BAA02303.2	D12919	Triticum aestivum
AAB42382.1	U39404	Pinus taeda			
AAA92669.1	U12013	Pinus taeda	SEQ ID NO. 580		
AAA92668.1	U12012	Pinus taeda	CAA64152.1	X94375	Pimpinella brachycarpa
AAD40665.1	AF150687	Solanum tuberosum	CAA64221.1	X94449	Pimpinella brachycarpa
AAF73997.2	AF144504	Picea smithiana	CAA64491.1	X95193	Pimpinella brachycarpa
AAF73995.2	AF144502	Pinus armandii	CAA63222.1	X92489	Glycine max
AAF73998.2	AF144505	Cathaya argyrophylla	BAA93463.1	AB028075	Physcomitrella patens
AAF73994.2	AF144501	Pinus armandii	AAA74017.1	U30475	Glycine max
AAF73996.2	AF144503	Pinus armandii	BAB18169.1	AB042767	Zinnia elegans
CAA49575.1	X69954	Glycine max	BAA93462.1	AB028074	Physcomitrella patens
AAF74016.2	AF144523	Nothotsuga longibracteata	BAA93464.1	AB028076	Physcomitrella patens
AAF74004.2	AF144511	Pseudotsuga sinensis	BAA93465.1	AB028077	Physcomitrella patens
AAF74022.2	AF144529	Cedrus atlantica	BAA93466.1	AB028078	Physcomitrella patens
AAF74019.2	AF144526	Tsuga canadensis	BAB18171.1	AB042769	Zinnia elegans
AAF74018.2	AF144525	Tsuga canadensis	CAA64417.1	X94947	Lycopersicon esculentum
AAF74001.2	AF144508	Pseudotsuga menziesii	BAA93461.1	AB028073	Physcomitrella patens
AAF74002.2	AF144509	Pseudotsuga sinensis	BAA93468.1	AB028080	Physcomitrella patens
CAB97359.1	AJ278455	Juglans nigra	BAA93467.1	AB028079	Physcomitrella patens
AAF74003.2	AF144510	Pseudotsuga sinensis			
AAF73993.2	AF144500	Pinus banksiana	SEQ ID NO. 581		
AAF73999.2	AF144506	Pseudotsuga menziesii	CAA91162.1	Z54351	Spinacia oleracea
AAF73992.1	AF144499	Pinus banksiana	AAD33936.1	AF144684	Chloroplast Pisum sativum
AAF74007.2	AF144514	Abies firma	AAC05019.1	AF039304	Chloroplast Zea mays
AAA64913.1	U23787	Sorghum bicolor	AAB96657.1	AF039305	Chloroplast Zea mays
AAF74000.2	AF144507	Pseudotsuga menziesii			
SEQ ID NO. 578			SEQ ID NO. 582		
BAA02305.2	D12921	Triticum aestivum	AAF16526.1	AF191301	Medicago sativa
AAF06696.1	AF031487	Nicotiana tabacum			
CAA40102.1	X56782	Triticum aestivum	SEQ ID NO. 583		
			BAA92986.1	AP001550	Oryza sativa

AA19807.1	AF180356	Brassica oleracea	AAB80919.1	AF020787	Oryza sativa
AA19403.1	AF203481	Lycopersicon esculentum	SEQ ID NO. 590		
AA19402.1	AF203480	Lycopersicon esculentum	AAC09422.1	M68929	Mitochondrion Marchantia
BAA05648.1	D26601	Nicotiana tabacum	polymorpha		
CAA73068.1	Y12465	Sorghum bicolor			
BAA34675.1	AB011670	Triticum aestivum	SEQ ID NO. 603		
BAA13440.1	D87707	Ipomoea batatas	AAD02328.1	AF044573	Brassica oleracea
AA123900.1	AF194413	Oryza sativa	AAC49651.1	U68461	Striga asiatica
AA123901.2	AF194414	Oryza sativa	AAC49652.1	U68462	Striga asiatica
AAD17800.1	AF090835	Mesembryanthemum crystallinum	AAF40438.1	AF234528	Avena nuda
CAA73067.1	Y12464	Sorghum bicolor	BAA89214.1	AB032361	Mimosa pudica
BAA12715.1	D85039	Zea mays	AAC31886.1	AF059484	Gossypium hirsutum
CAA89202.1	Z49233	Chlamydomonas eugametos	CAA39280.1	X55751	Solanum tuberosum
AA121062.1	AF216527	Dunaliella tertiolecta	CAA45149.1	X63603	Nicotiana tabacum
AAB80693.1	U69174	Glycine max	AAF71265.1	AF246715	Phalaenopsis sp. 'True Lady'
CAA39936.1	X56599	Daucus carota	CAA33874.1	X15865	Oryza sativa
AAB47181.1	S82324	Zea mays	CAA39278.1	X55749	Solanum tuberosum
BAA12691.1	D84507	Zea mays	AAD41039.1	AF112538	Malva pusilla
AG01179.1	AF289237	Zea mays	AAG10041.1	AF288226	Setaria italica
CAA58750.1	X83869	Daucus carota	AAF03692.1	AF172094	Picea rubens
BAA12692.1	D84508	Zea mays	AAD03741.1	AF111812	Brassica napus
CAA57157.1	X81394	Oryza sativa	CAA47899.1	X67666	Pisum sativum
AAD23582.1	AF128443	Glycine max	AAF82805.1	AF282624	Helianthus annuus
BAA19553.1	D64036	Oryza sativa	CAA48609.1	X68649	Pisum sativum
CAA65244.1	X95997	Solanum tuberosum	AAF31643.1	AF143208	Vigna radiata
AA07481.1	AJ007366	Zea mays	CAA39281.1	X55752	Solanum tuberosum
AAG46110.1	AC073166	Oryza sativa	CAA34356.1	X16280	Oryza sativa
CAA65500.1	X96723	Medicago sativa	CAA55923.1	X79378	Sorghum bicolor
AAA69507.1	U28376	Zea mays	AAF71264.1	AF246714	Phalaenopsis sp. 'True Lady'
AAD28192.2	AF115406	Solanum tuberosum	AAB38512.1	U81047	Pisum sativum
BAA22410.1	D38452	Zea mays	AAB38511.1	U81046	Pisum sativum
CAA71142.1	Y10036	Cucumis sativus	AAB18642.1	U76191	Pisum sativum
AAG36872.1	AF239819	Zea mays	AAB18641.1	U76190	Pisum sativum
AAC04324.1	U73937	Nicotiana tabacum	CAA62028.1	X90378	Pisum sativum
BAA02698.1	D13436	Oryza sativa	CAA39279.1	X55750	Solanum tuberosum
BAA83689.1	AB011968	Oryza sativa	AAC64127.1	AF091809	Anemia phyllitidis
CAA72362.1	Y11649	Zea mays	AAC16054.1	AF061019	Coleochaete scutata
CAA43659.1	X61387	Zea mays	AAB38514.1	U81049	Pisum sativum
BAA05649.1	D26602	Nicotiana tabacum	AAB18644.1	U76193	Pisum sativum
			AAC16055.1	AF061020	Mesostigma viride
SEQ ID NO. 584					

AAC64128.1	AF091810	Anemia phyllitidis	CAA44820.1	X63106	Nicotiana tabacum
AAA33433.1	J01238	Zea mays	BAA34919.1	AB012716	Salix gilgiana
AAC05272.1	AF049106	Glycine max	AAB65162.1	AF002667	Solanum commersonii
CAA33873.1	X15864	Oryza sativa	CAA47345.1	X66874	Phaseolus vulgaris
AAF87302.1	AF281323	Magnolia denudata	AAB91473.1	AF035458	Spinacia oleracea
BAA09450.1	D50839	Chlamydomonas reinhardtii	AAB96660.1	AF039084	Spinacia oleracea
BAA09449.1	D50838	Chlamydomonas reinhardtii	AAB91472.1	AF035457	Spinacia oleracea
AAC16053.1	AF061018	Scherffelia dubia	SEQ ID NO. 607		
AAA33940.1	J01297	Glycine max	AAB05641.1	U41385	Ricinus communis
CAA23728.1	V00450	Glycine max	AAD28260.1	AF131223	Datisca glomerata
AAA34243.1	N33963	Volvox carteri	CAA77575.1	Z11499	Medicago sativa
BAA25911.1	AB013098	Nannochloris bacillaris	CAC21228.1	AJ277377	Triticum turgidum subsp. d
AAD48335.1	AF090969	Selaginella apoda	CAC21230.1	AJ277379	Triticum turgidum subsp. d
AAD48336.1	AF090970	Cosmarium botrytis	AAA19660.1	U11496	Triticum aestivum
AAC64129.1	AF091811	Psilotum nudum	BAB18780.1	AB047268	Cucumis sativus
CAA39276.1	X55746	Solanum tuberosum	CAC21229.1	AJ277378	Triticum turgidum subsp. durum
SEQ ID NO. 606			CAC21231.1	AJ277380	Triticum turgidum subsp. durum
AAB88009.1	AF035414	Brassica napus	BAA92322.1	AB039278	Oryza sativa
AAB88134.1	AF034618	Spinacia oleracea	AAD55566.1	AF110784	Volvox carteri f. nagariensis
CAA47948.1	X67711	Oryza sativa	AAD02069.1	AF036939	Chlamydomonas reinhardtii
CAB72129.1	AJ249330	Cucumis sativus	AAC49896.1	AF027727	Chlamydomonas reinhardtii
CAB72130.1	AJ249331	Cucumis sativus	CAA72092.1	Y11209	Nicotiana tabacum
CAA37971.1	X54030	Lycopersicon esculentum	SEQ ID NO. 608		
AAF34134.1	AF161180	Malus x domestica	AAB72047.1	AF006489	Gossypium hirsutum
AAB88133.1	AF034617	Spinacia oleracea	CAA05979.1	AJ003197	Lupinus albus
AAB88132.1	AF034616	Spinacia oleracea	CAA44054.1	X62123	Solanum tuberosum
AAB97316.1	AF033852	Spinacia oleracea	AAB49700.1	U89839	Lycopersicon esculentum
AAB42159.1	I41253	Lycopersicon esculentum	CAA40782.1	X57557	Solanum tuberosum
CAA42685.1	X60088	Daucus carota	BAA02161.1	D12637	Oryza sativa
CAA30018.1	X06932	Petunia x hybrida	CAA41812.1	X59086	Zea mays
CAA43711.1	X61491	Spinacia oleracea	CAA40781.1	X57556	Zea mays
CAA37970.1	X54029	Lycopersicon esculentum	CAA33743.1	X15712	Zea mays
AAB99745.1	AF005993	Triticum aestivum	CAA33742.1	X15711	Zea mays
CAA67867.1	X99515	Pisum sativum	CAA65119.1	X95863	Triticum turgidum
CAA44620.1	X62799	Glycine max	CAA26600.1	X02842	Zea mays
AAB00730.1	M76725	Chlamydomonas reinhardtii	CAA65120.1	X95864	Triticum turgidum
AAA34139.1	I08830	Lycopersicon esculentum	CAA46311.1	X55194	Chlamydomonas reinhardtii
CAB72128.1	AJ249329	Cucumis sativus	AAA33027.1	M76669	Chlorella kessleri
AAA21808.1	I23551	Spinacia oleracea	AAB72048.1	AF006490	Gossypium hirsutum
AAB86942.1	AF031241	Glycine max			

BAA08104.1	D45074	Panicum miliaceum	AAF61392.1	AF133894	Persea americana
BAA08103.1	D45073	Panicum miliaceum	CAB38119.1	AJ010296	Zea mays
BAA08105.1	D45075	Panicum miliaceum	CAB38118.1	AJ010295	Zea mays
SEQ ID NO. 609			AAG34814.1	AF243379	Glycine max
CAA29056.1	X05512	Spinacia oleracea	AAG34812.1	AF243377	Glycine max
AAA20823.1	M87435	Zea mays	CAA09190.1	AJ010451	Alopecurus myosuroides
AAB81994.1	AF026400	Onobrychis viciifolia	CAA09193.1	AJ010454	Alopecurus myosuroides
BAA96362.1	AB043962	Bruguiera gymnorhiza	AAG34811.1	AF243376	Glycine max
AAB40980.1	U22330	Volvox carteri	CAA09192.1	AJ010453	Alopecurus myosuroides
SEQ ID NO. 610			CAA09191.1	AJ010452	Alopecurus myosuroides
CAA46507.1	X65540	Plastid Triticum aestivum	AAD56395.1	AF184059	Triticum aestivum
CAA52439.1	X74418	Chlamydomonas reinhardtii	CAA68993.1	Y07721	Petunia x hybrida
BAA94305.1	AB035313	Chlamydomonas sp. W80	CAA39487.1	X56012	Triticum aestivum
CAA74960.1	Y14608	Chlamydomonas reinhardtii	AAC64007.1	AF062403	Oryza sativa
CAA61409.1	X89006	Saccharum hybrid cultivar H65-7052	AAG34817.1	AF244674	Zea mays
BAA25422.1	AB007193	Oryza sativa	AAA20585.1	U12679	Zea mays
AAG23509.1	AF218845	Porteresia coarctata	CAA56047.1	X79515	Zea mays
AAF31813.1	AF317553	Beta vulgaris	AAA33470.1	M16901	Zea mays
AAA32915.1	M80597	Beta vulgaris	AAA33469.1	M16902	Zea mays
AAA82750.1	U20179	Brassica napus	AAG34821.1	AF244678	Zea mays
AAD12243.1	AF081796	Brassica napus	AAG34820.1	AF244677	Zea mays
CAA48719.1	X68826	Pisum sativum	CAA39480.1	X56004	Triticum aestivum
AAD25541.1	AF134051	Solanum tuberosum	AAG34823.1	AF244680	Zea mays
CAA43860.1	X61690	Spinacia oleracea	AAG34818.1	AF244675	Zea mays
CAB39759.1	AJ133598	Plastid Pisum sativum	AAG34822.1	AF244679	Zea mays
CAA37908.1	X53957	Triticum aestivum	AAG34816.1	AF244673	Zea mays
BAA25423.1	AB007194	Oryza sativa	CAA05354.1	AJ002380	Oryza sativa
CAB46084.1	AJ243392	Pisum sativum	CAB66333.1	AJ279691	Betula pendula
AAD28755.1	AF130251	Musa acuminata	CAA05355.1	AJ002381	Oryza sativa
CAA54265.1	X76946	Solanum tuberosum	SEQ ID NO. 612		
SEQ ID NO. 611			AAC19396.1	AF069318	Mesembryanthemum crystallinum
AAB65163.1	AF002692	Solanum commersonii	AAD28640.1	AF068686	Glycine max
CAA55039.1	X78203	Hyoscyamus muticus	CAA07683.1	AJ007789	Nicotiana tabacum
BAA01394.1	D10524	Nicotiana tabacum	BAA92518.1	AP001383	Oryza sativa
AAA33930.1	M84968	Silene vulgaris	BAA90346.1	AP001080	Oryza sativa
CAA96431.1	Z71749	Nicotiana plumbaginifolia	AAC12646.1	AF055296	Zantedeschia aethiopica
AAA33931.1	M84969	Silene vulgaris	SEQ ID NO. 615		
			CAB56544.1	X51608	Triticum aestivum
			CAA41020.1	X57952	Triticum aestivum

CAA72118.1	Y11248	Pisum sativum	AAB17070.1	U54770	Lycopersicon esculentum
CAA30499.1	X07654	Spinacia oleracea	AAK00946.1	AF318211	Taxus cuspidata
AAA34036.1	M21338	Spinacia oleracea	AAG41777.1	AF212991	Cucurbita maxima
AAA33034.1	M73707	Mesembryanthemum crystallinum	AAK11616.1	AF326277	Hordeum vulgare
AAA33090.1	M36123	Chlamydomonas reinhardtii	AAF20011.1	AF216313	Helianthus annuus
AAF36402.1	AF228914	Chlamydomonas reinhardtii	CAA50647.1	X71656	Solanum melongena
AAD55057.1	AF173671	Beta vulgaris	AAF27282.1	AF122821	Capsicum annuum
			AAB94593.1	AF022464	Glycine max
			BAA13076.1	D86351	Glycine max
SEQ ID NO. 616			AAA19701.1	L24438	Thlaspi arvense
CAA05365.1	AJ002391	Solanum tuberosum	AAC48987.1	U09610	Berberis stolonifera
AAB61215.1	AF002226	Nicotiana tabacum	BAB12433.1	AB025030	Coptis japonica
AAC50019.1	U39747	Ipomoea nil	CAB56503.1	AJ238612	Catharanthus roseus
CAA41220.1	X58282	Zea mays	CAA50648.1	X71657	Solanum melongena
BAA19156.1	AB000637	Canavalia gladiata	AAC39452.1	AF014800	Eschscholzia californica
AAC78104.1	AF093632	Oryza sativa	AAD38930.1	AF135485	Glycine max
CAA77641.1	Z11540	Triticum aestivum	AAD44150.1	AF124815	Mentha spicata
CAA90679.1	Z50799	Hordeum vulgare	AAC39453.1	AF014801	Eschscholzia californica
CAB44297.1	AJ006708	Zea mays	BAA12159.1	D83968	Glycine max
			AAF05621.1	AF191772	Papaver somniferum
SEQ ID NO. 617			AAB94587.1	AF022458	Glycine max
AAA91049.1	L31937	Brassica rapa	CAA04116.1	AJ000477	Helianthus tuberosus
AAC97524.1	U12150	Glycine max	CAA04117.1	AJ000478	Helianthus tuberosus
AAB17095.1	U72942	Oryza sativa	CAB43505.1	AJ239051	Cicer arietinum
BAA85411.1	AF000615	Oryza sativa	BAA93632.1	AB024931	Lotus japonicus
AAC00503.1	AF044059	Oryza sativa	BAA76380.1	AB023636	Glycyrrhiza echinata
AAG17880.1	AF293407	Phaseolus coccineus			
AAG38520.1	AF283535	Citrus x paradisi			
CAA78359.1	Z13956	Glycine max			
			SEQ ID NO. 621		
SEQ ID NO. 618			AAB01376.1	M96549	Lycopersicon esculentum
AAA91049.1	L31937	Brassica rapa	AAA33748.1	M99431	Ipomoea nil
AAC97524.1	U12150	Glycine max	CAA77978.1	Z11920	Oryza sativa
AAC00503.1	AF044059	Oryza sativa	AAD30456.1	AF123259	Lycopersicon esculentum
AAB17095.1	U72942	Oryza sativa	AAD11549.1	U55859	Triticum aestivum
BAA85411.1	AF000615	Oryza sativa	AAB26482.2	S59780	Zea mays
AAG17880.1	AF293407	Phaseolus coccineus	AAA16785.1	L14594	Catharanthus roseus
AAG38520.1	AF283535	Citrus x paradisi	BAA90487.1	AB037681	Oryza sativa
CAA78359.1	Z13956	Glycine max	CAA44877.1	X63195	Nicotiana tabacum
			CAA82945.1	Z30243	Secale cereale
SEQ ID NO. 619			AAF31705.1	AF221856	Euphorbia esula
AAF89209.1	AF279252	Vigna radiata	AAC32131.1	AF051230	Picea mariana
			AAD11550.1	U55860	Triticum aestivum

CAA78738.1	Z15018	Oryza sativa	AAA99439.1	L24547	Volvox carteri
SEQ ID NO. 622			CAA31334.1	X12855	Volvox carteri
AAA19708.1	L10634	Zea mays	AAA33804.1	M33371	Polytomella agilis
AAD10489.1	U76746	Triticum aestivum	AAA33803.1	M33373	Polytomella agilis
AAD20178.1	AF059287	Eleusine indica	AAB03892.1	M33372	Polytomella agilis
AAK09229.1	AC084320	Oryza sativa	AAB60936.1	AF001379	Chlamydomonas incerta
BAA02505.1	D13224	Oryza sativa	CAA38614.1	X54845	Pisum sativum
BAA06382.1	D30717	Oryza sativa	AAD10493.1	U76897	Triticum aestivum
AAD20180.1	AF059289	Eleusine indica	BAA82639.1	D63138	Zinnia elegans
CAA55912.1	X79367	Oryza sativa	CAA38615.1	X54846	Pisum sativum
CAA38613.1	X54844	Pisum sativum	SEQ ID NO. 624		
AAD10490.1	U76895	Triticum aestivum	BAA78764.1	AB023482	Oryza sativa
CAA48929.1	X69185	Anemia phyllitidis	AAF43496.1	AF131222	Lophopyrum elongatum
BAA82637.1	D63136	Zinnia elegans	AAK11674.1	AF339747	Lophopyrum elongatum
CAA49736.1	X70184	Lupinus albus	AAG16628.1	AY007545	Brassica napus
AAA20186.1	L10633	Zea mays	BAA94509.1	AB041503	Populus nigra
BAA06381.1	D30716	Oryza sativa	BAA94510.1	AB041504	Populus nigra
CAA55022.1	X78143	Oryza sativa	AAK21965.1	AY028699	Brassica napus
CAA70891.1	Y09741	Hordeum vulgare	CAB51834.1	00069	Oryza sativa
AAB03267.1	U47660	Lupinus albus	AAG03090.1	AC073405	Oryza sativa
AAD10488.1	U76745	Triticum aestivum	AAF91337.1	AF249318	Glycine max
AAA34010.1	M21297	Glycine max	AAF91336.1	AF249317	Glycine max
BAA82638.1	D63137	Zinnia elegans	AAC61805.1	U28007	Lycopersicon esculentum
AAB64308.1	U63927	Daucus carota	AAF76307.1	AF220602	Lycopersicon pimpinellifolium
CAA52720.1	X74656	Zea mays	AAB47424.1	U59317	Lycopersicon pimpinellifolium
AAD20181.1	AF059290	Eleusine indica	AAC27894.1	AF023164	Zea mays
AAD20179.1	AF059288	Eleusine indica	AAG33377.1	AF290411	Oryza meyeriana
AAD10487.1	U76744	Triticum aestivum	AAB09771.1	U67422	Zea mays
CAA67056.1	X98406	Cicer arietinum	BAA94529.2	AF001800	Oryza sativa
AAD10492.1	U76896	Triticum aestivum	AAC27895.1	AF023165	Zea mays
CAA52718.1	X74654	Zea mays	CAA73134.1	Y12531	Brassica oleracea
CAA37060.1	X52878	Zea mays	BAA94516.1	AF001800	Oryza sativa
AAA19709.1	L10636	Zea mays	AAK11566.1	AF318490	Lycopersicon hirsutum
CAA83853.1	Z33402	Solanum tuberosum	AAF34428.1	AF172282	Oryza sativa
CAA83847.1	Z33382	Solanum tuberosum	CAA97692.1	Z73295	Catharanthus roseus
CAA37061.1	X52879	Zea mays	BAA94517.1	AF001800	Oryza sativa
AAA19707.1	L10635	Zea mays	SEQ ID NO. 626		
CAA52719.1	X74655	Zea mays	AAD10241.1	AF020716	Triticum aestivum
AAA33102.1	K03281	Chlamydomonas reinhardtii	CAB06653.1	Z85984	Oryza sativa
AAA33101.1	M10064	Chlamydomonas reinhardtii			



AAG48835.1	AC084218	Oryza sativa	CAA39936.1	X56599	Daucus carota
AAD10242.1	AF020717	Triticum aestivum	CAA08995.1	AJ010091	Brassica napus
SEQ ID NO. 628			BAA05649.1	D26602	Nicotiana tabacum
BAA90375.1	AP001081	Oryza sativa	AAF19403.1	AF203481	Lycopersicon esculentum
BAB03361.1	AP002486	Oryza sativa	AAC25423.1	AF072908	Nicotiana tabacum
CAA62901.1	X91787	Lupinus luteus	AAF19402.1	AF203480	Lycopersicon esculentum
SEQ ID NO. 629			CAA65244.1	X95997	Solanum tuberosum
BAA96875.1	AB045121	Oryza sativa	CAA57898.1	X82548	Hordeum vulgare
BAA78746.1	AB023482	Oryza sativa	AAF19401.1	AF203479	Glycine max
AAG43550.1	AF211532	Nicotiana tabacum	AAD23582.1	AF128443	Glycine max
BAA90357.1	AP001080	Oryza sativa	AAF34436.1	AF172282	Oryza sativa
BAA77204.1	AB026262	Cicer arietinum	BAA05648.1	D26601	Nicotiana tabacum
BAA90806.1	AP001168	Oryza sativa	SEQ ID NO. 634		
SEQ ID NO. 630			AAF73075.1	AF268595	Hordeum vulgare
AAD50592.1	AF093752	Triticum aestivum	SEQ ID NO. 635		
AAG22095.1	AF308658	Typha latifolia	CAB85467.1	AJ250316	Brassica juncea
SEQ ID NO. 632			BAA22441.1	D63954	Zea mays
AAF21901.1	AF109392	Brassica napus	BAA11475.1	D79979	Nicotiana tabacum
SEQ ID NO. 633			AAA70334.1	U25817	Sesamum indicum
CAB82852.1	Z30329	Mesembryanthemum crystallinum	AAB39387.1	U59477	Perilla frutescens
BAB18105.1	AB042715	Chlamydomonas reinhardtii	CAA07638.1	AJ007739	Solanum tuberosum
BAB18104.1	AB042714	Chlamydomonas reinhardtii	AAF27933.1	AF222989	Capsicum annuum
BAA83689.1	AB011968	Oryza sativa	AAB72241.1	U75745	Petroselinum crispum
BAA83688.1	AB011967	Oryza sativa	AAA61776.1	L22965	Chloroplast Glycine soja
CAA73067.1	Y12464	Sorghum bicolor	AAF12821.1	AF200717	Vernicia fordii
AAF22219.1	AF141378	Zea mays	AAA86690.1	U17063	Limnanthes douglasii
BAA96628.1	AP002482	Oryza sativa	AAD13527.1	AF061027	Vernicia fordii
CAA89202.1	Z49233	Chlamydomonas eugametos	BAA22442.1	D84409	Zea mays
CAA73068.1	Y12465	Sorghum bicolor	BAA22440.1	D63953	Zea mays
BAA34675.1	AB011670	Triticum aestivum	BAA07785.2	D43688	Triticum aestivum
AAF06969.1	AF162661	Kalanchoe fedtschenkoi	AAA61774.1	L22963	Chloroplast Brassica napus
AAF06970.1	AF162662	Kalanchoe fedtschenkoi	AAC98967.1	AF047172	Vernicia fordii
BAA90814.1	AP001168	Oryza sativa	CAB45155.1	AJ011004	Vernicia fordii
AAB62693.1	AF004947	Oryza sativa	AAF16443.1	AF020204	Pelargonium x hortorum
AAF21062.1	AF216527	Dunaliella tertiolecta	AAA61777.1	L22962	Brassica napus
CAA71142.1	Y10036	Cucumis sativus	AAA32994.1	L01418	Chloroplast Glycine soja
			AAD15744.1	AF047039	Brassica napus
			BAA28358.1	D84678	Perilla frutescens
					Triticum aestivum

BAA05515.1	D26509	Nicotiana tabacum	CAA57425.1	X81831	Zea mays
BAA11397.1	D78506	Oryza sativa	CAA72196.1	Y11368	Zea mays
BAB18135.1	AB051215	Glycine max	AAG44132.1	AF218296	Pisum sativum
BAA22439.1	D63952	Zea mays	AAG14962.1	AF214008	Brassica napus
BAA11396.1	D78505	Oryza sativa	AAG14961.1	AF214007	Brassica napus
CAB71341.1	AJ250664	Hordeum vulgare	AAD56282.1	AF155332	Petunia x hybrida
AAD48897.1	AF083613	Dunaliella salina			
AAF80560.1	AF192486	Sesamum indicum	SEQ ID NO. 639		
CAB64256.1	AJ245938	Calendula officinalis	BAB20580.1	AB042267	Zea mays
AAB80696.1	U86072	Petroselinum crispum	BAB20579.1	AB042261	Zea mays
			BAB20581.1	AB042268	Zea mays
SEQ ID NO. 636			AAK14395.1	AF339732	Dianthus caryophyllus
AAB16830.1	U49388	Zea mays	BAA85113.1	AB031012	Zea mays
AAB16829.1	U49387	Triticum aestivum	BAA82873.1	AB024291	Zea mays
			BAA85112.1	AB031011	Zea mays
SEQ ID NO. 638			BAA75253.1	AB004882	Zea mays
AAA19701.1	L24438	Thlaspi arvense	BAB17300.1	AB042260	Zea mays
AAA32913.1	M32885	Persea americana	BAB20582.1	AB042269	Zea mays
AAC39318.1	AF029858	Sorghum bicolor	BAB41137.1	AB060130	Zea mays
BAB40323.1	AB037244	Asparagus officinalis			
BAB40324.1	AB037245	Asparagus officinalis	SEQ ID NO. 640		
AAB94589.1	AF022460	Glycine max	AAG43550.1	AF211532	Nicotiana tabacum
CAA70575.1	Y09423	Nepeta racemosa	BAA78746.1	AB023482	Oryza sativa
CAA70576.1	Y09424	Nepeta racemosa	BAA96875.1	AB045121	Oryza sativa
AAB94588.1	AF022459	Glycine max	BAA90357.1	AP001080	Oryza sativa
CAA50312.1	X70981	Solanum melongena	BAA77204.1	AB026262	Cicer arietinum
AAB94584.1	AF022157	Glycine max	BAA90806.1	AP001168	Oryza sativa
AAD47832.1	AF166332	Nicotiana tabacum			
AAF27282.1	AF122821	Capsicum annuum	SEQ ID NO. 642		
CAA83941.1	Z33875	Mentha x piperita	AAD39991.1	AF150084	Malus x domestica
CAB56503.1	AJ238612	Catharanthus roseus	AAD39992.1	AF150085	Brassica rapa
CAA50645.1	X71654	Solanum melongena			
BAA03635.1	D14990	Solanum melongena	SEQ ID NO. 644		
AAD44151.1	AF124816	Mentha x piperita	CAA47099.1	X66469	Medicago sativa
AAD44150.1	AF124815	Mentha spicata	AAB41548.1	L07042	Medicago sativa
AAD44152.1	AF124817	Mentha x piperita	CAA58761.1	X83880	Nicotiana tabacum
CAC27827.1	AJ295719	Catharanthus roseus	CAA50036.1	X70703	Pisum sativum
AAB94587.1	AF022458	Glycine max	BAA74734.1	AB016802	Zea mays
AAD37433.1	AF150881	Lycopersicon esculentum x	AAF81420.1	AF247136	Capsicum annuum
Lycopersicon peruvianum			AAB58396.1	U94192	Nicotiana tabacum
AAG14963.1	AF214009	Brassica napus	AAF65766.1	AF242308	Euphorbia esula

AAF73236.1	AF153061	Pisum sativum	BAB40709.1	AB003037	Nicotiana tabacum
CAA57721.1	X82270	Medicago sativa	BAB40702.1	AB053091	Nicotiana tabacum
CAA73323.1	Y12785	Petroselinum crispum	CAA55326.1	X78589	Chlamydomonas reinhardtii
BAA09600.1	D61377	Nicotiana tabacum	BAB19066.1	AF002744	Oryza sativa
AAD37790.1	AF149424	Ipomoea batatas	BAB40710.1	AB003038	Nicotiana tabacum
CAA56314.1	X79993	Avena sativa	AAG13527.1	AC068924	Oryza sativa
AAF81419.1	AF247135	Capsicum annuum	AAF78897.1	AF210816	Oryza sativa subsp. japoni
AAC28850.1	AF079318	Triticum aestivum	BAB40707.1	AB053096	Nicotiana tabacum
AAK01710.1	AF332873	Oryza sativa	BAB40700.1	AB053089	Nicotiana tabacum
AAG40579.1	AF216315	Oryza sativa	BAB40701.1	AB053090	Nicotiana tabacum
CAC13967.1	AJ250311	Oryza sativa	BAB40704.1	AB053093	Nicotiana tabacum
BAA74733.1	AB016801	Zea mays	BAB40705.1	AB053094	Nicotiana tabacum
BAB32406.1	AB055515	Nicotiana tabacum	BAB40706.1	AB053095	Nicotiana tabacum
CAA58760.1	X83879	Nicotiana tabacum	BAB40708.1	AB053097	Nicotiana tabacum
CAA57719.1	X82268	Medicago sativa	BAB40703.1	AB053092	Nicotiana tabacum
CAB37188.1	AJ224336	Medicago sativa	SEQ ID NO. 647		
BAB18271.1	AB035141	Chlamydomonas reinhardtii	BAA78764.1	AB023482	Oryza sativa
CAA49592.1	X69971	Nicotiana tabacum	AAK11674.1	AF339747	Lophopyrum elongatum
AAF73257.1	AF154329	Pisum sativum	AAF43496.1	AF131222	Lophopyrum elongatum
CAA58466.1	X83440	Petunia x hybrida	AAG16628.1	AY007545	Brassica napus
AAF61238.1	AF241166	Oryza sativa	BAA94509.1	AB041503	Populus nigra
AAG40581.1	AF216317	Oryza sativa	BAA94510.1	AB041504	Populus nigra
AAG40580.1	AF216316	Oryza sativa	CAB51834.1	00069	Oryza sativa
CAB61889.1	AJ251330	Oryza sativa	AAK21965.1	AY028699	Brassica napus
AAF23902.1	AF194415	Oryza sativa	AAG03090.1	AC073405	Oryza sativa
AAD52659.1	AF177392	Oryza sativa	AAG25966.1	AF302082	Nicotiana tabacum
AAF23903.1	AF194416	Oryza sativa	AAC61805.1	U28007	Lycopersicon esculentum
AAD28617.1	AF129087	Medicago sativa	AAB09771.1	U67422	Zea mays
CAB61750.1	AJ275316	Cicer arietinum	AAC27894.1	AF023164	Zea mays
AAD51717.1	AF174291	Ipomoea batatas	AAB61708.1	U93048	Daucus carota
AAB57843.1	U96716	Selaginella lepidophylla	AAF91336.1	AF249317	Glycine max
BAA33152.1	AB008187	Pisum sativum	AAF91337.1	AF249318	Glycine max
CAA76701.1	Y17226	Lycopersicon esculentum	AAG33377.1	AF290411	Oryza meyeriana
CAA66233.1	X97637	Antirrhinum majus	AAC27895.1	AF023165	Zea mays
CAA71242.1	Y10160	Chenopodium rubrum	AAK11566.1	AF318490	Lycopersicon hirsutum
SEQ ID NO. 646			CAA97692.1	Z73295	Catharanthus roseus
AAB37756.1	I46702	Solanum tuberosum	AAF34428.1	AF172282	Oryza sativa
AAC49393.1	U52078	Nicotiana tabacum	AAF76306.1	AF220602	Lycopersicon pimpinellifolium
AAG13460.1	AF223412	Zea mays	AAB47423.1	U59315	Lycopersicon pimpinellifolium
BAB03437.1	AP002817	Oryza sativa	AAC48914.1	U02271	Lycopersicon pimpinellifolium

AAK11567.1	AF318491	Lycopersicon hirsutum	AAD02328.1	AF044573	Brassica oleracea
AAB47421.1	U59316	Lycopersicon esculentum	AAB38514.1	U81049	Pisum sativum
AAF76313.1	AF220603	Lycopersicon esculentum	AAB18644.1	U76193	Pisum sativum
AAF66615.1	AF142596	Nicotiana tabacum	AAC05272.1	AF049106	Glycine max
BAA92954.1	AP001551	Oryza sativa	CAA33873.1	X15864	Oryza sativa
BAA92953.1	AP001551	Oryza sativa	AAC16055.1	AF061020	Mesostigma viride
SEQ ID NO. 649			AAA33940.1	J01297	Glycine max
AAD03741.1	AF111812	Brassica napus	BAA09450.1	D50839	Chlamydomonas reinhardtii
AAD41039.1	AF112538	Malva pusilla	BAA09449.1	D50838	Chlamydomonas reinhardtii
AAG10041.1	AF288226	Setaria italica	AAC64126.1	AF091808	Anemia phyllitidis
BAA89214.1	AB032361	Mimosa pudica	AAA33433.1	J01238	Zea mays
AAF03692.1	AF172094	Picea rubens	CAA23728.1	V00450	Glycine max
AAF82805.1	AF282624	Helianthus annuus	CAA33871.1	X15862	Oryza sativa
AAF71265.1	AF246715	Phalaenopsis sp. 'True Lady'	AAA34243.1	M33963	Volvox carteri
AAC31886.1	AF059484	Gossypium hirsutum	AAD48335.1	AF090969	Selaginella apoda
CAA39280.1	X55751	Solanum tuberosum	AAD48334.1	AF090968	Selaginella apoda
AAC49652.1	U68462	Striga asiatica	CAA39276.1	X55746	Solanum tuberosum
AAC49651.1	U68461	Striga asiatica	SEQ ID NO. 650		
AAF31643.1	AF143208	Vigna radiata	BAA33803.1	AB018412	Populus nigra
CAA47899.1	X67666	Pisum sativum	CAA88841.1	Z48977	Nicotiana tabacum
CAA45149.1	X63603	Nicotiana tabacum	AAC26785.1	AF073473	Solanum tuberosum
CAA39281.1	X55752	Solanum tuberosum	CAA51931.1	X73528	Triticum aestivum
CAA48609.1	X68649	Pisum sativum	CAA33303.1	X15233	Triticum aestivum
CAA39278.1	X55749	Solanum tuberosum	BAA33802.1	AB018411	Populus nigra
AAF71264.1	AF246714	Phalaenopsis sp. 'True Lady'	CAA48479.1	X68430	Spinacia oleracea
AAB38512.1	U81047	Pisum sativum	AAF85975.1	AF275639	Pisum sativum
AAB38511.1	U81046	Pisum sativum	CAA33302.1	X15232	Triticum aestivum
AAB18642.1	U76191	Pisum sativum	BAA33801.1	AB018410	Populus nigra
AAB18641.1	U76190	Pisum sativum	CAA88840.1	Z48976	Nicotiana tabacum
CAA62028.1	X90378	Pisum sativum	AAD55564.1	AF110782	Volvox carteri f. nagariensis
AAC64127.1	AF091809	Anemia phyllitidis	AAA70082.1	U14912	Chlamydomonas reinhardtii
CAA33874.1	X15865	Oryza sativa	BAA21478.1	AB005551	Robinia pseudoacacia
AAF40438.1	AF234528	Avena nuda	AAC32142.1	AF051241	Picea mariana
AAC64128.1	AF091810	Anemia phyllitidis	AAA86837.1	U44801	Avena sativa
CAA55923.1	X79378	Sorghum bicolor	SEQ ID NO. 654		
AAC16054.1	AF061019	Coleochaete scutata	CAC15504.1	AF297917	Lycopersicon esculentum
CAA34356.1	X16280	Oryza sativa	CAA66236.1	X97640	Antirrhinum majus
CAA39279.1	X55750	Solanum tuberosum	BAA90814.1	AP001168	Oryza sativa
AAC16053.1	AF061018	Scherffelia dubia	AAF19401.1	AF203479	Glycine max
AAF87302.1	AF281323	Magnolia denudata			

BAA96628.1	AP002482	Oryza sativa	CAB56503.1	AJ238612	Catharanthus roseus
AAD23582.1	AF128443	Glycine max	AAD47832.1	AF166332	Nicotiana tabacum
BAA05649.1	D26602	Nicotiana tabacum	CAA50645.1	X71654	Solanum melongena
AAF05112.1	AF158091	Mesembryanthemum crystallinum	BAA03635.1	D14990	Solanum melongena
CAA65244.1	X95997	Solanum tuberosum	CAA50312.1	X70981	Solanum melongena
CAA86286.1	Z38126	Malus x domestica	AAG44132.1	AF218296	Pisum sativum
CAA71142.1	Y10036	Cucumis sativus	AAD44151.1	AF124816	Mentha x piperita
CAA78961.1	Z17313	Malus x domestica	CAA70576.1	Y09424	Nepeta racemosa
CAA89202.1	Z49233	Chlamydomonas eugametos	CAA65580.1	X96784	Nicotiana tabacum
CAA57898.1	X82548	Hordeum vulgare	AAD44150.1	AF124815	Mentha spicata
AAF21062.1	AF216527	Dunaliella tertiolecta	AAD44152.1	AF124817	Mentha x piperita
BAA19573.1	AB002109	Oryza sativa	CAA83941.1	Z33875	Mentha x piperita
CAC08564.1	AJ295939	Medicago sativa	CAA64635.1	X95342	Nicotiana tabacum
CAA73068.1	Y12465	Sorghum bicolor	CAA57423.1	X81829	Zea mays
CAA73067.1	Y12464	Sorghum bicolor	CAA72208.1	Y11404	Zea mays
CAA08997.1	AJ010093	Brassica napus	AAG14963.1	AF214009	Brassica napus
CAA48473.1	X68410	Medicago sativa	AAG14962.1	AF214008	Brassica napus
CAA10288.1	AJ131048	Cicer arietinum	AAG14961.1	AF214007	Brassica napus
AAB88537.1	AF035944	Fragaria x ananassa	AAC32274.1	AF081575	Petunia x hybrida
AAG60195.1	AC084763	Oryza sativa	SEQ ID NO. 657		
BAA13608.1	D88399	Oryza sativa	BAB21153.1	AP002899	Oryza sativa
BAB40983.1	AB059621	Oryza sativa	BAA94219.1	AP001633	Oryza sativa
BAA92214.1	AP001278	Oryza sativa	AAC49181.1	U39289	Brassica napus
AAD37166.1	AF132743	Oryza sativa	BAA94236.1	AP001633	Oryza sativa
CAA11861.1	AJ224164	Petunia x hybrida	BAA94228.1	AP001633	Oryza sativa
CAA58595.1	X83620	Petunia x hybrida	BAA94224.1	AP001633	Oryza sativa
AAF23900.1	AF194413	Oryza sativa	BAA94215.1	AP001633	Oryza sativa
AAB66608.1	AF012889	Zea mays	AAC49182.1	U39319	Brassica napus
AAB05457.1	U55768	Oryza sativa	SEQ ID NO. 667		
SEQ ID NO. 655			AAF91323.1	AF244889	Glycine max
AAA32913.1	M32885	Persea americana	CAC20842.1	AJ250467	Pinus sylvestris
AAC39318.1	AF029858	Sorghum bicolor	AAB36558.1	U77888	Ipomoea nil
AAA19701.1	L24438	Thlaspi arvense	AAF91322.1	AF244888	Glycine max
BAB40323.1	AB037244	Asparagus officinalis	AAF91324.1	AF244890	Glycine max
BAB40324.1	AB037245	Asparagus officinalis	AAC36318.1	AF053127	Malus x domestica
AAB94588.1	AF022459	Glycine max	AAF59906.1	AF197947	Glycine max
AAB94589.1	AF022460	Glycine max	AAF59905.1	AF197946	Glycine max
CAA70575.1	Y09423	Nepeta racemosa	BAA83373.1	AP000391	Oryza sativa
AAF27282.1	AF122821	Capsicum annuum	BAA84787.1	AP000559	Oryza sativa
AAB94584.1	AF022157	Glycine max			

AAF34426.1	AF172282	Oryza sativa	AAC80225.1	U72723	Oryza longistaminata
AAB82755.1	U72725	Oryza longistaminata	AAC49123.1	U37133	Oryza sativa
AAC49123.1	U37133	Oryza sativa	AAB82756.1	U72724	Oryza sativa
AAC80225.1	U72723	Oryza longistaminata	BAA88636.1	AB029327	Nicotiana tabacum
BAA88636.1	AB029327	Nicotiana tabacum	AAG52992.1	U77888	Ipomoea nil
AAG52992.1	U77888	Ipomoea nil	AAB82753.1	U72726	Oryza longistaminata
AAB82756.1	U72724	Oryza sativa	AAB61708.1	U93048	Daucus carota
AAB82753.1	U72726	Oryza longistaminata			
AAB61708.1	U93048	Daucus carota			
SEQ ID NO. 668			SEQ ID NO. 670		
CAA05268.1	AJ002235	Lycopersicon hirsutum	CAA71762.1	Y10804	Nicotiana tabacum
CAA05276.1	AJ002236	Lycopersicon pimpinellifolium	AAA34266.1	M90664	Triticum aestivum
CAA05274.1	AJ002236	Lycopersicon pimpinellifolium	AAA34265.1	M90663	Triticum aestivum
CAA05279.1	AJ002237	Lycopersicon esculentum	AAA34308.1	M55604	Triticum aestivum
AAA65235.1	U15936	Lycopersicon pimpinellifolium	CAC12987.1	AJ299395	Cicer arietinum
AAC78593.1	AF053995	Lycopersicon esculentum	AAK26440.1	AF357838	Solanum tuberosum
AAC78596.1	AF053998	Lycopersicon esculentum	CAA09619.1	AJ011418	Lycopersicon esculentum
AAC78591.1	AF053993	Lycopersicon esculentum	AAC32140.1	AF051239	Picea mariana
AAC78594.1	AF053996	Lycopersicon pimpinellifolium			
AAC78592.1	AF053994	Lycopersicon esculentum	SEQ ID NO. 672		
AAC78595.1	AF053997	Lycopersicon esculentum	AAB61708.1	U93048	Daucus carota
BAA96776.1	AF002521	Oryza sativa	AAK21965.1	AY028699	Brassica napus
BAB08215.1	AF002539	Oryza sativa	BAA83373.1	AP000391	Oryza sativa
CAB55409.1	AL117265	Oryza sativa	AAA33915.1	L27821	Oryza sativa
AAD50430.1	AF166121	Hordeum vulgare	BAA84787.1	AP000559	Oryza sativa
			AAG03090.1	AC073405	Oryza sativa
SEQ ID NO. 669			AAD21872.1	AF078082	Phaseolus vulgaris
AAC36318.1	AF053127	Malus x domestica	BAA92954.1	AP001551	Oryza sativa
AAF59906.1	AF197947	Glycine max	BAA94510.1	AB041504	Populus nigra
AAF59905.1	AF197946	Glycine max	AAG16628.1	AY007545	Brassica napus
AAF91323.1	AF244889	Glycine max	BAA94509.1	AB041503	Populus nigra
AAF91322.1	AF244888	Glycine max	BAA92953.1	AP001551	Oryza sativa
AAF91324.1	AF244890	Glycine max	BAA82556.1	AB030083	Populus nigra
CAA61510.1	X89226	Oryza sativa	AAC23542.1	U20948	Ipomoea trifida
CAC20842.1	AJ250467	Pinus sylvestris	CAA97692.1	Z73295	Catharanthus roseus
BAA84787.1	AF000559	Oryza sativa	AAK11674.1	AF339747	Lophopyrum elongatum
BAA83373.1	AF000391	Oryza sativa	AAF43496.1	AF131222	Lophopyrum elongatum
AAB36558.1	U77888	Ipomoea nil	CAB51834.1	00069	Oryza sativa
AAF34426.1	AF172282	Oryza sativa	AAB93834.1	U82481	Zea mays
AAB82755.1	U72725	Oryza longistaminata	AAF34428.1	AF172282	Oryza sativa
			BAA94516.1	AP001800	Oryza sativa
			CAA67145.1	X98520	Brassica oleracea

[illegible]

AAB65162.1	AF002667	Solanum commersonii	CAA29123.1	X05636	Pisum sativum
CAA47345.1	X66874	Phaseolus vulgaris	CAA73171.1	Y12599	Apium graveolens
AAB91472.1	AF035457	Spinacia oleracea	BAA88671.1	AB029614	Nicotiana tabacum
AAB91473.1	AF035458	Spinacia oleracea	AAK29450.1	AF352247	Pisum sativum
AAB96660.1	AF039084	Spinacia oleracea	AAK29449.1	AF352246	Pisum sativum
			AAK29451.1	AF352248	Pisum sativum
SEQ ID NO. 676			AAK29456.1	AF352253	Lens culinaris
AAF78062.1	AF266760	Vicia faba	AAK29454.1	AF352251	Lens culinaris
BAA32777.1	AB012044	Raphanus sativus	CAA12232.1	AJ224933	Lycopersicon esculentum
CAA64895.1	X95639	Brassica oleracea	AAK29455.1	AF352252	Lens culinaris
BAA92258.1	AB030695	Raphanus sativus	AAA50578.1	U03391	Lycopersicon esculentum
CAA64896.1	X95640	Brassica oleracea	AAF27930.1	AF222804	Euphorbia esula
BAA92259.1	AB030696	Raphanus sativus	AAD41007.1	AF107024	Triticum aestivum
AAF80556.1	AF188843	Vitis vinifera	CAA40362.1	X57077	Zea mays
AAD29676.1	AF131201	Zea mays	BAA87331.1	AB012694	Lilium longiflorum
CAA11896.1	AJ224327	Oryza sativa	AAB86857.1	AF031547	Fritillaria agrestis
AAK26755.1	AF326488	Zea mays	CAA07233.1	AJ006767	Cicer arietinum
AAK26754.1	AF326487	Zea mays	AAA50303.1	L34578	Pisum sativum
CAA04652.1	AJ001292	Zea mays	AAD41005.1	AF107022	Triticum aestivum
AAF80557.1	AF188844	Craterostigma planagineum	AAA74723.1	L07946	Volvox carteri
AAB81601.1	AF024511	Vitis vinifera	CAA77867.1	Z11842	Lycopersicon esculentum
CAA54233.1	X76911	Nicotiana tabacum	AAB03076.1	U01890	Lycopersicon pennellii
CAA52068.1	X73848	Hordeum vulgare	AAF64525.1	AF253416	Lycopersicon chilense
BAB40142.1	AB058679	Lycopersicon esculentum			
CAC33802.1	AJ271796	Pyrus communis	SEQ ID NO. 680		
AAK26756.1	AF326489	Zea mays	AAB88134.1	AF034618	Spinacia oleracea
AAB67870.1	U60149	Beta vulgaris	AAF34134.1	AF161180	Malus x domestica
AAB82140.1	AF022737	Oryza sativa	AAB99745.1	AF005993	Triticum aestivum
CAA11025.1	AJ222973	Lupinus albus	AAA21808.1	L23551	Spinacia oleracea
CAB46350.1	Y18311	Solanum tuberosum	AAA34139.1	L08830	Lycopersicon esculentum
			AAB86942.1	AF031241	Glycine max
SEQ ID NO. 677			AAK21920.1	AF338252	Glycine max
BAA90487.1	AB037681	Oryza sativa	AAB91473.1	AF035458	Spinacia oleracea
CAA67191.1	X98582	Triticum aestivum	AAB96660.1	AF039084	Spinacia oleracea
AAD11549.1	U55859	Triticum aestivum	AAB91472.1	AF035457	Spinacia oleracea
AAD30456.1	AF123259	Lycopersicon esculentum			
SEQ ID NO. 678			SEQ ID NO. 681		
AAK29453.1	AF352250	Lathyrus sativus	CAA71801.1	Y10848	Brassica juncea
AAK29452.1	AF352249	Lathyrus sativus	AAB71230.1	AF017983	Lycopersicon esculentum
AAC41651.1	L29456	Nicotiana tabacum	CAA06613.1	AJ005587	Brassica juncea
			AAG13459.1	AF128453	Glycine max



CAA64808.1	X95563	Brassica juncea	CAA62225.1	X90692	Medicago sativa
SEQ ID NO. 682			AAA65636.1	L13653	Lycopersicon esculentum
CAA09881.1	AJ011939	Trifolium repens	AAF65464.2	AF247700	Oryza sativa
CAA62228.1	X90695	Medicago sativa	BAA01877.1	D11102	Populus kitakamiensis
AAB41812.1	L36158	Medicago sativa	BAA07664.1	D42065	Nicotiana tabacum
CAA71495.1	Y10469	Spinacia oleracea	AAA32973.1	M73234	Hordeum vulgare
BAA77387.1	AB024437	Scutellaria baicalensis	CAA71488.1	Y10462	Spinacia oleracea
AAA98491.1	L36981	Petroselinum crispum	BAA07663.1	D42064	Nicotiana tabacum
CAA62226.1	X90693	Medicago sativa	SEQ ID NO. 683		
CAB94692.1	AJ242742	Ipomoea batatas	BAA04511.1	D17587	Oryza sativa
CAA62227.1	X90694	Medicago sativa	BAA01757.1	D10985	Oryza sativa
AAD11481.1	U51191	Glycine max	CAA70817.1	Y09604	Hordeum vulgare
CAC21393.1	AJ401276	Zea mays	AAD42963.2	AF141384	Matricaria chamomilla
AAF63024.1	AF244921	Spinacia oleracea	CAB71127.1	AJ271659	Cicer arietinum
CAB67121.1	Y19023	Lycopersicon esculentum	CAA92216.1	Z68130	Pisum sativum
CAA50597.1	X71593	Lycopersicon esculentum	AAA92064.1	U49741	Vigna radiata
BAA01950.1	D11337	Vigna angularis	BAA94235.1	AP001633	Oryza sativa
AAD11483.1	U51193	Glycine max	AAA92062.1	U49382	Vigna radiata
AAD11482.1	U51192	Glycine max	CAB59202.1	X78878	Hordeum vulgare
AAD37376.1	AF145350	Glycine max	BAB19126.1	AP002839	Oryza sativa
AAB41811.1	L36157	Medicago sativa	BAB08188.1	AP002539	Oryza sativa
AAC49818.1	AF014467	Oryza sativa	AAF64227.1	AF248647	Lycopersicon pennellii
AAC98519.1	AF007211	Glycine max	AAF44708.1	AF242849	Lycopersicon esculentum
CAA46916.1	X66125	Oryza sativa	CAA70815.1	Y09602	Hordeum vulgare
CAA80502.1	Z22920	Spirodela polyrrhiza	CAA70816.1	Y09603	Hordeum vulgare
CAA66037.1	X97351	Populus balsamifera subsp. trichocarpa	AAD01264.1	AF006079	Solanum berthaultii
AAD37430.1	AF149280	Phaseolus vulgaris	CAA55478.1	X78877	Hordeum vulgare
BAA96643.1	AF002482	Oryza sativa	AAD01265.1	AF006080	Solanum berthaultii
AAD11484.1	U51194	Glycine max	AAD01263.1	AF006078	Solanum berthaultii
BAA03911.1	D16442	Oryza sativa	BAA04510.1	D17586	Oryza sativa
CAA71490.1	Y10464	Spinacia oleracea	AAD22150.1	AF061282	Sorghum bicolor
CAA39486.1	X56011	Triticum aestivum	AAA32940.1	J03897	Hordeum vulgare
AAF63027.1	AF244924	Spinacia oleracea	AAD22151.1	AF061282	Sorghum bicolor
AAC49821.1	AF014470	Oryza sativa	AAD22164.1	AF061282	Sorghum bicolor
CAA59485.1	X85228	Triticum aestivum	CAB58992.1	X78876	Hordeum vulgare
BAA06335.1	D30653	Populus kitakamiensis	SEQ ID NO. 684		
CAA59487.1	X85230	Triticum aestivum	AAB97311.1	AF008597	Catharanthus roseus
AAD37427.1	AF149277	Phaseolus vulgaris	AAC49827.1	U71605	Catharanthus roseus
CAA62597.1	X91172	Raphanus sativus	AAC49826.1	U71604	Catharanthus roseus

CAA54557.1	X77368	Solanum melongena	SEQ ID NO. 685	AAF29773.1	AF159229	Gossypium hirsutum
AAC95363.1	AF104925	Solanum chacoense		AAF22517.1	AF118924	Papaver somniferum
CAA55628.1	X78994	Medicago sativa		AAF22518.1	AF118925	Papaver somniferum
BAA95828.1	AP002069	Oryza sativa		AAF22519.1	AF118926	Papaver somniferum
BAA21897.1	D83041	Ipomoea nil		AAF34795.1	AF243360	Glycine max
CAA43027.1	X60512	Petunia x hybrida		AAG34839.1	AF244696	Zea mays
BAA37127.1	AB012203	Lactuca sativa		AAG34842.1	AF244699	Zea mays
AAC49929.1	AF022142	Petunia x hybrida		AAG34830.1	AF244687	Zea mays
CAA49353.1	X69664	Malus sp.		AAG34846.1	AF244703	Zea mays
SEQ ID NO. 685				CAA09188.1	AJ010449	Alopecurus myosuroides
CAA04511.1	AJ001061	Vitis vinifera		AAD10129.1	AF004358	Aegilops tauschii
CAA70777.1	Y09590	Vitis vinifera		AAG34850.1	AF244707	Zea mays
AAB06594.1	U38651	Medicago truncatula		AAG34835.1	AF244692	Zea mays
CAA47324.1	X66856	Nicotiana tabacum		AAG34848.1	AF244705	Zea mays
BAB19864.1	AB052885	Oryza sativa		CAA09187.1	AJ010448	Alopecurus myosuroides
BAB19863.1	AB052884	Oryza sativa		CAA09189.1	AJ010450	Alopecurus myosuroides
CAB52689.1	AJ132224	Lycopersicon esculentum		AAG34845.1	AF244702	Zea mays
CAA09419.1	AJ010942	Lycopersicon esculentum		AAG34797.1	AF243362	Glycine max
CAB06079.1	Z83829	Picea abies		AAG34838.1	AF244695	Zea mays
BAB19862.1	AB052883	Oryza sativa		AAG34834.1	AF244691	Zea mays
CAA53192.1	X75440	Chlorella kessleri		AAG34809.1	AF243374	Glycine max
CAA39036.1	X55349	Chlorella kessleri		AAG34829.1	AF244686	Zea mays
CAA68813.1	Y07520	Chlorella kessleri		AAG34798.1	AF243363	Glycine max
CAB52688.1	AJ132223	Lycopersicon esculentum		AAG34837.1	AF244694	Zea mays
AAD55054.1	AF173655	Beta vulgaris		AAG34849.1	AF244706	Zea mays
CAB52690.1	AJ132225	Lycopersicon esculentum		AAG34803.1	AF243368	Glycine max
AAG43998.1	AF215837	Apium graveolens var. dulce		AAG34833.1	AF244690	Zea mays
AAF74567.1	AF215853	Solanum tuberosum		AAG34801.1	AF243366	Glycine max
AAF74566.1	AF215852	Nicotiana tabacum		AAG34841.1	AF244698	Zea mays
AAF74568.1	AF215854	Zea mays		AAG34844.1	AF244701	Zea mays
AAF74565.1	AF215851	Spinacia oleracea		AAG34836.1	AF244693	Zea mays
SEQ ID NO. 686				AAG34802.1	AF243367	Glycine max
AAB86939.1	AF030387	Oryza sativa		AAC32118.1	AF051214	Picea mariana
AAC03022.1	AF045033	Zea mays		AAG34796.1	AF243361	Glycine max
AAB86937.1	AF030385	Zea mays		AAG34843.1	AF244700	Zea mays
SEQ ID NO. 690				AAF64450.1	AF239928	Euphorbia esula
AAF67002.1	AF147726	Zea mays		AAG34831.1	AF244688	Zea mays
AAB51150.1	U91996	Picea abies		AAG34847.1	AF244704	Zea mays
				AAG34840.1	AF244697	Zea mays

270

SEQ ID NO.	696	Oryza sativa Oryza sativa	BAA03763.1 AAF75791.1 AAF40306.1 CAA68193.1 AAD20980.1 BAA95705.1 BAA95704.1 AAG48833.1	D16247 AF271892 AF156667 X99937 AF079782 AB042644 AB042643 AC084218	Nicotiana sylvestris Pisum sativum Vigna radiata Spinacia oleracea Zea mays Oryza sativa Oryza sativa Oryza sativa
SEQ ID NO.	697	Vigna radiata Lycopersicon esculentum Cucurbita maxima Taxus cuspidata Hordeum vulgare Helianthus annuus Triticum aestivum Glycine max Pisum sativum Mentha spicata Beta vulgaris Trifolium repens Capsicum annuum Lens culinaris Glycine max Vigna radiata Nepeta racemosa Vigna radiata Trifolium repens Trifolium pratense Mentha x piperita Trifolium pratense Glycyrrhiza echinata Glycine max Vigna radiata Glycine max Asparagus officinalis Asparagus officinalis Lupinus albus Cicer arietinum Lens culinaris	AF279252 U54770 AF212991 AF318211 AF326277 AF216313 AB036772 AF195818 AF195812 AF124815 AF195817 AF195815 AF122821 AF195804 AF135484 AF022464 AF195806 Y09423 AF195809 AF195814 AF195811 AF195808 AF124816 AF195810 AB023636 AF195819 AF195807 AF022462 AB037244 AB037245 AF195813 AJ249800 AF195805	Pisum sativum Lycopersicon esculentum Zea mays Zea mays Cucurbita pepo Zea mays Tortula ruralis Zea mays Glycine max Vigna radiata Oryza sativa Oryza sativa Oryza sativa Marchantia polymorpha Marchantia polymorpha Marchantia polymorpha Oryza sativa Nicotiana tabacum Zea mays Medicago sativa Zea mays Glycine max Oryza sativa Mesembryanthemum crystallinum Oryza sativa Solanum tuberosum Ipomoea batatas Zea mays	
SEQ ID NO.	699		SEQ ID NO.	704	
SEQ ID NO.	699		SEQ ID NO.	704	

CAA39936.1	X56599	Daucus carota	CAA87385.1	Z47076	Malus x domestica
AAK26164.1	AY027885	Cucumis sativus	CAA07470.1	AJ007332	Catharanthus roseus
AAB88537.1	AF035944	Fragaria x ananassa	CAA05491.1	AJ002485	Medicago sativa
AAF21062.1	AF216527	Dunaliella tertiolecta	CAA82263.1	Z28627	Acetabularia cliftonii
CAA89202.1	Z49233	Chlamydomonas eugametos	CAA56766.1	X80788	Medicago sativa subsp. x v
AAF23390.1	AF194413	Oryza sativa	AAD38856.1	AF156101	Chlamydomonas reinhardtii
AAF23390.2	AF194414	Oryza sativa	CAB07803.1	Z93768	Nicotiana tabacum
AAC78558.1	AF030879	Solanum tuberosum	CAB88254.1	Z48221	Phaseolus vulgaris
CAB46228.1	Y18055	Arachis hypogaea	AAA33545.1	M60215	Zea mays
AAC32116.1	AF051211	Picea mariana	BAA92244.1	AB038648	Vicia faba
CAA58750.1	X83869	Daucus carota	CAB07804.1	Z93769	Nicotiana tabacum
BAA12691.1	D84507	Zea mays	CAA05493.1	AJ002487	Medicago sativa
AAB47181.1	S82324	Zea mays	CAA82264.1	Z28632	Acetabularia cliftonii
BAA22410.1	D38452	Zea mays	CAA45119.1	X63558	Brassica oleracea
BAA12692.1	D84508	Zea mays	CAA05492.1	AJ002486	Medicago sativa
AAG01179.1	AF289237	Zea mays	AAA74625.1	U31773	Oryza sativa
AAC24961.1	AF009337	Tradescantia virginiana	CAB07805.1	Z93770	Nicotiana tabacum
BAA90814.1	AP001168	Oryza sativa	CAA05494.1	AJ002488	Medicago sativa
AAC49008.1	U24188	Lilium longiflorum	CAA40686.1	X57438	Brassica napus
AAF19403.1	AF203481	Lycopersicon esculentum	CAA87386.1	Z47077	Malus x domestica
			CAA87387.1	Z47078	Malus x domestica
SEQ ID NO. 705			BAA92334.1	AB038787	Vicia faba
BAA92697.1	AB039916	Vicia faba	CAC11128.1	AJ298828	Fagus sylvatica
CAC11129.1	AJ298829	Fagus sylvatica	BAA92335.1	AB038788	Vicia faba
AAD09953.1	AF107464	Hevea brasiliensis	CAC09574.1	AJ298986	Fagus sylvatica
BAA92698.1	AB039917	Vicia faba	BAA92337.1	AB038790	Vicia faba
AAC72838.1	AF097182	Oryza sativa	BAA92336.1	AB038789	Vicia faba
AAD41126.1	AF159061	Oryza sativa subsp. indica	BAA92338.1	AB038791	Vicia faba
AAA91806.1	U49113	Oryza sativa	AAG29592.1	AF196285	Medicago sativa subsp. x varia
CAA81126.1	Z36041	Helianthus annuus			
CAB07806.1	Z93771	Nicotiana tabacum	SEQ ID NO. 706		
AAD48068.1	AF173881	Oryza sativa subsp. indica	CAA10104.1	AJ012656	Prunus persica
AAD22116.1	AF134552	Oryza sativa subsp. indica	CAA10103.1	AJ012655	Prunus persica
CAB46506.1	AJ007496	Nicotiana tabacum	CAA10102.1	AJ012654	Prunus persica
CAB07807.1	Z93772	Nicotiana tabacum	CAA10101.1	AJ012653	Prunus persica
CAA40687.1	X57439	Brassica napus	CAA04565.1	AJ001161	Hordeum vulgare
CAA49849.1	X70399	Medicago sativa	CAA57636.1	X82124	Zea mays
BAA92699.1	AB039918	Vicia faba			
CAA07471.1	AJ007333	Catharanthus roseus	SEQ ID NO. 710		
AAF86353.1	AF283668	Oryza sativa subsp. indica	AAF17236.1	AF178976	Zea mays
CAA81395.1	Z26654	Acetabularia cliftonii	AAC26856.1	AF069952	Enteromorpha intestinalis

SEQ ID NO. 711			AAK27688.1	AF347614	Lycopersicon esculentum
BAA94228.1	AP001633	Oryza sativa	AAG41419.1	AF309643	Solanum tuberosum
BAA94224.1	AP001633	Oryza sativa	AAK27687.1	AF347613	Lycopersicon esculentum
BAA94219.1	AP001633	Oryza sativa	AAA97952.1	U52867	Hordeum vulgare
BAA94236.1	AP001633	Oryza sativa	CAA57711.1	X82256	Stylosanthes hamata
BAA94215.1	AP001633	Oryza sativa	CAA65291.1	X96431	Hordeum vulgare
AAC49181.1	U39289	Brassica napus	CAA57710.1	X82255	Stylosanthes hamata
AAC49182.1	U39319	Brassica napus	AAK35215.1	AF355602	Zea mays
BAB21153.1	AP002899	Oryza sativa	CAA65536.1	X96761	Sporobolus stapfianus
			CAA57831.1	X82454	Stylosanthes hamata
			CAA11413.1	AJ223495	Brassica juncea
			AAB94543.1	AF016306	Zea mays
SEQ ID NO. 712					
AAC49373.1	U31462	Lactuca sativa	SEQ ID NO. 718		
CAB59211.1	AJ250433	Spinacia oleracea	AAC25922.1	U78947	Malus x domestica
AAC50031.1	U34817	Nicotiana tabacum	AAD51422.1	U78949	Malus x domestica
AAF97601.2	AF288196	Oryza sativa subsp. indica	AAF13262.1	AF198176	Dendrobium grex Madame Thong-In
			AAF13260.1	AF198174	Dendrobium grex Madame Thong-In
SEQ ID NO. 713			AAB50187.1	U49734	Sorghum bicolor
AAB39556.1	U64789	Lycopersicon esculentum			
SEQ ID NO. 715					
BAA36554.1	AB011796	Citrus unshiu	SEQ ID NO. 719		
AAF64168.1	AF240764	Eustoma grandiflorum	AAA91063.1	M88254	Hevea brasiliensis
CAA80264.1	Z22543	Petunia x hybrida			
CAA63092.1	X92178	Solanum tuberosum	SEQ ID NO. 723		
AAD26261.1	AF119095	Malus x domestica	CAC33000.1	AJ272523	Solanum tuberosum
			CAC33003.1	AJ272526	Solanum tuberosum
			CAC33002.1	AJ272525	Solanum tuberosum
			CAC33001.1	AJ272524	Solanum tuberosum
			CAC32999.1	AJ272522	Solanum tuberosum
			AAD44338.1	AF160197	Glycine max
SEQ ID NO. 716					
AAK14395.1	AF339732	Dianthus caryophyllus			
BAB20581.1	AB042268	Zea mays	SEQ ID NO. 724		
BAB20580.1	AB042267	Zea mays	AAD18052.1	AF124161	Nicotiana plumbaginifolia
BAB20579.1	AB042261	Zea mays	AAD18053.1	AF124162	Nicotiana plumbaginifolia
BAA85113.1	AB031012	Zea mays			
BAA82873.1	AB024291	Zea mays	SEQ ID NO. 729		
BAB17300.1	AB042260	Zea mays	CAA48155.1	X68017	Capsicum annuum
BAA75253.1	AB004882	Zea mays	AAF33237.1	AF220218	Citrus unshiu
BAA85112.1	AB031011	Zea mays	BAB18514.1	AB037975	Citrus unshiu
BAB20582.1	AB042269	Zea mays	CAC27383.1	AJ308385	Helianthus annuus
BAB41137.1	AB060130	Zea mays	CAC19567.1	AJ304825	Helianthus annuus
SEQ ID NO. 717					

AAD38051.2	AF152892	Citrus x paradisi	CAA56314.1	X79993	Avena sativa
CAA85775.1	Z37543	Cucumis melo	CAC13967.1	AJ250311	Oryza sativa
AAA34153.1	M84744	Lycopersicon esculentum	AAD28617.1	AF129087	Medicago sativa
CAA55391.1	X78814	Narcissus pseudonarcissus	CAA73997.1	Y13646	Petunia x hybrida
AAG10427.1	AF251015	Tagetes erecta	AAG36872.1	AF239819	Zea mays
CAA42969.1	X60441	Lycopersicon esculentum	AAD37790.1	AF149424	Ipomoea batatas
CAA47625.1	X67144	Lycopersicon esculentum	AAC28850.1	AF079318	Triticum aestivum
AAB60314.1	U32636	Zea mays	CAA73323.1	Y12785	Petroselinum crispum
AAA34187.1	I23424	Lycopersicon esculentum	AAD30506.1	AF129886	Vigna radiata
BAA84763.1	AB032797	Daucus carota	CAA43659.1	X61387	Zea mays
AAF82616.1	AF158024	Tagetes erecta	AAF76187.1	AF271237	Zea mays
AAK15621.1	AF305430	Haematococcus pluvialis	CAA72290.1	Y11526	Zea mays
AAB51287.1	U91900	Dunaliella bardawil			
CAA47624.1	X67143	Lycopersicon esculentum			
			SEQ ID NO. 732		
			CAA96385.1	Z71703	Beta vulgaris
			BAA33152.1	AB008187	Pisum sativum
		Nicotiana tabacum	AAA92823.1	U18365	Brassica napus
		Mesembryanthemum crystallinum	AAG01534.1	AF289467	Nicotiana tabacum
		Zea mays	CAA66233.1	X97637	Antirrhinum majus
		Brassica napus	AAC41680.1	I34206	Petroselinum crispum
		Oryza sativa	CAA50038.1	X70707	Medicago sativa
		Antirrhinum majus	CAA76701.1	Y17226	Lycopersicon esculentum
		Nicotiana tabacum	CAA61581.1	X89400	Vigna unguiculata
		Pisum sativum	CAA99991.1	Z75661	Sesbania rostrata
		Lycopersicon esculentum	AAA34241.1	M99497	Vigna aconitifolia
		Medicago sativa	CAA76700.1	Y17225	Lycopersicon esculentum
		Medicago sativa	CAA71242.1	Y10160	Chenopodium rubrum
		Allium cepa	BAA21673.1	AB006033	Allium cepa
		Lycopersicon esculentum	AAB41817.1	M58365	Medicago sativa
		Pisum sativum	AAA33479.1	M60526	Zea mays
		Capsicum annuum	CAA73997.1	Y13646	Petunia x hybrida
		Nicotiana tabacum	BAA19553.1	D64036	Oryza sativa
		Lycopersicon esculentum	CAAD66234.1	X97638	Antirrhinum majus
		Nicotiana tabacum	AAD30506.1	AF129886	Vigna radiata
		Nicotiana tabacum	CAA41172.1	X58194	Oryza sativa
		Chenopodium rubrum	AAD08721.1	AF038570	Dunaliella tertiolecta
		Medicago sativa	AAG01533.1	AF289466	Nicotiana tabacum
		Oryza sativa	CAC15504.1	AF297917	Lycopersicon esculentum
		Petroselinum crispum	CAC15503.1	AJ297916	Lycopersicon esculentum
		Oryza sativa	AAG01532.1	AF289465	Nicotiana tabacum
		Oryza sativa	CAC17703.1	AJ278885	Chenopodium rubrum
			SEQ ID NO. 730		
			AAC04324.1	U73937	
			AAF40430.1	AF234652	
			AAA33479.1	M60526	
			AAA92823.1	U18365	
			BAA19553.1	D64036	
			CAA66233.1	X97637	
			AAG01534.1	AF289467	
			AAF73236.1	AF153061	
			CAA76700.1	Y17225	
			CAA57721.1	X82270	
			CAA50038.1	X70707	
			BAA21673.1	AB006033	
			CAC15503.1	AJ297916	
			BAA33152.1	AB008187	
			AAF81419.1	AF247135	
			AAG01533.1	AF289466	
			CAA76701.1	Y17226	
			AAG01532.1	AF289465	
			CAA58760.1	X83879	
			CAA71242.1	Y10160	
			CAA57719.1	X82268	
			CAA41172.1	X58194	
			AAC41680.1	I34206	
			AAK01710.1	AF332873	
			AAG40579.1	AF216315	

CAA66236.1	X97640	Antirrhinum majus	AAF91322.1	AF244888	Glycine max
BAB18271.1	AB035141	Chlamydomonas reinhardtii	AAK11674.1	AF339747	Lophopyrum elongatum
CAA66235.1	X97639	Antirrhinum majus	AAF43496.1	AF131222	Lophopyrum elongatum
CAA47099.1	X66469	Medicago sativa	AAB09771.1	U67422	Zea mays
AAB41548.1	L07042	Medicago sativa	CAC20842.1	AJ250467	Pinus sylvestris
BAA09600.1	D61377	Nicotiana tabacum	AAF59906.1	AF197947	Glycine max
			AAG25966.1	AF302082	Nicotiana tabacum
SEQ ID NO. 735			AAF59905.1	AF197946	Glycine max
AAD16139.1	AF096299	Nicotiana tabacum	AAB61708.1	U93048	Daucus carota
CAA88326.1	Z48429	Avena fatua	BAA94516.1	AP001800	Oryza sativa
AAC49527.1	U48831	Petroselinum crispum	CAB51834.1	00069	Oryza sativa
AAC49529.1	U58540	Petroselinum crispum	AAB36558.1	U77888	Ipomoea nil
AAC37515.1	L44134	Cucumis sativus	AAG52994.1	U77888	Ipomoea nil
AAD16138.1	AF096298	Nicotiana tabacum	AAF66615.1	AF142596	Nicotiana tabacum
AAC49528.1	U56834	Petroselinum crispum			
BAA77358.1	AB020023	Nicotiana tabacum	SEQ ID NO. 739		
CAA88331.1	Z48431	Avena fatua	AAB80804.1	U90341	Pinus radiata
CAB66338.1	AJ279697	Betula pendula	CAA62921.1	X91811	Oryza sativa
AAF61863.1	AF193770	Nicotiana tabacum	BAA29039.1	AB015430	Humulus lupulus
AAF61864.1	AF193771	Nicotiana tabacum	BAA36224.1	AB004905	Ipomoea purpurea
AAD27591.1	AF121354	Petroselinum crispum	BAA20387.1	AB001826	Ipomoea purpurea
BAA87069.1	AB035271	Matricaria chamomilla	AAG30295.1	AF315345	Hypericum androsaemum
			CAA71904.1	Y11022	Betula pendula
SEQ ID NO. 737			BAA87922.1	AB022682	Psilotum nudum
CAA06216.1	AJ004916	Prunus avium	BAA87336.1	AB027533	Ipomoea nil
AAB69322.2	AF012866	Petroselinum crispum	BAA21787.1	AB001818	Ipomoea nil
AAB69323.1	AF012867	Petroselinum crispum	CAA32737.1	X14597	Petunia x hybrida
			CAA10641.1	AJ132323	Casuarina glauca
SEQ ID NO. 738			BAA90327.1	AB037388	Ipomoea batatas
AAG16628.1	AY007545	Brassica napus	AAA33951.1	L03352	Glycine max
AAF91336.1	AF249317	Glycine max	BAA90330.1	AB037391	Ipomoea batatas
BAA82394.1	AP000367	Oryza sativa	BAA75310.1	AB023791	Ipomoea batatas
AAC61805.1	U28007	Lycopersicon esculentum	BAA31259.1	AB015872	Vitis vinifera
AAF91337.1	AF249318	Glycine max	BAA90331.1	AB037392	Ipomoea batatas
BAA94509.1	AB041503	Populus nigra	CAA53583.1	X75969	Vitis vinifera
BAA94510.1	AB041504	Populus nigra	BAA21789.1	AB001827	Ipomoea purpurea
AAK21965.1	AY028699	Brassica napus	BAA21788.1	AB001819	Ipomoea nil
BAA78764.1	AB023482	Oryza sativa	BAA87338.1	AB027535	Ipomoea nil
AAF91324.1	AF244890	Glycine max	BAA87337.1	AB027534	Ipomoea purpurea
AAF91323.1	AF244889	Glycine max	BAA90328.1	AB037389	Ipomoea batatas
AAG03090.1	AC073405	Oryza sativa	BAA05641.1	D26594	Camellia sinensis

BAA90332.1	AB037393	Ipomoea batatas	SEQ ID NO. 742	AF242372	Ipomoea batatas
CAC19808.1	AJ304877	Humulus lupulus	AAK27968.1	AF242372	Brassica napus
AAB72091.1	AF020709	Vitis vinifera	AAD53012.1	AF089849	Brassica napus
CAA91930.1	Z67988	Callistephus chinensis	AAD53011.1	AF089848	Sandersonia aurantiaca
BAA90329.1	AB037390	Ipomoea batatas	AAD28477.1	AF133839	Hemerocallis hybrid cultiv
AAB36038.1	S80857	Petunia x hybrida	AAC35211.1	U12637	Hordeum vulgare
CAA10511.1	AJ131813	Catharanthus roseus	CAB09699.1	Z97023	Hordeum vulgare
CAA32731.1	X14591	Petunia x hybrida	CAB09697.1	Z97021	Phaseolus vulgaris
AAK15174.1	AF292367	Rubus idaeus	CAB17074.1	Z99952	Hordeum vulgare
CAA38456.1	X54644	Glycine max	AAD10337.1	U94591	Hordeum vulgare
CAA46590.1	X65636	Glycine max	CAA56844.1	X80876	Oryza sativa
CAA37909.1	X53958	Glycine max	BAA83472.1	AB004648	Oryza sativa
AAB01004.1	I07647	Glycine max	AAB68374.1	U52970	Phaseolus vulgaris
BAA90486.1	AB037680	Ipomoea batatas	CAA12118.1	AJ224766	Phaseolus vulgaris
AAB05239.1	U47738	Solanum tuberosum	AAA85036.1	U19384	Hordeum vulgare
			AAC62396.1	AF050756	Ricinus communis
			AAC49455.1	U41902	Pseudotsuga menziesii
			AAA85035.1	U19359	Hordeum vulgare
			CAA84378.1	Z34895	Vicia sativa
			CAA05894.1	AF003137	Lycopersicon esculentum
			AAD48496.1	AF172856	Lycopersicon esculentum
			BAA22545.1	D38533	Ananas comosus
			BAA22544.1	D38532	Ananas comosus
			BAA22543.1	D38531	Ananas comosus
			AAB37233.1	U34747	Phalaenopsis sp. SM9108
			CAB16317.1	Z99173	Nicotiana tabacum
			CAA08860.1	AJ009829	Ananas comosus
			AAB88263.1	AF019147	Zea mays
			BAA8898.1	AB020961	Zea mays
			CAA08861.1	AJ009830	Ananas comosus
			CAA05487.1	AJ002477	Ananas comosus
			AAA79915.1	U17135	Dianthus caryophyllus
			CAA53377.1	X75749	Vicia sativa
			CAB53515.1	AJ245924	Solanum tuberosum
			CAB17076.1	Z99954	Phaseolus vulgaris
			SEQ ID NO. 743		Enteromorpha compressa
			BAA96853.1	AB045113	
			SEQ ID NO. 746		Plastid Oryza sativa
			CAA33980.1	X15901	



[illegible]

AAA87347.1	M88307	Brassica juncea	BAA05623.1	D26574	Daucus carota
AAG27432.1	AF295637	Elaeis guineensis	AAD37698.1	AF145729	Oryza sativa
BAA94697.1	AB041712	Chara corallina	BAA93461.1	AB028073	Physcomitrella patens
BAA94696.1	AB041711	Chara corallina	BAA93467.1	AB028079	Physcomitrella patens
BAA96536.1	AB044286	Chara corallina	BAA93468.1	AB028080	Physcomitrella patens
AAC18355.1	AF064456	Oryza sativa subsp. indica	BAA93460.1	AB028072	Physcomitrella patens
AAA34237.1	L20691	Vigna radiata	AAD37699.1	AF145730	Oryza sativa
CAA52602.1	X74490	Zea mays	CAA06717.1	AJ005820	Craterostigma plantagineum
CAA54583.1	X77397	Zea mays	BAA93463.1	AB028075	Physcomitrella patens
AAC49585.1	U49103	Triticum aestivum	CAA65456.2	X96681	Oryza sativa
AAC49586.1	U49104	Triticum aestivum	AAF19980.1	AF211193	Oryza sativa
AAC49587.1	U49105	Triticum aestivum	AAK31270.1	AC079890	Oryza sativa
AAC49580.1	U48689	Triticum aestivum	CAA06728.1	AJ005833	Craterostigma plantagineum
AAC49584.1	U48693	Triticum aestivum	AAD37696.1	AF145727	Oryza sativa
SEQ ID NO. 760					
BAA06405.1	D30744	Zea mays	BAA92738.1	AP001389	Oryza sativa
CAC20908.1	AJ131825	Scherffelia dubia	CAC27142.1	AJ132537	Picea abies
SEQ ID NO. 761					
CAB60277.1	AJ002586	Solanum tuberosum	BAA23724.1	AB009086	Chlamydomonas sp. W80
CAA72107.1	Y11220	Solanum tuberosum	CAA10989.1	AJ222784	Hordeum vulgare
BAA92172.1	AB024733	Symplocarpus renifolius	SEQ ID NO. 766		
BAB40658.1	AB049998	Oryza sativa	CAA32185.1	X14020	Pisum sativum
BAA92173.1	AB024734	Symplocarpus renifolius	AAA34114.1	M87839	Nicotiana tabacum
AB042429	BAB16385.1	Triticum aestivum	AAA34086.1	M87838	Nicotiana tabacum
AB042428	BAB16384.1	Triticum aestivum	AAA34042.1	M58522	Spinacia oleracea
BAB40657.1	AB049997	Oryza sativa	SEQ ID NO. 767		
SEQ ID NO. 762					
AAF01764.2	AF184277	Glycine max	AAA80638.1	U23784	Nicotiana glutinosa
BAA21017.1	D26578	Daucus carota	BAA96368.1	AB043976	Panax ginseng
AAD37697.1	AF145728	Oryza sativa	AAF42953.1	AF237624	Perilla frutescens
CAB67118.1	Y17306	Lycopersicon esculentum	AAC32133.1	AF051232	Picea mariana
AAF01765.1	AF184278	Glycine max	CAA47044.1	X66413	Chlamydomonas reinhardtii
BAA05624.1	D26575	Daucus carota	BAA78583.1	AU066500	Chlamydomonas sp. HS-5
BAA93466.1	AB028078	Physcomitrella patens	SEQ ID NO. 769		
BAA93465.1	AB028077	Physcomitrella patens	BAA23815.1	D67043	Oryza sativa
BAA93464.1	AB028076	Physcomitrella patens	CAA45022.1	X63428	Panicum miliaceum
BAA05622.1	D26573	Daucus carota	BAA04993.1	D25323	Panicum miliaceum
BAA05625.1	D26576	Daucus carota	AAA98603.1	L40579	Glycine max
			CAA45024.1	X63430	Panicum miliaceum

CAA45023.1	X63429	Panicum miliaceum	CAA70894.1	Y09747	Zea mays
AAA33134.1	M92660	Daucus carota	CAA70895.1	Y09748	Hordeum vulgare
BAA04992.1	D25322	Panicum miliaceum	CAA70896.1	Y09749	Vicia faba
CAA43779.1	X61577	Medicago sativa	CAA70899.1	Y09752	Secale cereale
AAB46610.1	L25334	Medicago sativa	CAA70900.1	Y09753	Secale cereale
AAA33408.1	M92094	Lupinus angustifolius	CAA70897.1	Y09750	Plantago major
AAA50160.1	L23875	Lupinus angustifolius	AAF33669.1	AF079871	Nicotiana tabacum
BAA03504.1	D14673	Oryza sativa	AAF33670.1	AF079872	Nicotiana tabacum
CAA63894.1	X94184	Lotus japonicus	SEQ ID NO. 772		
AAC50014.1	AF034210	Glycine max	AAD33959.1	AF145976	Pisum sativum
AAC50015.1	AF034210	Glycine max			
AAB46611.1	L25335	Medicago sativa	SEQ ID NO. 774		
AAA33942.1	L09702	Glycine max	CAA98183.1	Z73955	Lotus japonicus
AAB26677.2	S60967	Chloroplast Glycine max	CAA54506.1	X77301	Glycine max
AAC12674.1	AF029898	Lotus corniculatus	BAA02108.1	D12540	Pisum sativum
CAA42430.1	X59761	Lupinus angustifolius	AAD48018.1	AF165095	Gossypium hirsutum
BAA08106.1	D45076	Panicum miliaceum	CAA98186.1	Z73958	Lotus japonicus
AAB68396.1	U89494	Canavalia lineata	AAD48019.1	AF155096	Gossypium hirsutum
CAA04697.1	AJ001360	Plastid Canavalia lineata	AAB47558.1	U87143	Mesembryanthemum crystallinum
BAA23814.1	D67042	Oryza sativa	CAA54507.1	X77302	Glycine max
SEQ ID NO. 770			BAA02114.1	D12546	Pisum sativum
CAB62555.1	AJ249962	Daucus carota	CAA98181.1	Z73953	Lotus japonicus
CAA68912.1	Y07632	Zea mays	BAA02113.1	D12545	Pisum sativum
CAA65254.1	X96390	Lycopersicon esculentum	BAA06701.1	D31905	Zea mays
CAA56175.1	X79779	Solanum tuberosum	BAA02904.1	D13758	Oryza sativa
AAF36832.1	AF207745	Triticum aestivum	AAK15703.1	AF327517	Oryza sativa
CAB54856.1	AJ132686	Zea mays	AAB97114.1	U58853	Glycine max
AAD16278.1	AF099095	Samanea saman	CAA98180.1	Z73952	Lotus japonicus
CAA71598.1	Y10579	Vicia faba	CAA89049.1	Z49190	Beta vulgaris
CAC05489.1	AJ271447	Populus tremula x Populus tremuloides	CAA98177.1	Z73949	Lotus japonicus
BAA96150.1	AP002092	Oryza sativa	BAA02112.1	D12544	Pisum sativum
BAA96192.1	AP002093	Oryza sativa	BAA02437.1	D13152	Oryza sativa
BAA84085.1	AB032074	Nicotiana paniculata	CAA98179.1	Z73951	Lotus japonicus
CAA12645.1	AJ225805	Egeria densa	BAA02110.1	D12542	Pisum sativum
AAD39492.1	AF145272	Samanea saman	BAA02111.1	D12543	Pisum sativum
CAC10514.1	AJ299019	Samanea saman	CAA41966.1	X59276	Oryza sativa
CAC05488.1	AJ271446	Populus tremula x Populus tremuloides	CAA98184.1	Z73956	Lotus japonicus
AAF81251.1	AF267755	Mesembryanthemum crystallinum	CAA55865.1	X71276	Mangifera indica
			BAA02109.1	D12541	Medicago sativa
					Pisum sativum

BAA84640.1	AB007911	Pisum sativum	BAA09645.1	D63331	Nicotiana tabacum
CAA98178.1	Z73950	Lotus japonicus	BAA11770.1	D83078	Nicotiana tabacum
BAA06702.1	D31906	Zea mays	BAA77679.1	AB027054	Oryza sativa
CAA67153.1	X98540	Fagus sylvatica	SEQ ID NO. 778		
CAA98182.1	Z73954	Lotus japonicus	CAA62261.1	X90727	Brassica napus
AAA34253.1	L08130	Volvox carteri	AAF80463.1	AF162283	Glycine max
AAB28535.1	S66160	Oryza sativa	AAB67836.1	U40666	Glycine max
AAB97115.1	U58854	Glycine max	AAG44776.1	AF271796	Glycine max
AAA61831.1	L35845	Oryza sativa	AAG44765.1	AF271071	Chloroplast Glycine max
SEQ ID NO. 775			CAA62265.1	X90731	Brassica napus
CAA47962.1	X67733	Zea mays	CAA62264.1	X90730	Brassica napus
AAF34428.1	AF172282	Oryza sativa	CAA62266.1	X90732	Brassica napus
BAA94517.1	AP001800	Oryza sativa	CAA62263.1	X90729	Brassica napus
BAA94516.1	AP001800	Oryza sativa	CAA62262.1	X90728	Brassica napus
AAA33915.1	L27821	Oryza sativa	SEQ ID NO. 779		
BAA94529.2	AP001800	Oryza sativa	CAA47056.1	X66428	Hordeum vulgare
BAA92954.1	AP001551	Oryza sativa	AAC26197.1	AF052429	Zea mays
BAA92953.1	AP001551	Oryza sativa	AAK06774.1	AF323725	Chlamydomonas reinhardtii
AAC27489.1	AF077130	Oryza sativa	AAD55563.1	AF110781	Volvox carteri f. nagariensis
AAC02535.1	AF044260	Oryza sativa	SEQ ID NO. 781		
AAF78021.1	AF238477	Oryza sativa	BAA25753.1	AB012932	Vigna radiata
AAD46916.1	AF164020	Oryza sativa	BAA75232.1	AB018526	Ipomoea nil
AAF68398.1	AF237568	Oryza sativa	SEQ ID NO. 783		
AAD46420.1	AF100771	Hordeum vulgare	AAD11482.1	U51192	Glycine max
AAC49629.1	U51330	Triticum aestivum	AAD11481.1	U51191	Glycine max
AAC01746.1	AF044489	Oryza sativa	AAA65636.1	L13653	Lycopersicon esculentum
BAB39437.1	AP003338	Oryza sativa	AAA65637.1	L13654	Lycopersicon esculentum
AAF78019.1	AF238475	Oryza sativa	CAA76374.2	Y16776	Spinacia oleracea
AAF78044.1	AF248493	Oryza sativa	BAA03644.1	D14997	Oryza sativa
AAF78018.1	AF238474	Oryza sativa	CAA80502.1	Z22920	Spirodela polyrrhiza
AAD46917.1	AF164021	Oryza sativa	BAA07664.1	D42065	Nicotiana tabacum
AAF78016.1	AF238472	Oryza sativa	BAA07663.1	D42064	Nicotiana tabacum
AAD44031.1	AF085166	Hordeum vulgare	AAF63024.1	AF244921	Spinacia oleracea
AAK21965.1	AY028699	Brassica napus	BAA77387.1	AB024437	Scutellaria baicalensis
AAD43962.1	U78762	Triticum aestivum	AAA32676.1	M37637	Arachis hypogaea
SEQ ID NO. 776			CAC21393.1	AJ401276	Zea mays
AAB95118.1	U71244	Brassica rapa	CAA64413.1	X94943	Lycopersicon esculentum
SEQ ID NO. 777					

AAD11483.1	U51193	Glycine max	AAB3784.1	U72154	Brassica nigra
AAD11484.1	U51194	Glycine max	AAF03675.1	AF149311	Rauvolfia serpentina
AAB67737.1	I77080	Stylosanthes humilis	BAA11831.1	D83177	Costus speciosus
CAA62226.1	X90693	Medicago sativa	AAF34650.1	AF221526	Prunus serotina
AAD37429.2	AF149279	Phaseolus vulgaris	AAA91166.1	U92228	Prunus avium
BAA82307.1	AB027753	Nicotiana tabacum	CAA64442.1	X94986	Manihot esculenta
AAD37375.1	AF145349	Glycine max	AAB22162.1	S35175	Manihot esculenta
CAB94692.1	AJ242742	Ipomoea batatas	AAF04007.1	AF163097	Dalbergia cochinchinensis
AAD37427.1	AF149277	Phaseolus vulgaris	AAF28800.1	AF112888	Catharanthus roseus
AAD37430.1	AF149280	Phaseolus vulgaris	BAA78708.1	AB003089	Polygonum tinctorium
BAA92500.1	AP001383	Oryza sativa	AAG25897.1	AF170087	Cucurbita pepo
CAA71492.1	Y10466	Spinacia oleracea	AAC69619.1	AF072736	Pinus contorta
CAB67121.1	Y19023	Lycopersicon esculentum	AAB711381.1	U95298	Manihot esculenta
CAA50597.1	X71593	Lycopersicon esculentum	AAD09850.1	U44087	Zea mays
AAB97734.1	AF014502	Glycine max	CAA52293.1	X74217	Zea mays
CAA71494.1	Y10468	Spinacia oleracea	AAD10503.1	U33816	Zea mays
CAC21391.1	AJ401274	Zea mays	AAA65946.1	U25157	Zea mays
AAB41811.1	I36157	Medicago sativa	AAB03266.1	U44773	Zea mays
AAC98519.1	AF007211	Glycine max	CAA40057.1	X56733	Trifolium repens
AAF63027.1	AF244924	Spinacia oleracea	AAD02839.1	AF082991	Avena sativa
CAA62615.1	X91232	Mercurialis annua	CAA40058.1	X56734	Trifolium repens
CAA62227.1	X90694	Medicago sativa	AAC49177.1	U33817	Sorghum bicolor
BAA94962.1	AB042103	Asparagus officinalis	CAA55196.1	X78433	Avena sativa
CAA66037.1	X97351	Populus balsamifera subsp. trichocarpa	AAG00614.1	AF293849	Secale cereale
BAA01950.1	D11337	Vigna angularis	AAK07429.1	AF321287	Musa acuminata
CAA62597.1	X91172	Raphanus sativus	AAA87339.1	L41869	Hordeum vulgare
AAC49820.1	AF014469	Oryza sativa	CAA79989.2	Z21977	Brassica napus
BAA90365.1	AP001081	Oryza sativa	CAC08209.1	AJ005950	Cicer arietinum
AAF65464.2	AF247700	Oryza sativa	AAA84906.1	U28047	Oryza sativa
BAA89584.1	AP001073	Oryza sativa	SEQ ID NO. 786		
CAA09881.1	AJ011939	Trifolium repens	BAA13232.1	D87042	Zea mays
SEQ ID NO. 784			BAA12338.1	D84408	Zea mays
AAD25300.1	AF088276	Lycopersicon esculentum	AAB49984.1	U90262	Cucurbita pepo
CAA63704.1	X93301	Oryza sativa	CAA07481.1	AJ007366	Zea mays
AAD24966.1	AF109150	Lycopersicon esculentum	AAB70706.1	U82087	Tortula ruralis
AAD25225.1	AF088279	Potamogeton crispus	AAB80692.1	U69173	Glycine max
SEQ ID NO. 785			AAC49405.1	U08140	Vigna radiata
CAA57913.1	X82577	Brassica napus	BAA81749.1	AB017515	Marchantia polymorpha
			BAA81751.1	AB017517	Marchantia polymorpha
			BAA81750.1	AB017516	Marchantia polymorpha

BAA81748.1	AB017515	Marchantia polymorpha	AAF33823.1	AF223351	Nicotiana tabacum
AAA33443.1	L15390	Zea mays	CAA75546.1	Y15253	Pisum sativum
CAA57156.1	X81393	Oryza sativa	CAA63893.1	X94183	Solanum tuberosum
BAA85396.1	AF000615	Oryza sativa	AAB03258.1	U41474	Glycine max
AAC05270.1	AF048691	Oryza sativa	AAA74441.1	U25027	Glycine max
AAA61682.1	L27484	Zea mays	CAA65127.1	X95877	Nicotiana rustica
AAC25423.1	AF072908	Nicotiana tabacum	CAA72681.1	Y11931	Nicotiana rustica
AAG46110.1	AC073166	Oryza sativa	CAA63777.1	X93564	Solanum tuberosum
BAA02698.1	D13436	Oryza sativa	AAD26119.1	AF108123	Brassica napus
BAA13440.1	D87707	Ipomoea batatas	AAB03259.1	U41475	Glycine max
AAB80693.1	U69174	Glycine max	AAB03257.1	U41473	Glycine max
AAD17800.1	AF090835	Mesembryanthemum crystallinum	AAB41107.1	U85250	Vigna unguiculata
CAA65500.1	X96723	Medicago sativa	CAC13988.1	AJ291467	Digitaria sanguinalis
CAA57157.1	X81394	Oryza sativa	AAK01711.1	AF332874	Oryza sativa
CAA39936.1	X56599	Daucus carota	SEQ ID NO. 788		
BAA12715.1	D85039	Zea mays	AAF34428.1	AF172282	Oryza sativa
AAA69507.1	U28376	Zea mays	BAA94516.1	AP001800	Oryza sativa
AAD28192.2	AF115406	Solanum tuberosum	BAA94517.1	AP001800	Oryza sativa
AAK26164.1	AV027885	Cucumis sativus	AAC23542.1	U20948	Ipomoea trifida
AAF21062.1	AF216527	Dunaliella tertiolecta	BAA94529.2	AP001800	Oryza sativa
AAB88537.1	AF035944	Fragaria x ananassa	AAA33915.1	L27821	Oryza sativa
CAA89202.1	Z49233	Chlamydomonas eugametos	CAA73133.1	Y12530	Brassica oleracea
AAF23900.1	AF194413	Oryza sativa	CAA67145.1	X98520	Brassica oleracea
AAF23901.2	AF194414	Oryza sativa	BAA23676.1	AB000970	Brassica rapa
AAC78558.1	AF030879	Solanum tuberosum	AAA33008.1	M97667	Brassica napus
AAC32116.1	AF051211	Picea mariana	CAB89179.1	AJ245479	Brassica napus subsp. napus
CAB46228.1	Y18055	Arachis hypogaea	BAA92836.1	AB032473	Brassica oleracea
CAA58750.1	X83869	Daucus carota	BAA07576.1	D38563	Brassica rapa
AAB47181.1	S82324	Zea mays	BAA92837.1	AB032474	Brassica oleracea
BAA12691.1	D84507	Zea mays	BAA07577.2	D38564	Brassica rapa
BAA22410.1	D38452	Zea mays	AAA33000.1	M76647	Brassica oleracea
BAA12692.1	D84508	Zea mays	BAA92954.1	AP001551	Oryza sativa
AAG01179.1	AF289237	Zea mays	BAA06285.1	D30049	Brassica rapa
AAC24961.1	AF009337	Tradescantia virginiana	BAA21132.1	D88193	Brassica rapa
BAA90814.1	AP001168	Oryza sativa	AAA62232.1	U00443	Brassica napus
AAC49008.1	U24188	Lilium longiflorum	CAA47962.1	X67733	Zea mays
AAF21450.1	U38446	Nicotiana tabacum	CAA79355.1	Z18921	Brassica oleracea
SEQ ID NO. 787			BAB21001.1	AB054061	Brassica rapa
CAA63954.1	X94289	Solanum tuberosum	CAB41879.1	Y18260	Brassica oleracea
AAF33824.1	AF223573	Nicotiana tabacum	AAD46420.1	AF100771	Hordeum vulgare

BAA92953.1	AP001551	Oryza sativa	AAC32126.1	AF051225	Picea mariana
BAB39437.1	AP003338	Oryza sativa	CAB46645.1	AJ243455	Lycopersicon esculentum
AAF78019.1	AF238475	Oryza sativa	AAD11475.2	U52520	Pisum sativum
AAF43400.1	AF230507	Oryza sativa subsp. japonica	CAA57555.1	X82035	Oryza sativa
SEQ ID NO. 789			CAB60839.1	AJ011108	Lycopersicon esculentum
CAA99990.1	Z75660	Sesbania rostrata	CAB46642.1	AJ243452	Lycopersicon esculentum
CAA44632.1	X62820	Glycine max	BAA11560.1	D82349	Adiantum capillus-veneris
CAA53728.1	X76122	Antirrhinum majus	AAA20237.1	U10077	Zea mays
AAC61889.1	U24194	Lupinus luteus	BAA09465.1	D50869	Glycine max
AAF88072.1	AF287306	Cicer arietinum	BAA09466.1	D50870	Glycine max
AAD31790.1	AF126107	Lupinus luteus	SEQ ID NO. 790		
BAA20411.1	D86386	Catharanthus roseus	AAC24504.1	AF041050	Populus tremuloides
AAC61888.1	U24193	Lupinus luteus	CAC36095.1	X69955	Glycine max
AAD31789.1	AF126106	Lupinus luteus	AAF37732.1	AF052221	Lolium perenne
AAC24245.1	U44857	Lupinus luteus	BAA08366.2	D49367	Lithospermum erythrorhizon
AAD31791.1	AF126108	Lupinus luteus	AAG43823.1	AF12317	Capsicum annuum
BAA20425.1	D89635	Nicotiana tabacum	AAF91308.1	AF239685	Rubus idaeus
CAA71243.1	Y10161	Chenopodium rubrum	AAF37733.1	AF052222	Lolium perenne
CAA53729.1	X76123	Antirrhinum majus	CAC31697.1	X13325	Petroselinum crispum
CAB58998.1	AJ250315	Petunia x hybrida	CAA31696.1	X13324	Lolium perenne
AAC41681.1	L34207	Petroselinum crispum	AAF37734.1	AF052223	Populus tremuloides
CAB81558.1	Z37978	Nicotiana tabacum	AAC24503.1	AF041049	Rubus idaeus
CAA81232.1	Z26331	Glycine max	AAF91309.1	AF239686	Populus x generosa
BAA09467.1	D50871	Glycine max	AAC39366.1	AF008184	Populus x generosa
AAC24244.1	U24192	Lupinus luteus	AAC39365.1	AF008183	Nicotiana tabacum
AAD31788.1	AF126105	Lupinus luteus	AAB18637.1	U50845	Nicotiana tabacum
CAB46644.1	AJ243454	Lycopersicon esculentum	AAB18638.1	U50846	Nicotiana tabacum
CAA44188.1	X62303	Glycine max	BAA07828.1	D43773	Nicotiana tabacum
AAA20239.1	U10079	Zea mays	AAA33842.1	M62755	Solanum tuberosum
AAA20238.1	U10078	Zea mays	AAF91310.1	AF239687	Rubus idaeus
BAB00651.1	AP002804	Oryza sativa	AAD40664.1	AF150686	Solanum tuberosum
AAB72021.1	U66608	Zea mays	AAB42383.1	U39405	Pinus taeda
AAB72020.1	U66607	Zea mays	AAB42382.1	U39404	Pinus taeda
BAA33154.1	AB008189	Pisum sativum	AAA92669.1	U12013	Pinus taeda
AAB72019.1	U66662	Zea mays	AAA92668.1	U12012	Pinus taeda
BAA86629.1	AB024987	Oryza sativa	BAA08365.1	D49366	Lithospermum erythrorhizon
CAA57556.1	X82036	Oryza sativa	CAC36850.1	X52623	Oryza sativa
AAA20236.1	U10076	Zea mays	AAF73997.2	AF144504	Picea smithiana
CAA55272.1	X78504	Medicago sativa	AAF73995.2	AF144502	Pinus armandii
CAA48675.1	X68741	Medicago sativa	AAF73994.2	AF144501	Pinus armandii

AAF73998.2	AAF144505	Cathaya argyrophylla	CAA09419.1	AJ010942	Lycopersicon esculentum
AAD40665.1	AF150687	Solanum tuberosum	CAB06079.1	Z83829	Picea abies
AAF73996.2	AF144503	Pinus armandii	BAB19862.1	AB052883	Oryza sativa
CAA49575.1	X69954	Glycine max	BAA85398.1	AP000615	Oryza sativa
AAF74004.2	AF144511	Pseudotsuga sinensis	AAD55054.1	AF173655	Beta vulgaris
AAF74016.2	AF144523	Nothotsuga longibracteata	CAB52688.1	AJ132223	Lycopersicon esculentum
AAF74001.2	AF144508	Pseudotsuga menziesii	CAB52690.1	AJ132225	Lycopersicon esculentum
AAF74002.2	AF144509	Pseudotsuga sinensis	SEQ ID NO. 796		
AAF74019.2	AF144526	Tsuga canadensis	CAA58994.1	X84208	Sinapis alba
AAF74018.2	AF144525	Tsuga canadensis	CAA76116.1	Y16190	Sinapis alba
AAF74003.2	AF144510	Pseudotsuga sinensis	SEQ ID NO. 799		
AAF73999.2	AF144506	Pseudotsuga menziesii	AAB61708.1	U93048	Daucus carota
AAF74022.2	AF144529	Cedrus atlantica	AAG52992.1	U77888	Ipomoea nil
AAF73993.2	AF144500	Pinus banksiana	BAA84787.1	AP000559	Oryza sativa
AAF73992.1	AF144499	Pinus banksiana	CAC20842.1	AJ250467	Pinus sylvestris
AAF74007.2	AF144514	Abies firma	AAB36558.1	U77888	Ipomoea nil
AAA64913.1	U23787	Sorghum bicolor	AAK21965.1	AY028699	Brassica napus
CAB97359.1	AJ278455	Juglans nigra	CAA61510.1	X89226	Oryza sativa
AAF74000.2	AF144507	Pseudotsuga menziesii	AAF59906.1	AF197947	Glycine max
SEQ ID NO. 791		Glycine max	AAF59905.1	AF197946	Glycine max
AAB09756.1	U31097		AAG03090.1	AC073405	Oryza sativa
SEQ ID NO. 795			AAC36318.1	AF053127	Malus x domestica
AAG43998.1	AF215837	Apium graveolens var. dulce	AAA33915.1	L27821	Oryza sativa
CAA47324.1	X66856	Nicotiana tabacum	AAG00510.1	AF285172	Phaseolus vulgaris
AAB06594.1	U38651	Medicago truncatula	AAF34426.1	AF172282	Oryza sativa
BAB19864.1	AB052885	Oryza sativa	AAD21872.1	AF078082	Phaseolus vulgaris
CAA53192.1	X75440	Chlorella kessleri	AAG52994.1	U77888	Ipomoea nil
AAF74565.1	AF215851	Spinacia oleracea	BAA92954.1	AF001551	Oryza sativa
CAA68813.1	Y07520	Chlorella kessleri	AAG16628.1	AY007545	Brassica napus
CAA04511.1	AJ001061	Vitis vinifera	BAA94509.1	AB041503	Populus nigra
CAB07812.1	Z93775	Vicia faba	BAA82556.1	AB030083	Populus nigra
CAA39036.1	X55349	Chlorella kessleri	BAA94510.1	AB041504	Populus nigra
AAF74567.1	AF215853	Solanum tuberosum	AAF34428.1	AF172282	Oryza sativa
AAF74566.1	AF215852	Nicotiana tabacum	BAA94529.2	AP001800	Oryza sativa
AAF74568.1	AF215854	Zea mays	AAB82755.1	U72725	Oryza longistaminata
AAA79761.1	L08196	Ricinus communis	AAB93834.1	U82481	Zea mays
BAB19863.1	AB052884	Oryza sativa	SEQ ID NO. 800		
CAB52689.1	AJ132224	Lycopersicon esculentum	CAB38030.1	AJ010201	Glycine max
CAA70777.1	Y09590	Vitis vinifera			



AAC19381.1	AF068844		Prunus persica	BAA20365.1	AB004307	Nicotiana tabacum
SEQ ID NO. 801				BAA07479.1	D38445	Oryza sativa
CAB38030.1	AJ010201		Glycine max	BAA02248.1	D12815	Oryza sativa
AAC19381.1	AF068844		Prunus persica	BAA04232.1	D17410	Oryza sativa
				BAA90642.1	AP001129	Oryza sativa
SEQ ID NO. 802				BAA85425.1	AP000616	Oryza sativa
CAA70968.1	Y09825		Solanum tuberosum	BAA04616.1	D17790	Oryza sativa
AAD16013.1	AF080542		Nepenthes alata	AB40034.1	U10418	Zea mays
CAA07563.1	AJ007574		Ricinus communis	CAA67796.1	X99419	Pisum sativum
CAA10608.1	AJ132228		Ricinus communis	AAK09367.1	AF321525	Pisum sativum
CAA70778.1	Y09591		Vicia faba	AAK09370.1	AF321528	Pisum sativum
CAA70969.1	Y09826		Solanum tuberosum	AAK09369.1	AF321527	Pisum sativum
AAD16014.1	AF080543		Nepenthes alata	AAK09368.1	AF321526	Pisum sativum
CAA72006.1	Y11121		Ricinus communis	SEQ ID NO. 804		
AAD16015.1	AF080544		Nepenthes alata	BAA82107.1	AB022693	Nicotiana tabacum
AAF15944.1	AF061434		Vicia faba	AAC31956.1	AF080595	Pimpinella brachycarpa
CAA92992.1	Z68759		Ricinus communis	AAC49527.1	U48831	Petroselinum crispum
AAF15945.1	AF061435		Vicia faba	AAD55974.1	AF121353	Petroselinum crispum
AAF15946.1	AF061436		Vicia faba	BAA77383.1	AB020590	Nicotiana tabacum
AAB96830.1	U64823		Nicotiana sylvestris	CAA88326.1	Z48429	Avena fatua
AAB48944.1	U31932		Nicotiana sylvestris	BAA86031.1	AB026890	Nicotiana tabacum
BAA93437.1	AB022783		Oryza sativa	AAD16139.1	AF096299	Nicotiana tabacum
CAB42599.1	AJ238635		Chlorella protothecoides	AAC37515.1	L44134	Cucumis sativus
				AAF23898.1	AF193802	Oryza sativa
SEQ ID NO. 803				AAC49529.1	U58540	Petroselinum crispum
CAA81210.1	Z26251		Helianthus tuberosus	AAD16138.1	AF096298	Nicotiana tabacum
AAB02721.1	U58629		Helianthus tuberosus	AAC49528.1	U58834	Petroselinum crispum
CAC27143.1	AJ132538		Picea abies	BAB16432.1	AB041520	Nicotiana tabacum
AAA79131.1	U10545		Chlamydomonas reinhardtii	BAA77358.1	AB020023	Nicotiana tabacum
CAA55406.1	X78851		Chlamydomonas reinhardtii	CAA88331.1	Z48431	Avena fatua
AAB40978.1	U22328		Volvox carteri	AAG35658.1	AF204925	Petroselinum crispum
AAA33029.1	M25528		Mesembryanthemum crystallinum	AAD27591.1	AF121354	Petroselinum crispum
CAA30978.1	X12446		Pisum sativum	AAG35659.1	AF204926	Petroselinum crispum
BAA13417.1	D87547		Oryza sativa	CAB66338.1	AJ279697	Betula pendula
AAA21758.1	U14956		Vicia faba	AAF61864.1	AF193771	Nicotiana tabacum
AAA34029.1	M86349		Spinacia oleracea	AAF61863.1	AF193770	Nicotiana tabacum
CAB71293.1	AJ250378		Capsicum annuum	SEQ ID NO. 806		
CAA74359.1	Y14032		Nicotiana tabacum	CAB52689.1	AJ132224	Lycopersicon esculentum
BAA88236.1	AB035644		Zea mays	CAA09419.1	AJ010942	Lycopersicon esculentum
BAA88237.1	AB035645		Zea mays			

[illegible]

AAB93834.1	U82481	Zea mays	CAA61198.1	X87946	Oryza sativa
BAA92837.1	AB032474	Brassica oleracea	CAA41169.1	X58180	Medicago sativa
AAA33915.1	L27821	Oryza sativa	BAA00887.1	D10003	Pisum sativum
			BAA00886.1	D10002	Pisum sativum
SEQ ID NO. 809			AAA17993.1	M91192	Trifolium subterraneum
AAF19196.1	AF206320	Musa acuminata	AAA33805.1	L11747	Populus x generosa
AAF19195.1	AF206319	Musa acuminata	AAC78457.1	AF036948	Prunus avium
AAF63756.1	AF243475	Vitis vinifera	BAA23367.1	D85850	Daucus carota
CAA70735.1	Y09541	Zinnia elegans	CAB42793.1	AJ238753	Citrus clementina x Citrus
CAA63496.1	X92943	Musa acuminata	reticulata		
AAB71208.1	U63550	Fragaria x ananassa	AAA99500.1	I36822	Stylosanthes humilis
AAA86241.1	U41472	Medicago sativa	CAA55075.1	X78269	Nicotiana tabacum
CAA43414.1	X61102	Nicotiana tabacum	BAA22963.1	D17467	Nicotiana tabacum
CAA47630.1	X67158	Nicotiana tabacum	BAA22947.1	AB008199	Nicotiana tabacum
CAA43413.1	X61101	Nicotiana tabacum	CAA57057.1	X81159	Petroselinum crispum
CAA47631.1	X67159	Nicotiana tabacum	AAG49585.1	AF325496	Ipomoea nil
			CAA57056.1	X81158	Petroselinum crispum
SEQ ID NO. 810			CAB42794.1	AJ238754	Citrus clementina x Citrus
AAG49551.1	AF264022	Poa secunda	reticulata		
CAA44598.1	X62724	Hordeum vulgare	CAA05251.1	AJ002221	Digitalis lanata
AAB88619.1	AF034948	Zea mays	BAA07860.1	D43802	Populus kitakamiensis
CAA44599.1	X62725	Hordeum vulgare	CAB60719.1	AJ250836	Cicer arietinum
			CAA68256.1	X99997	Bromheadia finlaysoniana
SEQ ID NO. 813			AAK15640.1	AF326116	Agastache rugosa
AAA34122.1	M84466	Nicotiana tabacum	CAA34226.1	X16099	Oryza sativa subsp. japonica
BAA22948.1	AB008200	Nicotiana tabacum	AAF40223.1	AF237954	Rubus idaeus
AAA34176.1	M90692	Lycopersicon esculentum	BAA11459.1	D78640	Ipomoea batatas
AAF40224.1	AF237955	Rubus idaeus	BAA06337.1	D30657	Populus kitakamiensis
CAA37129.1	X52953	Glycine max	AAD45384.1	AF165998	Vigna unguiculata
CAA68036.1	X99705	Triticum aestivum	CAA53733.1	X76130	Cucumis melo
AAA33389.1	M29232	Ipomoea batatas	AAA51873.1	U16130	Persea americana
AAA34179.2	M83314	Lycopersicon esculentum	BAB19128.1	AB041361	Dianthus caryophyllus
BAA21643.1	D30656	Populus kitakamiensis	CAA34715.1	X16772	Petroselinum crispum
AAB67733.1	U43338	Citrus limon	BAA07861.1	D43803	Populus kitakamiensis
BAA95629.1	AB042520	Catharanthus roseus	SEQ ID NO. 814		
BAA05643.1	D26596	Camellia sinensis	AAC39318.1	AF029858	Sorghum bicolor
CAA73065.1	Y12461	Helianthus annuus	AAA19701.1	L24438	Thlaspi arvense
BAA24929.1	D83076	Lithospermum erythrorhizon	BAB40323.1	AB037244	Asparagus officinalis
BAA24928.1	D83075	Lithospermum erythrorhizon	AAA32913.1	M32885	Persea americana
BAA00885.1	D10001	Pisum sativum	BAB40324.1	AB037245	Asparagus officinalis
AAA84889.1	U39792	Pinus taeda			

AAB94589.1	AF022460	Glycine max	AAC49214.1	U39862	Oryza longistaminata
CAA70575.1	Y09423	Nepeta racemosa	AAC49213.1	U39864	Oryza eichingeri
AAF27282.1	AF122821	Capsicum annuum	AAC49220.1	U39866	Oryza sativa
AAB94584.1	AF022157	Glycine max	AAC49218.1	U39867	Oryza rufipogon
AAB94588.1	AF022459	Glycine max			
AAD47832.1	AF166332	Nicotiana tabacum	SEQ ID NO. 818		
CAA50312.1	X70981	Solanum melongena	CAA04644.1	AJ001270	Phaseolus vulgaris
BAA03635.1	D14990	Solanum melongena	AAD20634.1	AF126255	Anchusa officinalis
CAA50645.1	X71654	Solanum melongena	BAA92365.1	AB039746	Spirodelea punctata
CAA70576.1	Y09424	Nepeta racemosa	AAF19821.1	AF200825	Ipomoea batatas
BAB40322.1	AB036772	Triticum aestivum	CAA06921.1	AJ006224	Ipomoea batatas
CAB56503.1	AJ238612	Catharanthus roseus	AAF19822.1	AF200826	Ipomoea batatas
AAD44150.1	AF124815	Mentha spicata	AAF19820.1	AF200824	Glycine max
CAB3941.1	Z33875	Mentha x piperita	CAA07280.1	AJ006870	Ipomoea batatas
AAD56282.1	AF155332	Petunia x hybrida	BAA97038.1	AB029086	Tagetes patula
AAD44152.1	AF124817	Mentha x piperita	BAA97745.1	AB037887	Lupinus albus
AAD37433.1	AF150881	Lycopersicon esculentum x	BAA82130.1	AB023385	Lupinus albus
Lycopersicon peruvianum			BAA82133.1	AB023388	Lycopersicon esculentum
AAD44151.1	AF124816	Mentha x piperita	BAA82131.1	AB023386	Glycine max
AAG44132.1	AF218296	Pisum sativum	BAA82132.1	AB023387	Oryza sativa
AAG14963.1	AF214009	Brassica napus			
CAA65580.1	X96784	Nicotiana tabacum	SEQ ID NO. 819		
AAG14961.1	AF214007	Brassica napus	AAF76898.1	AF274033	Atriplex hortensis
AAG14962.1	AF214008	Brassica napus	CAC12822.1	AJ299252	Nicotiana tabacum
CAC27827.1	AJ295719	Catharanthus roseus	AAF63205.1	AF245119	Mesembryanthemum crystallinum
CAA64635.1	X95342	Nicotiana tabacum	BAA78738.1	AB023482	Oryza sativa
AAB17562.1	U72654	Eustoma grandiflorum	AAC24587.1	AF071893	Prunus armeniaca
			CAB96899.1	AJ251249	Catharanthus roseus
SEQ ID NO. 816			CAB96900.1	AJ251250	Catharanthus roseus
AAD15818.1	AF061107	Zea mays	BAB16083.1	AB036883	Oryza sativa
AAC28907.1	U18349	Phaseolus vulgaris	AAF23899.1	AF193803	Oryza sativa
AAB00686.1	U18348	Phaseolus vulgaris	BAA99376.1	AF002526	Oryza sativa
AAC49219.1	U39860	Oryza sativa	AAK01089.1	AF298231	Hordeum vulgare
CAB92300.1	AJ251719	Zea mays			
CAA07615.1	AJ007709	Gerbera hybrida	SEQ ID NO. 820		
AAG25928.1	AF260919	Petunia x hybrida	AAF03236.1	AF180143	Glycine max
AAG25927.1	AF260918	Petunia x hybrida	AAA34309.1	M28059	Triticum aestivum
AAC39455.1	AF020545	Petunia x hybrida	AAB88617.1	AF034946	Zea mays
AAC49217.1	U39861	Oryza rufipogon	AAA34125.1	L23762	Lycopersicon esculentum
AAC49216.1	U39865	Oryza officinalis	AAA64427.1	L29077	Pisum sativum
AAC49212.1	U39863	Oryza australiensis	CAA51821.1	X73419	Lycopersicon esculentum

AAD51109.1	AAF76040	Mesembryanthemum crystallinum	CAA04942.1	AJ001706	Pinus sylvestris
AAF73016.1	AF262934	Avicennia marina	CAA06030.1	AJ003783	Marsilea quadrifolia
AAD42941.1	AF091621	Catharanthus roseus	CAA55116.1	X78307	Craterostigma plantagineum
BAB40310.1	AB026055	Nicotiana tabacum	AAA33352.1	L26924	Ginkgo biloba
AAA34310.1	M62720	Triticum aestivum	CAB39974.1	AJ133422	Nicotiana tabacum
BAB40311.1	AB026056	Nicotiana tabacum	CAA42901.1	X60343	Hordeum vulgare
AAB02168.1	U15971	Oryza sativa	AAA87880.1	U45858	Zea mays
CAA58111.1	X82938	Lycopersicon esculentum	AAA87578.1	U45855	Zea mays
AAA86089.1	U17250	Brassica oleracea	CAA51676.1	X73151	Zea mays
AAG23847.1	AY004247	Lycopersicon esculentum	AAA33779.1	L07501	Pinus sylvestris
BAA90392.1	AF001081	Oryza sativa	AAB59010.1	U96623	Selaginella lepidophylla
AAF22280.1	AF165420	Mesembryanthemum crystallinum	CAA42902.1	X60344	Petroselinum crispum
AAC12662.1	AF032468	Zea mays	CAA42905.1	X60347	Magnolia liliiflora
CAA05772.1	AJ002959	Zea mays	CAA51071.1	X72381	Physcomitrella patens
AAB63513.1	AF008910	Prunus armeniaca	AAA82047.1	U31676	Oryza sativa
BAA21006.1	D17786	Oryza sativa	AAA33033.1	J05223	Mesembryanthemum crystallinum
CAA10494.1	AJ131733	Pseudotsuga menziesii	AAA33031.1	M29956	Mesembryanthemum crystallinum
			CAA51675.1	X73150	Pisum sativum
SEQ ID NO. 821			AAA33667.1	L07500	Pisum sativum
AAF04624.1	AF098672	Brassica oleracea	CAA42903.1	X60345	Ranunculus acris
AAB8615.1	AF034944	Zea mays	AAA34077.1	M14419	Nicotiana tabacum
AAC67556.1	AF094774	Oryza sativa	AAA03442.1	U02886	Atriplex nummularia
AAC61599.1	AF091857	Pimpinella brachycarpa	CAA42904.1	X60346	Petunia x hybrida
			CAA42103.1	X59517	Antirrhinum majus
SEQ ID NO. 822			CAA53269.1	X75597	Atriplex nummularia
CAB65313.1	AJ251365	Nicotiana glauca	AAA89207.1	L26922	Taxus baccata
			AAA87579.1	U45856	Zea mays
SEQ ID NO. 823			AAA87580.1	U45857	Zea mays
CAA07020.1	AJ006414	Lycopersicon esculentum	AAB07758.1	U17005	Solanum tuberosum
AAD02231.1	AF043108	Pisum sativum	AAB54003.1	U97257	Lycopersicon esculentum
CAB61629.1	AJ251298	Oryza sativa	AAA32956.1	M36650	Hordeum vulgare
BAA29033.1	AB015599	Coffea arabica	AAB51592.1	U93208	Lycopersicon esculentum
BAA24535.1	AB006692	Nicotiana sylvestris	AAA33466.1	L13432	Zea mays
AAD02232.1	AF043109	Pisum sativum	AAF64241.1	AF251217	Triticum aestivum
			AAA33465.1	L13431	Zea mays
SEQ ID NO. 826			AAA34076.1	M14418	Nicotiana tabacum
AAB57845.1	U96718	Selaginella lepidophylla	AAA84543.1	M55147	Chloroplast Pisum sativum
			BAA85402.1	AP00615	Oryza sativa
SEQ ID NO. 827			AAA86855.1	L27668	Chloroplast Chlamydomonas
AAD10215.1	L32560	Chloroplast Pinus sylvestris	reinhardtii		
AAD10214.1	L32561	Chloroplast Pinus sylvestris	CAA33455.1	X15408	Zea mays

SEQ ID NO. 828

AAK30205.1 AF349964  
 AAB38974.1 U81318  
 CAA81127.1 Z26042  
 AAF66823.1 AF190655  
 AAF66825.1 AF190657  
 AAF63202.1 AF240679  
 AAC39368.1 AF043297  
 AAF66824.1 AF190656  
 AAD37807.1 AF153689  
 AAB61594.1 AF003126  
 CAC01238.1 AJ292768  
 AAC49850.1 U90212  
 CAC01237.1 AJ292767  
 CAB75429.1 AJ272011  
 AAA79045.1 U34742  
 CAA41023.1 X57955  
 CAA46234.1 X65118  
 CAA46233.1 X65117  
 CAA66479.1 X97905  
 CAA06469.1 AJ005286  
 CAA11893.1 AJ224324  
 BAA22411.1 D38485  
 CAA11894.1 AJ224325  
 AAA33486.1 M74566  
 CAA57551.1 X82030  
 AAA33039.1 I15080  
 AAB71417.1 U81287

Daucus carota  
 Triticum aestivum  
 Anemia phyllitidis  
 Nicotiana tabacum  
 Nicotiana tabacum  
 Cucumis sativus  
 Chlamydomonas reinhardtii  
 Nicotiana tabacum  
 Oryza sativa  
 Mesembryanthemum crystallinum  
 Nicotiana plumbaginifolia  
 Nicotiana tabacum  
 Nicotiana plumbaginifolia  
 Nicotiana plumbaginifolia  
 Spinacia oleracea  
 Spinacia oleracea  
 Nicotiana plumbaginifolia  
 Nicotiana plumbaginifolia  
 Vicia faba  
 Hordeum vulgare  
 Hordeum vulgare  
 Triticum aestivum  
 Hordeum vulgare  
 Zea mays  
 Phaseolus vulgaris  
 Mesembryanthemum crystallinum  
 Pisum sativum

CAA66075.1 X97446  
 BAA03955.1 D16504  
 CAB66336.1 AJ279695  
 CAA10663.1 AJ132399  
 AAC05718.1 AF008121  
 AAA79910.1 U12589  
 CAA33734.1 X15704  
 CAA06618.1 AJ005598  
 AAC05717.1 AF008120  
 AAG02564.1 AY007250  
 AAG16905.1 AF182523  
 CAA33733.1 X15704  
 AAD10486.1 U76558  
 CAA69724.1 Y08490  
 CAA06619.1 AJ005599  
 CAA48927.1 X69183  
 AAA99438.1 I24546  
 CAA31326.1 X12846  
 CAA62916.1 X91806  
 AAA33095.1 M11447  
 BAB19779.1 AB052822  
 AAB86649.1 AF032876  
 CAA62917.1 X91807  
 AAB86648.1 AF032877  
 AAA33098.1 M11448  
 AAB08791.1 U40042  
 CAA44861.1 X63176  
 AAA33518.1 M60171  
 AAB84298.1 AF030548  
 BAA92148.1 AB038515  
 AAB36609.1 U37794  
 bicostata  
 CAA48928.1 X69184  
 AAD11425.1 AF097662  
 CAB76917.1 AJ276012  
 CAA52158.1 X73980  
 CAA38613.1 X54844  
 AAB64308.1 U63927  
 AAD20178.1 AF059287  
 BAA82638.1 D63137

Avena sativa  
 Chlorella vulgaris  
 Betula pendula  
 Hordeum vulgare  
 Eleusine indica  
 Pisum sativum  
 Zea mays  
 Eleusine indica  
 Eleusine indica  
 Daucus carota  
 Oryza sativa  
 Zea mays  
 Triticum aestivum  
 Hordeum vulgare  
 Eleusine indica  
 Anemia phyllitidis  
 Volvox carteri  
 Volvox carteri  
 Oryza sativa  
 Chlamydomonas reinhardtii  
 Nicotiana tabacum  
 Chloromonas sp. ANT1  
 Oryza sativa  
 Chloromonas sp. ANT3  
 Chlamydomonas reinhardtii  
 Hordeum vulgare  
 Zea mays  
 Zea mays  
 Oryza sativa  
 Chlorella ellipsoidea  
 Eucalyptus globulus subsp.  
 Anemia phyllitidis  
 Mesembryanthemum crystallinum  
 Hordeum vulgare  
 Zea mays  
 Pisum sativum  
 Daucus carota  
 Eleusine indica  
 Zinnia elegans

SEQ ID NO. 829

CAA44863.1 X63178  
 CAA77988.1 Z11931  
 CAA62918.1 X91808  
 AAC05719.1 AF008122  
 AAA16225.1 U05258  
 CAA44862.1 X63177  
 CAA67942.1 X99623  
 CAB77672.1 AJ133710  
 CAB77671.1 AJ133709  
 CAA47635.1 X67162

Zea mays  
 Oryza sativa  
 Oryza sativa  
 Eleusine indica  
 Zea mays  
 Zea mays  
 Hordeum vulgare  
 Miscanthus sinensis  
 Miscanthus sinensis  
 Prunus dulcis

[illegible]

[illegible]



AAB37746.1	U30382	Cucumis sativus	SEQ ID NO. 846	Zea mays
AAD47901.1	AF085330	Pinus taeda	AAD46491.1	Oryza sativa
AAF32409.1	AF230276	Triphysaria versicolor	BAA90623.1	Zea mays
AAG13983.1	AF297522	Prunus avium	AAA52202.1	Lithospermum erythrorhizon
AAC39512.1	AF043284	Gossypium hirsutum	BAA77024.1	
AAB40637.1	U64893	Pinus taeda		
AAC96081.1	AF049354	Nicotiana tabacum	SEQ ID NO. 848	
AAB40634.1	U64890	Pinus taeda	CAC24691.1	Brassica juncea
AAB40635.1	U64891	Pinus taeda	AAG17172.1	Populus tremula x Populus
AAB40636.1	U64892	Pinus taeda	tremuloides	
AAC64201.1	AF096776	Lycopersicon esculentum	AAC39514.1	Oryza sativa
CAB43197.1	AJ239068	Lycopersicon esculentum		
AAB81662.1	U85246	Oryza sativa	SEQ ID NO. 849	
AAD49956.1	AF167360	Rumex palustris	AAG22044.1	Pisum sativum
AAC96080.1	AF049353	Nicotiana tabacum	AAF00610.1	Dolichos biflorus
AAF17570.1	AF202119	Marsilea quadrifolia	AAG32959.1	Glycine soja
AAF35902.1	AF230333	Zinnia elegans	AAG32960.1	Glycine soja
AAG32921.1	AF184233	Lycopersicon esculentum	AAF00609.1	Lotus japonicus
AAB38074.1	U30477	Oryza sativa	AAD31285.1	Dolichos biflorus
AAF32411.1	AF230278	Triphysaria versicolor	AAF00611.1	Medicago sativa
AAF17571.1	AF202120	Regnellidium diphyllum	BAB18896.1	Pisum sativum
AAF62181.1	AF247163	Oryza sativa	BAB18895.1	Pisum sativum
CAC19183.1	AJ291816	Cicer arietinum	BAB18894.1	Pisum sativum
AAD13633.1	AF059489	Lycopersicon esculentum	BAB18893.1	Pisum sativum
AAF62180.1	AF247162	Oryza sativa	BAB18900.1	Pisum sativum
BAB32732.1	AB049406	Eustoma grandiflorum	AB027614	Pisum sativum
CAC06433.1	AJ276007	Festuca pratensis	BAB40230.1	Pisum sativum
AAG01875.1	AF291659	Striga asiatica	BAB18890.1	Pisum sativum
AAC96077.1	AF049350	Nicotiana tabacum	BAA75506.1	Pisum sativum
AAC96079.1	AF049352	Nicotiana tabacum	BAA89275.1	Pisum sativum
CAB65694.1	AJ270960	Lycopersicon esculentum	BAB40231.1	Pisum sativum
AAG32920.1	AF184232	Lycopersicon esculentum	AAB02720.1	Solanum tuberosum
AAC96078.1	AF049351	Nicotiana tabacum	BAB18891.1	Pisum sativum
AAG01873.1	AF291657	Striga asiatica	BAB18892.1	Pisum sativum
SEQ ID NO. 844			SEQ ID NO. 857	
AAD19957.1	AF109156	Datisca glomerata	AAG43988.1	Zea mays
			BAB19052.1	Oryza sativa
SEQ ID NO. 845			AAF73828.1	Oryza sativa
AAD19957.1	AF109156	Datisca glomerata	BAA96793.1	Oryza sativa
			BAA96794.1	Oryza sativa
			AAA34025.1	Spinacia oleracea

AAB41696.1	U69142	Spinacia oleracea	CAC21393.1	AJ401276	Zea mays
BAB18544.1	AB043540	Avicennia marina	AAA65636.1	L13653	Lycopersicon esculentum
CAA71003.1	Y09876	Nicotiana tabacum	CAB67121.1	Y19023	Lycopersicon esculentum
CAA41377.1	X58463	Beta vulgaris	CAA62227.1	X90694	Medicago sativa
CAA49425.1	X69770	Atriplex hortensis	CAA50597.1	X71593	Lycopersicon esculentum
AAB70010.1	AF017150	Amaranthus hypochondriacus	AAD37376.1	AF145350	Glycine max
CAA41376.1	X58462	Beta vulgaris	AAB67737.1	L77080	Stylosanthes humilis
AAB58165.1	AF000132	Amaranthus hypochondriacus	CAA71489.1	Y10463	Spinacia oleracea
BAA21098.1	AB001348	Oryza sativa	CAA71496.1	Y10470	Spinacia oleracea
BAB18543.1	AB043539	Avicennia marina	CAA71494.1	Y10468	Spinacia oleracea
AAC03055.1	AF045770	Oryza sativa	BAA06334.1	D30652	Populus kitakamiensis
CAA53076.1	X75327	Pisum sativum	CAA66034.1	X97348	Populus balsamifera subsp.
BAA05466.1	D26448	Hordeum vulgare	trichocarpa		
AAF08296.1	AF196292	Apium graveolens	BAA94962.1	AB042103	Asparagus officinalis
AAB47571.1	U87848	Nicotiana plumbaginifolia	CAA80502.1	Z22920	Spirodela polyrrhiza
AAG43027.1	AF323586	Oryza sativa	CAA66035.1	X97349	Populus balsamifera subsp.
AAB33843.1	S77096	Brassica napus	trichocarpa		
CAA53075.1	X75326	Zea mays	BAA11852.1	D83224	Populus nigra
			CAA66036.1	X97350	Populus balsamifera subsp.
SEQ ID NO. 858			trichocarpa		
AAB41812.1	L36158	Medicago sativa	BAA07241.1	D38051	Populus kitakamiensis
CAA71495.1	Y10469	Spinacia oleracea	AAD11481.1	U51191	Glycine max
CAA09881.1	AJ011939	Trifolium repens	AAC98519.1	AF007211	Glycine max
CAA62228.1	X90695	Medicago sativa	AAA32973.1	M73234	Hordeum vulgare
AAA98491.1	L36981	Petroselinum crispum	AAB47602.1	L07554	Linum usitatissimum
AAB02926.1	U59284	Linum usitatissimum	AAB41810.1	L36156	Medicago sativa
BAA77387.1	AB024437	Scutellaria baicalensis	AAF63027.1	AF244924	Spinacia oleracea
CAA66037.1	X97351	Populus balsamifera subsp.	AAA34108.1	J02979	Nicotiana tabacum
trichocarpa			AAD43561.1	AF155124	Gossypium hirsutum
CAA71488.1	Y10462	Spinacia oleracea	SEQ ID NO. 859		
BAA01950.1	D11337	Vigna angularis	CAA06339.1	AJ005082	Cyamopsis tetragonoloba
BAA14143.1	D90115	Armoracia rusticana	AAA86532.1	U31544	Pisum sativum
CAA71490.1	Y10464	Spinacia oleracea	CAA06338.1	AJ005081	Cyamopsis tetragonoloba
CAB94692.1	AJ242742	Ipomoea batatas	CAC14890.1	AJ295156	Phragmites australis
BAA92497.1	AF001383	Oryza sativa	CAB61752.1	AJ275318	Cicer arietinum
AAC36707.1	AF078691	Manihot esculenta	BAB40967.1	AB059568	Pisum sativum
BAA92422.1	AP001366	Oryza sativa	AAB68605.1	U82433	Prunus armeniaca
CAA62226.1	X90693	Medicago sativa	SEQ ID NO. 860		
AAF63024.1	AF244921	Spinacia oleracea	AAF98390.1	AF287143	Brassica napus
AAA32676.1	M37637	Arachis hypogaea			
BAA11853.1	D83225	Populus nigra			

BAA93039.1	AB033758	Citrus unshiu	CAA30261.1	X07280	Nicotiana plumbaginifolia
AAF61647.1	AF190634	Nicotiana tabacum	AAA51643.1	M23120	Nicotiana plumbaginifolia
BAA89009.1	AB027455	Petunia x hybrida	AAA34078.1	M63634	Nicotiana plumbaginifolia
AAA59054.1	I34847	Zea mays	AAB82772.2	AF001523	Musa acuminata
BAA36423.1	AB013598	Verbena x hybrida	AAF08679.1	AF004838	Musa acuminata
BAA36421.1	AB013596	Perilla frutescens	AAD10383.1	U72252	Oryza sativa
AAF17077.1	AF199453	Sorghum bicolor	AAD28732.1	AF112965	Triticum aestivum
BAA36422.1	AB013597	Perilla frutescens	AAA63539.1	M60402	Nicotiana tabacum
BAA83484.1	AB031274	Scutellaria baicalensis	AAA63541.1	M59442	Nicotiana tabacum
AAB36652.1	U32643	Nicotiana tabacum	AAA63540.1	M60403	Nicotiana tabacum
AAK28304.1	AF346432	Nicotiana tabacum	AAA32939.1	M62907	Hordeum vulgare
AAB36653.1	U32644	Nicotiana tabacum	AAC14399.1	AF030771	Hordeum vulgare
AAK28303.1	AF346431	Nicotiana tabacum	AAA87456.1	U22147	Hevea brasiliensis
CAA59450.1	X85138	Lycopersicon esculentum	BAA77784.1	AB027429	Oryza sativa
AAD21086.1	AF127218	Forsythia x intermedia	BAA77785.1	AB027430	Oryza sativa
CAB56231.1	Y18871	Dorotheanthus bellidifloris	CAB91554.1	AJ277900	Vitis vinifera
BAA19659.1	AB002818	Perilla frutescens	AAD10381.1	U72250	Oryza sativa
BAB41017.1	AB047090	Vitis labrusca x Vitis vinifera	AAA33946.1	M37753	Glycine max
BAB41023.1	AB047096	Vitis vinifera	AAD33881.1	AF141654	Nicotiana tabacum
BAB41021.1	AB047094	Vitis vinifera	AAB86541.1	AF030166	Oryza sativa
BAB41019.1	AB047092	Vitis vinifera	AAD10384.1	U72253	Oryza sativa
BAB41022.1	AB047095	Vitis vinifera	CAB38443.1	AJ133470	Hevea brasiliensis
BAB41020.1	AB047093	Vitis vinifera	AAE03501.1	U41323	Glycine max
BAB41026.1	AB047099	Vitis vinifera	AAA18928.1	U01901	Solanum tuberosum
BAB41025.1	AB047098	Vitis vinifera	AAA88794.1	U01900	Solanum tuberosum
BAB41024.1	AB047097	Vitis vinifera	AAC19114.1	AF067863	Solanum tuberosum
BAB41018.1	AB047091	Vitis labrusca x Vitis vinifera	AAG24921.1	AF311749	Hevea brasiliensis
AAB81682.1	AF000371	Vitis vinifera	CAA03908.1	AJ000081	Citrus sinensis
AAB81683.1	AF000372	Vitis vinifera	CAA37289.1	X53129	Phaseolus vulgaris
BAA90787.1	AB038248	Ipomoea batatas	CAA57255.1	X81560	Nicotiana tabacum
AAB86473.1	AF028237	Ipomoea purpurea			
BAA12737.1	D85186	Gentiana triflora			
BAA89008.1	AB027454	Petunia x hybrida			
			SEQ ID NO. 862		
			CAA08798.1	AJ009720	Solanum tuberosum
			AAK28810.1	AF310964	Linum usitatissimum
			AAA50763.1	U15605	Nicotiana glutinosa
			AAK28812.1	AF310968	Linum usitatissimum
			AAK28806.1	AF310960	Linum usitatissimum
			AAK28811.1	AF310966	Linum usitatissimum
			AAG09951.1	AF175388	Glycine max
			AAK28809.1	AF310962	Linum usitatissimum
			AAK28808.1	AF310961	Linum usitatissimum
			SEQ ID NO. 861		
			AAD10386.1	U72255	Oryza sativa
			BAA89481.1	AB029462	Salix gilgiana
			CAB85903.1	AJ251646	Pisum sativum
			CAA49513.1	X69887	Brassica napus
			AAA90953.1	U30323	Triticum aestivum
			CAA82271.1	Z28697	Nicotiana tabacum

AAK28805.1	AF310960	Linum usitatissimum	AAD25300.1	AF088276	Lycopersicon esculentum
AAK28803.1	AF310958	Linum usitatissimum	CAA63704.1	X93301	Oryza sativa
AAK28804.1	AF310959	Linum usitatissimum	AAD24966.1	AF109150	Lycopersicon esculentum
CAC35321.1	AJ310150	Linum usitatissimum	AAD25225.1	AF088279	Potamogeton crispus
CAC35327.1	AJ310152	Linum usitatissimum			
AAG09953.1	AF175398	Glycine max	SEQ ID NO. 864		
CAC35332.1	AJ310157	Linum usitatissimum	AAC12662.1	AF032468	Zea mays
AAD25973.1	AF093646	Linum usitatissimum	CAA05772.1	AJ002959	Zea mays
CAC35337.1	AJ310162	Linum usitatissimum	AAA34310.1	M62720	Triticum aestivum
CAC35325.1	AJ310150	Linum usitatissimum	AAF73016.1	AF262934	Avicennia marina
CAC35336.1	AJ310161	Linum usitatissimum	BAB40310.1	AB026055	Nicotiana tabacum
CAC35328.1	AJ310153	Linum usitatissimum	BAB40311.1	AB026056	Nicotiana tabacum
CAC35330.1	AJ310155	Linum usitatissimum	AAA34125.1	I23762	Lycopersicon esculentum
CAC35333.1	AJ310158	Linum usitatissimum	AAB88617.1	AF034946	Zea mays
CAC35339.1	AJ310164	Linum usitatissimum	CAA51821.1	X73419	Lycopersicon esculentum
CAC35338.1	AJ310163	Linum usitatissimum	AAD51109.1	AF176040	Mesembryanthemum crystallinum
CAC35329.1	AJ310154	Linum usitatissimum	AAA64427.1	L29077	Pisum sativum
CAC35331.1	AJ310156	Linum usitatissimum	AAD42941.1	AF091621	Catharanthus roseus
CAC35334.1	AJ310159	Linum usitatissimum	AAB02168.1	U15971	Oryza sativa
CAC35326.1	AJ310151	Linum usitatissimum	BAA90392.1	AF001081	Oryza sativa
CAC35323.1	AJ310150	Linum usitatissimum	AAB63513.1	AF008910	Prunus armeniaca
AAG09952.1	AF175389	Glycine max	AAA86089.1	U17250	Brassica oleracea
AAG43546.1	AF211528	Nicotiana tabacum	CAA10494.1	AJ131733	Pseudotsuga menziesii
AAD25967.1	AF093640	Linum usitatissimum	CAA58111.1	X82938	Lycopersicon esculentum
AAD25970.1	AF093643	Linum usitatissimum	AAG23847.1	AF004247	Lycopersicon esculentum
AAD25966.1	AF093639	Linum usitatissimum	AAF22280.1	AF165420	Mesembryanthemum crystallinum
AAD25971.1	AF093644	Linum usitatissimum	AAA34309.1	M28059	Triticum aestivum
AAD25965.1	AF093638	Linum usitatissimum	BAA21006.1	D17786	Oryza sativa
AAB47618.1	U73916	Linum usitatissimum	AAF03236.1	AF180143	Glycine max
CAA08797.1	AJ009719	Solanum tuberosum	AAC32141.1	AF051240	Picea mariana
AAD25968.1	AF093641	Linum usitatissimum	SEQ ID NO. 865		
AAD25974.1	AF093647	Linum usitatissimum	CAA65735.1	X97012	Solanum tuberosum
AAD25975.1	AF093648	Linum usitatissimum			
AAA91022.1	U27081	Linum usitatissimum	SEQ ID NO. 866		
AAD25972.1	AF093645	Linum usitatissimum	CAA63056.1	X92075	Solanum tuberosum
AAD25969.1	AF093642	Linum usitatissimum	AAF15291.1	AF201458	Medicago sativa
AAD25976.1	AF093649	Linum usitatissimum	CAA43167.1	X60755	Cicer arietinum
AAA91021.1	U27081	Linum usitatissimum			
AAG01052.1	AF175395	Glycine max	SEQ ID NO. 867		
			AAD02558.1	AF049933	Petunia x hybrida

SEQ ID NO. 870	Parthenium argentatum	CAA49463.1	X69805	Solanum tuberosum
CAA55047.1	Zea mays	CAA70038.1	Y08786	Solanum tuberosum
CAA60251.1	Zea mays	AAB17086.1	U66376	Triticum aestivum
AAD11459.1	Zea mays	AAB67316.1	U65948	Zea mays
AAC49360.1	Zea mays	BAB40334.1	AB042937	Ipomoea batatas
AAB71080.1	Zea mays	BAA01584.1	D10752	Oryza sativa
AAD11446.1	Zea mays	AAD28284.1	AF136268	Oryza sativa subsp. japoni
AAD11447.1	Zea mays	BAA01616.1	D10838	Oryza sativa
AAA91168.1	Zea mays	BAA01855.1	D11082	Oryza sativa
AAB71079.1	Zea mays	CAB40981.1	AJ237897	Triticum aestivum
AAB71078.1	Zea mays	CAB40979.1	AJ237897	Triticum aestivum
BAA92988.1	Oryza sativa	CAB40980.1	AJ237897	Triticum aestivum
CAA47042.1	Chlamydomonas reinhardtii	AAG27622.1	AF286318	Triticum aestivum
AAB63814.1	Glycine max	CAA54308.1	X77012	Manihot esculenta
		CAA72987.1	Y12320	Manihot esculenta
		AAG27621.1	AF286317	Triticum aestivum
SEQ ID NO. 872	Solanum tuberosum	BAA82349.1	AB029549	Phaseolus vulgaris
CAB40743.1	Solanum tuberosum	AAB61925.1	AF002820	Triticum aestivum
CAB40746.1	Solanum tuberosum	CAB40749.1	AJ011891	Solanum tuberosum
CAB40748.1	Solanum tuberosum	CAB40745.1	AJ011887	Solanum tuberosum
AAD30186.1	Triticum aestivum	CAB40744.1	AJ011886	Solanum tuberosum
AAD30187.1	Aegilops tauschii	BAA85762.1	AB028067	Nicotiana tabacum
BAA82348.1	Phaseolus vulgaris	CAA49371.1	X69713	Manihot esculenta
CAA56319.1	Pisum sativum	BAB40335.1	AB042940	Ipomoea batatas
CAB40747.1	Solanum tuberosum	CAA49370.1	X69712	Manihot esculenta
CAA03846.1	Solanum tuberosum	AAC72336.1	AF064563	Hordeum vulgare
BAA03738.1	Oryza sativa			
AAG27623.1	Triticum aestivum	SEQ ID NO. 873		
CAA72154.1	Triticum aestivum	AAA19571.1	U10150	Brassica napus
AAK26821.1	Aegilops tauschii	AAD10244.1	AF030032	Phaseolus vulgaris
AAK26822.1	Triticum aestivum	AAA85157.1	U20297	Solanum tuberosum
AAC33764.1	Zea mays	AAA85156.1	U20296	Solanum tuberosum
AAA18571.1	Zea mays	AAA62351.1	U20295	Solanum tuberosum
BAA82828.1	Oryza sativa	AAA85155.1	U20294	Solanum tuberosum
AAC69753.1	Hordeum vulgare	AAA92681.1	U13882	Pisum sativum
CAA56320.1	Pisum sativum	CAA78301.1	Z12839	Lilium longiflorum
AAC69754.1	Hordeum vulgare	AAD10246.1	AF030034	Phaseolus vulgaris
AAC36471.1	Zea mays	AAC49587.1	U49105	Triticum aestivum
AAA82735.1	Zea mays	AAC49586.1	U49104	Triticum aestivum
AAD50279.2	Sorghum bicolor	AAC49585.1	U49103	Triticum aestivum
BAA01854.1	Zea mays	AAC49584.1	U48693	Triticum aestivum

AAC49580.1	U48689	Triticum aestivum	CAA67554.1	X99100	Trifolium repens
AAC49579.1	U48688	Triticum aestivum	CAA72330.1	Y11591	Ricinus communis
AAC49578.1	U48242	Triticum aestivum	CAA10288.1	AJ131048	Cicer arietinum
CAA78287.1	Z12827	Oryza sativa	CAA72291.1	Y11527	Oryza sativa
AAA33900.1	L18914	Oryza sativa	CAA58760.1	X83879	Nicotiana tabacum
CAA78288.1	Z12828	Oryza sativa	CAB37188.1	AJ224336	Medicago sativa
AAA16320.1	L14071	Bryonia dioica	AAF65766.1	AF242308	Euphorbia esula
AAC49583.1	U48692	Triticum aestivum	CAA47099.1	X66469	Medicago sativa
			AAB41548.1	L07042	Medicago sativa
			AAD37790.1	AF149424	Ipomoea batatas
			AAF23902.1	AF194415	Oryza sativa
SEQ ID NO. 874		Populus tremula x Populus	CAA50036.1	X70703	Pisum sativum
AAD13031.1	AF097938		CAC13967.1	AJ250311	Oryza sativa
tremuloides			BAA09600.1	D61377	Nicotiana tabacum
AAK18846.1	AC082645	Oryza sativa	AAD52659.1	AF177392	Oryza sativa
CAB60127.1	AJ250769	Pisum sativum	AAK01710.1	AF332873	Oryza sativa
AAC50049.1	U89342	Zea mays	AAG40579.1	AF216315	Oryza sativa
AAC50048.1	U89341	Zea mays	CAA58761.1	X83880	Nicotiana tabacum
CAB93681.1	AJ240054	Solanum tuberosum	CAA56314.1	X79993	Avena sativa
AAB41895.1	U84888	Mesembryanthemum crystallinum	AAF73236.1	AF153061	Pisum sativum
CAB60128.1	AJ250770	Pisum sativum	AAF23903.1	AF194416	Oryza sativa
CAB93680.1	AJ240053	Solanum tuberosum	CAA57721.1	X82270	Medicago sativa
CAB60109.1	AJ250771	Brassica napus	CAA57719.1	X82268	Medicago sativa
			CAC15504.1	AJ297917	Lycopersicon esculentum
SEQ ID NO. 875		Oryza sativa	CAA49592.1	X69971	Nicotiana tabacum
CAA73848.1	Y13437	Oryza sativa	CAA73323.1	Y12785	Petroselinum crispum
BAA92966.1	AF001551	Petunia x hybrida	AAF73257.1	AF154329	Pisum sativum
CAA58594.1	X83619	Oryza sativa	AAG40580.1	AF216316	Oryza sativa
BAA92214.1	AF001278	Oryza sativa	AAA33479.1	M60526	Zea mays
BAB40983.1	AB059621	Oryza sativa			
CAA54803.1	X77763	Nicotiana tabacum	SEQ ID NO. 876		
CAA48474.1	X68411	Medicago sativa	AAG13131.1	AF193791	Fragaria x ananassa
CAA48472.1	X68409	Medicago sativa	AAB40530.1	U38199	Oryza sativa
CAA48473.1	X68410	Medicago sativa	BAB08208.1	AP002539	Oryza sativa
CAA69899.1	Y08607	Nicotiana tabacum	BAA96769.1	AP002521	Oryza sativa
CAA11860.1	AJ224163	Nicotiana tabacum	AAA90948.1	U27350	Oryza sativa
CAA73214.1	Y12674	Brassica napus	AAG22488.1	AF195868	Vitis vinifera
CAA05329.1	AJ002315	Nicotiana tabacum	CAA57447.1	X81854	Nicotiana tabacum
CAA11862.1	AJ224165	Petunia x hybrida	CAA45120.1	X59546	Zea mays
CAA58595.1	X83620	Petunia x hybrida	CAA32589.1	X17555	Zea mays
CAA11861.1	AJ224164	Petunia x hybrida	CAA91444.1	Z66543	Pisum sativum
CAA05328.1	AJ002314	Nicotiana tabacum			
CAC08564.1	AJ295939	Medicago sativa			

CAA91445.1	Z66544	Pisum sativum	BAA92836.1	AB032473	Brassica oleracea
AAA68290.1	U07339	Oryza sativa	CAB51836.1	AJ243961	Oryza sativa
AAC49442.1	U26660	Oryza sativa			
CAA57448.1	X81855	Nicotiana tabacum	SEQ ID NO. 879		
AAA68289.1	U07338	Oryza sativa	AAC61805.1	U28007	Lycopersicon esculentum
CAB61763.1	AJ251246	Saccharum officinarum	AAF91336.1	AF249317	Glycine max
CAA79819.1	Z21722	Zea mays	AAF91337.1	AF249318	Glycine max
BAA03354.1	D14457	Zea mays	AAG16628.1	AY007545	Brassica napus
CAA63404.1	X92743	Oryza sativa	AAC27894.1	AF023164	Zea mays
CAA79818.1	Z21721	Zea mays	AAC27895.1	AF023165	Zea mays
BAA03353.1	D14456	Zea mays	BAA94509.1	AB041503	Populus nigra
			BAA94510.1	AB041504	Populus nigra
			AAK21965.1	AY028699	Brassica napus
SEQ ID NO. 878			AAG03090.1	AC073405	Oryza sativa
AAC61805.1	U28007	Lycopersicon esculentum	AAG25966.1	AF302082	Nicotiana tabacum
AAF91336.1	AF249317	Glycine max	BAA78764.1	AB023482	Oryza sativa
AAF91337.1	AF249318	Glycine max	AAB09771.1	U67422	Zea mays
AAC27894.1	AF023164	Zea mays	AAF43496.1	AF131222	Lophopyrum elongatum
AAG16628.1	AY007545	Brassica napus	AAK11674.1	AF339747	Lophopyrum elongatum
AAC27895.1	AF023165	Zea mays	AAF66615.1	AF142596	Nicotiana tabacum
BAA94509.1	AB041503	Populus nigra	CAA97692.1	Z73295	Catharanthus roseus
BAA94510.1	AB041504	Populus nigra	CAB51834.1	00069	Oryza sativa
AAK21965.1	AY028699	Brassica napus	AAB47421.1	U59316	Lycopersicon esculentum
AAG03090.1	AC073405	Oryza sativa	AAF76313.1	AF220603	Lycopersicon esculentum
AAK11674.1	AF339747	Lophopyrum elongatum	CAB51836.1	AJ243961	Oryza sativa
AAF43496.1	AF131222	Lophopyrum elongatum	AAF76306.1	AF220602	Lycopersicon pimpinellifolium
AAG25966.1	AF302082	Nicotiana tabacum	AAC48914.1	U02271	Lycopersicon pimpinellifolium
BAA78764.1	AB023482	Oryza sativa	AAB47423.1	U59315	Lycopersicon pimpinellifolium
AAB09771.1	U67422	Zea mays	AAK11566.1	AF318490	Lycopersicon hirsutum
AAF66615.1	AF142596	Nicotiana tabacum	AAC36318.1	AF053127	Malus x domestica
CAB51834.1	00069	Oryza sativa	AAF91323.1	AF244889	Glycine max
CAA97692.1	Z73295	Catharanthus roseus	AAF91324.1	AF244890	Glycine max
AAF76313.1	AF220603	Lycopersicon esculentum	AAK11567.1	AF318491	Lycopersicon hirsutum
AAB47421.1	U59316	Lycopersicon esculentum	SEQ ID NO. 880		
AAF76306.1	AF220602	Lycopersicon pimpinellifolium	AAA80499.1	U20594	Lycopersicon esculentum
AAC48914.1	U02271	Lycopersicon pimpinellifolium	CAA54314.1	X77015	Solanum tuberosum
AAB47423.1	U59315	Lycopersicon pimpinellifolium	CAA48038.1	X67845	Solanum tuberosum
AAK11566.1	AF318490	Lycopersicon hirsutum	AAC49457.1	U50152	Lycopersicon esculentum
AAK11567.1	AF318491	Lycopersicon hirsutum	AAC49456.1	U50151	Lycopersicon esculentum
CAB89179.1	AJ245479	Brassica napus subsp. napus	AAA80498.1	U20593	Lycopersicon esculentum
AAA33008.1	M97667	Brassica napus			
AAK36318.1	AF053127	Malus x domestica			

CAA68143.1	X99825	Petroselinum crispum	BAA06538.1	D31737	Nicotiana tabacum
BAA90521.1	AB037678	Phaseolus vulgaris	AAF68398.1	AF237568	Oryza sativa
SEQ ID NO. 881			BAA94517.1	AP001800	Oryza sativa
AAG17470.1	AF123609	Triticum aestivum	AAF78044.1	AF248493	Oryza sativa
AAK31592.1	AY029178	Brassica rapa subsp. pekinensis	CAB51834.1	00069	Oryza sativa
AAG33645.1	AF092917	Vicia sativa	AAF78021.1	AF238477	Oryza sativa
AAD10204.1	AF030260	Brassica rapa subsp. pekinensis	AAD46420.1	AF100771	Hordeum vulgare
CAB41474.1	AJ238402	Vicia sativa	AAD4617.1	AF164021	Oryza sativa
AAB94586.1	AF022457	Catharanthus roseus	AAF78018.1	AF238474	Oryza sativa
AAD56282.1	AF155332	Glycine max	AAC01746.1	AF044489	Oryza sativa
AAA32913.1	M32885	Petunia x hybrida	BAB39437.1	AP003338	Oryza sativa
AAA17732.1	L19074	Persea americana	AAF78019.1	AF238475	Oryza sativa
BAA12159.1	D83968	Catharanthus roseus	BAA05648.1	D26601	Nicotiana tabacum
AAC32274.1	AF081575	Glycine max	SEQ ID NO. 883		
AAG09208.1	AF175278	Petunia x hybrida	BAA83575.1	AP000399	Oryza sativa
CAA50155.1	X70824	Pisum sativum			
AAC49188.2	U29333	Solanum melongena	SEQ ID NO. 884		
AAD37433.1	AF150881	Pisum sativum	CAA67575.1	X99134	Lycopersicon esculentum
Lycopersicon peruvianum		Lycopersicon esculentum x	CAA78386.1	Z13996	Petunia x hybrida
BAA13076.1	D86351	Glycine max	AAB41101.1	U72762	Nicotiana tabacum
AAD03415.1	AF069494	Sinapis alba	BAA88223.1	AB028651	Nicotiana tabacum
AAG14961.1	AF214007	Brassica napus	BAA88222.1	AB028650	Nicotiana tabacum
AAB94590.1	AF022461	Glycine max	CAA78387.1	Z13997	Petunia x hybrida
AAG14962.1	AF214008	Brassica napus	BAA88224.1	AB028652	Nicotiana tabacum
AAF27282.1	AF122821	Capsicum annuum	BAA88221.1	AB028649	Nicotiana tabacum
AAB94588.1	AF022459	Glycine max	CAB43399.1	AJ006292	Antirrhinum majus
CAA70575.1	Y09423	Nepeta racemosa	CAA66952.1	X98308	Lycopersicon esculentum
BAA22422.1	AB001379	Glycyrrhiza echinata	CAA67600.1	X99210	Lycopersicon esculentum
SEQ ID NO. 882			AAA33500.1	M73028	Zea mays
CAC09580.1	AJ298992	Fagus sylvatica	AAG36774.1	AF210616	Zea mays
AAA34002.1	M67449	Glycine max	CAA64614.1	X95296	Lycopersicon esculentum
AAK11734.1	AY027437	Arachis hypogaea	AAF22256.1	AF161711	Pimpinella brachycarpa
CAA06334.1	AJ005077	Lycopersicon esculentum	CAA64615.1	X95297	Lycopersicon esculentum
AAG31141.1	AF305911	Oryza sativa	CAA75509.1	Y15219	Oryza sativa subsp. indica
AAD46406.1	AF096250	Lycopersicon esculentum	SEQ ID NO. 888		
AAG31142.1	AF305912	Hordeum vulgare	AAA50763.1	U15605	Nicotiana glutinosa
AAD10056.1	AF110518	Lycopersicon esculentum	AAG43546.1	AF211528	Nicotiana tabacum
AAD10057.1	AF110519	Lycopersicon esculentum	CAA08798.1	AJ009720	Solanum tuberosum
AAK30005.1	AY029067	Rosa hybrid cultivar	CAA08797.1	AJ009719	Solanum tuberosum



AA090954.1	AF175399	Glycine max	AAK28805.1	AF310960	Linum usitatissimum
AAG09951.1	AF175388	Glycine max	AAK28808.1	AF310961	Linum usitatissimum
AAD25965.1	AF093638	Linum usitatissimum	SEQ ID NO. 889		
AAD25968.1	AF093641	Linum usitatissimum	AAC18055.1	AF041848	Spinacia oleracea
AAA91021.1	U27081	Linum usitatissimum	AAC26113.1	AF073830	Solanum tuberosum
AAA91022.1	U27081	Linum usitatissimum	AAB64291.1	AF007582	Zea mays
CAC35330.1	AJ310155	Linum usitatissimum	SEQ ID NO. 891		
AAD25973.1	AF093646	Linum usitatissimum	CAB56569.1	AJ011622	Antirrhinum majus
CAC35339.1	AJ310164	Linum usitatissimum	CAB56570.1	AJ011623	Antirrhinum majus
CAC35326.1	AJ310151	Linum usitatissimum	CAB56568.1	AJ011621	Antirrhinum majus
AAD25974.1	AF093647	Linum usitatissimum	AAB51071.1	U89496	Zea mays
AAD25966.1	AF093639	Linum usitatissimum	CAA63113.1	X92369	Antirrhinum majus
AAD25975.1	AF093648	Linum usitatissimum	CAA63061.1	X92079	Antirrhinum majus
AAD25976.1	AF093649	Linum usitatissimum	SEQ ID NO. 892		
AAD25972.1	AF093645	Linum usitatissimum	CAB56570.1	AJ011623	Antirrhinum majus
AAD25971.1	AF093644	Linum usitatissimum	CAB56569.1	AJ011622	Antirrhinum majus
AAD25970.1	AF093643	Linum usitatissimum	CAA63061.1	X92079	Antirrhinum majus
AAD25967.1	AF093640	Linum usitatissimum	CAB56568.1	AJ011621	Antirrhinum majus
AAD25969.1	AF093642	Linum usitatissimum	CAA63113.1	X92369	Antirrhinum majus
CAC35321.1	AJ310150	Linum usitatissimum	AAB51071.1	U89496	Zea mays
AAG01052.1	AF175395	Glycine max	AAB70119.1	U82230	Zea mays
AAG01051.1	AF175394	Glycine max	SEQ ID NO. 893		
CAC35333.1	AJ310158	Linum usitatissimum	CAA71800.1	Y10847	Brassica juncea
CAC35329.1	AJ310154	Linum usitatissimum	CAA71798.1	Y10845	Brassica juncea
CAC35337.1	AJ310162	Linum usitatissimum	AAC25635.1	AF044172	Solanum tuberosum
CAC35334.1	AJ310159	Linum usitatissimum	BAA01279.1	D10476	Spinacia oleracea
CAC35338.1	AJ310163	Linum usitatissimum	BAA02438.1	D13153	Triticum aestivum
AAB47618.1	U73916	Linum usitatissimum	CAA59798.1	X85803	Zea mays
CAC35331.1	AJ310156	Linum usitatissimum	AAD23907.1	AF073695	Oryza sativa
CAC35323.1	AJ310150	Linum usitatissimum	AAD23909.1	AF073697	Oryza sativa
CAC35328.1	AJ310153	Linum usitatissimum	AAC25636.1	AF044173	Solanum tuberosum
CAC35336.1	AJ310161	Linum usitatissimum	CAA06819.1	AJ006024	Cicer arietinum
CAC35332.1	AJ310157	Linum usitatissimum	CAA46086.1	X64874	Capsicum annuum
CAC35325.1	AJ310150	Linum usitatissimum	CAA71799.1	Y10846	Brassica juncea
CAC35327.1	AJ310152	Linum usitatissimum	AAA16973.1	L05184	Chloroplast Spinacia oleracea
AAF61452.1	AF139523	Tagetes erecta	AAD23908.1	AF073696	Oryza sativa
AAK28811.1	AF310966	Linum usitatissimum	AAD23910.1	AF073698	Oryza sativa
AAK28806.1	AF310960	Linum usitatissimum			
AAK28812.1	AF310968	Linum usitatissimum			
AAK28810.1	AF310964	Linum usitatissimum			
AAK28809.1	AF310962	Linum usitatissimum			

## SEQ ID NO. 896

AAA21758.1 U14956  
 CAA30978.1 X12446  
 CAB71293.1 AJ250378  
 AAA33029.1 M25528  
 AAA34029.1 M86349  
 CAA74359.1 Y14032  
 BAA88237.1 AB035645  
 BAA04616.1 D17790  
 BAA90642.1 AP001129  
 BAA85425.1 AP000616  
 BAA88236.1 AB035644  
 BAA13417.1 D87547  
 BAA07479.1 D38445  
 BAA02248.1 D12815  
 BAA04232.1 D17410  
 BAA20365.1 AB004307  
 CAA67796.1 X99419  
 AAB40034.1 U10418  
 AAK09367.1 AF321525  
 AAK09370.1 AF321528  
 AAA79131.1 U10545  
 AAK09369.1 AF321527  
 AAK09368.1 AF321526  
 AAB40978.1 U22328  
 CAA55406.1 X78851  
 AAB59303.1 L15567  
 AAB59333.1 L15566  
 AAB59349.1 L15565  
 AAB59304.1 L15569  
 CAA45703.1 X64351  
 CAA49446.1 X69791  
 AAC05021.1 U67185  
 CAA81209.1 Z26250  
 AAA34240.1 L07843  
 AAK15259.1 AF302496  
 CAA89837.3 Z49767  
 AAG17471.1 AF123610  
 AAK15260.1 AF302497  
 AAB97737.1 AF024635

Vicia faba  
 Pisum sativum  
 Capsicum annuum  
 Mesembryanthemum crystallinum  
 Spinacia oleracea  
 Nicotiana tabacum  
 Zea mays  
 Oryza sativa  
 Oryza sativa  
 Oryza sativa  
 Zea mays  
 Oryza sativa  
 Oryza sativa  
 Oryza sativa  
 Oryza sativa  
 Nicotiana tabacum  
 Pisum sativum  
 Zea mays  
 Pisum sativum  
 Pisum sativum  
 Chlamydomonas reinhardtii  
 Pisum sativum  
 Pisum sativum  
 Volvox carteri  
 Chlamydomonas reinhardtii  
 Pisum sativum  
 Pisum sativum  
 Pisum sativum  
 Pisum sativum  
 Spinacia oleracea  
 Catharanthus roseus  
 Papaver somniferum  
 Helianthus tuberosus  
 Vigna radiata  
 Populus x generosa  
 Pseudotsuga menziesii  
 Triticum aestivum  
 Populus x generosa  
 Petroselinum crispum

AAB97736.1 AF024634  
 AAC05022.1 U67186  
 CAC27143.1 AJ132538  
 AAC14746.1 AF057182  
 AAK15261.1 AF302498  
 CAA81210.1 Z26251  
 CAA81211.1 Z26252  
 AAC14743.1 AF057179  
 AAC14745.1 AF057181

## SEQ ID NO. 897

CAA50520.1 X71397  
 AAD55575.1 AF110793

## SEQ ID NO. 898

AAD27880.2 AF139468  
 AAA33344.1 M83119  
 AAA68147.1 U08135  
 AAC78106.1 AF093634  
 AAF19787.1 AF162201  
 AAD27871.1 AF135791

## SEQ ID NO. 899

CAA43841.1 X61664  
 AAC26196.1 AF052076  
 AAC78107.1 AF093635  
 CAA34218.1 X16092

## SEQ ID NO. 900

BAA25432.1 AB000706  
 AAB47752.1 U77952  
 CAA50259.1 X70902  
 CAA88361.1 Z48451  
 CAA09882.1 AJ011943  
 CAA50260.1 X70903  
 CAA62956.1 X91839  
 AAB28589.1 S66813  
 AAA33431.1 L08426  
 AAB25115.1 S53630  
 AAA33430.1 L08425  
 CAA40061.1 X56737

Petroselinum crispum  
 Eschscholzia californica  
 Picea abies  
 Pisum sativum  
 Populus x generosa  
 Helianthus tuberosus  
 Vicia sativa  
 Pisum sativum  
 Pisum sativum  
 Spinacia oleracea  
 Volvox carteri f. nagarien  
 Vigna radiata  
 Flaveria trinervia  
 Hordeum vulgare  
 Oryza sativa  
 Chloroplast Lactuca sativa  
 Chlamydomonas reinhardtii  
 Nicotiana sylvestris  
 Zea mays  
 Oryza sativa  
 Hordeum vulgare  
 Raphanus sativus  
 Malus x domestica  
 Nicotiana tabacum  
 Capsicum annuum  
 Lycopersicon esculentum  
 Nicotiana tabacum  
 Fragaria x ananassa  
 Zea mays  
 Zea mays  
 Zea mays  
 Zea mays  
 Zea mays

CAA34376.1	X16309	Zea mays	AAAC3901.1	U22432	Zea mays
AAA33436.1	J04550	Zea mays	AAB97115.1	U58854	Glycine max
BAA25433.1	AB000707	Avena sativa	AAB28535.1	S66160	Oryza sativa
AAF37576.1	AF233229	Ceratodon purpureus			
AAA33432.1	L08427	Zea mays	SEQ ID NO.	902	
SEQ ID NO.	901		AAA50763.1	U15605	Nicotiana glutinosa
CAA98183.1	Z73955	Lotus japonicus	CAA08798.1	AJ009720	Solanum tuberosum
CAA54506.1	X77301	Glycine max	AAG09951.1	AF175388	Glycine max
BAA02108.1	D12540	Pisum sativum	AAK28809.1	AF310962	Linum usitatissimum
AAD48018.1	AF165095	Gossypium hirsutum	AAK28810.1	AF310964	Linum usitatissimum
CAA98186.1	Z73958	Lotus japonicus	AAK28804.1	AF310959	Linum usitatissimum
AAD48019.1	AF165096	Gossypium hirsutum	AAK28812.1	AF310968	Linum usitatissimum
AAB47558.1	U87143	Mesembryanthemum crystallinum	AAK28805.1	AF310960	Linum usitatissimum
CAA54507.1	X77302	Glycine max	AAK28803.1	AF310958	Linum usitatissimum
BAA06701.1	D31905	Zea mays	AAK28808.1	AF310961	Linum usitatissimum
BAA02904.1	D13758	Oryza sativa	AAK28811.1	AF310966	Linum usitatissimum
AAK15703.1	AF327517	Oryza sativa	AAK28806.1	AF310960	Linum usitatissimum
CAA89049.1	Z49190	Beta vulgaris	CAC35328.1	AJ310153	Linum usitatissimum
CAA98181.1	Z73953	Lotus japonicus	AAG43546.1	AF211528	Nicotiana tabacum
BAA02114.1	D12546	Pisum sativum	CAC35332.1	AJ310157	Linum usitatissimum
CAA98180.1	Z73952	Lotus japonicus	CAC35325.1	AJ310150	Linum usitatissimum
AAAB97114.1	U58853	Glycine max	CAC35336.1	AJ310161	Linum usitatissimum
CAA98179.1	Z73951	Lotus japonicus	CAA08797.1	AJ009719	Solanum tuberosum
BAA02113.1	D12545	Pisum sativum	CAC35321.1	AJ310150	Linum usitatissimum
BAA02437.1	D13152	Oryza sativa	CAC35329.1	AJ310154	Linum usitatissimum
CAA98177.1	Z73949	Lotus japonicus	CAC35326.1	AJ310151	Linum usitatissimum
BAA02112.1	D12544	Pisum sativum	CAC35339.1	AJ310164	Linum usitatissimum
BAA02111.1	D12543	Pisum sativum	CAC35338.1	AJ310163	Linum usitatissimum
CAA98184.1	Z73956	Lotus japonicus	CAC35330.1	AJ310155	Linum usitatissimum
BAA02110.1	D12542	Pisum sativum	CAC35334.1	AJ310159	Linum usitatissimum
CAA41966.1	X59276	Oryza sativa	CAC35337.1	AJ310162	Linum usitatissimum
CAA95859.1	Z71276	Mangifera indica	CAC35327.1	AJ310152	Linum usitatissimum
BAA06702.1	D31906	Zea mays	CAC35323.1	AJ310150	Linum usitatissimum
CAA98178.1	Z73950	Lotus japonicus	CAC35331.1	AJ310156	Linum usitatissimum
BAA02109.1	D12541	Pisum sativum	CAC35333.1	AJ310158	Linum usitatissimum
BAA84640.1	AB007911	Pisum sativum	AAD25974.1	AF093647	Linum usitatissimum
CAA67153.1	X98540	Fagus sylvatica	AAD25976.1	AF093649	Linum usitatissimum
CAA55865.1	Z79278	Medicago sativa	AAG09953.1	AF175398	Glycine max
CAA98182.1	Z73954	Lotus japonicus	AAD25966.1	AF093639	Linum usitatissimum
AAA344253.1	L08130	Volvox carteri	AAD25965.1	AF093638	Linum usitatissimum
			AAD25967.1	AF093640	Linum usitatissimum

	SEQ ID NO.	903
AAD25970.1	AF093643	Linum usitatissimum
AAD25975.1	AF093648	Linum usitatissimum
AAD25971.1	AF093644	Linum usitatissimum
AAB47618.1	U73916	Linum usitatissimum
AAD25969.1	AF093642	Linum usitatissimum
AAG09952.1	AF175389	Glycine max
AAD25972.1	AF093645	Linum usitatissimum
AAD25968.1	AF093641	Linum usitatissimum
AAA91022.1	U27081	Linum usitatissimum
AAD25973.1	AF093646	Linum usitatissimum
AA91021.1	U27081	Linum usitatissimum
AAG09954.1	AF175399	Glycine max
AAA34002.1	M67449	Glycine max
CAC09580.1	AJ298992	Fagus sylvatica
AAK11734.1	AJ027437	Arachis hypogaea
CAA06334.1	AJ005077	Lycopersicon esculentum
AAD10057.1	AF110519	Lycopersicon esculentum
AAD10056.1	AF110518	Lycopersicon esculentum
AAD46406.1	AF096250	Lycopersicon esculentum
AAG31141.1	AF305911	Oryza sativa
AAG31142.1	AF305912	Hordeum vulgare
AAK30005.1	AJ029067	Rosa hybrid cultivar
AAK21965.1	AJ028699	Brassica napus
AAF91323.1	AF244889	Glycine max
AAF91324.1	AF244890	Glycine max
AAF91322.1	AF244888	Glycine max
AAK16409.1	AF320086	Zea mays
BAA06538.1	D31737	Nicotiana tabacum
BAA21132.1	D88193	Brassica rapa
BAA06285.1	D30049	Brassica rapa
CAA97692.1	J73295	Catharanthus roseus
CAA08995.1	AJ010091	Brassica napus
CAB51834.1	U00069	Oryza sativa
AAF43496.1	AF131222	Lophopyrum elongatum
AAK11674.1	AF339747	Lophopyrum elongatum
AAA62232.1	U00443	Brassica napus
AAC36318.1	AF053127	Malus x domestica
AAC23542.1	U20948	Ipomoea trifida
BAA23676.1	AB000970	Brassica rapa
BAA92836.1	AB032473	Brassica oleracea
AAA33915.1	I27821	Oryza sativa
BAA92837.1	AB032474	Brassica oleracea
SEQ ID NO.	904	
AAF17077.1	AF199453	Sorghum bicolor
AAF61647.1	AF190634	Nicotiana tabacum
BAA89009.1	AB027455	Petunia x hybrida
AAF98390.1	AF287143	Brassica napus
AAD21086.1	AF127218	Forsythia x intermedia
BAA93039.1	AB033758	Citrus unshiu
BAA83484.1	AB031274	Scutellaria baicalensis
BAA12737.1	D85186	Gentiana triflora
CAA54612.1	X77462	Manihot esculenta
BAA19155.1	AB000623	Nicotiana tabacum
BAA89008.1	AB027454	Petunia x hybrida
BAA90787.1	AB038248	Ipomoea batatas
AAB36653.1	U32644	Nicotiana tabacum
AAB36652.1	U32643	Nicotiana tabacum
AAK28303.1	AF346431	Nicotiana tabacum
AAK28304.1	AF346432	Nicotiana tabacum
CAA30761.1	X07940	Zea mays
AAK16410.1	AF320086	Zea mays
CAA31855.1	X13500	Zea mays
BAA36421.1	AB013596	Perilla frutescens
AA86473.1	AF028237	Ipomoea purpurea
CAA30760.1	X07937	Zea mays
BAB41021.1	AB047094	Vitis vinifera
BAB41019.1	AB047092	Vitis vinifera
BAB41025.1	AB047098	Vitis vinifera
AAD55985.1	AF165148	Petunia x hybrida
BAB41018.1	AB047091	Vitis labrusca x Vitis vinifera
BAB41017.1	AB047090	Vitis labrusca x Vitis vinifera
BAB41023.1	AB047096	Vitis vinifera
CAA59450.1	X85138	Lycopersicon esculentum
CAA54614.1	X77464	Manihot esculenta
AAB81682.1	AF000371	Vitis vinifera
AAB81683.1	AF000372	Vitis vinifera
BAB41024.1	AB047097	Vitis vinifera
CAA54558.1	X77369	Solanum melongena
BAB41026.1	AB047099	Vitis vinifera

BAB41020.1	AB047093	Vitis vinifera	AAD26204.1	AF117268	Malus x domestica
BAB41022.1	AB047095	Vitis vinifera	AAB20555.1	S69616	Hordeum vulgare
BAA19659.1	AB002818	Perilla frutescens	CAA78930.1	Z17221	Gerbera hybrida
			BAB40789.1	AB058641	Lilium hybrid division I
SEQ ID NO. 905			AAD49343.1	AF169801	Lilium hybrid cv. 'Acapulc
AAF43095.1	AF053769	Malus x domestica	CAA75997.1	Y16041	Zea mays
AAD00252.1	U76408	Lycopersicon esculentum	BAA36182.1	AB003495	Oryza sativa
CAB88029.1	AJ276389	Dendrobium grex Madame Thong-In	BAA36183.1	AB003496	Oryza sativa
BAA31699.1	AB016000	Ipomoea nil	CAA91924.1	Z67983	Dianthus caryophyllus
BAA31700.1	AB016001	Ipomoea nil	CAA69253.1	Y07956	Oryza sativa
BAB18584.1	AB043956	Ceratopteris richardii	AAF60298.1	AF233639	Petunia x hybrida
AAB41849.1	U65648	Solanum tuberosum	CAA33544.1	X15537	Petunia x hybrida
BAB18582.1	AB043954	Ceratopteris richardii	AAG01030.1	AF291097	Dianthus gratianopolitanus
BAB18583.1	AB043955	Ceratopteris richardii	BAA19658.1	AB002817	Perilla frutescens
AAD09582.1	U76409	Lycopersicon esculentum	AAB94014.1	AF010283	Sorghum bicolor
AAC33008.1	AF080104	Pisum sativum	BAA12736.1	D85185	Gentiana triflora
AAG27464.1	AF308454	Medicago truncatula	CAA75998.1	Y16042	Zea mays
BAA31698.1	AB015999	Ipomoea nil	CAA75996.1	Y16040	Zea mays
AAF23753.2	AF193813	Brassica oleracea	CAA70345.1	Y09127	Forsythia x intermedia
AAD00251.1	U76407	Lycopersicon esculentum	AAB94015.1	AF010283	Sorghum bicolor
AAC49917.1	AF000141	Lycopersicon esculentum	CAA79154.1	Z18277	Lycopersicon esculentum
AAC32817.1	AF050180	Oryza sativa	CAA33543.1	X15536	Antirrhinum majus
AAB81079.1	AF022390	Hordeum vulgare	BAA74700.1	AB018438	Ipomoea purpurea
AAD00692.1	U90092	Picea mariana	BAA34637.1	AB019243	Ipomoea batatas
AAC49918.1	AF000142	Lycopersicon esculentum	AAB84048.1	AF028601	Ipomoea purpurea
AAD13611.1	AF100455	Zea mays	BAA74699.1	AB018437	Ipomoea purpurea
AAC32818.1	AF050181	Oryza sativa	BAA36406.1	AB011667	Ipomoea purpurea
			BAA59333.1	AB006793	Ipomoea nil
SEQ ID NO. 906			BAA22072.1	AB006792	Ipomoea nil
AAF17576.1	AF202182	Glycine max	BAB20075.1	AB012924	Torenia hybrida
AAB41550.1	U28213	Medicago sativa subsp. sativa	AAB62873.1	AF007096	Bromheadia finlaysoniana
AAD17997.1	AF107404	Pisum sativum	BAA36405.1	AB011667	Ipomoea purpurea
CAA72420.1	Y11749	Vitis vinifera	SEQ ID NO. 910		
CAA91922.1	Z67981	Callistephus chinensis	CAC00658.1	AJ292745	Petroselinum crispum
AAD54273.1	AF167556	Glycine max	CAC00657.1	AJ292744	Petroselinum crispum
CAA53578.1	X75964	Vitis vinifera	CAA74023.1	Y13676	Antirrhinum majus
AAD56578.1	AF184271	Daucus carota	CAA74022.1	Y13675	Antirrhinum majus
BAA12723.1	D85102	Rosa hybrid cultivar	AAD55394.1	AF176641	Lycopersicon esculentum
AAC25960.1	AF029685	Fragaria x ananassa	BAA22204.1	D63951	Nicotiana tabacum
BAA84940.1	AB018686	Camellia sinensis	CAA71687.1	Y10685	Glycine max
BAA84939.1	AB018685	Camellia sinensis			

AAK25822.1	AF350505	Phaseolus vulgaris	BAA84939.1	AB018685	Camellia sinensis
CAA41453.1	X58577	Petroselinum crispum	BAA74700.1	AB018438	Ipomoea purpurea
BAA11431.1	D78609	Oryza sativa	AAB84048.1	AF028601	Ipomoea purpurea
BAA36492.1	AB021736	Oryza sativa	BAA84940.1	AB018686	Camellia sinensis
AAK01953.1	AY026054	Phaseolus acutifolius	CAA53578.1	X75964	Vitis vinifera
AAC37418.1	L34551	Oryza sativa	BAA34637.1	AB019243	Ipomoea batatas
CAA70216.1	Y09013	Triticum aestivum	AAF17576.1	AF202182	Glycine max
CAA71795.1	Y10834	Hordeum vulgare	AAD54273.1	AF167556	Glycine max
AAB36514.1	U57389	Phaseolus vulgaris	BAA36407.1	AB011667	Ipomoea purpurea
CAA71768.1	Y10809	Petroselinum crispum	AAD56578.1	AF184271	Daucus carota
AAK14790.1	AY027510	Catharanthus roseus	AAC25960.1	AF029685	Fragaria x ananassa
CAC00656.1	AJ292743	Petroselinum crispum	CAA75997.1	Y16041	Zea mays
CAA11499.1	AJ223624	Spinacia oleracea	AAB94014.1	AF010283	Sorghum bicolor
CAA66477.1	X97903	Vicia faba	CAA75998.1	Y16042	Zea mays
			CAA75996.1	Y16040	Zea mays
SEQ ID NO. 912			SEQ ID NO. 914		
AAG09817.1	AF278698	Lolium perenne	CAC57551.1	X82030	Phaseolus vulgaris
CAA13176.1	AJ231134	Saccharum officinarum	CAA66479.1	X97905	Vicia faba
CAA66707.1	X98083	Zea mays	CAC01237.1	AJ292767	Nicotiana glauca
CAA74071.1	Y13734	Zea mays	AAF66823.1	AF190655	Nicotiana glauca
CAC07424.1	AJ295838	Populus balsamifera subsp.	AAK30205.1	AF349964	Daucus carota
trichocarpa			AAB38974.1	U81318	Triticum aestivum
CAA12276.1	AJ224986	Populus balsamifera subsp.	CAA81127.1	Z26042	Anemia phyllitidis
trichocarpa			AAA79045.1	U34742	Spinacia oleracea
AAF43141.1	AF217958	Populus tremuloides	AAC39368.1	AF043297	Chlamydomonas reinhardtii
CAA56103.1	X79566	Eucalyptus gunnii	AAF63202.1	AF240679	Cucumis sativus
CAA66063.1	X97433	Eucalyptus gunnii	CAA11894.1	AJ224325	Hordeum vulgare
AAG16242.1	AF297877	Eucalyptus saligna	AAF66825.1	AF190657	Nicotiana glauca
CAA75352.1	Y15069	Zea mays	CAA06469.1	AJ005286	Hordeum vulgare
AAD53967.1	AF033851	Vigna radiata	SEQ ID NO. 915		
AAD49343.1	AF169801	Lilium hybrid cv. 'Acapulco'	CAC37011.1	AJ238318	Oryza sativa
CAA78930.1	Z17221	Gerbera hybrida	SEQ ID NO. 918		
CAA72420.1	Y11749	Vitis vinifera	CAA77595.1	Z11510	Pisum sativum
CAA91922.1	Z67981	Callistephus chinensis	SEQ ID NO. 920		
AAD56579.1	AF184272	Daucus carota	BAA33755.2	AB017480	Nicotiana glauca
BAB40789.1	AB058641	Lilium hybrid division I	CAA62084.1	X90472	Capsicum annuum
BAA22072.1	AB006792	Ipomoea nil	AAK15322.1	AF332134	Chloroplast Medicago sativa
AAD26204.1	AF117268	Malus x domestica			
BAA59333.1	AB006793	Ipomoea nil			
BAA74699.1	AB018437	Ipomoea purpurea			
BAA36406.1	AB011667	Ipomoea purpurea			

AA017230.1	AF117339	Nicotiana tabacum	AAK11568.1	AF318492	Lycopersicon hirsutum
CAA09335.1	AJ012165	Capsicum annuum	AAF91336.1	AF249317	Glycine max
BAB17624.1	AB033535	Oryza sativa	SEQ ID NO. 927		Lycopersicon esculentum
BAA13021.1	D86121	Spinacia oleracea	CAB51545.1	AJ243876	
AAF27916.1	AF220199	Pinus taeda	SEQ ID NO. 928		
BAB19880.1	AB052887	Oryza sativa	AAF80450.1	AF161719	Triticum aestivum
BAB17626.1	AB033537	Oryza sativa	AAB72110.1	U79958	Pisum sativum
BAB17625.1	AB033536	Oryza sativa	AAF22842.1	AF209910	Prunus dulcis
CAB55389.1	AL117264	Oryza sativa	AAK31596.1	AY029172	Helianthus annuus
AAB67835.1	U43398	Solanum tuberosum	AAB72113.1	U79961	Zea mays
AAF12877.1	AF205377	Chlamydomonas reinhardtii	BAA92985.1	AP001550	Oryza sativa
AAF37267.1	AF220406	Vitis riparia			
CAA06853.1	AJ006095	Cicer arietinum	SEQ ID NO. 929		
AAK21965.1	AY028699	Brassica napus	AAK09431.1	AF324244	Phaseolus vulgaris
AAG03090.1	AC073405	Oryza sativa	AAA18546.1	M94204	Nicotiana tabacum
AAG16628.1	AY007545	Brassica napus	AAF15312.1	AF145053	Oryza sativa
AAB61708.1	U93048	Daucus carota	AAG32661.1	AF264877	Zea mays
AAF43496.1	AF131222	Lophopyrum elongatum	AAK08141.1	AF234537	Pelargonium graveolens
AAK11674.1	AF339747	Lophopyrum elongatum	AAD54821.1	AF137379	Chloroplast Nephrolepis
BAA78764.1	AB023482	Oryza sativa	olivacea		
AAA33915.1	I27821	Oryza sativa	CRA74893.1	Y14561	Pisum sativum
BAA94509.1	AB041503	Populus nigra	AAF43860.1	AF166114	Chloroplast Mesostigma viride
CAA73134.1	Y12531	Brassica oleracea	CAA75382.1	Y15108	Glycine max
BAA94510.1	AB041504	Populus nigra	SEQ ID NO. 936		
CAB51834.1	00069	Oryza sativa	AAK38796.1	U73203	Nicotiana glutinosa
AAC61805.1	U28007	Lycopersicon esculentum	AAB69757.1	U75644	Lycopersicon esculentum
AAC23542.1	U20948	Ipomoea trifida	AAC49666.1	U83708	Lycopersicon esculentum
BAA92954.1	AP001551	Oryza sativa	SEQ ID NO. 937		
CAA97692.1	Z73295	Catharanthus roseus	AAK24195.1	AF020425	Nicotiana tabacum
AAF66615.1	AF142596	Nicotiana tabacum	AAK18620.1	AF352732	Nicotiana tabacum
AAB93834.1	U82481	Zea mays	AAB40608.1	U54774	Nicotiana tabacum
AAF76313.1	AF220603	Lycopersicon esculentum	AAA33710.1	L16977	Petunia x hybrida
AAB47421.1	U59316	Lycopersicon esculentum	AAA33709.1	L16797	Petunia x hybrida
CAB89179.1	AJ245479	Brassica napus subsp. napus	AAC39483.1	AF020424	Nicotiana tabacum
AAA33008.1	M97667	Brassica napus	BAB32870.1	AB056062	Oryza sativa
AAF91337.1	AF249318	Glycine max	BAB32868.1	AB056060	Oryza sativa
AAF91324.1	AF244890	Glycine max	BAB32871.1	AB056063	Oryza sativa
AAF91323.1	AF244889	Glycine max			
BAA23676.1	AB000970	Brassica rapa			

BAB32869.1	AB056061	Oryza sativa	AAC36318.1	AF053127	Malus x domestica
CAA50719.1	X71900	Lycopersicon esculentum	AAB61708.1	U93048	Daucus carota
SEQ ID NO. 938			AAF91323.1	AF244889	Glycine max
AAF61647.1	AF190634	Nicotiana tabacum	AAG52992.1	U77888	Ipomoea nil
AAA59054.1	I34847	Zea mays	AAF91324.1	AF244890	Glycine max
BAA89009.1	AB027455	Petunia x hybrida	AAF91322.1	AF244888	Glycine max
BAA36423.1	AB013598	Verbena x hybrida	AAB36558.1	U77888	Ipomoea nil
AAF98390.1	AF287143	Brassica napus	AAF59906.1	AF197947	Glycine max
BAA36421.1	AB013596	Perilla frutescens	AAK21965.1	AY028699	Brassica napus
BAA93039.1	AB033758	Citrus unshiu	AAG03090.1	AC073405	Oryza sativa
BAA36422.1	AB013597	Perilla frutescens	CAC20842.1	AJ250467	Pinus sylvestris
BAA83484.1	AB031274	Scutellaria baicalensis	AAD27675.1	AF119222	Oryza sativa
CAB56231.1	Y18871	Dortheanthus bellidifolmis	AAG52994.1	U77888	Ipomoea nil
AAAB36653.1	U32644	Nicotiana tabacum	AAF91337.1	AF249318	Glycine max
AAAB36652.1	U32643	Nicotiana tabacum	AAF91336.1	AF249317	Glycine max
AAK28303.1	AF346431	Nicotiana tabacum	AAA33915.1	L27821	Oryza sativa
AAK28304.1	AF346432	Nicotiana tabacum	AAC61805.1	U28007	Lycopersicon esculentum
CAA59450.1	X85138	Nicotiana tabacum	AAG25966.1	AF302082	Nicotiana tabacum
BAA89008.1	AB027454	Lycopersicon esculentum	BAA84787.1	AP000559	Oryza sativa
AAF17077.1	AF199453	Petunia x hybrida	AAF59905.1	AF197946	Glycine max
AAB81683.1	AF000372	Sorghum bicolor	BAA83373.1	AP000391	Oryza sativa
BAB41017.1	AB047090	Vitis vinifera	SEQ ID NO. 940		
BAB41022.1	AB047095	Vitis labrusca x Vitis vinifera	CAA06339.1	AJ005082	Cyamopsis tetragonoloba
BAB41020.1	AB047093	Vitis vinifera	AAA86532.1	U31544	Pisum sativum
BAA12737.1	D85186	Vitis vinifera	CAA06338.1	AJ005081	Cyamopsis tetragonoloba
BAB41018.1	AB047091	Gentiana triflora	BAB40967.1	AB059568	Pisum sativum
AAD21086.1	AF127218	Vitis labrusca x Vitis vinifera	SEQ ID NO. 941		
AAB81682.1	AF000371	Forsythia x intermedia	AAB27811.1	S64617	Brassica napus
BAA19659.1	AB002818	Vitis vinifera	AAC34126.1	AF085197	Nicotiana tabacum
AAD04166.1	AF101972	Phaseolus lunatus	AAC27992.1	AF038875	Nicotiana tabacum
BAA90787.1	AB038248	Ipomoea batatas	BAA76349.1	AB025029	Nicotiana tabacum
AAB86473.1	AF028237	Ipomoea purpurea	AAG24908.1	AF305075	Nicotiana benthamiana
CAA54614.1	X77464	Manihot esculenta	CAA10108.1	AJ012662	Nicotiana tabacum
SEQ ID NO. 939			AAD19905.1	AF104412	Nicotiana tabacum
AAK28345.1	AF243040	Lycopersicon esculentum	CAA76392.1	Y16796	Pisum sativum
AAK28346.1	AF243041	Zea mays	CAA77062.1	Y18135	Nicotiana tabacum
AAC12254.1	U58474	Lycopersicon esculentum	BAA33151.1	AB008186	Pisum sativum
AAC12253.1	U58473	Lycopersicon esculentum	CAA37979.1	X54046	Oryza sativa
AAA33715.1	L27341	Petunia integrifolia	BAA94512.1	AB041506	Populus nigra



CAA38893.1	X55052	Catharanthus roseus	AAA63543.1	M55019	Lycopersicon esculentum
CAA55669.1	X79065	Zea mays	CAA76054.1	Y16088	Lupinus luteus
AAD10528.1	U87949	Zea mays	AAF00471.1	AF178458	Lupinus luteus
CAB56779.1	X62976	Daucus carota	AAD22975.1	AF126551	Solanum tuberosum subsp.
CAA39239.1	X55706	Glycine max	tuberosum		
AAB81177.2	AF012212	Tetraselmis chui	AAA63403.1	M55021	Zea mays
AAB87568.1	AF034201	Dunaliella tertiolecta	CAA48638.1	X68678	Zea mays
BAA01412.1	D10555	Daucus carota	AAF65770.1	AF242312	Euphorbia esula
BAA20971.1	D10556	Daucus carota	AAA57045.1	L29469	Oryza sativa
AAA33913.1	J04538	Oryza sativa	AAB51386.1	U92087	Solanum commersonii
			AAA57046.1	L29470	Oryza sativa
			AAA62706.1	M55018	Brassica napus
SEQ ID NO. 942			AAC05639.1	AF052206	Chlamydomonas reinhardtii
AAC12662.1	AF032468	Zea mays	AAA57044.1	L29471	Oryza sativa
CAA05772.1	AJ002959	Zea mays	AAG01536.1	AF291180	Capsicum annuum
AAA34310.1	M62720	Triticum aestivum	AAA64430.1	L32095	Vicia faba
AAF73016.1	AF262934	Avicennia marina	CAA10766.1	AV132763	Pseudotsuga menziesii
BAB40310.1	AB026055	Nicotiana tabacum	CAA65889.1	X97255	Digitalis lanata
BAB40311.1	AB026056	Nicotiana tabacum	CAA78459.1	Z14081	Nicotiana tabacum
AAB88617.1	AF034946	Zea mays			
AAA64427.1	I29077	Pisum sativum	SEQ ID NO. 944		
CAA51821.1	X73419	Lycopersicon esculentum	BAB21558.1	AB037156	Coix lacryma-jobi
AAD51109.1	AF176040	Mesembryanthemum crystallinum	BAA01472.1	D10622	Zea mays
AAA34125.1	I23762	Lycopersicon esculentum	BAA07327.1	D38130	Zea mays
AAD42941.1	AF091621	Catharanthus roseus	AAD13812.1	AF117334	Ipomoea batatas
BAA90392.1	AF001081	Oryza sativa	CAA11899.1	AJ224331	Castanea sativa
AAB02168.1	U15971	Oryza sativa	BAB18768.1	AB038394	Triticum aestivum
AAB63513.1	AF008910	Prunus armeniaca	BAB18766.1	AB038392	Triticum aestivum
AAA86089.1	U17250	Brassica oleracea	BAA19608.1	D31700	Glycine max
CAA58111.1	X82938	Lycopersicon esculentum	BAA95416.1	AB039673	Helianthus annuus
CAA10494.1	AJ131733	Pseudotsuga menziesii	BAA19610.1	D64115	Glycine max
AAG23847.1	AY004247	Lycopersicon esculentum	CAA50437.1	X71124	Carica papaya
AAF22280.1	AF165420	Mesembryanthemum crystallinum	AAF23127.1	AF198389	Lycopersicon esculentum
AAA34309.1	M28059	Triticum aestivum	AAF23126.1	AF198388	Lycopersicon esculentum
AAC32141.1	AF051240	Picea mariana	AAB24010.1	S49967	Oryza
BAA21006.1	D17786	Oryza sativa	AAA33903.1	J03469	Oryza sativa
AAF03236.1	AF180143	Glycine max	AAB66355.1	U54702	Oryza sativa
			AAK15090.1	AF240007	Sesamum indicum
SEQ ID NO. 943			AAA33911.1	J05595	Oryza sativa
CAA52414.1	X74403	Phaseolus vulgaris	AAA32672.1	I16624	Ambrosia artemisiifolia
CAA59468.1	X85185	Catharanthus roseus	CAA40860.1	X57658	Oryza sativa
CAA69598.1	Y08273	Digitalis lanata			

AA033907.1	AF143677	Artemisia vulgaris	CAA55047.1	X78213	Parthenium argentatum
BAB18767.1	AB038393	Triticum aestivum	CAA69256.1	Y07959	Zea mays
AAA16120.1	I16450	Solanum tuberosum			
BAB18765.1	AB038391	Triticum aestivum	SEQ ID NO. 947		
AAF23128.1	AF198390	Lycopersicon esculentum	AAG34813.1	AF243378	Glycine max
BAB18769.1	AB038395	Triticum aestivum	AAF64449.1	AF239927	Euphorbia esula
AAG38521.1	AF283536	Citrus x paradisi	AAG34814.1	AF243379	Glycine max
			CAA41279.1	X58390	Dianthus caryophyllus
			AAA33277.1	M64268	Dianthus caryophyllus
SEQ ID NO. 945			AAF72197.1	AF263737	Euphorbia esula
AAB00109.1	U21801	Lycopersicon esculentum	CAA55039.1	X78203	Hyoscyamus muticus
AAF04193.1	AF053638	Pisum sativum	AAG34812.1	AF243377	Glycine max
AAF04253.1	AF097651	Pisum sativum	AAB65163.1	AF002692	Solanum commersonii
AAB57737.1	U89270	Tripsacum dactyloides	AAA51450.1	I05916	Dianthus caryophyllus
CAA11154.1	AJ223178	Nicotiana tabacum	CAB38119.1	AJ010296	Zea mays
CAA11153.1	AJ223177	Nicotiana tabacum	CAA96431.1	Z71749	Nicotiana plumbaginifolia
AAC35340.1	AF072447	Ipomoea trifida	BAA01394.1	D10524	Nicotiana tabacum
AAC35342.1	AF072449	Ipomoea trifida	CAB38118.1	AJ010295	Zea mays
AAC37345.1	I20621	Zea mays	AAG34815.1	AF243380	Glycine max
AAC35343.1	AF072450	Ipomoea trifida	CAA68993.1	Y07721	Petunia x hybrida
AAC35341.1	AF072448	Ipomoea trifida	AAC50036.1	U42463	Coccomyxa sp. PA
AAF04194.1	AF053639	Pisum sativum	CAA09191.1	AJ010452	Alopecurus myosuroides
AAB57738.1	U89271	Tripsacum dactyloides	AAG34825.1	AF244682	Zea mays
AAF89645.1	AF169018	Glycine max	CAA09190.1	AJ010451	Alopecurus myosuroides
CAA52213.1	X74115	Picea abies	CAA09193.1	AJ010454	Alopecurus myosuroides
			AAA33931.1	M84969	Silene vulgaris
SEQ ID NO. 946			AAA33930.1	M84968	Silene vulgaris
AAB71079.1	U62752	Zea mays	CAA09192.1	AJ010453	Alopecurus myosuroides
AAA91168.1	U40147	Zea mays	AAF61392.1	AF133894	Persea americana
CAA47042.1	X66411	Chlamydomonas reinhardtii	AAC64007.1	AF062403	Oryza sativa
AAD11447.1	U62750	Zea mays	AAA33469.1	M16902	Zea mays
BAA92988.1	AP001550	Oryza sativa	AAA33470.1	M16901	Zea mays
AAD11446.1	U62749	Zea mays	AAD56395.1	AF184059	Triticum aestivum
CAA60251.1	X86553	Zea mays	CAA56047.1	X79515	Zea mays
AAC49360.1	U29383	Zea mays	AAA20585.1	U12679	Zea mays
AAD11459.1	U62748	Zea mays	CAA05354.1	AJ002380	Oryza sativa
AAB63814.1	I46848	Glycine max			
CAA63786.1	X93587	Lupinus luteus	SEQ ID NO. 948		
AAB71078.1	U62751	Zea mays	AAA33280.1	I20475	Datura stramonium
AAF34767.1	AF227622	Euphorbia esula	AAA33281.1	I20473	Datura stramonium
AAB71080.1	U62753	Zea mays	CAC34420.1	AJ307584	Solanum tuberosum
BAA04668.1	D21130	Oryza sativa			

BAA13547.1	D88156	Hyoscyamus niger	AAC35951.1	AF079355	Mesembryanthemum crystalli
BAA5844.1	AB026544	Hyoscyamus niger	CAC09576.1	AJ298988	Fagus sylvatica
CAB52307.1	AJ245634	Solanum tuberosum	CAA72341.1	Y11607	Medicago sativa
CAC19810.1	AJ292343	Solanum tuberosum	AAD17804.1	AF092431	Lotus japonicus
AAA33282.1	I20474	Datura stramonium	AAD17805.1	AF092432	Lotus japonicus
AAB09776.1	I20485	Hyoscyamus niger	CAC10358.1	AJ277086	Nicotiana tabacum
BAA85845.1	AB026545	Hyoscyamus niger	CAC10359.1	AJ277087	Nicotiana tabacum
CAA45866.1	X64566	Cuphea lanceolata	AAC36697.1	AF075579	Mesembryanthemum crystalli
CAA45793.1	X64463	Brassica napus	AAG43835.1	AF213455	Zea mays
AAB20114.2	S60064	Brassica napus	AAC36698.1	AF075580	Mesembryanthemum crystalli
CAA74176.1	Y13861	Nicotiana tabacum	CAB90633.1	AJ277743	Fagus sylvatica
CAA05816.1	AJ003025	Oryza sativa	AAC36700.1	AF075582	Mesembryanthemum crystalli
CAA74177.1	Y13862	Nicotiana tabacum	CAC09575.1	AJ298987	Fagus sylvatica
CAA05879.1	AJ003124	Petunia x hybrida	AAC26828.1	AF075603	Oryza sativa
AAC78100.1	AF093628	Oryza sativa	AAC36699.1	AF075581	Mesembryanthemum crystallinum
CAA64729.1	X95462	Brassica napus	AAB93832.1	U81960	Zea mays
AAB05206.1	I22766	Medicago truncatula			
AAB05205.1	I22765	Medicago truncatula			
SEQ ID NO. 949			SEQ ID NO. 959		
AAF61374.1	AF133267	Thlaspi caerulescens	CAA06756.1	AJ005899	Nicotiana tabacum
AAD30548.1	AF136579	Lycopersicon esculentum	CAA06757.1	AJ005900	Nicotiana tabacum
AAF97509.1	AF246266	Lycopersicon esculentum	AAD56039.1	AF184068	Citrus limon
AAC17441.1	AF065444	Pisum sativum			
AAF97510.1	AF246266	Lycopersicon esculentum	SEQ ID NO. 964		
AAD30549.1	AF136580	Lycopersicon esculentum	CAA71238.1	Y10156	Brassica napus
AAG09635.1	AY007281	Medicago truncatula	CAB62165.1	AJ223307	Brassica napus
			CAA71237.1	Y10155	Brassica napus
			AAC49181.1	U39289	Brassica napus
			AAC49182.1	U39319	Brassica napus
SEQ ID NO. 953					
AAC18941.1	AF058757	Zea mays	SEQ ID NO. 970		
			AAF21982.1	AF115543	Populus tremula x Populus
			tremuloides		
			CAB65535.1	AJ011794	Zea mays
SEQ ID NO. 954					
AAG43550.1	AF211532	Nicotiana tabacum	SEQ ID NO. 972		
BAA96875.1	AB045121	Oryza sativa	CAA06216.1	AJ004916	Prunus avium
BAA78746.1	AB023482	Oryza sativa	AAB69323.1	AF012867	Petroselinum crispum
BAA85438.1	AF000616	Oryza sativa	AAB69322.2	AF012866	Petroselinum crispum
BAA77204.1	AB026262	Cicer arietinum			
SEQ ID NO. 958					
AAD11430.1	AF097667	Mesembryanthemum crystallinum	SEQ ID NO. 973		
CAB90634.1	AJ277744	Fagus sylvatica	AAG13424.1	AC051634	Oryza sativa

[illegible]

AAK19619.1	AF336286	Gossypium hirsutum	AAD56577.1	AF184270	Daucus carota
BAA23338.1	D88618	Oryza sativa	CAA51192.1	X72594	Matthiola incana
AAG36774.1	AF210616	Zea mays	CAA55628.1	X78994	Medicago sativa
CAA50224.1	X70879	Hordeum vulgare	AAC49929.1	AF022142	Petunia x hybrida
CAA50222.1	X70877	Hordeum vulgare	CAA43027.1	X60512	Petunia x hybrida
AAA33500.1	M73028	Zea mays	CAA51191.1	X72593	Callistephus chinensis
CAA65525.1	X96749	Oryza sativa	CAA53580.1	X75966	Vitis vinifera
CAA67600.1	X99210	Lycopersicon esculentum	CAA41146.1	X58138	Hordeum vulgare
SEQ ID NO. 985			AAD56580.1	AF184273	Daucus carota
CAA69598.1	Y08273	Digitalis lanata	BAA20143.1	AB003779	Perilla frutescens
CAA59468.1	X85185	Catharanthus roseus	AAD56581.1	AF184274	Daucus carota
AAA57045.1	I29469	Oryza sativa	BAA21897.1	D83041	Ipomoea nil
AAC05639.1	AF052206	Chlamydomonas reinhardtii	SEQ ID NO. 988		
AAA57046.1	I29470	Oryza sativa	AAB63030.1	U83921	Daucus carota
CAA48638.1	X68678	Zea mays	AAF37386.1	AF134835	Medicago truncatula
AAD22975.1	AF126551	Solanum tuberosum subsp. tuberosum	BAA76896.1	AB022687	Lycopersicon esculentum
AAA63403.1	M55021	Zea mays	BAA76895.1	AB022686	Lycopersicon esculentum
CAA52414.1	X74403	Phaseolus vulgaris	AAC18914.1	U94748	Petunia x hybrida
AAA63543.1	M55019	Lycopersicon esculentum	AAB70241.1	AF016845	Lycopersicon esculentum
AAA57044.1	I29471	Oryza sativa	AAF27919.1	AF220203	Malus x domestica
AAF00471.1	AF178458	Lupinus luteus	SEQ ID NO. 989		
CAA76054.1	Y16088	Lupinus luteus	CAA70815.1	Y09602	Hordeum vulgare
AAF65770.1	AF242312	Euphorbia esula	CAB59202.1	X78878	Hordeum vulgare
AAB51386.1	U92087	Solanum commersonii	BAB08188.1	AP002539	Oryza sativa
AAA62706.1	M55018	Brassica napus	CAA55478.1	X78877	Hordeum vulgare
AAA64430.1	I32095	Vicia faba	AAD22150.1	AF061282	Sorghum bicolor
CAA10766.1	AJ132763	Pseudotsuga menziesii	AAF44708.1	AF242849	Lycopersicon esculentum
AAG01536.1	AF291180	Capsicum annuum	CAA70816.1	Y09603	Hordeum vulgare
CAA65889.1	X97255	Digitalis lanata	AAD22151.1	AF061282	Sorghum bicolor
CAA78459.1	Z14081	Nicotiana tabacum	CAB58992.1	X78876	Hordeum vulgare
SEQ ID NO. 987			AAD01265.1	AF006080	Solanum berthaultii
CAC14568.1	AJ237848	Brassica napus	AAD01263.1	AF006078	Solanum berthaultii
BAA81862.1	AB026295	Oryza sativa	AAF64227.1	AF248647	Lycopersicon pennellii
CAA49353.1	X69664	Malus sp.	AAD01264.1	AF006079	Solanum berthaultii
CAA61486.1	X89199	Bromheadia finlaysonianana	AAD22164.1	AF061282	Sorghum bicolor
AAB39995.1	U82432	Dianthus caryophyllus	AAD42963.2	AF141384	Matricaria chamomilla
CAA49839.1	X70378	Dianthus caryophyllus	AAA32940.1	J03897	Hordeum vulgare
CAA51190.1	X72592	Dianthus caryophyllus	BAA04510.1	D17586	Oryza sativa
			CAA70817.1	Y09604	Hordeum vulgare

BAA04511.1	D17587	Oryza sativa	AAB03266.1	U44773	Zea mays
BAA01757.1	D10985	Oryza sativa	CAA52293.1	X74217	Zea mays
BAB19126.1	AP002839	Oryza sativa	AAF28800.1	AF112888	Catharanthus roseus
BAA94235.1	AP001633	Oryza sativa	AAD02839.1	AF082991	Avena sativa
CAB71127.1	AJ271659	Cicer arietinum	AAG00614.1	AF293849	Secale cereale
AAA92064.1	U49741	Vigna radiata	CAA40057.1	X56733	Trifolium repens
AAA92062.1	U49382	Vigna radiata	CAA55196.1	X78433	Avena sativa
CAA92216.1	Z68130	Pisum sativum	AAB71381.1	U95298	Manihot esculenta
			AAK07429.1	AF321287	Musa acuminata
SEQ ID NO. 990			CAA79989.2	Z21977	Brassica napus
AAD16018.1	AF081514	Taxus canadensis	CAA57913.1	X82577	Brassica napus
			AAB38784.1	U72154	Brassica nigra
SEQ ID NO. 991			CAC08209.1	AJ005950	Cicer arietinum
AAF21901.1	AF109392	Brassica napus	AAA84906.1	U28047	Oryza sativa
SEQ ID NO. 995			SEQ ID NO. 1004		
CAA42596.1	X59970	Brassica napus	AAF19196.1	AF206320	Musa acuminata
BAA88179.1	AP000836	Oryza sativa	AAB71208.1	U63550	Fragaria x ananassa
CAA65502.1	X96727	Nicotiana tabacum	AAF63756.1	AF243475	Vitis vinifera
CAA47720.1	X67310	Solanum tuberosum	AAF19195.1	AF206319	Musa acuminata
CAA74777.1	Y14432	Nicotiana tabacum	CAA70735.1	Y09541	Zinnia elegans
CAA74776.1	Y14431	Nicotiana tabacum	CAA63496.1	X92943	Musa acuminata
CAA76076.1	Y16126	Lycopersicon esculentum	AAA86241.1	U41472	Medicago sativa
			CAA47630.1	X67158	Nicotiana tabacum
SEQ ID NO. 1003			CAA43414.1	X61102	Nicotiana tabacum
AAA91166.1	U39228	Prunus avium	CAA43413.1	X61101	Nicotiana tabacum
BAA11831.1	D83177	Costus speciosus	CAA47631.1	X67159	Nicotiana tabacum
AAF04007.1	AF163097	Dalbergia cochinchinensis	SEQ ID NO. 1005		
AAF34650.1	AF221526	Prunus serotina	AAK07429.1	AF321287	Musa acuminata
AAF03675.1	AF149311	Rauvolfia serpentina	AAC69619.1	AF072736	Pinus contorta
AAG25897.1	AF170087	Cucurbita pepo	AAF04007.1	AF163097	Dalbergia cochinchinensis
BAA78708.1	AB003089	Polygonum tinctorium	BAA78708.1	AB003089	Polygonum tinctorium
CAA64442.1	X94986	Manihot esculenta	BAA11831.1	D83177	Costus speciosus
AAB22162.1	S35175	Manihot esculenta	AAF03675.1	AF149311	Rauvolfia serpentina
AAD09850.1	U44087	Zea mays	AAG00614.1	AF293849	Secale cereale
AAC49177.1	U33817	Sorghum bicolor	AAA91166.1	U39228	Prunus avium
AAC69619.1	AF072736	Pinus contorta	AAG25897.1	AF170087	Cucurbita pepo
CAA40058.1	X56734	Trifolium repens	AAF34650.1	AF221526	Prunus serotina
AAA87339.1	L41869	Hordeum vulgare	AAC49177.1	U33817	Sorghum bicolor
AAA65946.1	U25157	Zea mays	AAB22162.1	S35175	Manihot esculenta
AAD10503.1	U33816	Zea mays			

AAA87339.1	L41869	Hordeum vulgare	BAA93465.1	AB028077	Physcomitrella patens
CAA64442.1	X94986	Manihot esculenta	AAD37699.1	AF145730	Oryza sativa
AAD02839.1	AF082991	Avena sativa	BAA21017.1	D26578	Daucus carota
AAB03266.1	U44773	Zea mays	CAA63222.1	X92489	Glycine max
AAD09850.1	U44087	Zea mays	SEQ ID NO. 1007		
CAA52293.1	X74217	Zea mays	AAB88617.1	AF034946	Zea mays
AAD10503.1	U33816	Zea mays	AAA34125.1	L23762	Lycopersicon esculentum
AAA65946.1	U25157	Zea mays	AAA64427.1	L29077	Pisum sativum
AAF28800.1	AF112888	Catharanthus roseus	CAA51821.1	X73419	Lycopersicon esculentum
CAA40058.1	X56734	Trifolium repens	AAD51109.1	AF176040	Mesembryanthemum crystalli
CAA55196.1	X78433	Avena sativa	AAB02168.1	U15971	Oryza sativa
CAA40057.1	X56733	Trifolium repens	AAA86089.1	U17250	Brassica oleracea
CAA79989.2	Z21977	Brassica napus	AAD42941.1	AF091621	Catharanthus roseus
AAB71381.1	U95298	Manihot esculenta	BAA21006.1	D17786	Oryza sativa
CAA57913.1	X82577	Brassica napus	AAF73016.1	AF262934	Avicennia marina
AAB38784.1	U72154	Brassica nigra	AAA34310.1	M62720	Triticum aestivum
AAA84906.1	U28047	Oryza sativa	BAB40310.1	AB026055	Nicotiana tabacum
CAC08209.1	AJ005950	Cicer arietinum	BAB40311.1	AB026056	Nicotiana tabacum
SEQ ID NO. 1006			CAA58111.1	X82938	Lycopersicon esculentum
AAG43283.1	AF139210	Oryza sativa	CAA06493.1	AJ005348	Cicer arietinum
AAD37698.1	AF145729	Oryza sativa	AAC12662.1	AF032468	Zea mays
AAF01765.1	AF184278	Glycine max	BAA90392.1	AP001081	Oryza sativa
AAD37695.1	AF145726	Oryza sativa	CAA05772.1	AJ002959	Zea mays
AAF19980.1	AF211193	Oryza sativa	AAF22280.1	AF165420	Mesembryanthemum crystallinum
AAK31270.1	AC079890	Oryza sativa	AAF03236.1	AF180143	Glycine max
CAA65456.2	X96681	Oryza sativa	AAG23847.1	AY004247	Lycopersicon esculentum
BAA93466.1	AB028078	Physcomitrella patens	AAB63513.1	AF008910	Prunus armeniaca
CAA64491.1	X95193	Pimpinella brachycarpa	AAA34309.1	M28059	Triticum aestivum
CAA62608.1	X91212	Lycopersicon esculentum	CAA10494.1	AJ131733	Pseudotsuga menziesii
CAA64152.1	X94375	Pimpinella brachycarpa	AAC32141.1	AF051240	Picea mariana
BAA05625.1	D26576	Daucus carota	SEQ ID NO. 1008		
AAA63768.2	AF339748	Helianthus annuus	CAA63222.1	X92489	Glycine max
AAD38144.1	AF139497	Prunus armeniaca	CAA64221.1	X94449	Pimpinella brachycarpa
CAA06728.1	AJ005833	Craterostigma plantagineum	CAA64152.1	X94375	Pimpinella brachycarpa
AAD37700.1	AF145731	Oryza sativa	CAA64491.1	X95193	Pimpinella brachycarpa
BAA93462.1	AB028074	Physcomitrella patens	CAA65456.2	X96681	Oryza sativa
BAA93463.1	AB028075	Physcomitrella patens	AAF19980.1	AF211193	Oryza sativa
BAB18171.1	AB042769	Zinnia elegans	AAK31270.1	AC079890	Oryza sativa
BAA05624.1	D26575	Daucus carota	AAA74017.1	U30475	Glycine max
BAA93467.1	AB028079	Physcomitrella patens			

BAA93463.1	AB028075	Physcomitrella patens	AAF34538.1	AF195817	Beta vulgaris
AAD37695.1	AF145726	Oryza sativa	AAF34527.1	AF195806	Vigna radiata
AAD37700.1	AF145731	Oryza sativa	AAF34530.1	AF195809	Vigna radiata
CAA06728.1	AJ005833	Craterostigma plantagineum	AAF34526.1	AF195805	Lens culinaris
AAD37696.1	AF145727	Oryza sativa	AAF45142.1	AF195818	Glycine max
BAB18169.1	AB042767	Zinnia elegans	AAB94591.1	AF022462	Glycine max
CAA06717.1	AJ005820	Craterostigma plantagineum	AAF45143.1	AF195819	Glycine max
BAA05622.1	D26573	Daucus carota	AAF34533.1	AF195812	Pisum sativum
BAA93462.1	AB028074	Physcomitrella patens	AAF34534.1	AF195813	Lupinus albus
AAD37698.1	AF145729	Oryza sativa	AAF34537.1	AF195816	Beta vulgaris
CAA64417.1	X94947	Lycopersicon esculentum	AAF34536.1	AF195815	Trifolium repens
BAA21017.1	D26578	Daucus carota	AAF34525.1	AF195804	Lens culinaris
BAA05624.1	D26575	Daucus carota	AAF34535.1	AF195814	Trifolium repens
AAF01764.2	AF184277	Glycine max	CAB56503.1	AJ238612	Catharanthus roseus
BAA93468.1	AB028080	Physcomitrella patens	CAA50155.1	X70824	Solanum melongena
BAA05625.1	D26576	Daucus carota	AAD56282.1	AF155332	Petunia x hybrida
BAA93467.1	AB028079	Physcomitrella patens	AAC39318.1	AF029858	Sorghum bicolor
AAF01765.1	AF184278	Glycine max	BAB40323.1	AB037244	Asparagus officinalis
BAA93461.1	AB028073	Physcomitrella patens	SEQ ID NO. 1010		
BAB18171.1	AB042769	Zinnia elegans	AAC37479.1	L41355	Brassica rapa
BAA93464.1	AB028076	Physcomitrella patens	AAA96316.1	U51119	Brassica rapa
BAA05623.1	D26574	Daucus carota	CAA79954.1	Z21954	Vigna unguiculata
BAA93466.1	AB028078	Physcomitrella patens	BAA19610.1	D64115	Glycine max
BAA93460.1	AB028072	Physcomitrella patens	BAA19608.1	D31700	Glycine max
AAD37697.1	AF145728	Oryza sativa	AAF23127.1	AF198389	Lycopersicon esculentum
SEQ ID NO. 1009			CAA60610.1	X87126	Zea mays
BAA12159.1	D83968	Glycine max	BAA09666.1	D63342	Zea mays
BAA13076.1	D86351	Glycine max	BAA01472.1	D10622	Zea mays
AAD38930.1	AF135485	Glycine max	AAF23126.1	AF198388	Lycopersicon esculentum
BAA84071.1	AB028151	Antirrhinum majus	CAA89697.1	Z49697	Ricinus communis
BAA22423.1	AB001380	Glycyrrhiza echinata	AAA97905.1	U51853	Glycine max
BAA74466.1	AB022733	Glycyrrhiza echinata	BAA89582.1	AP001073	Oryza sativa
BAA84072.1	AB028152	Torenia hybrida	AAF72202.1	AF265551	Manihot esculenta
BAA93632.1	AB024931	Lotus japonicus	BAA07327.1	D38130	Zea mays
AAF34532.1	AF195811	Trifolium pratense	CAA11899.1	AJ224331	Castanea sativa
AAF34529.1	AF195808	Vigna radiata	CAA60634.1	X87168	Sorghum bicolor
AAF34528.1	AF195807	Vigna radiata	BAB21558.1	AB037156	Coix lacryma-jobi
AAF34531.1	AF195810	Trifolium pratense	BAA95416.1	AB039673	Helianthus annuus
AAD38929.1	AF135484	Glycine max	AAA33903.1	J03469	Oryza sativa
BAA76380.1	AB023636	Glycyrrhiza echinata	AAB24010.1	S49967	Oryza



AAB66355.1	U54702	Oryza sativa	BAB18937.1	AB052228	Cucumis melo var. reticula
AAF64480.1	AF241536	Ipomoea batatas	BAA85817.1	AB026498	Cucumis sativus
AAD13812.1	AF117334	Ipomoea batatas	AAC31123.1	AF032448	Malus x domestica
AAA97906.1	U51854	Glycine max	AAF08300.1	AF113748	Musa acuminata
AAB71505.1	U82220	Pyrus communis	AAF61919.1	AF227742	Mangifera indica
AAK15090.1	AF240007	Sesamum indicum	AAD37577.1	AF141929	Pelargonium x hortorum
AAA97907.1	U51855	Glycine max	AAD37576.1	AF141928	Pelargonium x hortorum
CAA72790.1	Y12068	Hordeum vulgare	AAC02213.1	AF043084	Lycopersicon esculentum
AAA32672.1	LI16624	Ambrosia artemisiifolia	AAA85479.1	U41103	Lycopersicon esculentum
AAK30004.1	AY028994	Dianthus caryophyllus	AAB68819.1	U63291	Rumex palustris
AAD33907.1	AF143677	Artemisia vulgaris	CAA69646.1	Y08359	Rumex palustris
BAB18768.1	AB038394	Triticum aestivum	AAC39497.1	AF047476	Brassica oleracea
BAB18766.1	AB038392	Triticum aestivum	AAB97160.1	AF022727	Nicotiana tabacum
CAA50437.1	X71124	Carica papaya	AAC02214.1	AF043085	Lycopersicon esculentum
AAC69278.1	AF064734	Dianthus caryophyllus	AAB39386.1	U47279	Lycopersicon esculentum
BAB18767.1	AB038393	Triticum aestivum	CAB76929.1	AJ276294	Citrus sinensis
CAA40860.1	X57658	Oryza sativa	BAA96745.1	AB035806	Dianthus caryophyllus
AAA33911.1	J05595	Oryza sativa	AAD31396.1	AF118843	Lycopersicon esculentum
BAB18769.1	AB038395	Triticum aestivum	AAC31213.3	AF026267	Nicotiana tabacum
BAB18765.1	AB038391	Triticum aestivum	BAB13718.1	AB040406	Zea mays
AAA16120.1	LI16450	Solanum tuberosum	AAD31397.1	AF118844	Lycopersicon esculentum
AAC32853.1	AF083253	Lycopersicon esculentum	BAA85819.1	AB026500	Cucumis sativus
AAF23128.1	AF198390	Lycopersicon esculentum	BAA90552.1	AB031029	Prunus mume
AAG38521.1	AF283536	Citrus x paradisi	BAA90551.1	AB031028	Prunus mume
CAA48037.1	X67844	Solanum tuberosum	AAD45346.1	AF159172	Rosa hybrid cultivar
SEQ ID NO. 1011			SEQ ID NO. 1013		
AAC31157.1	AF047477	Brassica oleracea	AAG34797.1	AF243362	Glycine max
AAG41977.1	AF311942	Carica papaya	AAG34798.1	AF243363	Glycine max
AAB94773.1	AF039746	Pisum sativum	AAG34803.1	AF243368	Glycine max
CAA06723.1	AJ005829	Pisum sativum	AAF64450.1	AF239928	Euphorbia esula
AAD03598.1	AF098272	Vigna radiata	AAG34801.1	AF243366	Glycine max
BAA37137.1	AB015497	Passiflora edulis	AAG34804.1	AF243369	Glycine max
BAB13735.1	AB049128	Cucumis melo var. reticulatus	AAG34796.1	AF243361	Glycine max
BAA85818.1	AB026499	Cucumis sativus	AAG34809.1	AF243374	Glycine max
AAD26899.1	AF055894	Phalaenopsis sp. 'True Lady'	AAG34807.1	AF243372	Glycine max
AAB72193.1	AF013979	Oryza sativa	AAG34810.1	AF243375	Glycine max
AAB96765.2	AF039921	Nicotiana tabacum	AAG34844.1	AF244701	Zea mays
AAD12777.1	AF051938	Solanum tuberosum	AAG34831.1	AF244688	Zea mays
AAF28893.1	AF124527	Prunus persica	AAC18566.1	AF048978	Glycine max
BAA37136.1	AB015496	Passiflora edulis	AAG34832.1	AF244689	Zea mays

AAG34808.1	AF2433373	Glycine max	SEQ ID NO. 1018	Citrus sinensis
AAG34837.1	AF2444694	Zea mays	CAA87068.1 Z46944	Impatiens balsamina
AAG34800.1	AF2433365	Glycine max	AAK15005.1 AF233452	Mesembryanthemum crystalli
AAG34836.1	AF2444693	Zea mays	AAB61593.1 AF003125	Zea mays
CAA04391.1	AJ000923	Carica papaya	AAA33462.1 M73828	Spinacia oleracea
CAA71784.1	Y10820	Glycine max	AAA34028.1 M35660	Chlamydomonas reinhardtii
AAG34849.1	AF2444706	Zea mays	AAC49171.1 U29516	Chlamydomonas reinhardtii
AAA68430.1	J03679	Solanum tuberosum	AAA33085.1 L10349	Silene latifolia subsp. al
AAG34802.1	AF2433367	Glycine max	CAA26281.1 X02432	Pisum sativum
CAC24549.1	AJ296343	Cichorium intybus x Cichorium	AAA33665.1 M31713	Triticum aestivum
endivia			CAA52980.1 X75089	Zea mays
CAA09187.1	AJ010448	Alopecurus myosuroides	AAA33461.1 M73831	Zea mays
AAF22518.1	AF118925	Papaver somniferum	BAA32348.1 AB016810	Oryza sativa
CAA09188.1	AJ010449	Alopecurus myosuroides	BAA06456.1 D30794	Zea mays
AAF22517.1	AF118924	Papaver somniferum	AAA33460.1 M73830	Oryza sativa
AAF22647.1	AF193439	Lycopersicon esculentum	AAA33459.1 M73829	Zea mays
			BAA06436.1 D30763	Oryza sativa
SEQ ID NO. 1016			CAA99756.1 Z75520	Lycopersicon esculentum
AAC36698.1	AF075580	Mesembryanthemum crystallinum	BAA19865.1 D83660	Oryza sativa
CAA72341.1	Y11607	Medicago sativa	AAD02175.1 AF039662	Capsicum annuum
AAG43835.1	AF213455	Zea mays	BAA90760.1 AB038037	Ipomoea nil
AAD17804.1	AF092431	Lotus japonicus	CAA73265.1 Y12734	Physcomitrella patens
AAD17805.1	AF092432	Lotus japonicus	AAB65699.1 AF010320	Oryza sativa
AAC36697.1	AF075579	Mesembryanthemum crystallinum		
CAB90633.1	AJ277743	Fagus sylvatica	SEQ ID NO. 1020	Solanum tuberosum
CAC10358.1	AJ277086	Nicotiana tabacum	AAF74567.1 AF215853	Nicotiana tabacum
CAC10359.1	AJ277087	Nicotiana tabacum	AAF74566.1 AF215852	Spinacia oleracea
AAC36700.1	AF075582	Mesembryanthemum crystallinum	AAF74565.1 AF215851	Zea mays
CAC09575.1	AJ298987	Fagus sylvatica	AAF74568.1 AF215854	Apium graveolens var. dulce
CAB90634.1	AJ277744	Fagus sylvatica	AAG43998.1 AF215837	Oryza sativa
AAC35951.1	AF079355	Mesembryanthemum crystallinum	BAB19864.1 AB052885	Lycopersicon esculentum
AAD11430.1	AF097667	Mesembryanthemum crystallinum	CAA09419.1 AJ010942	Lycopersicon esculentum
AAB93832.1	U81960	Zea mays	CAB52689.1 AJ132224	Chlorella kessleri
AAC26828.1	AF075603	Oryza sativa	CAA53192.1 X75440	Chlorella kessleri
AAC36699.1	AF075581	Mesembryanthemum crystallinum	CAA68813.1 Y07520	Chlorella kessleri
CAC09576.1	AJ298988	Fagus sylvatica	AAA79761.1 L08196	Ricinus communis
			CAB6079.1 Z83829	Picea abies
			CAB07812.1 Z93775	Vicia faba
SEQ ID NO. 1017			CAA47324.1 X66856	Nicotiana tabacum
CAA96516.1	Z71997	Medicago sativa	CAA39036.1 X55349	Chlorella kessleri
AAB36543.1	U77935	Phaseolus vulgaris	AAB06594.1 U38651	Medicago truncatula

CAA04511.1	AJ001061	Vitis vinifera	CAC19810.1	AJ292343	Solanum tuberosum
AAA79857.1	I08188	Ricinus communis	BAA5845.1	AB026545	Hyoscyamus niger
CAA70777.1	Y09590	Vitis vinifera	AAB09776.1	I20485	Hyoscyamus niger
BAB19863.1	AB052884	Oryza sativa	CAA45866.1	X64566	Cuphea lanceolata
BAB19862.1	AB052883	Oryza sativa	CAA45793.1	X64463	Brassica napus
CAB52690.1	AJ132225	Lycopersicon esculentum	AAB20114.2	S60064	Brassica napus
BAA85398.1	AP000615	Oryza sativa	CAA74176.1	Y13861	Nicotiana tabacum
CAB52588.1	AJ132223	Lycopersicon esculentum	CAA05879.1	AJ003124	Petunia x hybrida
AAD55054.1	AF173655	Beta vulgaris	CAA74177.1	Y13862	Nicotiana tabacum
SEQ ID NO. 1021			CAA05816.1	AJ003025	Oryza sativa
CAA96516.1	Z71997	Medicago sativa	AAB82767.1	U89509	Zea mays
AAB36543.1	U77935	Phaseolus vulgaris	CAA64729.1	X95462	Brassica napus
			AAB82766.1	U89510	Hordeum vulgare
SEQ ID NO. 1022			SEQ ID NO. 1026		
AAG43549.1	AF211531	Nicotiana tabacum	CAB51555.1	AJ242531	Triticum aestivum
AAG43548.1	AF211530	Nicotiana tabacum	BAA90749.1	AB030956	Oryza sativa
BAA78738.1	AB023482	Oryza sativa	CAB51557.1	AJ242530	Zea mays
CAC12822.1	AJ299252	Nicotiana tabacum	SEQ ID NO. 1027		
AAF76898.1	AF274033	Atriplex hortensis	AAC63113.1	AF000307	Brassica napus
BAB16083.1	AB036883	Oryza sativa	AAC63111.1	AF000305	Brassica napus
BAB03248.1	AB037183	Oryza sativa	AAC63112.1	AF000306	Brassica napus
AAC24587.1	AF071893	Prunus armeniaca	AAA33342.2	M84135	Flaveria chloraefolia
AAF23899.1	AF193803	Oryza sativa	AAA61638.1	U10275	Flaveria bidentis
AAK01089.1	AF298231	Hordeum vulgare	AAA33343.1	M84136	Flaveria chloraefolia
CAB96899.1	AJ251249	Catharanthus roseus	AAA87399.1	U10277	Flaveria bidentis
CAB96900.1	AJ251250	Catharanthus roseus	SEQ ID NO. 1029		
BAA07321.1	D38123	Nicotiana tabacum	AAC98969.1	AF047428	Oryza sativa
AAF63205.1	AF245119	Mesembryanthemum crystallinum	AAC98962.1	AF045571	Oryza sativa
AAG43545.1	AF211527	Nicotiana tabacum	AAD31844.1	AF133118	Oryza sativa
AAC62619.1	AF057373	Nicotiana tabacum	BAB08194.1	AF002539	Oryza sativa
BAA99376.1	AF002526	Oryza sativa	BAA96755.1	AF002521	Oryza sativa
SEQ ID NO. 1025			SEQ ID NO. 1031		
AAA33280.1	I20475	Datura stramonium	AAF66242.1	AF243180	Lycopersicon esculentum
AAA33281.1	I20473	Datura stramonium	CAA80963.1	Z25471	Pisum sativum
CAC34420.1	AJ307584	Solanum tuberosum	AAD10251.1	AF031195	Triticum aestivum
BAA13547.1	D88156	Hyoscyamus niger	AAC64163.1	AF093537	Zea mays
BAA85844.1	AB026544	Hyoscyamus niger	CAA10134.1	AJ012693	Cicer arietinum
AAA33282.1	I20474	Datura stramonium			
CAB52307.1	AJ245634	Solanum tuberosum			

AAF66243.1	AF243181	Lycopersicon esculentum	AAC39512.1	AF043284	Gossypium hirsutum
CAB65280.1	AJ248323	Medicago sativa subsp. x varia	CAC19184.1	AJ291817	Cicer arietinum
AAC32448.1	U76296	Spinacia oleracea	AAF35901.1	AF230332	Zinnia elegans
SEQ ID NO. 1034			CAA69105.1	Y07782	Oryza sativa
BAA23143.1	D87261	Oryza sativa	CAB46492.1	AJ243340	Lycopersicon esculentum
BAA23142.1	D87260	Oryza sativa	CAB43197.1	AJ239068	Lycopersicon esculentum
SEQ ID NO. 1035		Populus balsamifera subsp.	AAC64201.1	AF096776	Lycopersicon esculentum
AAG45501.1	AY012513	Populus x canescens	AAB38074.1	U30477	Oryza sativa
trichocarpa			AAF32410.1	AF230277	Triphysaria versicolor
AAG43046.1	AY012515	Populus x canescens	AAB81662.1	U85246	Oryza sativa
SEQ ID NO. 1039		Pisum sativum	CAA06271.2	AJ004997	Lycopersicon esculentum
AAA97411.1	U51918		AAF32409.1	AF230276	Triphysaria versicolor
SEQ ID NO. 1042		Zea mays	CAA04385.1	AJ000885	Brassica napus
CAA42234.1	X59714		AAD13633.1	AF059489	Lycopersicon esculentum
SEQ ID NO. 1045		Oryza sativa	AAF17571.1	AF202120	Regnellidium diphyllum
BAA88182.1	AP000836		AAG13983.1	AF297522	Prunus avium
SEQ ID NO. 1046		Nicotiana tabacum	AAC96081.1	AF049354	Nicotiana tabacum
AAC96077.1	AF049350	Nicotiana tabacum	AAD49956.1	AF167360	Rumex palustris
AAC96079.1	AF049352	Nicotiana tabacum	AAF32411.1	AF230278	Triphysaria versicolor
AAC96078.1	AF049351	Nicotiana tabacum	AAF35902.1	AF230333	Zinnia elegans
AAB37749.1	U30460	Cucumis sativus	AAD13632.1	AF059488	Lycopersicon esculentum
AAG32920.1	AF184232	Lycopersicon esculentum	BAB32732.1	AB049406	Eustoma grandiflorum
AAG01875.1	AF291659	Striga asiatica	CAC19183.1	AJ291816	Cicer arietinum
AAD47901.1	AF085330	Pinus taeda	CAC06433.1	AJ276007	Festuca pratensis
AAF21101.1	AF159563	Fragaria x ananassa	AAG32921.1	AF184233	Lycopersicon esculentum
AAB40637.1	U64893	Pinus taeda	AAF62182.1	AF247164	Oryza sativa
AAB40635.1	U64891	Pinus taeda	CAC06432.1	AJ276006	Festuca pratensis
AAB40634.1	U64890	Pinus taeda	SEQ ID NO. 1047		
AAB40636.1	U64892	Pinus taeda	BAA37171.1	AB022674	Oryza sativa
BAB19676.1	AB029083	Prunus persica	BAA37170.1	AB022673	Oryza sativa
AAC63088.1	U82123	Lycopersicon esculentum	AAA34031.1	J02849	Spinacia oleracea
AAG13982.1	AF297521	Prunus avium	CAA44226.1	X62368	Nicotiana tabacum
AAC33530.1	AF038815	Prunus armeniaca	CAA44214.1	X62339	Nicotiana tabacum
AAB37746.1	U30382	Cucumis sativus	CAA48414.1	X68340	Secale cereale
AAC33529.1	U93167	Prunus armeniaca	AAB21989.1	S93166	Chloroplast Nicotiana
			sylvestris		
			CAA48400.1	X68325	Secale cereale
			AAD54786.1	AF137379	Chloroplast Nephroselmis
			olivacea		
			AAB66886.1	AF010581	Oryza sativa

BAA57991.1	AB001684	Chlorella vulgaris	AA47618.1	U73916	Linum usitatissimum
CAB38448.1	AJ236874	Plastid Prototheca wickerhamii	AAD25974.1	AF093647	Linum usitatissimum
			AAD25975.1	AF093648	Linum usitatissimum
SEQ ID NO. 1059			AAG09952.1	AF175389	Glycine max
CAA09001.1	AJ010110	Chlamydomonas reinhardtii	AAA91022.1	U27081	Linum usitatissimum
CAA34615.1	X16619	Chlamydomonas reinhardtii	AAD25968.1	AF093641	Linum usitatissimum
AAF43427.1	AF233374	Volvox carteri	AAA91021.1	U27081	Linum usitatissimum
			AAD25969.1	AF093642	Linum usitatissimum
SEQ ID NO. 1060			AAG01051.1	AF175394	Glycine max
AAA50763.1	U15605	Nicotiana glutinosa	AAD25965.1	AF093638	Linum usitatissimum
CAA08798.1	AJ009720	Solanum tuberosum	AAD25973.1	AF093646	Linum usitatissimum
AAG09951.1	AF175388	Glycine max	AAD25970.1	AF093643	Linum usitatissimum
AAK28810.1	AF310964	Linum usitatissimum	AAD25967.1	AF093640	Linum usitatissimum
AAK28812.1	AF310968	Linum usitatissimum	AAD25971.1	AF093644	Linum usitatissimum
AAK28811.1	AF310966	Linum usitatissimum	AAD25972.1	AF093645	Linum usitatissimum
AAK28803.1	AF310958	Linum usitatissimum	AAD25976.1	AF093649	Linum usitatissimum
AAK28806.1	AF310960	Linum usitatissimum			
AAK28804.1	AF310959	Linum usitatissimum	SEQ ID NO. 1061		
AAK28809.1	AF310962	Linum usitatissimum	AAA34025.1	M31480	Spinacia oleracea
AAK28808.1	AF310961	Linum usitatissimum	AAB41696.1	U69142	Spinacia oleracea
AAK28805.1	AF310960	Linum usitatissimum	CAA49425.1	X69770	Atriplex hortensis
CAA08797.1	AJ009719	Solanum tuberosum	CAA41376.1	X58462	Beta vulgaris
AAG43546.1	AF211528	Nicotiana tabacum	CAA41377.1	X58463	Beta vulgaris
CAC35339.1	AJ310164	Linum usitatissimum	BAB18543.1	AB043539	Avicennia marina
CAC35328.1	AJ310153	Linum usitatissimum	BAA21098.1	AB001348	Oryza sativa
CAC35337.1	AJ310162	Linum usitatissimum	AAB70010.1	AF017150	Amaranthus hypochondriacus
CAC35326.1	AJ310151	Linum usitatissimum	AAF73828.1	AF162665	Oryza sativa
CAC35332.1	AJ310157	Linum usitatissimum	BAB19052.1	AB044537	Oryza sativa
CAC35336.1	AJ310161	Linum usitatissimum	AAB58165.1	AF000132	Amaranthus hypochondriacus
CAC35325.1	AJ310150	Linum usitatissimum	BAB18544.1	AB043540	Avicennia marina
CAC35327.1	AJ310152	Linum usitatissimum	BAA05466.1	D26448	Hordeum vulgare
CAC35330.1	AJ310155	Linum usitatissimum	BAA96793.1	AB030939	Oryza sativa
CAC35338.1	AJ310163	Linum usitatissimum	CAA71003.1	Y09876	Nicotiana tabacum
CAC35329.1	AJ310154	Linum usitatissimum	AAG43988.1	AF215823	Zea mays
CAC35334.1	AJ310159	Linum usitatissimum	BAA96794.1	AB037421	Oryza sativa
CAC35333.1	AJ310158	Linum usitatissimum	AAC49268.1	U12196	Sorghum bicolor
CAC35321.1	AJ310150	Linum usitatissimum	CAA53076.1	X75327	Pisum sativum
CAC35331.1	AJ310156	Linum usitatissimum	AAB47571.1	U87848	Nicotiana plumbaginifolia
CAC35323.1	AJ310150	Linum usitatissimum	AAF08296.1	AF196292	Apium graveolens
AAD25966.1	AF093639	Linum usitatissimum	AAC49267.1	U12195	Sorghum bicolor
AAG01052.1	AF175395	Glycine max	CAA53075.1	X75326	Zea mays

AAG43027.1	AF3233586	Oryza sativa	AAC24961.1	AF009337	Tradescantia virginiana
AAC03055.1	AF045770	Oryza sativa	AAF23900.1	AF194413	Oryza sativa
AAB33843.1	S77096	Brassica napus	AAF23901.2	AF194414	Oryza sativa
			AAC78558.1	AF030879	Solanum tuberosum
SEQ ID NO. 1062			CAA57157.1	X81394	Oryza sativa
CAA76555.1	Y16953	Sinapis alba	AAC25423.1	AF072908	Nicotiana tabacum
CAA58772.1	X83920	Brassica napus	BAA12715.1	D85039	Zea mays
CAA63073.1	X92102	Raphanus sativus	AAA69507.1	U28376	Zea mays
AAB03378.1	U27107	Brassica napus	BAA81751.1	AB017517	Marchantia polymorpha
AAD42937.1	AF084971	Catharanthus roseus	BAA81749.1	AB017515	Marchantia polymorpha
CAA88492.1	Z48602	Nicotiana tabacum	CAA39936.1	X56599	Daucus carota
CAA88493.1	Z48603	Nicotiana tabacum	AAB49984.1	U90262	Cucurbita pepo
AAC49398.1	U46217	Petroselinum crispum	BAA81750.1	AB017516	Marchantia polymorpha
AAA80169.1	U10270	Zea mays	BAA81748.1	AB017515	Marchantia polymorpha
AAB40291.1	U42208	Oryza sativa	AAD17800.1	AF090835	Mesembryanthemum crystallinum
AAB00098.1	L01449	Glycine max	AAB80693.1	U69174	Glycine max
CAA58774.1	X83922	Brassica napus	AAD28192.2	AF115406	Solanum tuberosum
CAA58773.1	X83921	Brassica napus	BAA13440.1	D87707	Ipomoea batatas
AAK14790.1	AY027510	Catharanthus roseus	CAA07481.1	AJ007366	Zea mays
AAC49556.1	U04295	Oryza sativa	AAB88537.1	AF035944	Fragaria x ananassa
AAD42938.1	AF084972	Catharanthus roseus	CAA65500.1	X96723	Medicago sativa
AAA34293.1	M28704	Triticum aestivum	AAA61682.1	L27484	Zea mays
CAA71768.1	Y10809	Petroselinum crispum	AAB70706.1	U82087	Tortula ruralis
CAA52896.1	X74942	Lycopersicon esculentum	BAB16888.1	AB042550	Oryza sativa
CAA71770.1	Y10810	Petroselinum crispum	BAA85396.1	AP000615	Oryza sativa
BAA10928.1	D64051	Triticum aestivum	BAA12338.1	D84408	Zea mays
CAA52897.1	X74943	Lycopersicon esculentum	CAA57156.1	X81393	Oryza sativa
CAA52895.1	X74941	Lycopersicon esculentum	AAC05270.1	AF048691	Oryza sativa
CAB62402.1	Y15165	Zea mays	AAC49405.1	U08140	Vigna radiata
AAA17488.1	U07933	Triticum aestivum	BAA13232.1	D87042	Zea mays
AAA68429.1	M63999	Triticum aestivum	AAB80692.1	U69173	Glycine max
AAA19103.1	U10466	Triticum aestivum	AAF21062.1	AF216527	Dunaliella tertiolecta
CAA71687.1	Y10685	Glycine max	AAK26164.1	AY027885	Cucumis sativus
			AAA33443.1	L15390	Zea mays
SEQ ID NO. 1063			CAA89202.1	Z49233	Chlamydomonas eugametos
CAA58750.1	X83869	Daucus carota	AAG46110.1	AC073166	Oryza sativa
AAB47181.1	S82324	Zea mays	BAA02698.1	D13436	Oryza sativa
BAA12691.1	D84507	Zea mays	BAA90814.1	AP001168	Oryza sativa
BAA12692.1	D84508	Zea mays	CAB46228.1	Y18055	Arachis hypogaea
AAG01179.1	AF289237	Zea mays	AAC49008.1	U24188	Lilium longiflorum
BAA22410.1	D38452	Zea mays	AAF19401.1	AF203479	Glycine max

AA052098.1	U70923	Nicotiana tabacum	CAA06999.1	AJ006378	Lycopersicon esculentum
SEQ ID NO. 1064			CAA07000.1	AJ006379	Lycopersicon esculentum
CAB43937.1	AJ006348	Fragaria x ananassa	CAA67430.1	X98930	Lycopersicon esculentum
AAC95009.1	AF074923	Fragaria x ananassa	CAA67429.1	X98929	Lycopersicon esculentum
CAA65827.1	X97189	Capsicum annuum	CAA76725.1	Y17276	Lycopersicon esculentum
AAA69909.1	U13055	Lycopersicon esculentum	CAA71234.1	Y10149	Lycopersicon esculentum
AAC12684.1	U76725	Pinus radiata	CAA06414.1	AJ005173	Lycopersicon esculentum
AAA80495.1	U20590	Lycopersicon esculentum	CAA06412.1	AJ005171	Lycopersicon esculentum
BAA85150.1	AB032830	Pisum sativum	CAA76727.1	Y17278	Lycopersicon esculentum
AAC12685.1	U76756	Pinus radiata	CAB67120.1	Y18932	Lycopersicon esculentum
BAB32662.1	AB055886	Atriplex lentiformis	CAA06413.1	AJ005172	Lycopersicon esculentum
BAA77239.1	AB025796	Populus alba	CAA07250.1	AJ006786	Lycopersicon esculentum
CAB59900.1	AJ010950	Capsicum annuum	BAB21149.1	AP002899	Oryza sativa
CAA65828.1	X97190	Capsicum annuum	CAB67119.1	Y18931	Lycopersicon esculentum
BAB39483.1	AB049200	Populus alba	CAA64566.1	X95270	Lycopersicon esculentum
AAA96135.1	L41046	Pisum sativum	CAA76724.1	Y17275	Lycopersicon esculentum
AAC62241.1	AF077339	Lycopersicon esculentum	CAA59964.1	X85975	Alnus glutinosa
CAA72133.1	Y11268	Lycopersicon esculentum	CAA76726.1	Y17277	Lycopersicon esculentum
CAA65600.1	X96856	Prunus persica	CAA06997.1	AJ006376	Lycopersicon esculentum
CAA65597.1	X96853	Prunus persica	CAA07001.1	AJ006380	Lycopersicon esculentum
BAB39482.1	AB049199	Populus alba	CAA07059.1	AJ006480	Lycopersicon esculentum
AAD08699.1	AF098292	Lycopersicon esculentum	CAA06998.1	AJ006377	Lycopersicon esculentum
CAA65826.1	X97188	Capsicum annuum	CAA07060.1	AJ006481	Lycopersicon esculentum
CAA60737.1	X87323	Capsicum annuum	CAA07062.1	AJ006483	Lycopersicon esculentum
AAC78504.1	U34754	Phaseolus vulgaris	BAB03290.1	AB037371	Oryza sativa
AAA02563.1	M57400	Phaseolus vulgaris	AAG38994.1	AF160513	Glycine max
CAB43938.1	AJ006349	Fragaria x ananassa	AAD02075.3	AF036960	Glycine max
BAA96207.1	AP002094	Oryza sativa	AAG09442.1	AF200467	Oryza sativa
AAA69908.1	U13054	Lycopersicon esculentum	AAF13299.1	AF181496	Lycopersicon esculentum
BAA96209.1	AP002094	Oryza sativa	BAA04839.1	D21815	Lilium longiflorum
CAA11301.1	AJ223386	Fragaria x ananassa	AAF31406.1	AF201883	Gossypioideis kirkii
AAC49704.1	U78526	Lycopersicon esculentum	CAA10987.1	AJ222782	Hordeum vulgare
BAA94257.1	AB040769	Hordeum vulgare	SEQ ID NO. 1066		
CAB51903.1	UJ242807	Brassica napus	BAA82556.1	AB030083	Populus nigra
AAA20082.1	U00730	Glycine max	AAD21872.1	AF078082	Phaseolus vulgaris
CAA11302.1	AJ223387	Fragaria x ananassa	AAF43408.1	AF230515	Oryza sativa subsp. japonica
BAA21111.1	D88417	Gossypium hirsutum	CAA73134.1	Y12531	Brassica oleracea
CAA80627.1	Z23081	Vigna radiata	AAB93834.1	U82481	Zea mays
SEQ ID NO. 1065			BAA92954.1	AP001551	Oryza sativa
			AAK21965.1	AY028699	Brassica napus

BAA92953.1	AP001551	Oryza sativa	BAB32406.1	AB055515	Nicotiana tabacum
BAA94516.1	AP001800	Oryza sativa	CAA58760.1	X83879	Nicotiana tabacum
AAD52097.1	AF088885	Nicotiana tabacum	CAA57721.1	X82270	Medicago sativa
AAC23542.1	U20948	Ipomoea trifida	AAF81420.1	AF247136	Capsicum annuum
AAG16628.1	AF007545	Brassica napus	AAD37790.1	AF149424	Ipomoea batatas
AAA33915.1	I27821	Oryza sativa	AAG40580.1	AF216316	Oryza sativa
BAA94509.1	AB041503	Populus nigra	CAB37188.1	AF224336	Medicago sativa
AAD46420.1	AF100771	Hordeum vulgare	AAF61238.1	AF241166	Oryza sativa
BAA23676.1	AB000970	Brassica rapa	AAG40581.1	AF216317	Oryza sativa
BAA94517.1	AF001800	Oryza sativa	CAB61889.1	AJ251330	Oryza sativa
BAA21132.1	D88193	Brassica rapa	CAA73323.1	Y12785	Petroselinum crispum
BAA06285.1	D30049	Brassica rapa	CAC13967.1	AJ250311	Oryza sativa
BAA94529.2	AF001800	Oryza sativa	CAA56314.1	X79993	Avena sativa
AAB61708.1	U93048	Daucus carota	CAA49592.1	X69971	Nicotiana tabacum
CAA79355.1	Z18921	Brassica oleracea	CAA58466.1	X83440	Petunia x hybrida
AAK11674.1	AF339747	Lophopyrum elongatum	AAK01710.1	AF332873	Oryza sativa
AAF43496.1	AF131222	Lophopyrum elongatum	AAG40579.1	AF216315	Oryza sativa
BAA94510.1	AB041504	Populus nigra	CAA57719.1	X82268	Medicago sativa
AAA33000.1	M76647	Brassica oleracea	AAC28850.1	AF079318	Triticum aestivum
CAA67145.1	X98520	Brassica oleracea	BAA74734.1	AB016802	Zea mays
AAB47421.1	U59316	Lycopersicon esculentum	AAF73257.1	AF154329	Pisum sativum
BAA07577.2	D38564	Brassica rapa	BAA09600.1	D61377	Nicotiana tabacum
AAA33008.1	M97667	Brassica napus	AAF81419.1	AF247135	Capsicum annuum
CAB89179.1	AJ245479	Brassica napus subsp. napus	BAA74733.1	AB016801	Zea mays
BAA92837.1	AB032474	Brassica oleracea	CAA05328.1	AJ002314	Nicotiana tabacum
SEQ ID NO. 1067			CAA05329.1	AJ002315	Nicotiana tabacum
AAF23903.1	AF194416	Oryza sativa	CAA11861.1	AJ224164	Petunia x hybrida
AAD52659.1	AF177392	Oryza sativa	CAA58595.1	X83620	Petunia x hybrida
AAF23902.1	AF194415	Oryza sativa	CAA11862.1	AJ224165	Petunia x hybrida
AAD28617.1	AF129087	Medicago sativa	CAA58594.1	X83619	Petunia x hybrida
CAB61750.1	AJ275316	Cicer arietinum	AAA92823.1	U18365	Brassica napus
AAB57843.1	U96716	Selaginella lepidophylla	BAA92214.1	AP001278	Oryza sativa
AAF65766.1	AF242308	Euphorbia esula	CAA67554.1	X99100	Trifolium repens
BAB18271.1	AB035141	Chlamydomonas reinhardtii	SEQ ID NO. 1070		
CAA58761.1	X83880	Nicotiana tabacum	AAF76998.1	AF274033	Atriplex hortensis
CAA47099.1	X66469	Medicago sativa	CAC12822.1	AJ299252	Nicotiana tabacum
AAB41548.1	L07042	Medicago sativa	AAC24587.1	AF071893	Prunus armeniaca
AAB58396.1	U94192	Nicotiana tabacum	AAF23899.1	AF193803	Oryza sativa
CAA50036.1	X70703	Pisum sativum	BAA78738.1	AB023482	Oryza sativa
AAF73236.1	AF153061	Pisum sativum	AAG43545.1	AF211527	Nicotiana tabacum



AF245119	AAF63205.1	Mesembryanthemum crystallinum	CAB96874.1	AJ277164	Malus x domestica
D38123	BAA07321.1	Nicotiana tabacum	CAA05771.1	AJ002958	Cicer arietinum
AB036883	BAB16083.1	Oryza sativa	CAA65475.1	X96714	Prunus dulcis
AB037183	BAB03248.1	Oryza sativa	AAA33493.1	J04176	Zea mays
AJ251250	CAB96900.1	Catharanthus roseus	CAA65477.1	X96716	Prunus dulcis
AJ251249	CAB96899.1	Catharanthus roseus	AAAF70538.1	AF017358	Oryza sativa
AF002526	BAA99376.1	Oryza sativa	AAF35184.1	AF195863	Gossypium hirsutum
AF057373	AAC62619.1	Nicotiana tabacum	AAK20395.1	AF334185	Triticum aestivum
AF211530	AAG43548.1	Nicotiana tabacum	AAA86694.1	U18127	Hordeum vulgare
AF211531	AAG43549.1	Nicotiana tabacum	AAG27707.1	AF302788	Triticum aestivum
AF298231	AAK01089.1	Hordeum vulgare	AAA75599.1	U15153	Gossypium hirsutum
			AAB34774.1	S78173	Gossypium hirsutum
			CAA85484.1	Z37115	Hordeum vulgare
			AAD46683.1	AF171094	Lilium longiflorum
			AAB96834.1	M64746	Daucus carota
			CAA63407.1	X92748	Beta vulgaris
			AAB70541.1	AF017361	Oryza sativa
			AAA33494.1	M57249	Zea mays
			CAA91436.1	Z66529	Hordeum vulgare
			AAB05812.1	U63993	Hordeum vulgare
			AAB70540.1	AF017360	Oryza sativa
			CAA69949.1	Y08691	Oryza sativa
			AAB18815.1	U77295	Oryza sativa
			CAA48621.1	X68654	Hordeum vulgare
			SEQ ID NO. 1073		
			AAD6406.1	AF096250	Lycopersicon esculentum
			AAD10057.1	AF110519	Lycopersicon esculentum
			AAD10056.1	AF110518	Lycopersicon esculentum
			AAG31141.1	AF305911	Oryza sativa
			AAG31142.1	AF305912	Hordeum vulgare
			CAA06334.1	AJ005077	Lycopersicon esculentum
			AAK30005.1	AY029067	Rosa hybrid cultivar
			AAK34002.1	M67449	Glycine max
			AAK11734.1	AY027437	Arachis hypogaea
			CAC09580.1	AJ298992	Fagus sylvatica
			AAF76189.1	AF271206	Rosa hybrid cultivar
			AAF78015.1	AF238471	Oryza sativa
			AAD43962.1	U78762	Triticum aestivum
			CAA61510.1	X89226	Oryza sativa
			AAD46415.1	AF100765	Oryza sativa
			SEQ ID NO. 1072		
			AAA73945.1	L33904	Brassica oleracea
			AAC63372.1	AF093751	Brassica oleracea
			AAA73947.1	I33906	Brassica oleracea
			AAA64310.1	U22174	Brassica napus
			AAB37228.1	U22105	Brassica napus
			AAA73946.1	L33905	Brassica oleracea
			AAA73948.1	L33907	Brassica oleracea
			AAA32295.1	I29767	Brassica oleracea
			AAF35185.1	AF195864	Gossypium hirsutum
			AAK28533.1	AF329829	Corylus avellana
			AAA74624.1	U31766	Oryza sativa
			AAB70539.1	AF017359	Oryza sativa
			AAG29777.1	AF228333	Gossypium hirsutum
			AAF35186.1	AF195865	Gossypium hirsutum
			AAC00499.1	AF044204	Gossypium hirsutum
			AAD09107.1	AF101038	Brassica napus
			CAA50661.1	X71668	Sorghum bicolor
			AAF26449.1	AF221501	Prunus avium
			AAB06443.1	U66105	Zea mays
			CAA80809.1	Z23271	Oryza sativa
			AAA34032.1	M58635	Spinacia oleracea
			AAF26450.1	AF221502	Malus x domestica
			CAA50660.1	X71667	Sorghum bicolor

AAG00510.1	AF285172	Phaseolus vulgaris	CAC10514.1	AJ299019	Samanea saman
BAB39437.1	AP003338	Oryza sativa	CAB54856.1	AJ132686	Zea mays
BAB39434.1	AP003338	Oryza sativa	CAA56175.1	X79779	Solanum tuberosum
AAF78020.1	AF238476	Oryza sativa	CAA71598.1	Y10579	Vicia faba
AAF78019.1	AF238475	Oryza sativa			
AAF68399.1	AF237569	Oryza sativa	SEQ ID NO. 1077		
AAF68397.1	AF237567	Oryza sativa	AAG31173.1	AF315714	Ipomoea nil
AAD44031.1	AF085166	Hordeum vulgare	AAC98912.1	AF029984	Lycopersicon esculentum
BAA94516.1	AP001800	Oryza sativa	CAB89693.1	AJ276591	Pisum sativum
AAF66615.1	AF142596	Nicotiana tabacum	CAB94800.1	AJ289773	Pisum sativum
AAF91323.1	AF244889	Glycine max	CAA70768.1	Y09579	Pisum sativum
AAF91324.1	AF244890	Glycine max	CAB94801.1	AJ289774	Pisum sativum
AAG25966.1	AF302082	Nicotiana tabacum	BAA94422.1	AB040053	Oryza sativa subsp. japoni.
			CAB89694.1	AJ276592	Pisum sativum
SEQ ID NO. 1075			SEQ ID NO. 1078		
AAF40306.1	AF156667	Vigna radiata	AAD11481.1	U51191	Glycine max
CAA68193.1	X99937	Spinacia oleracea	AAD11482.1	U51192	Glycine max
BAA03763.1	D16247	Nicotiana sylvestris	AAA65637.1	L13654	Lycopersicon esculentum
AAF75791.1	AF271892	Pisum sativum	AAA65636.1	L13653	Lycopersicon esculentum
AAD20980.1	AF079782	Zea mays	CAA76374.2	Y16776	Spinacia oleracea
BAA95704.1	AB042643	Oryza sativa	BAA03644.1	D14997	Oryza sativa
BAA95705.1	AB042644	Oryza sativa	CAA80502.1	Z22920	Spirodela polyrrhiza
AAG48833.1	AC084218	Oryza sativa	BAA07664.1	D42065	Nicotiana tabacum
			AAF63024.1	AF244921	Spinacia oleracea
SEQ ID NO. 1076			BAA07663.1	D42064	Nicotiana tabacum
AAF33670.1	AF079872	Nicotiana tabacum	BAA77387.1	AB024437	Scutellaria baicalensis
AAF33669.1	AF079871	Nicotiana tabacum	CAC21393.1	AJ401276	Zea mays
AAB53255.1	U65390	Nicotiana tabacum	AAD11483.1	U51193	Glycine max
CAA65254.1	X96390	Lycopersicon esculentum	AAD11484.1	U51194	Glycine max
BAA84085.1	AB032074	Nicotiana paniculata	CAA62226.1	X90693	Medicago sativa
AAF36832.1	AF207745	Triticum aestivum	CAA62227.1	X90694	Medicago sativa
CAB62555.1	AJ249962	Daucus carota	AAB41811.1	I36157	Medicago sativa
CAA68912.1	Y07632	Zea mays	CAA64413.1	X94943	Lycopersicon esculentum
CAC05488.1	AJ271446	Populus tremula x Populus	BAA89584.1	AF001073	Oryza sativa
tremuloides			BAA90365.1	AF001081	Oryza sativa
CAC05489.1	AJ271447	Populus tremula x Populus	BAA01950.1	D11337	Vigna angularis
tremuloides			AAB67737.1	L77080	Stylosanthes humilis
AAD39492.1	AF145272	Samanea saman	AAA32676.1	M37637	Arachis hypogaea
BAA96150.1	AP002092	Oryza sativa	AAF63027.1	AF244924	Spinacia oleracea
BAA96192.1	AP002093	Oryza sativa	CAA62225.1	X90692	Medicago sativa
AAD16278.1	AF099095	Samanea saman			

CAC21391.1	AJ401274	Zea mays	AAF91322.1	AF2444888	Glycine max
AAD37427.1	AF149277	Phaseolus vulgaris	AAK11568.1	AF318492	Lycopersicon hirsutum
CAB94692.1	AJ242742	Ipomoea batatas	AAB09771.1	U67422	Zea mays
AAB41810.1	I36156	Medicago sativa	AAF76307.1	AF220602	Lycopersicon pimpinellifol
BAA82307.1	AB027753	Nicotiana tabacum	AAF76314.1	AF220603	Lycopersicon esculentum
AAF65464.2	AF247700	Oryza sativa	AAB47424.1	U59317	Lycopersicon pimpinellifol
BAA92500.1	AF001383	Oryza sativa	BAA92954.1	AF001551	Oryza sativa
AAD37430.1	AF149280	Phaseolus vulgaris	AAB47422.1	U59318	Lycopersicon esculentum
CAA62615.1	X91232	Mécurialis annua	AAF91324.1	AF244890	Glycine max
AAC98519.1	AF007211	Glycine max	SEQ ID NO. 1080		
AAB97734.1	AF014502	Glycine max	AAB86850.1	AF031540	Fritillaria agrestis
CAA39486.1	X56011	Triticum aestivum	AAC84135.1	AF101422	Cichorium intybus
BAA94962.1	AB042103	Asparagus officinalis	BAA02159.1	D12634	Oryza sativa
AAD37429.2	AF149279	Phaseolus vulgaris	AAA63515.1	M63704	Oryza sativa
AAF63026.1	AF244923	Spinacia oleracea	AAB70265.1	AF017367	Oryza sativa
CAA71488.1	Y10462	Spinacia oleracea	AAA33084.1	M35173	Chlamydomonas reinhardtii
AAD37375.1	AF145349	Glycine max	CAB16954.1	Z99829	Chlamydomonas reinhardtii
CAA76376.1	Y16778	Spinacia oleracea	CAA79708.1	Z21499	Stellaria longipes
BAA14143.1	D90115	Armoracia rusticana	SEQ ID NO. 1081		
CAA59485.1	X85228	Triticum aestivum	BAA02159.1	D12634	Oryza sativa
SEQ ID NO. 1079			AAA63515.1	M63704	Oryza sativa
AAG16628.1	AY007545	Brassica napus	AAB86850.1	AF031540	Fritillaria agrestis
AAK21965.1	AY028699	Brassica napus	AAC84135.1	AF101422	Cichorium intybus
AAG03090.1	AC073405	Oryza sativa	AAB70265.1	AF017367	Oryza sativa
BAA94509.1	AB041503	Populus nigra	AAA33084.1	M35173	Chlamydomonas reinhardtii
BAA94510.1	AB041504	Populus nigra	CAB16954.1	Z99829	Chlamydomonas reinhardtii
BAA78764.1	AB023482	Oryza sativa	CAA79708.1	Z21499	Stellaria longipes
AAC61805.1	U28007	Lycopersicon esculentum	SEQ ID NO. 1082		
AAF43496.1	AF131222	Lophopyrum elongatum	BAB08188.1	AF002539	Oryza sativa
AAK11674.1	AF339747	Lophopyrum elongatum	CAA70815.1	Y09602	Hordeum vulgare
AAF91337.1	AF249318	Glycine max	CAB59202.1	X78878	Hordeum vulgare
AAF91336.1	AF249317	Glycine max	CAA55478.1	X78877	Hordeum vulgare
AAC27894.1	AF023164	Zea mays	AAD22150.1	AF061282	Sorghum bicolor
AAF66615.1	AF142596	Nicotiana tabacum	CAB58992.1	X78876	Hordeum vulgare
CAB51834.1	00069	Oryza sativa	AAD22151.1	AF061282	Sorghum bicolor
AAD21872.1	AF078082	Phaseolus vulgaris	AAF44708.1	AF242849	Lycopersicon esculentum
AAC27895.1	AF023165	Zea mays	AAD22164.1	AF061282	Sorghum bicolor
AAB61708.1	U93048	Daucus carota	BAA04510.1	D17586	Oryza sativa
CAA97692.1	Z73295	Catharanthus roseus			
AAA33915.1	L27821	Oryza sativa			

CAA70816.1	Y09603	Hordeum vulgare	CAC19933.1	AJ131739	Cuphea lanceolata
AAA32940.1	J03897	Hordeum vulgare	AAG43857.1	AF213476	Iris germanica
AAF64227.1	AF248647	Lycopersicon pennellii	AAG43858.1	AF213477	Iris germanica
AAD01265.1	AF006080	Solanum berthaultii	AAG43861.1	AF213480	Iris tectorum
AAD01263.1	AF006078	Solanum berthaultii	AAG43860.1	AF213479	Iris tectorum
AAD01264.1	AF006079	Solanum berthaultii	BAA83582.1	AP000399	Oryza sativa
AAD42963.2	AF141384	Matricaria chamomilla	CAB60830.1	AJ131740	Cuphea lanceolata
BAA04511.1	D17587	Oryza sativa	AAC49180.1	U38189	Cuphea palustris
BAA01757.1	D10985	Oryza sativa	AAC49784.1	U56104	Cuphea wrightii
CAA70817.1	Y09604	Hordeum vulgare	AAC49783.1	U56103	Cuphea wrightii
BAA94235.1	AP001633	Oryza sativa	CAC19934.1	AJ131741	Cuphea lanceolata
CAB71127.1	AJ271659	Cicer arietinum	AAC49179.1	U38188	Cuphea palustris
BAB19126.1	AF002839	Oryza sativa	AAC72881.1	AF062399	Cuphea hookeriana
AAA92062.1	U49382	Vigna radiata	AAC49269.1	U39834	Cuphea hookeriana
AAA92064.1	U49741	Vigna radiata	AAD42220.1	AF147879	Elaeis guineensis
CAA92216.1	Z68130	Pisum sativum	AAC49151.1	U31813	Cinnamomum camphora
			AAA34215.1	M94159	Umbellularia californica
			AAC49001.1	U17097	Umbellularia californica
			CAA06001.1	AJ003221	Solanum tuberosum
SEQ ID NO. 1083					
AAC49002.1	U17098	Brassica rapa			
CAA52070.1	X73850	Brassica napus			
CAA52069.1	X73849	Brassica napus			
CAA61111.1	X87842	Brassica napus			
AAC72883.1	AF062401	Cuphea hookeriana	SEQ ID NO. 1084		
AAA33020.1	N96569	Carthamus tinctorius	BAB41080.1	AB052729	Pisum sativum
AAB51523.1	U92876	Garcinia mangostana	AAA34085.1	M93436	Nicotiana tabacum
AAA33019.1	N96568	Carthamus tinctorius	AAA34054.1	M96432	Nicotiana tabacum
AAG35064.1	AF218288	Capiscum chinense			
AAG43859.1	AF213478	Iris germanica			
AAB51524.1	U92877	Garcinia mangostana			
AAD28187.1	AF110462	Elaeis guineensis			
CAC14164.1	AJ278479	Brassica juncea			
AAC48990.1	U17076	Cuphea hookeriana	SEQ ID NO. 1085		
AAB71729.1	U65642	Myristica fragrans	CAA06334.1	AJ005077	Lycopersicon esculentum
AAB51525.1	U92878	Garcinia mangostana	AAG31141.1	AF305911	Oryza sativa
AAC72882.1	AF062400	Cuphea hookeriana	AAG31142.1	AF305912	Hordeum vulgare
AAB88824.1	AF036565	Helianthus annuus	AAK30005.1	AY029067	Rosa hybrid cultivar
AAD33895.1	AF143095	Elaeis guineensis	AAD46406.1	AF096250	Lycopersicon esculentum
AAD33870.1	AF141382	Elaeis oleifera	AAD10057.1	AF110519	Lycopersicon esculentum
CAA54060.1	X76561	Cuphea lanceolata	AAD10056.1	AF110518	Lycopersicon esculentum
AAD01982.1	AF034266	Gossypium hirsutum	AAA34002.1	M67449	Glycine max
AAF02215.1	AF076535	Gossypium hirsutum	AAK11734.1	AY027437	Arachis hypogaea
			CAC09580.1	AJ298992	Fagus sylvatica
			CAA97692.1	Z73295	Catharanthus roseus
			AAF59906.1	AF197947	Glycine max
			AAF59905.1	AF197946	Glycine max
			CAA08995.1	AJ010091	Brassica napus
			CAB51834.1	00069	Oryza sativa

CAA08997.1	AJ010093	Brassica napus	AAB81662.1	U85246	Oryza sativa
AAF34436.1	AF172282	Oryza sativa	AAG13983.1	AF297522	Prunus avium
AAG25966.1	AF302082	Nicotiana tabacum	AAF322409.1	AF230276	Triphysaria versicolor
BAA06538.1	D31737	Nicotiana tabacum	AAG32921.1	AF184233	Lycopersicon esculentum
AAF76189.1	AF271206	Rosa hybrid cultivar	BAB32732.1	AB049406	Eustoma grandiflorum
BAA84787.1	AP000559	Oryza sativa	AAF32411.1	AF230278	Triphysaria versicolor
BAA83373.1	AP000391	Oryza sativa	AAF35902.1	AF230333	Zinnia elegans
AAF66615.1	AF142596	Nicotiana tabacum	AAB38074.1	U30477	Oryza sativa
AAF91322.1	AF244888	Glycine max	AAC96080.1	AF049353	Nicotiana tabacum
AAD21872.1	AF078082	Phaseolus vulgaris	AAF17570.1	AF202119	Marsilea quadrifolia
CAA61510.1	X89226	Oryza sativa	CAC06433.1	AJ276007	Festuca pratensis
AAF91323.1	AF244889	Glycine max	AAD13633.1	AF059489	Lycopersicon esculentum
AAF91324.1	AF244890	Glycine max	CAC19183.1	AJ291816	Cicer arietinum
AAF43394.1	AF230501	Oryza sativa subsp. japonica	AAF62181.1	AF247163	Oryza sativa
AAK16409.1	AF320086	Zea mays	AAF62180.1	AF247162	Oryza sativa
AAK21965.1	AY028699	Brassica napus	CAB46492.1	AJ243340	Lycopersicon esculentum
BAB39437.1	AP003338	Oryza sativa	BAA88200.1	AP000837	Oryza sativa
AAK11568.1	AF318492	Lycopersicon hirsutum	AAF32410.1	AF230277	Triphysaria versicolor
			AAB37749.1	U30460	Cucumis sativus
SEQ ID NO. 1086		Oryza sativa	CAA04385.1	AJ000885	Brassica napus
BAA85400.1	AP000615		AAF17571.1	AF202120	Regnellidium diphyllum
			AAD13632.1	AF059488	Lycopersicon esculentum
SEQ ID NO. 1088			CAA06271.2	AJ004997	Lycopersicon esculentum
AAF35901.1	AF230332	Zinnia elegans	AAC63088.1	U82123	Lycopersicon esculentum
CAC19184.1	AJ291817	Cicer arietinum	AAC96077.1	AF049350	Nicotiana tabacum
AAG13982.1	AF297521	Prunus avium	AAF62182.1	AF247164	Oryza sativa
BAB19676.1	AB029083	Prunus persica	CAC18802.1	AJ289154	Glycine max
AAC33529.1	U93167	Prunus armeniaca	AAC96078.1	AF049351	Nicotiana tabacum
AAC33530.1	AF038815	Prunus armeniaca	AAG01875.1	AF291659	Striga asiatica
AAD47901.1	AF085330	Pinus taeda	CAA69105.1	Y07782	Oryza sativa
AAB37746.1	U30382	Cucumis sativus	AAC96079.1	AF049352	Nicotiana tabacum
AAF21101.1	AF159563	Fragaria x ananassa			
AAB40634.1	U64890	Pinus taeda	SEQ ID NO. 1089		Populus tremula x Populus
AAB40637.1	U64893	Pinus taeda	AAD02848.1	AF086839	
AAB40635.1	U64891	Pinus taeda	tremuloides		Betula pendula
CAB43197.1	AJ239068	Lycopersicon esculentum	CAB66329.1	AJ279687	Citrus unshiu
AAB40636.1	U64892	Pinus taeda	BAA36555.1	AB011798	Pisum sativum
AAC64201.1	AF096776	Lycopersicon esculentum	AAC77337.1	U79562	Lycopersicon esculentum
AAD49956.1	AF167360	Rumex palustris	CAB61887.1	AJ250003	Citrus unshiu
AAC96081.1	AF049354	Nicotiana tabacum	BAA36556.1	AB011799	
AAC39512.1	AF043284	Gossypium hirsutum	AAB16804.1	U68560	Malus x domestica

BAB40808.1	AB058921	Nicotiana suaveolens x	AAF37266.1	AF220405	Vitis riparia
Nicotiana tabacum			AAB36223.1	S81261	Brassica napus
BAB40809.1	AB058922	Nicotiana suaveolens x	AAB36222.1	S81261	Brassica napus
Nicotiana tabacum			AAC49266.1	U33885	Brassica napus
AAC32147.1	AF051247	Picea mariana	AAC49265.1	U33884	Brassica napus
CAB56223.1	AJ133276	Hordeum vulgare	AAD28439.1	AF120092	Nicotiana tabacum
CAB56224.1	AJ133277	Hordeum vulgare			
AAC24568.2	AF055909	Zea mays	SEQ ID NO. 1103		
			BAA90508.1	AP001111	Oryza sativa
SEQ ID NO. 1090			BAA90507.1	AP001111	Oryza sativa
AAA34030.1	J03492	Spinacia oleracea	CAA94437.1	Z70524	Spirodela polyrrhiza
AAB40396.1	U80071	Mesembryanthemum crystallinum	BAA83352.1	AP000391	Oryza sativa
BAA03131.1	D14044	Cucurbita sp.			
AAB82143.1	AF022740	Oryza sativa	SEQ ID NO. 1104		
CAA63482.1	X92888	Lycopersicon esculentum	AAD25300.1	AF088276	Lycopersicon esculentum
AAC32392.1	AF082874	Medicago sativa	CAA63704.1	X93301	Oryza sativa
AAC33509.1	U62485	Nicotiana tabacum	AAD25225.1	AF088279	Potamogeton crispus
AAF03097.1	AF162196	Lactuca sativa	AAD24966.1	AF109150	Lycopersicon esculentum
SEQ ID NO. 1091			SEQ ID NO. 1105		
BAA03763.1	D16247	Nicotiana sylvestris	AAC05983.1	AF049708	Glycine max
AAF75791.1	AF271892	Pisum sativum	AAA74360.1	I33912	Zea mays
AAF40306.1	AF156667	Vigna radiata	AAC05981.1	AF049706	Chloroplast Glycine max
CAA68193.1	X99937	Spinacia oleracea	AAA16972.1	I11529	Daucus carota
AAD20980.1	AF079782	Zea mays	BAA11417.1	D78573	Oryza sativa
BAA95704.1	AB042643	Oryza sativa	AAA74361.1	I33913	Zea mays
BAA95705.1	AB042644	Oryza sativa	AAD41796.1	AF135862	Glycine max
			BAA95630.1	AB042521	Oryza sativa
SEQ ID NO. 1094			SEQ ID NO. 1106		
CAA06773.1	AJ005931	Brassica napus	AAG25928.1	AF260919	Petunia x hybrida
CAA06770.1	AJ005928	Brassica napus	AAG25927.1	AF260918	Petunia x hybrida
BAA24448.1	AB003516	Panax ginseng	AAB00586.1	U18348	Phaseolus vulgaris
CAA06223.1	AJ004923	Lycopersicon esculentum	AAC28907.1	U18349	Phaseolus vulgaris
			AAD15818.1	AF061107	Zea mays
SEQ ID NO. 1096			CAB92300.1	AJ251719	Zea mays
AAG14455.1	AF283707	Tulipa gesneriana	AAC49219.1	U39860	Oryza sativa
AAG14456.1	AF283708	Tulipa gesneriana	AAC39455.1	AF020545	Petunia x hybrida
AAG14454.1	AF283706	Tulipa gesneriana	AAC49212.1	U39863	Oryza australiensis
AAC08401.1	AF053564	Mesembryanthemum crystallinum	AAC49216.1	U39865	Oryza officinalis
			AAC49213.1	U39864	Oryza eichingeri
SEQ ID NO. 1102					

AAD56411.1	AF185269	Tulipa gesneriana	BAB39155.1	AB048713	Pisum sativum
SEQ ID NO. 1107			AAG13663.1	AF263457	Zea mays
AAB69757.1	U75644	Lycopersicon esculentum	BAA90816.1	AP001168	Oryza sativa
AAC49666.1	U83708	Lycopersicon esculentum	AAC98090.1	AF067400	Zea mays
AAB38796.1	U73203	Nicotiana glutinosa	SEQ ID NO. 1114		
SEQ ID NO. 1109			CAA05249.1	AJ002204	Zea mays
BAA33531.1	D83583	Nicotiana tabacum	CAC03739.1	AJ251568	Zea mays
BAA33796.1	AB010717	Nicotiana tabacum	CAC04001.1	AJ251018	Zea mays
AAG59996.1	AY017473	Glycine max	CAC04002.1	AJ251019	Zea mays
BAA23641.1	D50679	Zea mays	SEQ ID NO. 1115		
AAC24584.1	AF071890	Prunus armeniaca	AAD22518.1	AF001136	Pinus radiata
CAA70137.1	Y08937	Chlamydomonas reinhardtii	SEQ ID NO. 1119		
AAA74456.1	U10419	Phaseolus vulgaris	CAA06925.1	AJ006228	Nicotiana tabacum
BAA09122.1	D50556	Oryza sativa	SEQ ID NO. 1122		
AAC17127.1	AF065616	Capsicum annuum	CAB61752.1	AJ275318	Cicer arietinum
AAA60450.1	M23456	Zea mays	CAC14890.1	AJ295156	Phragmites australis
CAC06095.1	AJ293240	Lotus japonicus	AAB68605.1	U82433	Prunus armeniaca
AAB50233.1	U90429	Glycine max	SEQ ID NO. 1124		
CAA46940.1	X66145	Nicotiana tabacum	AAD16018.1	AF081514	Taxus canadensis
CAA46942.1	X66147	Nicotiana tabacum	SEQ ID NO. 1125		
CAA34893.1	X17031	Spinacia oleracea	CAC34339.1	AJ308597	Solanum tuberosum
CAA42690.1	X60093	Betula pendula	AAF97863.1	AF175507	Eucalyptus camaldulensis
CAA46941.1	X66146	Nicotiana tabacum	CAA12225.1	AJ224926	Solanum tuberosum
AAC34042.1	AF082602	Leavenworthia crassa	AAD16279.1	AF099096	Samanea saman
AAC34043.1	AF082603	Leavenworthia uniflora	SEQ ID NO. 1127		
AAC34044.1	AF082604	Leavenworthia crassa	CAA67728.1	X98348	Vigna radiata
AAC34046.1	AF082606	Leavenworthia uniflora	SEQ ID NO. 1133		
AAC34045.1	AF082605	Leavenworthia stylosa	AAC36700.1	AF075582	Mesembryanthemum crystallinum
AAC34047.1	AF082607	Leavenworthia stylosa	AAG43835.1	AF213455	Zea mays
AAA96730.1	L23855	Glycine max	AAD17804.1	AF092431	Lotus japonicus
AAC34048.1	AF082608	Leavenworthia uniflora	AAC36698.1	AF075580	Mesembryanthemum crystallinum
SEQ ID NO. 1110			AAC36697.1	AF075579	Mesembryanthemum crystallinum
AAG14455.1	AF283707	Tulipa gesneriana	AAD17805.1	AF092432	Lotus japonicus
AAG14456.1	AF283708	Tulipa gesneriana			
AAG14454.1	AF283706	Tulipa gesneriana			
AAC08401.1	AF053564	Mesembryanthemum crystallinum			
SEQ ID NO. 1111					

CAA72341.1	Y11607	Medicago sativa	AAA33945.1	J03919	Glycine max
CAC10358.1	AJ277086	Nicotiana tabacum	AAA33944.1	J03920	Glycine max
CAC10359.1	AJ277087	Nicotiana tabacum	CAA48299.1	X68217	Pisum sativum
CAC09575.1	AJ298987	Fagus sylvatica	CAA48298.1	X68216	Pisum sativum
AAC26828.1	AF075603	Oryza sativa	AAD50278.1	AF169830	Glycine max
AAC36699.1	AF075581	Mesembryanthemum crystallinum	SEQ ID NO. 1164		
AAD11430.1	AF097667	Mesembryanthemum crystallinum	BAA31510.1	AB010878	Nicotiana tabacum
CAB90634.1	AJ277744	Fagus sylvatica	CAA63651.1	X93160	Spinacia oleracea
AAC35951.1	AF079355	Mesembryanthemum crystallinum	CAA75149.1	Y14932	Spinacia oleracea
AAB93832.1	U81960	Zea mays	SEQ ID NO. 1167		
CAC09576.1	AJ298988	Fagus sylvatica	BAA90815.1	AP001168	Oryza sativa
SEQ ID NO. 1141			BAA90804.1	AP001168	Oryza sativa
CAA55860.1	X79273	Solanum tuberosum	BAA90803.1	AP001168	Oryza sativa
SEQ ID NO. 1147			SEQ ID NO. 1168		
AAB59330.1	M31545	Hordeum vulgare	AG25966.1	AF302082	Nicotiana tabacum
AAC48996.1	U20260	Glycine max	AAA33915.1	L27821	Oryza sativa
AAA81881.1	L39279	Lycopersicon esculentum	AAB61708.1	U93048	Daucus carota
CAA46787.1	X65974	Nicotiana tabacum	AAD21872.1	AF078082	Phaseolus vulgaris
CAA46786.1	X65973	Nicotiana tabacum	BAA06538.1	D31737	Nicotiana tabacum
AAA18861.1	U03632	Chlamydomonas reinhardtii	AAF66615.1	AF142596	Nicotiana tabacum
AAA18862.1	U03633	Chlamydomonas reinhardtii	AAB09771.1	U67422	Zea mays
SEQ ID NO. 1153			BAA94516.1	AP001800	Oryza sativa
BAB39155.1	AB048713	Pisum sativum	AAB93834.1	U82481	Zea mays
BAA90816.1	AP001168	Oryza sativa	BAA92954.1	AP001551	Oryza sativa
AAG13663.1	AF263457	Zea mays	CAB41878.1	Y18259	Brassica oleracea
AAC98090.1	AF067400	Zea mays	AAK21965.1	AY028699	Brassica napus
AAC98091.1	AF067401	Oryza sativa	BAA94517.1	AP001800	Oryza sativa
BAB39156.1	AB048714	Pisum sativum	CAA73134.1	Y12531	Brassica oleracea
SEQ ID NO. 1154			AAC23542.1	U20948	Ipomoea trifida
CAA42942.1	X60391	Phaseolus vulgaris	BAA78764.1	AB023482	Oryza sativa
CAA49895.1	X70441	Nicotiana alata	CAA67145.1	X98520	Brassica oleracea
AAA98492.1	L36982	Petroselinum crispum	CAB41879.1	Y18260	Brassica oleracea
SEQ ID NO. 1163			BAA94509.1	AB041503	Populus nigra
BAA95840.1	AP002070	Oryza sativa	CAA73133.1	Y12530	Brassica oleracea
CAA48297.1	X68215	Pisum sativum	BAA92836.1	AB032473	Brassica oleracea
CAA48300.1	X68218	Pisum sativum	SEQ ID NO. 1170		
			AAB88875.1	U93272	Prunus armeniaca



CAA83683.1	Z32850	Ricinus communis	AAC04387.1	AF009568	Gossypium hirsutum
AAA63452.1	M55191	Solanum tuberosum	AAF07174.1	AF192308	Vitis vinifera
AAC67586.1	AF095520	Citrus x paradisi	AAC06255.1	AF053080	Malus x domestica
AAA63451.1	M55190	Solanum tuberosum	AAA79993.1	U36439	Rubus hispidus
AAC67587.1	AF095521	Citrus x paradisi			
CAA83682.1	Z32849	Ricinus communis	SEQ ID NO. 1184		
			AAD21872.1	AF078082	Phaseolus vulgaris
SEQ ID NO. 1182			AAC23542.1	U20948	Ipomoea trifida
CAC20842.1	AJ250467	Pinus sylvestris	CAA73134.1	Y12531	Brassica oleracea
AAF59906.1	AF197947	Glycine max	AAB93834.1	U82481	Zea mays
AAB36558.1	U77888	Ipomoea nil	CAB89179.1	AJ245479	Brassica napus subsp. napu
AAF91324.1	AF244890	Glycine max	AAA33008.1	M97667	Brassica napus
AAF59905.1	AF197946	Glycine max	AAA33000.1	M76647	Brassica oleracea
AAF91323.1	AF244889	Glycine max	CAA67145.1	X98520	Brassica oleracea
AAF91322.1	AF244888	Glycine max	CAA73133.1	Y12530	Brassica oleracea
AAF34426.1	AF172282	Oryza sativa	BAA92836.1	AB032473	Brassica oleracea
CAA61510.1	X89226	Oryza sativa	CAB41878.1	Y18259	Brassica oleracea
AAC49123.1	U37133	Oryza sativa	BAA23676.1	AB000970	Brassica rapa
AAC80225.1	U72723	Oryza longistaminata	CAB41879.1	Y18260	Brassica oleracea
AAB82755.1	U72725	Oryza longistaminata	CAA79355.1	Z18921	Brassica oleracea
AAB82756.1	U72724	Oryza sativa	BAA06285.1	D30049	Brassica rapa
BAA88636.1	AB029327	Nicotiana tabacum	BAA21132.1	D88193	Brassica rapa
			CAA74662.1	Y14286	Brassica oleracea
SEQ ID NO. 1183			AAA62232.1	U00443	Brassica napus
BAA83103.1	D88820	Acetabularia mediterranea	BAA92837.1	AB032474	Brassica oleracea
CAA58701.1	X83730	Nicotiana tabacum	CAA74661.1	Y14285	Brassica oleracea
BAA23649.1	AB009077	Vigna radiata	BAA07577.2	D38564	Brassica rapa
CAA54869.1	X77915	Nicotiana tabacum	BAA07576.1	D38563	Brassica rapa
BAA08232.1	D45383	Oryza sativa	BAB21001.1	AB054061	Brassica rapa
AAA61609.1	L32791	Beta vulgaris	AAD52097.1	AF088885	Nicotiana tabacum
BAA33149.1	D86306	Cucurbita moschata	AAA33915.1	L27821	Oryza sativa
BAA08233.1	D45384	Oryza sativa	BAA92954.1	AP001551	Oryza sativa
CAA58700.1	X83729	Nicotiana tabacum	AAK21965.1	AY028699	Brassica napus
AAF69010.1	AF257777	Vitis vinifera	CAB51836.1	AJ243961	Oryza sativa
BAA02717.2	D13472	Hordeum vulgare	AAG03090.1	AC073405	Oryza sativa
AAC49175.1	U31467	Vigna radiata	CAA79324.1	Z18884	Brassica oleracea
BAA36841.1	AB018529	Chara corallina			
BAB18681.1	AB032839	Hordeum vulgare	SEQ ID NO. 1186		
AAA61610.1	L32792	Beta vulgaris	CAA06999.1	AJ006378	Lycopersicon esculentum
CAA58699.1	X83728	Nicotiana tabacum	CAA07000.1	AJ006379	Lycopersicon esculentum
AAA80347.1	U36437	Zea mays	CAA76727.1	Y17278	Lycopersicon esculentum

BAB21149.1	AP002899	Oryza sativa	CAA64635.1	X95342	Nicotiana tabacum
CAA76725.1	Y17276	Lycopersicon esculentum	AAC32274.1	AF081575	Petunia x hybrida
CAA71234.1	Y10149	Lycopersicon esculentum	CAA50155.1	X70824	Solanum melongena
CAA76724.1	Y17275	Lycopersicon esculentum	BAB40324.1	AB037245	Asparagus officinalis
CAA64566.1	X95270	Lycopersicon esculentum	BAB40323.1	AB037244	Asparagus officinalis
CAB67120.1	Y18932	Lycopersicon esculentum	CAA70576.1	Y09424	Nepeta racemosa
CAB67119.1	Y18931	Lycopersicon esculentum			
CAA59964.1	X85975	Alnus glutinosa	SEQ ID NO. 1189		
CAA07001.1	AJ006380	Lycopersicon esculentum	CAA50312.1	X70981	Solanum melongena
CAA06997.1	AJ006376	Lycopersicon esculentum	CAA70575.1	Y09423	Nepeta racemosa
CAA76726.1	Y17277	Lycopersicon esculentum	CAA70576.1	Y09424	Nepeta racemosa
CAA06998.1	AJ006377	Lycopersicon esculentum	AAA32913.1	M32885	Persea americana
AAD02075.3	AF036960	Glycine max	CAA50645.1	X71654	Solanum melongena
AAG38994.1	AF160513	Glycine max	BAA03635.1	D14990	Solanum melongena
BAB03290.1	AB037371	Oryza sativa	CAA83941.1	Z33875	Mentha x piperita
AAG09442.1	AF200467	Oryza sativa	AAB94584.1	AF022157	Glycine max
AAF31406.1	AF201883	Gossypioideis kirkii	AAF27282.1	AF122821	Capsicum annuum
CAB65690.1	AJ270956	Lycopersicon esculentum	AAB94588.1	AF022459	Glycine max
CAA10987.1	AJ222782	Hordeum vulgare	BAB40323.1	AB037244	Asparagus officinalis
			BAB40324.1	AB037245	Asparagus officinalis
			AAA19701.1	L24438	Thlaspi arvense
SEQ ID NO. 1188			CAA50313.1	X70982	Solanum melongena
CAB43505.1	AJ239051	Cicer arietinum	AAD47832.1	AF166332	Nicotiana tabacum
BAA22422.1	AB001379	Glycyrrhiza echinata	CAB56503.1	AJ238612	Catharanthus roseus
BAA74465.1	AB022732	Glycyrrhiza echinata	CAA57421.1	X81827	Zea mays
BAA93634.1	AB025016	Lotus japonicus	AAB94589.1	AF022460	Glycine max
CAB41490.1	AJ238439	Cicer arietinum	CAA57422.1	X81828	Zea mays
CAA10067.1	AJ012581	Cicer arietinum	CAA57422.1	AB036772	Triticum aestivum
CAA04117.1	AJ000478	Helianthus tuberosus	BAB40322.1	Y11368	Zea mays
CAA04116.1	AJ000477	Helianthus tuberosus	CAA72196.1	X81831	Zea mays
AAA32913.1	M32885	Persea americana	CAA57425.1	AF155332	Petunia x hybrida
AAD56282.1	AF155332	Petunia x hybrida	AAD56282.1	AF155332	Petunia x hybrida
AAB94590.1	AF022461	Glycine max	AAC39318.1	AF029858	Sorghum bicolor
AAG09208.1	AF175278	Pisum sativum	CAA65580.1	X96784	Nicotiana tabacum
CAA65580.1	X96784	Nicotiana tabacum	AAG44132.1	AF218296	Pisum sativum
AAC49188.2	U29333	Pisum sativum	BAA12159.1	D83968	Glycine max
CAB56742.1	AJ249800	Cicer arietinum	CAA64635.1	X95342	Nicotiana tabacum
BAA12159.1	D83968	Glycine max	CAA72208.1	Y11404	Zea mays
AAC39454.1	AF014802	Eschscholzia californica	CAA57423.1	X81829	Zea mays
AAG44132.1	AF218296	Pisum sativum	CAA72207.1	Y11403	Zea mays
AAB17562.1	U72654	Eustoma grandiflorum	CAA57424.2	X81830	Zea mays
BAA13076.1	D86351	Glycine max	AAD44150.1	AF124815	Mentha spicata

[illegible]

AAA33129.1	M91372	Cucumis sativus	CAA69598.1	Y08273	Digitalis lanata
AAD37376.1	AF145350	Glycine max	AAA57045.1	L29469	Oryza sativa
CAA40796.1	X57564	Armoracia rusticana	AAA62706.1	M55018	Brassica napus
AAA34050.1	M74103	Nicotiana sylvestris	AAA57046.1	L29470	Oryza sativa
AAC49819.1	AF014468	Oryza sativa	AAA63543.1	M55019	Lycopersicon esculentum
CAA71493.1	Y10467	Spinacia oleracea	CAA59468.1	X85185	Catharanthus roseus
BAA77388.1	AB024438	Scutellaria baicalensis	AAC05639.1	AF052206	Chlamydomonas reinhardtii
CAA71494.1	Y10468	Spinacia oleracea	AAA57044.1	L29471	Oryza sativa
AAB67737.1	L77080	Stylosanthes humilis	AAD22975.1	AF126551	Solanum tuberosum subsp.
CAA62597.1	X91172	Raphanus sativus	tuberosum		
AAF63024.1	AF244921	Spinacia oleracea	CAA52414.1	X74403	Phaseolus vulgaris
AAA32973.1	M73234	Hordeum vulgare	CAA76054.1	Y16088	Lupinus luteus
CAA64413.1	X94943	Lycopersicon esculentum	AAF00471.1	AF178458	Lupinus luteus
AAA33121.1	M32742	Cucumis sativus	AAA63403.1	M55021	Zea mays
CAA62615.1	X91232	Mercurialis annua	CAA48638.1	X68678	Zea mays
BAA03911.1	D16442	Oryza sativa	AAA64430.1	L32095	Vicia faba
AAC49821.1	AF014470	Oryza sativa	AAB51386.1	U92087	Solanum commersonii
BAA11853.1	D83225	Populus nigra	AAF65770.1	AF242312	Euphorbia esula
CAB99487.1	AJ276227	Hordeum vulgare	AAG01536.1	AF291180	Capsicum annuum
AAB97853.1	AF043234	Striga asiatica	CAA10766.1	AJ132763	Pseudotsuga menziesii
AAA34108.1	J02979	Nicotiana tabacum	CAA65889.1	X97255	Digitalis lanata
AAA65637.1	L13654	Lycopersicon esculentum	CAA78459.1	Z14081	Nicotiana tabacum
CAA59487.1	X85230	Triticum aestivum			
SEQ ID NO. 1195			SEQ ID NO. 1200		
AAD39534.2	AF150630	Gossypium hirsutum	CAA50575.1	X71441	Nicotiana tabacum
AAC393333.1	AF030052	Oryza sativa subsp. japonica	CAA56318.1	X80008	Nicotiana tabacum
			CAA53366.1	X75670	Oryza sativa
SEQ ID NO. 1196			CAA04702.1	AJ001369	Olea europaea
CAA98168.1	Z73940	Lotus japonicus	AAC49701.1	U79011	Borago officinalis
AAA34004.1	L14930	Glycine max	AAA62621.1	L22209	Cuscuta reflexa
AAA34242.1	L14928	Vigna aconitifolia	CAA04703.1	AJ001370	Olea europaea
CAA98169.1	Z73941	Lotus japonicus	AAA32990.1	M87514	Brassica oleracea
AAB71504.1	U82219	Prunus armeniaca	CAA48240.1	X68140	Nicotiana tabacum
CAA98170.1	Z73942	Lotus japonicus	AAD10774.1	AF098510	Petunia x hybrida
CAA98171.1	Z73943	Lotus japonicus	AAF60299.1	AF233640	Petunia x hybrida
CAA46600.1	X65650	Pisum sativum			
AAB47557.1	U87142	Mesembryanthemum crystallinum	SEQ ID NO. 1201		
BAA02904.1	D13758	Oryza sativa	BAA08910.1	D50407	Cucumis sativus
			AAD16897.1	AF105221	Glycine max
SEQ ID NO. 1198			BAA25168.1	D88383	Hordeum vulgare
			BAA25003.1	AB011416	Oryza sativa

CAA60054.1	X86101	Hordeum vulgare	AAF04972.1	AF091458	Oryza sativa
CAA63140.1	X92403	Hordeum vulgare	BAA33457.1	AB007504	Triticum aestivum
BAA25167.1	D88382	Hordeum vulgare	AAB50187.1	U49734	Sorghum bicolor
BAA11091.1	D67088	Cucumis sativus	AAC49817.1	U78892	Oryza sativa
CAA60055.1	X86102	Hordeum vulgare	AAF19048.1	AF058698	Oryza sativa
AAG41962.1	AF305613	Chlamydomonas reinhardtii	AAC83170.1	U78948	Malus x domestica
AAG02480.1	AF294753	Hordeum vulgare	SEQ ID NO. 1203		
AAG02479.1	AF294752	Hordeum vulgare	AAG28780.1	AF306518	Brassica napus
SEQ ID NO. 1202			CAC10555.1	AJ279059	Lotus japonicus
AAG09811.1	AF275345	Lycopersicon esculentum	CAA64475.1	X95098	Lycopersicon esculentum
AAK27150.1	AF345246	Ipomoea batatas	AAG11397.1	AF118858	Lycopersicon esculentum
AAF22455.1	AF060880	Paulownia kawakamii	AAD16012.1	AF080541	Nepenthes alata
AAK27151.1	AF346303	Ipomoea batatas	AAF01774.1	AF188744	Brassica napus
AAB94005.1	AF008651	Solanum tuberosum	SEQ ID NO. 1205		
AAK21250.1	AF335237	Petunia x hybrida	AAG28600.1	AF247134	Limnanthes douglasii
BAA81880.1	AB003322	Oryza sativa	AAC49186.1	U37088	Simmondsia chinensis
CAB97349.1	AJ249141	Hordeum vulgare	AAB72178.1	AF009563	Brassica napus
CAC29335.1	AF293816	Oryza sativa	AAA96054.1	U50771	Brassica napus
AAF66690.1	AJ144623	Canavalia lineata	AAK11266.1	AF333040	Dunaliella salina
AAB94006.1	AF008652	Solanum tuberosum	CAC17746.1	AJ291728	Zea mays
AAK21256.1	AF335243	Petunia x hybrida	AAC25109.1	AF054497	Brassica napus
AAC84133.1	AF101420	Cichorium intybus	AAC25110.1	AF054498	Brassica napus
AAG09919.1	AF112149	Zea mays	AAC25111.1	AF054499	Brassica rapa
BAA25246.1	D89671	Ceratopteris richardii	AAC25112.1	AF054500	Brassica oleracea
AAG09136.1	AF150932	Physcomitrella patens	SEQ ID NO. 1206		
AAG09135.1	AF150931	Physcomitrella patens	AAF06346.1	AF195653	Vitis vinifera
AAF77579.1	AF072534	Physcomitrella patens	BAA28872.1	AB006009	Pyrus pyrifolia
AAK21257.1	AF335244	Capsicum annuum	CAC10270.1	AJ243427	Malus x domestica
AAB71434.1	U78890	Petunia x hybrida	AAC36740.1	AF090143	Malus x domestica
BAA81865.1	AB026295	Oryza sativa	BAA74546.2	AB000834	Nicotiana tabacum
CAB56800.1	AJ011675	Oryza sativa	CAB62167.1	AJ242828	Castanea sativa
AAF18376.1	AF158543	Picea abies	AAF06347.1	AF195654	Vitis vinifera
AAD10625.1	AF035378	Lolium temulentum	CAC09477.1	AL442113	Oryza sativa
CAB97354.1	AJ249146	Hordeum vulgare	AAB38064.1	U32440	Prunus avium
AAK21252.1	AF335239	Petunia x hybrida	AAB95118.1	U1244	Brassica rapa
BAA81883.1	AB003325	Oryza sativa	CAA10492.1	AJ131731	Pseudotsuga menziesii
AAB51377.1	U91964	Medicago sativa	BAA95017.1	AB031870	Cestrum elegans
CAA67968.1	X99654	Betula pendula	AAB02259.1	U57787	Avena sativa
AAD10626.1	AF035379	Lolium temulentum			
CAA53782.1	X76188	Nicotiana tabacum			

AAD55090.1	AF178653	Vitis riparia	AAF43496.1	AF131222	Lophopyrum elongatum
BAA95165.1	AB029918	Nicotiana tabacum	BAA78764.1	AB023482	Oryza sativa
AAB61590.1	AF003007	Vitis vinifera	AAB09771.1	U67422	Zea mays
AAF82264.1	AF227324	Vitis vinifera	AAF66615.1	AF142596	Nicotiana tabacum
AAB53368.1	U77657	Oryza sativa	AAG03090.1	AC073405	Oryza sativa
CAA09228.1	AJ010501	Cicer arietinum	CAB51834.1	00069	Oryza sativa
CAA33293.1	X15224	Nicotiana tabacum	AAG25966.1	AF302082	Nicotiana tabacum
CAA33292.1	X15223	Nicotiana tabacum	CAA97692.1	Z73295	Catharanthus roseus
SEQ ID NO. 1208			AAF91324.1	AF244890	Glycine max
AAC36698.1	AF075580	Mesembryanthemum crystallinum	AAF91323.1	AF244889	Glycine max
AAG43835.1	AF213455	Zea mays	BAA82556.1	AB030083	Populus nigra
CAA72341.1	Y11607	Medicago sativa	BAA94516.1	AP001800	Oryza sativa
CAC10358.1	AJ277086	Nicotiana tabacum	AAF59906.1	AF197947	Glycine max
AAD17804.1	AF092431	Lotus japonicus	AAF59905.1	AF197946	Glycine max
AAD17805.1	AF092432	Lotus japonicus	SEQ ID NO. 1211		
AAC36697.1	AF075579	Mesembryanthemum crystallinum	AAC09420.1	M68929	Mitochondrion Marchantia
CAC10359.1	AJ277087	Nicotiana tabacum	polymorpha		
CAB90633.1	AJ277743	Fagus sylvatica	CAA33994.1	X15901	Plastid Oryza sativa
AAC36700.1	AF075582	Mesembryanthemum crystallinum	SEQ ID NO. 1212		
CAC09575.1	AJ298987	Fagus sylvatica	CAA43941.1	X61937	Brassica napus
CAB90634.1	AJ277744	Fagus sylvatica	CAA41064.1	X58000	Brassica napus
AAC26828.1	AF075603	Oryza sativa	AAB22218.2	S37032	Brassica napus
AAB93832.1	U81960	Zea mays	CAA45313.1	X63779	Prunus dulcis
AAC35951.1	AF079355	Mesembryanthemum crystallinum	CAA55008.1	X78118	Citrus sinensis
AAD11430.1	AF097667	Mesembryanthemum crystallinum	CAA88360.1	Z48450	Sesamum indicum
AAC36699.1	AF075581	Mesembryanthemum crystallinum	AAD42942.1	AF091840	Bromus secalinus
CAC09576.1	AJ298988	Fagus sylvatica	AAB67992.1	U72411	Zea mays
SEQ ID NO. 1210			AAA68065.1	U13701	Oryza sativa
AAC27894.1	AF023164	Zea mays	AAC02239.1	U43930	Hordeum vulgare
AAC27895.1	AF023165	Zea mays	CAA57995.1	X82678	Oryza sativa
AAK21965.1	AY028699	Brassica napus	AAC33281.1	AF022148	Elaeis guineensis
AAC61805.1	U28007	Lycopersicon esculentum	AAD41080.1	AF147758	Perilla frutescens
AAF91336.1	AF249317	Glycine max	AAG43516.1	AF210696	Sesamum indicum
AAF91337.1	AF249318	Glycine max	AAB58402.1	U97700	Perilla frutescens
BAA82394.1	AP000367	Oryza sativa	AAG43517.1	AF210697	Perilla frutescens
AAG16628.1	AY007545	Brassica napus	AAG09751.1	AF237625	Glycine max
BAA94510.1	AB041504	Populus nigra	AAA17854.1	U09118	Perilla frutescens
BAA94509.1	AB041503	Populus nigra	AAG24455.1	AF311746	Glycine max
AAK11674.1	AF339747	Lophopyrum elongatum	AAA17855.1	U09119	Glycine max

CAA43183.1	X60773	Glycine max	AAB41524.1	M91079	Medicago sativa
AAK13449.1	AF325917	Arachis hypogaea	CAA34490.1	X16470	Phaseolus vulgaris
AAG23840.1	AF302807	Sesamum indicum	AAB41480.1	M91080	Medicago sativa
CAA44224.1	X62352	Helianthus annuus	CAA06202.1	AJ004902	Glycine max
AAK13450.1	AF325918	Arachis hypogaea	AAA50174.1	U03433	Pisum sativum
CAA57994.1	X82677	Hordeum vulgare	BAA76416.1	AB024988	Cicer arietinum
AAG01171.1	AF288622	Fagopyrum esculentum	AAG32050.1	AF307301	Lotus corniculatus
CAA57544.1	X82019	Brassica napus	AAG30542.1	AF308141	Lotus corniculatus
CAA43182.1	X60772	Glycine max	AAG30541.1	AF308140	Lotus corniculatus
CAA57545.1	X82020	Brassica napus			
AAAG7699.1	J05212	Zea mays	SEQ ID NO. 1215		
AAB01098.1	U47099	Daucus carota	AAF06347.1	AF195654	Vitis vinifera
AAD10240.1	AF019212	Oryza sativa subsp. indica	AAF06346.1	AF195653	Vitis vinifera
AAC02240.1	U43931	Oryza sativa	BAA28872.1	AB006009	Pyrus pyrifolia
CAA55348.1	X78679	Helianthus annuus	BAA74546.2	AB000834	Nicotiana tabacum
AAA68066.1	U13702	Zea mays	CAC10270.1	AJ243427	Malus x domestica
CAA64801.1	X95555	Brassica napus	AAC36740.1	AF090143	Malus x domestica
AAD24547.1	AF117126	Brassica oleracea	CAC09477.1	AL442113	Oryza sativa
CAA64800.1	X95554	Brassica napus	AAB38064.1	U32440	Prunus avium
CAA64805.1	X95559	Brassica napus	AAB95118.1	U71244	Brassica rapa
CAA70173.1	Y08986	Brassica napus	CAB62167.1	AJ242828	Castanea sativa
			BAA95017.1	AB031870	Cestrum elegans
SEQ ID NO. 1213			CAA10492.1	AJ131731	Pseudotsuga menziesii
CAB94968.1	AJ287322	Arabidopsis lyrata	BAA95165.1	AB029918	Nicotiana tabacum
AAB87071.1	AF031921	Raphanus sativus	AAB02259.1	U57787	Avena sativa
CAA53577.1	X75963	Vitis vinifera	AAB53368.1	U77657	Oryza sativa
BAA36552.1	AB011794	Citrus sinensis	AAD55090.1	AF178653	Vitis riparia
AAC16013.1	AF061808	Elaeagnus umbellata	CAA09228.1	AJ010501	Cicer arietinum
CAA32729.1	X14589	Petunia x hybrida	CAA33293.1	X15224	Nicotiana tabacum
CAA68769.1	Y00852	Petunia x hybrida	CAA33292.1	X15223	Nicotiana tabacum
CAA91921.1	Z67980	Callistephus chinensis	AAB61590.1	AF003007	Vitis vinifera
AAF60296.1	AF233637	Petunia x hybrida	AAF82264.1	AF227324	Vitis vinifera
CAA91931.1	Z67989	Dianthus caryophyllus	AAA93095.1	J01209	Thaumatococcus daniellii
AAB86474.1	AF028238	Ipomoea purpurea			
CAA32730.1	X14590	Petunia x hybrida	SEQ ID NO. 1216		
BAA90334.1	AB037396	Ipomoea batatas	BAB41137.1	AB060130	Zea mays
CAA80441.1	Z22760	Zea mays	BAB20581.1	AB042268	Zea mays
CAA48774.1	X68978	Malus sp.	BAB17300.1	AB042260	Zea mays
CAA48775.1	X68979	Malus sp.	BAB20580.1	AB042267	Zea mays
BAA09795.1	D63577	Pueraria montana var. lobata	BAB20582.1	AB042269	Zea mays
CAA78763.1	Z15046	Phaseolus vulgaris	BAA82873.1	AB024291	Zea mays

BAB20579.1	AB042261	Zea mays	AAB61708.1	U93048	Daucus carota
BAA85113.1	AB031012	Zea mays	AAF66615.1	AF142596	Nicotiana tabacum
AAK14395.1	AF339732	Dianthus caryophyllus	AAB82756.1	U72724	Oryza sativa
BAA85112.1	AB031011	Zea mays	AAK21965.1	AY028699	Brassica napus
BAA75253.1	AB004882	Zea mays	AAC27894.1	AF023164	Zea mays
AAD55941.1	AF174532	Chlamydomonas reinhardtii			
AAD55945.1	AF174480	Chlamydomonas reinhardtii			
AAF32350.1	AF219972	Mesembryanthemum crystallinum			
SEQ ID NO. 1219					
BAA78738.1	AB023482	Oryza sativa	BAB17655.1	AB044968	Arabidopsis lyrata subsp. petraea
CAB96899.1	AJ251249	Catharanthus roseus	BAA08148.1	D45217	Arabidopsis lyrata subsp. petraea
CAB96900.1	AJ251250	Catharanthus roseus	BAA08149.1	D45218	Oryza sativa
AAF76898.1	AF274033	Atriplex hortensis	AAC08411.1	AF054455	Oryza sativa
CAC12822.1	AJ299252	Nicotiana tabacum	CAA03983.1	AJ000266	leavenworthia crassa
AAC24587.1	AF071893	Prunus armeniaca	BAA23184.1	D88929	Spinacia oleracea
BAB03248.1	AB037183	Oryza sativa	BAA23183.1	D88928	Dioscorea tokoro
BAB16083.1	AB036883	Oryza sativa	BAA23181.1	D88926	Dioscorea tokoro
AAG43545.1	AF211527	Nicotiana tabacum	BAA23179.1	D88924	Dioscorea tokoro
AAG43548.1	AF211530	Nicotiana tabacum	BAA23178.1	D88923	Dioscorea tokoro
AAG43549.1	AF211531	Nicotiana tabacum	BAA23177.1	D88922	Dioscorea tokoro
AAF23899.1	AF193803	Oryza sativa	BAA23176.1	D88921	Dioscorea tokoro
AAF63205.1	AF245119	Mesembryanthemum crystallinum	BAA23182.1	D88927	Dioscorea tokoro
BAA07321.1	D38123	Nicotiana tabacum	BAA23185.1	D88930	Dioscorea tokoro
AAC62619.1	AF057373	Nicotiana tabacum	BAA23180.1	D88925	Dioscorea tokoro
BAA99376.1	AP002526	Oryza sativa	CAA61575.1	X89395	Dioscorea tokoro
AAK01089.1	AF298231	Hordeum vulgare	AAA82734.1	U17225	Clarkia arcuata
SEQ ID NO. 1220					
CAC20842.1	AJ250467	Pinus sylvestris	CAA61564.1	X89384	Zea mays
AAB36558.1	U77888	Ipomoea nil	CAA50402.1	X71084	Clarkia lewisii
AAF91324.1	AF244890	Glycine max	CAA61566.1	X89386	Clarkia lewisii
AAF91322.1	AF244888	Glycine max	CAA56693.1	X80666	Clarkia xantiana
AAC36318.1	AF053127	Malus x domestica	CAA61574.1	X89394	Clarkia xantiana
BAA84787.1	AP000559	Oryza sativa	CAA61576.1	X89387	Clarkia williamsonii
BAA83373.1	AP000391	Oryza sativa	CAA61567.1	X89387	Clarkia mildrediae
AAF59905.1	AF197946	Glycine max	CAA56694.1	X80667	Clarkia gracilis
AAF91323.1	AF244889	Glycine max	CAA61570.1	X89390	Clarkia franciscana
AAF34426.1	AF172282	Oryza sativa	CAA61572.1	X89392	Clarkia xantiana
CAA61510.1	X89226	Oryza sativa	CAA61577.1	X89397	Clarkia xantiana
AAB82755.1	U72725	Oryza longistaminata	CAB55567.1	Y14130	Oenothera mexicana
					Clarkia gracilis



CAA61565.1	X89385	Clarkia lewisii	AAC32140.1	AF051239	Picea mariana
CAA45616.1	X64332	Clarkia lewisii	AAA34308.1	M55604	Triticum aestivum
CAA61571.1	X89391	Clarkia concinna	AAA34265.1	M90663	Triticum aestivum
BAA23205.1	AB006088	Dioscorea quinqueloba	AAA34266.1	M90664	Triticum aestivum
BAA22035.1	AB006617	Dioscorea nipponica	CAA71762.1	Y10804	Nicotiana tabacum
BAA22037.1	AB006619	Dioscorea septemloba	SEQ ID NO. 1229		
BAA22038.1	AB006620	Dioscorea tenuipes	CAA55693.1	X79086	Zea mays
BAA23175.1	D88920	Dioscorea tenuipes	CAA55691.1	X79085	Zea mays
BAA22033.1	AB006615	Dioscorea gracillima	AAF97508.1	AF242298	Oryza sativa
BAA22036.1	AB006618	Dioscorea quinqueloba			
BAA22034.1	AB006616	Dioscorea gracillima	SEQ ID NO. 1234		
CAA50403.1	X71085	Clarkia lewisii	AAA50763.1	U15605	Nicotiana glutinosa
AAK07826.1	AF293478	Leavenworthia stylosa	CAA08798.1	AJ009720	Solanum tuberosum
AAK07825.1	AF293477	Leavenworthia stylosa	AAG09951.1	AF175388	Glycine max
AAK07822.1	AF293474	Leavenworthia stylosa	AAG43546.1	AF211528	Nicotiana tabacum
AAK07821.1	AF293473	Leavenworthia stylosa	CAC35326.1	AJ310151	Linum usitatissimum
AAK07820.1	AF293472	Leavenworthia stylosa	CAC35339.1	AJ310164	Linum usitatissimum
SEQ ID NO. 1224			CAC35321.1	AJ310150	Linum usitatissimum
BAB03447.1	AP002817	Oryza sativa	CAC35329.1	AJ310154	Linum usitatissimum
BAA92400.1	AP001366	Oryza sativa	CAC35338.1	AJ310163	Linum usitatissimum
CAA63102.2	X92205	Petunia x hybrida	CAA08797.1	AJ009719	Solanum tuberosum
CAA63101.1	X92204	Petunia x hybrida	CAC35330.1	AJ310155	Linum usitatissimum
BAA84803.1	AP000559	Oryza sativa	CAC35337.1	AJ310162	Linum usitatissimum
SEQ ID NO. 1226			CAC35334.1	AJ310159	Linum usitatissimum
AAD43046.1	AF124045	Sorghum bicolor	AAK28810.1	AF310964	Linum usitatissimum
SEQ ID NO. 1227			AAK28806.1	AF310960	Linum usitatissimum
AAC49832.1	AF005492	Oryza sativa	CAC35333.1	AJ310158	Linum usitatissimum
AAC04862.1	AF046934	Paulownia kawakamii	CAC35325.1	AJ310150	Linum usitatissimum
BAA97100.1	AB040471	Nicotiana tabacum	CAC35328.1	AJ310153	Linum usitatissimum
CAA05898.1	AJ003142	Lycopersicon esculentum	CAC35336.1	AJ310161	Linum usitatissimum
CAA52015.1	X73635	Lycopersicon esculentum	AAK28803.1	AF310958	Linum usitatissimum
BAA96162.1	AP002092	Oryza sativa	CAC35327.1	AJ310152	Linum usitatissimum
CAA71687.1	Y10685	Glycine max	CAC35332.1	AJ310157	Linum usitatissimum
CAA41453.1	X58577	Petroselinum crispum	AAK28811.1	AF310966	Linum usitatissimum
CAA70216.1	Y09013	Triticum aestivum	AAK28812.1	AF310968	Linum usitatissimum
SEQ ID NO. 1228			CAC35331.1	AJ310156	Linum usitatissimum
CAA09619.1	AJ011418	Lycopersicon esculentum	CAC35323.1	AJ310150	Linum usitatissimum
			AAK28805.1	AF310960	Linum usitatissimum
			AAK28808.1	AF310961	Linum usitatissimum
			AAB47618.1	U73916	Linum usitatissimum

AAK28809.1	AF310962	Linum usitatissimum	SEQ ID NO. 1247	Petunia x hybrida
AAD25965.1	AF093638	Linum usitatissimum	BAA21921.1	Petunia x hybrida
AAD25969.1	AF093642	Linum usitatissimum	BAA21922.1	Petunia x hybrida
AAD25968.1	AF093641	Linum usitatissimum	BAA19110.1	Petunia x hybrida
AAA91022.1	U27081	Linum usitatissimum	BAA21923.1	Petunia x hybrida
AAD25972.1	AF093645	Linum usitatissimum	BAA21925.1	Petunia x hybrida
AAD25971.1	AF093644	Linum usitatissimum	BAA21924.1	Petunia x hybrida
AAD25973.1	AF093646	Linum usitatissimum	BAA21920.1	Petunia x hybrida
AAD25967.1	AF093640	Linum usitatissimum	BAA19111.1	Petunia x hybrida
AAD25970.1	AF093643	Linum usitatissimum	BAA21926.1	Petunia x hybrida
AAD25974.1	AF093647	Linum usitatissimum	BAA21927.1	Petunia x hybrida
AAD25976.1	AF093649	Linum usitatissimum	BAA96071.1	Petunia x hybrida
AAD25975.1	AF093648	Linum usitatissimum	BAA21919.1	Petunia x hybrida
AAA91021.1	U27081	Linum usitatissimum	BAA96070.1	Petunia x hybrida
AAD25966.1	AF093639	Linum usitatissimum	BAA53260.1	Brassica rapa
AAG09952.1	AF175389	Glycine max	AAB53261.1	Brassica rapa
AAG01052.1	AF175395	Glycine max	BAA19114.1	Petunia x hybrida
AAG01051.1	AF175394	Glycine max	BAA05078.1	Petunia x hybrida
AAG09954.1	AF175399	Glycine max	AAD26942.1	Datisca glomerata
SEQ ID NO. 1237			BAA05077.1	Petunia x hybrida
AAF27919.1	AF220203	Malus x domestica	AAC06243.1	Nicotiana tabacum
AAK19614.1	AF336281	Gossypium hirsutum	BAA19112.1	Petunia x hybrida
SEQ ID NO. 1238			AAK01713.1	Oryza sativa
AAG17476.1	AF106844	Oryza sativa	BAA05076.1	Petunia x hybrida
AAC32134.1	AF051233	Picea mariana	BAA05079.1	Petunia x hybrida
SEQ ID NO. 1239			BAA21928.1	Petunia x hybrida
BAB11940.1	AB038492	Atriplex gmelini	BAA19926.1	Petunia x hybrida
BAA83337.1	AB021878	Oryza sativa	BAA19113.1	Petunia x hybrida
BAB16381.1	AB033990	Ipomoea nil	SEQ ID NO. 1253	
BAB16380.1	AB033989	Ipomoea nil	BAA04864.1	Oryza sativa
AAK27314.1	AY028416	Citrus x paradisi	BAA05546.1	Oryza sativa
AAK28483.1	AF307944	Zea mays	AAB51522.1	Oryza sativa
SEQ ID NO. 1245			AAG35777.1	Brassica oleracea var.
AAF21982.1	AF115543	Populus tremula x Populus	alboglabra	
tremuloides			BAA25681.1	Brassica rapa
CAB65535.1	AJ011794	Zea mays	AAB53694.1	Brassica napus
			AAF88067.1	Triticum aestivum

AAC32111.1	AF051206	Picea mariana	AAC37345.1	I20621	Zea mays
BAB20886.1	AB053294	Oryza sativa	AAC35341.1	AF072448	Ipomoea trifida
CAA55399.1	X78822	Chlamydomonas reinhardtii	AAC35343.1	AF072450	Ipomoea trifida
CAA94534.1	Z70677	Ricinus communis	AAB57737.1	U89270	Tripsacum dactyloides
CAA56850.1	X80887	Chlamydomonas reinhardtii	AAF89645.1	AF169018	Glycine max
CAA05081.1	AJ001903	Triticum turgidum subsp. durum	AAF04253.1	AF097651	Pisum sativum
AAC49358.1	U35831	Pisum sativum	AAF04193.1	AF053638	Pisum sativum
CAA53900.1	X76269	Pisum sativum	AAB57738.1	U89271	Tripsacum dactyloides
BAA13524.1	D87984	Fagopyrum esculentum	AAF04194.1	AF053639	Pisum sativum
CAA41415.1	X58527	Nicotiana tabacum	AAB00109.1	U21801	Lycopersicon esculentum
AAD49233.1	AF159388	Phalaris coarulescens	SEQ ID NO. 1259		
BAB39913.1	AP002912	Oryza sativa	AAC78466.1	AF053311	Zantedeschia aethiopica
AAD49230.1	AF159385	Hordeum bulbosum	CAA04142.1	AJ000508	Pisum sativum
AAD49234.1	AF159389	Phalaris coarulescens	CAB59895.1	AJ238745	Hordeum vulgare
AAD49232.1	AF159387	Lolium perenne	CAB59893.1	AJ238697	Hordeum vulgare
CAA35826.1	X51462	Spinacia oleracea	CAB96145.1	AJ250951	Mesembryanthemum crystallinum
CAA35827.1	X51463	Spinacia oleracea	BAA22194.1	D63425	Spinacia oleracea
CAA77847.1	Z11803	Nicotiana tabacum	CAA42780.1	X60219	Nicotiana sylvestris
AAD56954.1	AF186240	Secale cereale	BAB16430.1	AB041518	Nicotiana tabacum
AAD49231.1	AF159386	Secale cereale	CAA75009.1	Y14707	Helianthus annuus
AAD33596.1	AF133127	Hevea brasiliensis	CAA75054.1	Y14762	Lycopersicon esculentum
CAA55398.1	X78821	Chlamydomonas reinhardtii	AAB94892.1	AF037051	Gossypium hirsutum
CAA56851.1	X80888	Chlamydomonas reinhardtii	CAB59894.1	AJ238744	Hordeum vulgare
CAA44209.1	X62335	Chlamydomonas reinhardtii	CAA74775.1	Y14429	Helianthus annuus
CAA06736.1	AJ005841	Oryza sativa	AAB66330.1	AF014927	Chlamydomonas reinhardtii
CAA06735.1	AJ005840	Triticum aestivum	BAA83594.1	AB009083	Chlamydomonas sp. W80
AAB53695.1	U59380	Brassica napus	CAA75055.1	Y14763	Lycopersicon esculentum
AAD45358.1	AF160870	Brassica napus	CAA09194.1	AJ010455	Triticum aestivum
AAB52409.1	U76831	Brassica napus	CAB66331.1	AJ279689	Betula pendula
CAA33082.1	X14959	Spinacia oleracea	SEQ ID NO. 1261		
AAC19392.1	AF069314	Mesembryanthemum crystallinum	AAB18669.1	U11716	Pisum sativum
CAA45098.1	X63537	Pisum sativum	AAD25355.1	AF115574	Pisum sativum
AAC49357.1	U35830	Pisum sativum	AAA33662.1	M18250	Pisum sativum
AAC04671.1	AF018174	Brassica napus	SEQ ID NO. 1264		
SEQ ID NO. 1255			AAB40396.1	U80071	Mesembryanthemum crystallinum
CAA52213.1	X74115	Picea abies	BAA03131.1	D14044	Cucurbita sp.
AAC35342.1	AF072449	Ipomoea trifida	AAA34030.1	J03492	Spinacia oleracea
AAC35340.1	AF072447	Ipomoea trifida	AAB82143.1	AF022740	Oryza sativa
CAA11153.1	AJ223177	Nicotiana tabacum			
CAA11154.1	AJ223178	Nicotiana tabacum			

Accession	Gene	Species	SEQ ID NO.	Accession	Gene	Species	SEQ ID NO.
X92888	CAA63482.1	Lycopersicon esculentum	1268	AAF91324.1	Glycine max		AF244890
AF082874	AAC32392.1	Medicago sativa		AAF91323.1	Glycine max		AF244889
U62485	AAC33509.1	Nicotiana tabacum		AAB47424.1	Lycopersicon pimpinellifol		U59317
AF162196	AAF03097.1	Lactuca sativa		AAF76307.1	Lycopersicon pimpinellifol		AF220602
				BAA94510.1	Populus nigra		AB041504
				BAA94509.1	Populus nigra		AB041503
				AAG16628.1	Brassica napus		AY007545
				AAF76314.1	Lycopersicon esculentum		AF220603
				AAK11568.1	Lycopersicon hirsutum		AF318492
				AAF59905.1	Glycine max		AF197946
				BAA78764.1	Oryza sativa		AB023482
				AAB47422.1	Lycopersicon esculentum		U59318
				SEQ ID NO.			1270
				AAG00510.1	Phaseolus vulgaris		AF285172
				CAB51834.1	Oryza sativa		U0069
				CAA97692.1	Catharanthus roseus		Z73295
				AAK21965.1	Brassica napus		AY028699
				AAF59905.1	Glycine max		AF197946
				AAF59906.1	Glycine max		AF197947
				AAF91324.1	Glycine max		AF244890
				AAF91322.1	Glycine max		AF244888
				AAF91323.1	Glycine max		AF244889
				BAA78764.1	Oryza sativa		AB023482
				AAK11567.1	Lycopersicon hirsutum		AF318491
				BAA84787.1	Oryza sativa		AP000559
				BAA83373.1	Oryza sativa		AP000391
				AAF76313.1	Lycopersicon esculentum		AF220603
				AAB47421.1	Lycopersicon esculentum		U59316
				AAC36318.1	Malus x domestica		AF053127
				BAA94509.1	Populus nigra		AB041503
				AAF76306.1	Lycopersicon pimpinellifolium		AF220602
				AAG16628.1	Brassica napus		AY007545
				AAB47423.1	Lycopersicon pimpinellifolium		U59315
				AAC48914.1	Lycopersicon pimpinellifolium		U02271
				AAK11566.1	Lycopersicon hirsutum		AF318490
				BAA94510.1	Populus nigra		AB041504
				AAG03090.1	Oryza sativa		AC073405
				AAB47424.1	Lycopersicon pimpinellifolium		U59317
				AAK11569.1	Lycopersicon hirsutum		AF318493
				AAF76307.1	Lycopersicon pimpinellifolium		AF220602
				SEQ ID NO.			1269
				AAG00510.1	Phaseolus vulgaris		AF285172
				AAK21965.1	Brassica napus		AY028699
				CAA97692.1	Catharanthus roseus		Z73295
				CAB51834.1	Oryza sativa		U0069
				AAK11567.1	Lycopersicon hirsutum		AF318491
				AAF76313.1	Lycopersicon esculentum		AF220603
				AAB47421.1	Lycopersicon esculentum		U59316
				AAK11566.1	Lycopersicon hirsutum		AF318490
				AAB47423.1	Lycopersicon pimpinellifolium		U59315
				AAG03090.1	Oryza sativa		AC073405
				AAF76306.1	Lycopersicon pimpinellifolium		AF220602
				AAC48914.1	Lycopersicon pimpinellifolium		U02271
				AAB09771.1	Zea mays		U67422
				AAK11569.1	Lycopersicon hirsutum		AF318493
				AAF59906.1	Glycine max		AF197947
				CAA61510.1	Oryza sativa		X89226

AAE43496.1	AF131222	Lophopyrum elongatum	AAA17409.1	U02607	Solanum tuberosum
AAK11674.1	AF339747	Lophopyrum elongatum	BAB13369.1	AB048531	Psophocarpus tetragonolobus
AAF76314.1	AF220603	Lycopersicon esculentum	CAA30142.1	X07130	Solanum tuberosum
AAK11568.1	AF318492	Lycopersicon hirsutum	AAB67842.1	U60197	Gossypium hirsutum
			CAB01591.1	Z78202	Persea americana
SEQ ID NO. 1271			CAA45821.1	X64518	Nicotiana tabacum
BAA82826.1	AB023464	Arabis gemmifera	CAA33517.1	X15494	Solanum tuberosum
AAF69793.1	AF135153	Arabis parishii	AAB41324.1	U83591	Medicago sativa
AAF69785.1	AF135145	Arabis lignifera	AAB41325.1	U83592	Medicago sativa
AAF69775.1	AF135135	Arabis drummondii	AAA33756.1	M13968	Phaseolus vulgaris
AAF69777.1	AF135137	Arabis fecunda	CAA71402.1	Y10373	Medicago truncatula
AAF69783.1	AF135143	Arabis lemmonii	AAA75196.1	L37876	Pisum sativum
AAF69772.1	AF135132	Arabis gunnisoniana	AAB23263.1	S43926	Phaseolus vulgaris
AAF69780.1	AF135140	Arabis glabra	AAG23965.1	AF307511	Vigna sesquipedalis
AAF69778.1	AF135138	Arabis glabra	CAA61278.1	X88800	Vigna unguiculata
AAF69784.1	AF135144	Arabis lemmonii	AAA80656.1	U30324	Theobroma cacao
AAF69792.1	AF135152	Arabis parishii			
AAA32986.1	M95835	Brassica napus	SEQ ID NO. 1272		
AAF69786.1	AF135146	Arabis lignifera	CAB57457.2	AJ249786	Nicotiana tabacum
AAF69788.1	AF135148	Arabis lyallii	AAB57668.1	U82974	Citrus sinensis
AAF69781.1	AF135141	Arabis gunnisoniana			
AAF69770.1	AF135130	Arabis holboellii	SEQ ID NO. 1273		
AAF69773.1	AF135133	Arabis blepharophylla	CAA40796.1	X57564	Armoracia rusticana
AAF69789.1	AF135149	Arabis microphylla	BAA08499.1	D49551	Oryza sativa
AAF69776.1	AF135136	Arabis fecunda	CAA66037.1	X97351	Populus balsamifera subsp.
AAF69791.1	AF135151	Arabis microphylla	trichocarpa		
AAF69787.1	AF135147	Arabis lignifera	BAA84764.1	D84400	Oryza sativa
AAF69790.1	AF135150	Arabis microphylla	CAB94692.1	AJ242742	Ipomoea batatas
AAF69782.1	AF135142	Halimolobos perplexa var. perplexa	BAA06335.1	D30653	Populus kitakamiensis
AAF69774.1	AF135134	Arabis blepharophylla	BAA11853.1	D83225	Populus nigra
CAA45822.1	X64519	Nicotiana tabacum	AAD37427.1	AF149277	Phaseolus vulgaris
CAA35945.1	X51599	Nicotiana tabacum	AAD37430.1	AF149280	Phaseolus vulgaris
CAC17793.1	AJ301671	Nicotiana sylvestris	BAA11852.1	D83224	Populus nigra
CAA34813.1	X16939	Nicotiana tabacum	CAA66035.1	X97349	Populus balsamifera subsp.
CAA34812.1	X16938	Nicotiana tabacum	trichocarpa		
AAB23374.1	S44869	Nicotiana tabacum	CAA66034.1	X97348	Populus balsamifera subsp.
AAA34070.1	M15173	Nicotiana tabacum	trichocarpa		
AAA18332.1	U02605	Solanum tuberosum	BAA07241.1	D38051	Populus kitakamiensis
CAA78845.1	Z15140	Lycopersicon esculentum	BAA92500.1	AP001383	Oryza sativa
AAA17408.1	U02606	Solanum tuberosum	CAA50597.1	X71593	Lycopersicon esculentum
			CAB67121.1	Y19023	Lycopersicon esculentum

CAA66036.1	X97350	Populus balsamifera subsp.	AAA32657.1	M36100	Medicago sativa
trichocarpa			AAC49883.1	U76030	Oryza sativa
AAB47602.1	L07554	Linum usitatissimum	CAA31750.1	X13375	Medicago sativa
CAA62226.1	X90693	Medicago sativa	BAA31157.1	AB015721	Pisum sativum
AAA34108.1	J02979	Nicotiana tabacum	AAB48005.1	M91077	Medicago sativa
CAA62227.1	X90694	Medicago sativa	AAA03002.1	M23312	Sesbania rostrata
BAA06334.1	D30652	Populus kitakamiensis	BAA31156.1	AB015720	Pisum sativum
BAA01992.1	D11396	Nicotiana tabacum	AAK07676.1	AY026343	Lycopersicon esculentum
AAD43561.1	AF155124	Gossypium hirsutum	AAC04853.1	U50083	Lupinus luteus
BAA82306.1	AB027752	Nicotiana tabacum	CAA37898.1	X53950	Casuarina glauca
AAC98519.1	AF007211	Glycine max	AAB70097.1	U94968	Hordeum vulgare
BAA14143.1	D90115	Armoracia rusticana	CAA68462.1	Y00401	Lupinus luteus
AAB97734.1	AF014502	Glycine max	AAA97887.1	U47143	Glycine max
AAF63027.1	AF244924	Spinacia oleracea	AAF44664.1	AF236080	Zea mays
CAA62225.1	X90692	Medicago sativa	AAC49881.1	U76028	Oryza sativa
BAA01877.1	D11102	Populus kitakamiensis	AAC49884.1	U76031	Oryza sativa
AAF63026.1	AF244923	Spinacia oleracea	AAG01183.1	AF291052	Zea mays subsp. parviglumis
BAA14144.1	D90116	Armoracia rusticana	AAB86653.1	U27194	Parasponia andersonii
AAB41810.1	L36156	Medicago sativa	CAA68405.1	Y00296	Trema tomentosa
AAA34050.1	M74103	Nicotiana sylvestris	AAO30005.1	M23313	Sesbania rostrata
CAA62597.1	X91172	Raphanus sativus	AAG01375.1	AY005818	Zea mays subsp. mays
AAB02554.1	L37790	Stylosanthes humilis	CAA40900.1	X57733	Medicago truncatula
CAA76680.1	Y17192	Cucurbita pepo	CAA38024.1	X54089	Medicago sativa
CAA71492.1	Y10466	Spinacia oleracea	AAG29748.1	AF172172	Medicago sativa
BAA94962.1	AB042103	Asparagus officinalis	AAC28426.1	AF027215	Trema orientalis
BAA77389.1	AB024439	Scutellaria baicalensis	BAA24088.1	AB009844	Pisum sativum
AAD37428.1	AF149278	Phaseolus vulgaris	CAA90869.1	Z54158	Vicia faba
AAB41811.1	L36157	Medicago sativa	CAB63706.1	AJ131349	Trema virgata
AAB06183.1	M37636	Arachis hypogaea	CAB63709.1	AJ131352	Trema virgata
			CAA90870.1	Z54159	Vicia faba
			CAB63707.1	AJ131350	Trema virgata
			CAB63708.1	AJ131351	Trema virgata
			CAA40899.1	X57732	Medicago truncatula
SEQ ID NO. 1274		Cichorium intybus x Cichorium	SEQ ID NO. 1275		
CAA07547.1	AJ007507		CAC07206.1	AJ278966	Brassica napus
endivia			AAD01600.1	AF016713	Lycopersicon esculentum
AAA33018.1	L28826	Casuarina glauca	AAC32034.1	AF023472	Hordeum vulgare
AAA18503.1	U09671	Canavalia lineata	AAF20002.1	AF213936	Prunus dulcis
CAA32044.1	X13815	Sesbania rostrata	AAF07875.1	AF140606	Oryza sativa
CAA31859.1	X13505	Sesbania rostrata	BAB19757.1	AB052785	Glycine max
CAA32043.1	X13814	Sesbania rostrata			
AAC49882.1	U76029	Oryza sativa			
CAA32492.1	X14311	Medicago sativa			
BAA31155.1	AB015719	Pisum sativum			

BAB19756.1	AB052784	Glycine max	CAA64442.1	X94986	Manihot esculenta
BAB19760.1	AB052788	Glycine max	AAB22162.1	S35175	Manihot esculenta
AAB69642.1	AF000392	Lotus japonicus	AAA91166.1	U39228	Prunus avium
CAA93316.1	Z69370	Cucumis sativus	AAF34650.1	AF221526	Prunus serotina
AAD16016.1	AF080545	Nepenthes alata	AAF03675.1	AF149311	Rauvolfia serpentina
AAD42860.1	AF154930	Prunus dulcis	CAA57913.1	X82577	Brassica napus
			BAA78708.1	AB003089	Polygonum tinctorium
SEQ ID NO. 1276			BAA11831.1	D83177	Costus speciosus
BAA25753.1	AB012932	Vigna radiata	AAG25897.1	AF170087	Cucurbita pepo
AAF91350.1	AF256229	Zea mays	AAF04007.1	AF163097	Dalbergia cochinchinensis
BAA75232.1	AB018526	Ipomoea nil	AAC69619.1	AF072736	Pinus contorta
			AAB38784.1	U72154	Brassica nigra
SEQ ID NO. 1278			AAD02839.1	AF082991	Avena sativa
CAA11219.1	AJ223281	Manihot esculenta	AAA87339.1	L41869	Hordeum vulgare
AAC49184.1	U40402	Hevea brasiliensis	AAB71381.1	U95298	Manihot esculenta
CAA82334.1	Z29091	Manihot esculenta	CAA55196.1	X78433	Avena sativa
CAA11428.1	AJ223506	Manihot esculenta	AAC49177.1	U33817	Sorghum bicolor
			AAD09850.1	U44087	Zea mays
SEQ ID NO. 1279			AAG00614.1	AF293849	Secale cereale
AAG43549.1	AF211531	Nicotiana tabacum	AAF28800.1	AF112888	Catharanthus roseus
AAG43548.1	AF211530	Nicotiana tabacum	CAA40058.1	X56734	Trifolium repens
BAA78738.1	AB023482	Oryza sativa	CAA40057.1	X56733	Trifolium repens
CAC12822.1	AJ299252	Nicotiana tabacum	AAD10503.1	U33816	Zea mays
AAF76898.1	AF274033	Atriplex hortensis	AAA65946.1	U25157	Zea mays
CAB96899.1	AJ251249	Catharanthus roseus	CAA52293.1	X74217	Zea mays
CAB96900.1	AJ251250	Catharanthus roseus	AAB03266.1	U44773	Zea mays
AAC24587.1	AF071893	Prunus armeniaca	AAK07429.1	AF321287	Musa acuminata
AAK01089.1	AF298231	Hordeum vulgare	CAA79989.2	Z21977	Brassica napus
BAB16083.1	AB036883	Oryza sativa	AAA84906.1	U28047	Oryza sativa
BAB03248.1	AB037183	Oryza sativa	CAC08209.1	AJ005950	Cicer arietinum
AAF23899.1	AF193803	Oryza sativa			
BAA07321.1	D38123	Nicotiana tabacum	SEQ ID NO. 1283		
AAG43545.1	AF211527	Nicotiana tabacum	AAB36223.1	S81261	Brassica napus
AAF63205.1	AF245119	Mesembryanthemum crystallinum	AAB36222.1	S81261	Brassica napus
AAC62619.1	AF057373	Nicotiana tabacum	AAC49266.1	U33885	Brassica napus
BAA99376.1	AF002526	Oryza sativa	AAC49265.1	U33884	Brassica napus
			AAF37266.1	AF220405	Vitis riparia
SEQ ID NO. 1280			AAD28439.1	AF120092	Nicotiana tabacum
CAB57457.2	AJ249786	Nicotiana tabacum			
SEQ ID NO. 1282			SEQ ID NO. 1284		
			AAD03693.1	AF084554	Brassica napus

CAA10372.1	AJ131455	Plastid Solanum demissum
CAA50750.1	X71952	Capsicum annuum
SEQ ID NO.	1286	
AAB07452.1	U65890	Brassica napus
AAB63591.1	AF009413	Oryza sativa
AAF60293.1	AF233745	Lycopersicon esculentum
AAB59307.1	M87646	Spinacia oleracea
SEQ ID NO.	1288	
AAB62693.1	AF004947	Oryza sativa
CAA73067.1	Y12464	Sorghum bicolor
CAA73068.1	Y12465	Sorghum bicolor
AAF22219.1	AF141378	Zea mays
BAA83688.1	AB011967	Oryza sativa
BAA34675.1	AB011670	Triticum aestivum
BAA83689.1	AB011968	Oryza sativa
BAA96628.1	AP002482	Oryza sativa
BAA05649.1	D26602	Nicotiana tabacum
AAD23582.1	AF128443	Glycine max
CAA71142.1	Y10036	Cucumis sativus
CAA65244.1	X95997	Solanum tuberosum
CAA57898.1	X82548	Hordeum vulgare
AAC99329.1	AF062479	Oryza sativa
AAB05457.1	U55768	Oryza sativa
CAA07813.1	AJ007990	Hordeum vulgare
CAA46556.1	X65606	Hordeum vulgare
CAA46554.1	X65604	Hordeum vulgare
AAD00239.1	U73938	Nicotiana tabacum
BAA13608.1	D88399	Oryza sativa
AAG60195.1	AC084763	Oryza sativa
BAA19573.1	AB002109	Oryza sativa
CAA68962.1	I38855	Glycine max
CAAB89202.1	Z49233	Chlamydomonas eugametos
AAB58348.1	U29095	Triticum aestivum
AAD00240.1	U73939	Nicotiana tabacum
CAA06503.1	AJ005373	Craterostigma plantagineum
AAF27340.1	AF186020	Vicia faba
AAA96325.1	M94726	Triticum aestivum
CAA81443.1	Z26846	Mesembryanthemum crystallinum
AAF21062.1	AF216527	Dunaliella tertiolecta



CAB52690.1	AJ132225	Lycopersicon esculentum	CAB93959.1	AJ289701	Vicia faba
AAD55054.1	AF173655	Beta vulgaris	BAA32777.1	AB012044	Raphanus sativus
SEQ ID NO. 1293			AAG23179.1	AF299050	Brassica oleracea
CAA78388.1	Z13998	Petunia x hybrida	AAG23180.1	AF299051	Brassica oleracea
CAA78387.1	Z13997	Petunia x hybrida	BAA92258.1	AB030695	Raphanus sativus
CAA78386.1	Z13996	Petunia x hybrida	CAA64896.1	X95640	Brassica oleracea
			AAF65846.1	AF255796	Allium cepa
SEQ ID NO. 1294			SEQ ID NO. 1300		
AAG13395.1	AF283006	Oryza sativa	AAC39318.1	AF029858	Sorghum bicolor
AAB18207.1	U73216	Triticum aestivum	AAA19701.1	L24438	Thlaspi arvense
			BAB40323.1	AB037244	Asparagus officinalis
SEQ ID NO. 1296			BAB40324.1	AB037245	Asparagus officinalis
BAA92260.1	AB030697	Raphanus sativus	AAA32913.1	M32885	Persea americana
AAD39374.1	AF118383	Brassica napus	AAB94589.1	AF022460	Glycine max
BAA92261.1	AB030698	Raphanus sativus	AAB94588.1	AF022459	Glycine max
AAD39373.1	AF118382	Brassica napus	CAA70575.1	Y09423	Nepeta racemosa
BAA32778.1	AB012045	Raphanus sativus	AAD47832.1	AF166332	Nicotiana tabacum
AAC17529.1	AF067185	Samanea saman	CAB56503.1	AJ238612	Catharanthus roseus
AAK26758.1	AF326491	Zea mays	AAF27282.1	AF122821	Capsicum annuum
BAB40141.1	AB058678	Pyrus communis	AAB94584.1	AF022157	Glycine max
AAB67868.1	U60147	Beta vulgaris	BAA03635.1	D14990	Solanum melongena
AAK26761.1	AF326494	Zea mays	CAA50645.1	X71654	Solanum melongena
AAK26760.1	AF326493	Zea mays	CAA50312.1	X70981	Solanum melongena
BAB40143.1	AB058680	Pyrus communis	CAA70576.1	Y09424	Nepeta racemosa
AAK26759.1	AF326492	Zea mays	BAB40322.1	AB036772	Triticum aestivum
AAD28761.1	AF130975	Zea mays	AAD44152.1	AF124817	Mentha x piperita
AAF65845.1	AF255795	Allium cepa	AAD44151.1	AF124816	Mentha x piperita
AAK26763.1	AF326496	Zea mays	AAD44150.1	AF124815	Mentha spicata
AAC16545.1	AF062393	Oryza sativa	CAA83941.1	Z33875	Mentha x piperita
CAB46351.1	Y18312	Solanum tuberosum	AAD56282.1	AF155332	Petunia x hybrida
AAK26762.1	AF326495	Zea mays	AAG44132.1	AF182296	Pisum sativum
AAC32107.1	AF051202	Picea mariana	CAC27827.1	AJ295719	Catharanthus roseus
AAA86991.1	U18403	Atriplex canescens	AAD37433.1	AF150881	Lycopersicon esculentum x
AAG30607.1	AF314656	Brassica oleracea	Lycopersicon peruvianum		
AAA99274.1	L77969	Spinacia oleracea	AAG14963.1	AF214009	Brassica napus
CAB07783.1	Z93764	Picea abies	CAA57424.2	X81830	Zea mays
AGB02208.1	AF290201	Solanum chacoense	CAA72207.1	Y11403	Zea mays
AAB67869.1	U60148	Beta vulgaris	CAA65580.1	X96784	Nicotiana tabacum
AAF61463.1	AF139814	Triticum aestivum	AAG14962.1	AF214008	Brassica napus
AAF78062.1	AF266760	Vicia faba	AAG14961.1	AF214007	Brassica napus

SEQ ID NO. 1301	SEQ ID NO. 1302	SEQ ID NO. 1303	CAA77847.1	Z11803	Nicotiana tabacum
AAC39318.1	AF029858	BAA12039.1	D83669		Spinacia oleracea
AAA19701.1	L24438	BAA19611.1	D77997		Spinacia oleracea
AAA32913.1	M32885	BAA24610.1	AB002467		Spinacia oleracea
BAB40323.1	AB037244	BAA24609.1	AB002467		Spinacia oleracea
BAB40324.1	AB037245	AAC19394.1	AF069316		Mesembryanthemum crystalli
CAA70575.1	Y09423	AAC19393.1	AF069315		Mesembryanthemum crystalli
AAD47832.1	AF166332	BAA78553.1	AB022274		Chloroplast Nicotiana taba
CAA50312.1	X70981	BAA78552.1	AB022273		Chloroplast Nicotiana taba
AAB94588.1	AF022459	BAA22196.1	D88420		Cucurbita sp.
AAB94589.1	AF022460	BAA12029.1	D83656		Cucurbita sp.
BAA03635.1	D14990	CAA11265.1	AJ223325		Chlamydomonas reinhardtii
CAA50645.1	X71654	BAA83595.1	AB009084		Chlamydomonas sp. W80
AAB94584.1	AF022157	AAD30294.1	AF139190		Mesembryanthemum crystallinum
AAF27282.1	AF122821	AAB52954.1	U37060		Gossypium hirsutum
CAA70576.1	Y09424	AAC08576.1	AF053474		Zantedeschia aethiopica
AAD44150.1	AF124815	AAD43338.1	AF158654		Fragaria x ananassa
BAB40322.1	AB036772	AAD43336.1	AF158652		Fragaria x ananassa
CAB56503.1	AJ238612	AAB95222.1	AF039953		Fragaria x ananassa
CAA83941.1	Z33875	AAD41408.1	AF159633		Fragaria x ananassa
AAD44151.1	AF124816	AAD41407.1	AF159632		Fragaria x ananassa
AAG44132.1	AF218296	AAD41403.1	AF159628		Fragaria x ananassa
AAD56282.1	AF155332	AAD41402.1	AF159627		Fragaria x ananassa
CAA65580.1	X96784	AAD43337.1	AF158653		Fragaria x ananassa
AAD44152.1	AF124817	AAD41406.1	AF159631		Fragaria x ananassa
AAD37433.1	AF150881	AAD41404.1	AF159629		Fragaria x ananassa
Lycopersicon peruvianum		AAB94574.1	AF022213		Fragaria x ananassa
CAC27827.1	AJ295719	AAD41405.1	AF159630		Fragaria x ananassa
CAA64635.1	X95342	BAA08264.1	D45423		Oryza sativa
AAG14962.1	AF214008	BAA13671.1	D88649		Cucumis sativus
AAG14961.1	AF214007	CAA55209.1	X78452		Raphanus sativus
SEQ ID NO. 1302		BAA12890.1	D85864		Spinacia oleracea
AAC19392.1	AF069314	AAA99518.1	L20864		Spinacia oleracea
CAA33082.1	X14959	BAA12918.1	D85912		Nicotiana tabacum
AAC04671.1	AF018174	AAB03844.1	U61379		Vigna unguiculata
CAA45098.1	X63537	CAB58361.1	Y16773		Lycopersicon esculentum
AAC49357.1	U35830	CAA57140.1	X81376		Capsicum annuum
CAA94534.1	Z70677	CAA06996.1	AJ006358		Hordeum vulgare
AAF88067.1	AF286593	AAF22246.1	AF159380		Pimpinella brachycarpa

[illegible]

BAB21001.1	AB054061	Brassica rapa	SEQ ID NO. 1315	Oryza sativa
BAA78764.1	AB023482	Oryza sativa	BAA85398.1	Nicotiana tabacum
BAA07576.1	D38563	Brassica rapa	AAF74566.1	Apium graveolens var. dulc
AAB47422.1	U59318	Lycopersicon esculentum	AAG43998.1	Solanum tuberosum
BAA21132.1	D88193	Brassica rapa	AAF74567.1	Zea mays
			AAF74568.1	Spinacia oleracea
SEQ ID NO. 1308			AAF74565.1	Chlorella kessleri
BAA20482.1	D85610	Spinacia oleracea	CAA53192.1	Chlorella kessleri
AAC50011.1	U85494	Zea mays	CAA68813.1	Picea abies
AAC50021.1	U85495	Zea mays	CAB06079.1	Chlorella kessleri
BAA77218.1	AB026197	Lithospermum erythrorhizon	CAA39036.1	Nicotiana tabacum
			CAA47324.1	Vicia faba
SEQ ID NO. 1311			CAB07812.1	Medicago truncatula
AAG41777.1	AF212991	Cucurbita maxima	AAB06594.1	Ricinus communis
AAK11616.1	AF326277	Hordeum vulgare	AAA79761.1	Lycopersicon esculentum
AAK00946.1	AF318211	Taxus cuspidata	CAB52689.1	Lycopersicon esculentum
AAC49659.1	U74319	Sorghum bicolor	CAA09419.1	Beta vulgaris
AAA17732.1	L19074	Catharanthus roseus	AAD55054.1	Oryza sativa
CAB56503.1	AJ238612	Catharanthus roseus	BAB19863.1	Vitis vinifera
AAB17070.1	U54770	Lycopersicon esculentum	CAA70777.1	Vitis vinifera
CAB41490.1	AJ238439	Cicer arietinum	CAA04511.1	Oryza sativa
AAD44150.1	AF124815	Mentha spicata	BAB19864.1	Lycopersicon esculentum
BAA74465.1	AB022732	Glycyrrhiza echinata	CAB52690.1	Oryza sativa
BAA22422.1	AB001379	Glycyrrhiza echinata	BAB19862.1	Lycopersicon esculentum
CAA10067.1	AJ012581	Cicer arietinum	CAB52688.1	Oryza sativa
BAB40322.1	AB036772	Triticum aestivum		
CAB43505.1	AJ239051	Cicer arietinum	SEQ ID NO. 1316	Solanum tuberosum
CAB56742.1	AJ249800	Cicer arietinum	CAA48915.1	Apium graveolens
AAF89209.1	AF279252	Vigna radiata	AAD45391.1	Apium graveolens
BAA93634.1	AB025016	Lotus japonicus	AAD45390.1	Apium graveolens
CAA04116.1	AJ000477	Helianthus tuberosus	AAC99332.1	Euphorbia esula
CAA04117.1	AJ000478	Helianthus tuberosus	AAF65765.1	Nicotiana tabacum
AAF34534.1	AF195813	Lupinus albus	CAA57727.1	Plantago major
CAA83941.1	Z33875	Mentha x piperita	CAA53390.1	Daucus carota
AAF34533.1	AF195812	Pisum sativum	CAC19689.1	Daucus carota
AAF45142.1	AF195818	Glycine max	BAA89458.1	Ricinus communis
			CAA83436.1	Asarina barclaiana
SEQ ID NO. 1313			AAF04294.1	Daucus carota
AAD01804.1	AF026480	Dianthus caryophyllus	CAA76369.1	Vicia faba
AAB07724.1	U55867	Ipomoea nil	CAB07811.1	Beta vulgaris

CAA47604.1	X67125	Spinacia oleracea	CAA62150.1	X90560	Physcomitrella patens
AAD41024.1	AF109922	Pisum sativum	BAA94696.1	AB041711	Chara corallina
CAA58730.1	X83850	Beta vulgaris	BAA96536.1	AB044286	Chara corallina
AAF04295.1	AF191025	Alonsoa meridionalis	BAA94697.1	AB041712	Chara corallina
AAD34610.1	AF149981	Nicotiana tabacum	BAA87825.1	AP000815	Oryza sativa
CAA59113.1	X84379	Plantago major	CAA61980.1	X89890	Bidens pilosa
CAA57726.1	X82275	Lycopersicon esculentum	AAA19571.1	U10150	Brassica napus
CAA76368.1	Y16767	Daucus carota	AAA87347.1	M88307	Brassica juncea
CAA76367.1	Y16766	Daucus carota	CAA74111.1	Y13784	Mougeotia scalaris
CAC19688.1	AJ303198	Daucus carota	AAA92677.1	U13736	Pisum sativum
CAA12256.1	AJ224961	Ricinus communis	AAA33083.1	M20729	Chlamydomonas reinhardtii
AAD55269.1	AF182445	Vitis vinifera	AAK25753.1	AF334833	Castanea sativa
AAG09270.1	AF176950	Lycopersicon esculentum	AAF73157.1	AF150059	Brassica napus
AAG25923.1	AF237780	Solanum tuberosum	CAA74307.1	Y13974	Zea mays
CAB75881.1	AJ272308	Hordeum vulgare	AAA34238.1	I20507	Vigna radiata
CAC33492.1	AJ310643	Ricinus communis	AAA34237.1	I20691	Vigna radiata
CAB75882.1	AJ272309	Hordeum vulgare	AAC49587.1	U49105	Triticum aestivum
AAF90181.1	AF280050	Oryza sativa	AAC49586.1	U49104	Triticum aestivum
BAA24071.1	D87819	Oryza sativa	AAC49585.1	U49103	Triticum aestivum
BAA83501.1	AB008464	Zea mays	AAC49584.1	U48693	Triticum aestivum
AAD45932.1	AF168771	Betula pendula	AAC49580.1	U48689	Triticum aestivum
AAG12987.1	AF166498	Lycopersicon esculentum	AAC49579.1	U48688	Triticum aestivum
BAA76434.1	AB025006	Cicer arietinum	AAC49578.1	U48242	Triticum aestivum
SEQ ID NO. 1319			AAB36130.1	S81594	Vigna radiata
AAB65777.1	U97522	Vitis vinifera	AAA92681.1	U13882	Pisum sativum
AAB65776.1	U97521	Vitis vinifera	AAA33706.1	M80836	Petunia x hybrida
CAC17793.1	AJ301671	Nicotiana sylvestris	AAA33705.1	M80831	Petunia x hybrida
AAA34070.1	M15173	Nicotiana tabacum	CAA78287.1	Z12827	Oryza sativa
CAA30142.1	X07130	Solanum tuberosum	CAA46150.1	X65016	Oryza sativa
CAA53626.1	X76041	Triticum aestivum	CAA36644.1	X52398	Medicago sativa
SEQ ID NO. 1320			CAA43143.1	X60738	Malus x domestica
CAA11219.1	AJ223281	Manihot esculenta	CAA78301.1	Z12839	Lilium longiflorum
AAC49184.1	U40402	Hevea brasiliensis	AAB68399.1	U79736	Helianthus annuus
CAA82334.1	Z29091	Manihot esculenta	CAA42423.1	X59751	Daucus carota
CAA11428.1	AJ223506	Manihot esculenta	AAA32938.1	M27303	Hordeum vulgare
SEQ ID NO. 1322			BAA88540.1	AP000969	Oryza sativa
AAK11255.1	AF329729	Nicotiana tabacum	AAG27432.1	AF295637	Elaeis guineensis
AAD10245.1	AF030033	Phaseolus vulgaris	AAG11418.1	AF292108	Prunus avium
			AAC36059.1	AF042840	Oryza sativa

SEQ ID NO. 1324

AAF61440.1	AF138264	Ipomoea batatas	AAC14577.1	U72396	Lycopersicon esculentum
AAF61442.1	AF138266	Ipomoea batatas	CAA65020.1	X95716	Petroselinum crispum
AAF61441.1	AF138265	Ipomoea batatas	AAB39336.1	M99430	Ipomoea nil
AAD29084.1	AF082181	Solanum melongena	AAA33670.1	M33901	Pisum sativum
AAK27969.1	AF242373	Ipomoea batatas	AAD41409.1	AF159562	Prunus dulcis
CAA08906.1	AJ009878	Cicer arietinum	CAA67206.1	X98617	Medicago sativa
CAA78403.1	Z14028	Lycopersicon esculentum	AAC36312.1	AF090115	Lycopersicon esculentum
CAB17075.1	Z99953	Phaseolus vulgaris	CAA38012.1	X54075	Zea mays
BAA92495.1	AB038598	Vigna mungo	CAA38013.1	X54076	Zea mays
AAB67878.1	U59465	Vicia faba	CAA41218.1	X58279	Triticum aestivum
CAA82995.1	Z30338	Vicia sativa	AAB26481.1	S59777	Zea mays
BAA08244.1	D45402	Zea mays	AAB01561.1	I47717	Picea glauca
CAB17077.1	Z99955	Phaseolus vulgaris	AAB39335.1	M99429	Ipomoea nil
CAB16316.1	Z99172	Vicia sativa	AAB01562.1	I47740	Picea glauca
CAA83673.1	Z32795	Glycine max	CAA67726.1	X99346	Picea abies
CAB53397.1	AJ245868	Medicago sativa	AAD09184.1	AF089845	Funaria hygrometrica
AAB62937.1	AF007215	Lavatera thuringiaca	BAA04841.1	D21817	Lilium longiflorum
CAA57675.1	X82185	Zea mays	BAA04842.1	D21818	Lilium longiflorum
BAA96501.1	AB032168	Nicotiana tabacum	AAD09185.1	AF089846	Funaria hygrometrica
CAB17076.1	Z99954	Phaseolus vulgaris	BAA04840.1	D21816	Lilium longiflorum
AAB68374.1	U52970	Phaseolus vulgaris	CAA63570.1	X92983	Pseudotsuga menziesii
CAA12118.1	AJ224766	Phaseolus vulgaris	CAA63571.1	X92984	Pseudotsuga menziesii
AAD48496.1	AF172856	Lycopersicon esculentum	AAD30452.1	AF123255	Lycopersicon esculentum
CAB17074.1	Z99952	Phaseolus vulgaris	AAD09178.1	AF087640	Funaria hygrometrica
CAA05894.1	AJ003137	Lycopersicon esculentum	AAB63311.1	U46545	Helianthus annuus
AAD53012.1	AF089849	Brassica napus	CAA39603.1	X56138	Lycopersicon esculentum
CAB53515.1	AJ245924	Solanum tuberosum	AAC39360.1	U63631	Fragaria x ananassa
CAA88629.1	Z48736	Lycopersicon esculentum	AAA33672.1	M33899	Pisum sativum
AAC49455.1	U41902	Pseudotsuga menziesii	AAD30453.1	AF123256	Lycopersicon esculentum
AAB70820.2	AF019145	Zea mays	AAD30454.1	AF123257	Lycopersicon esculentum
CAB16317.1	Z99173	Nicotiana tabacum	CAA41547.1	X58711	Medicago sativa
AAK27968.1	AF242372	Ipomoea batatas	CAA31785.1	X13431	Triticum aestivum
BAA8898.1	AB020961	Zea mays	AAB39856.1	U81385	Oryza sativa
AAD53011.1	AF089848	Brassica napus	CAA41546.1	X58710	Medicago sativa
AAA79915.1	U17135	Dianthus caryophyllus	CAA63901.1	X94191	Pennisetum glaucum
AAB88263.1	AF019147	Zea mays	AAA33910.1	M80939	Oryza sativa
AAB97142.1	U93166	Prunus armeniaca	AAA33909.1	M80938	Oryza sativa
AAC35211.1	U12637	Hemerocallis hybrid cultivar	CAA43210.1	X60820	Oryza sativa
			AAB03097.1	U21723	Glycine max
			AAC78394.1	U83671	Oryza sativa
			AAC78392.1	U83669	Oryza sativa
SEQ ID NO. 1325					
CAA82653.1	Z29554	Helianthus annuus			

AAD09182.1	AF089843	Funaria hygrometrica	AAD30453.1	AF123256	Lycopersicon esculentum
SEQ ID NO. 1326			CAA63571.1	X92984	Pseudotsuga menziesii
AAB72109.1	AF022217	Brassica rapa	CAA31785.1	X13431	Triticum aestivum
CAA08908.1	AJ009880	Castanea sativa	CAA41546.1	X58710	Medicago sativa
AAD49336.1	AF166277	Nicotiana tabacum			
CAA41547.1	X58711	Medicago sativa	SEQ ID NO. 1327		
CAB36910.1	AJ000691	Quercus suber	CAA60120.1	X86222	Pisum sativum
AAC39360.1	U63631	Fragaria x ananassa	BAA32547.1	AB017134	Lycopersicon esculentum
BAA33062.1	AB017273	Cuscuta japonica	CAA33388.1	X15333	Chenopodium rubrum
AAB03893.1	M11318	Glycine max	AAB03096.1	U21722	Glycine max
CAA37847.1	X53851	Daucus carota	AAC12279.1	AF035460	Zea mays
AAA61632.1	U08601	Papaver somniferum	AAD03604.1	AF104107	Triticum aestivum
AAA33975.1	M11395	Glycine max	AAB01557.1	L47741	Picea glauca
AAA33672.1	M33899	Pisum sativum	AAD03605.1	AF104108	Triticum aestivum
AAB63311.1	U46545	Helianthus annuus	CAA38037.1	X54103	Plastid Petunia x hybrida
CAB08441.1	Z95153	Helianthus annuus	AAF19022.1	AF197942	Funaria hygrometrica
CAA42222.1	X59701	Helianthus annuus	AAB49626.1	U59917	Lycopersicon esculentum
CAA25578.1	X01104	Glycine max	AAB07023.1	U66300	Chloroplast Lycopersicon
CAA37848.1	X53852	Daucus carota	esculentum		
AAA33974.1	M11317	Glycine max	BAA29064.1	D88584	Nicotiana tabacum
CAB55634.2	AJ237596	Helianthus annuus	AAF19021.1	AF197941	Funaria hygrometrica
AAA33910.1	M80939	Oryza sativa	BAA78385.1	AB020973	Oryza sativa
AAA33909.1	M80938	Oryza sativa	CAA41219.1	X58280	Triticum aestivum
CAA43210.1	X60820	Oryza sativa	AAC96315.1	AF097657	Triticum aestivum
AAC78392.1	U83669	Oryza sativa	AAC96316.1	AF097658	Triticum aestivum
AAB63310.1	U46544	Helianthus annuus	AAC96314.1	AF097656	Triticum aestivum
AAB39856.1	U81385	Oryza sativa	CAA47745.1	X67328	Triticum aestivum
AAD30454.1	AF123257	Lycopersicon esculentum	AAC96317.1	AF097659	Triticum aestivum
BAA02160.1	D12635	Oryza sativa	AAA33477.1	L28712	Zea mays
CAA63903.1	X94193	Pennisetum glaucum	BAA29066.1	AB006043	Nicotiana sylvestris
CAA37864.1	X53870	Chenopodium rubrum	BAA29067.1	AB006044	Nicotiana tomentosiformis
AAD30452.1	AF123255	Lycopersicon esculentum	BAA29065.1	AB006041	Nicotiana tabacum
CAA46641.1	X65725	Zea mays	AAC01570.1	AF019144	Agrostis stolonifera var.
CAA63902.1	X94192	Pennisetum glaucum	palustris		
CAA63901.1	X94191	Pennisetum glaucum	AAD30452.1	AF123255	Lycopersicon esculentum
CAA63570.1	X92983	Pseudotsuga menziesii	CAA39603.1	X56138	Lycopersicon esculentum
AAC78393.1	U83670	Oryza sativa	AAD30453.1	AF123256	Lycopersicon esculentum
CAA39603.1	X56138	Lycopersicon esculentum	AAD30454.1	AF123257	Lycopersicon esculentum
AAC78394.1	U83671	Oryza sativa	AAD49336.1	AF166277	Nicotiana tabacum
AAA33671.1	M33900	Pisum sativum	AAF34133.1	AF161179	Malus x domestica
			AAC39360.1	U63631	Fragaria x ananassa

AAA61632.1	U08601	Papaver somniferum	AAB81079.1	AF022390	Hordeum vulgare
CAA08908.1	AJ009880	Castanea sativa	AAC32817.1	AF050180	Oryza sativa
AAA33975.1	M11395	Glycine max	CAB88029.1	AJ276389	Dendrobium grex Madame Thc
CAA63570.1	X92983	Pseudotsuga menziesii	AAB41849.1	U65648	Solanum tuberosum
AAB03893.1	M11318	Glycine max	AAD00252.1	U76408	Lycopersicon esculentum
CAA25578.1	X01104	Glycine max	BAB18584.1	AB043956	Ceratopteris richardii
AAB72109.1	AF022217	Brassica rapa	BAA31700.1	AB016001	Ipomoea nil
CAA46641.1	X65725	Zea mays	BAA31699.1	AB016000	Ipomoea nil
CAB08441.1	Z95153	Helianthus annuus	AAD00692.1	U90092	Picea mariana
AAA33974.1	M11317	Glycine max	BAB18582.1	AB043954	Ceratopteris richardii
SEQ ID NO. 1329			AAD13611.1	AF100455	Zea mays
AAG35658.1	AF204925	Petroselinum crispum	BAB18583.1	AB043955	Ceratopteris richardii
CAA88331.1	Z48431	Avena fatua	BAA31698.1	AB015999	Ipomoea nil
AAC37515.1	L44134	Cucumis sativus	AAC33008.1	AF080104	Pisum sativum
AAD16138.1	AF096298	Nicotiana tabacum	AAG27464.1	AF308454	Medicago truncatula
AAC49529.1	U58540	Petroselinum crispum	AAD00251.1	U76407	Lycopersicon esculentum
BAA77383.1	AB020590	Nicotiana tabacum	AAC49917.1	AF000141	Lycopersicon esculentum
BAA82107.1	AB022693	Nicotiana tabacum	AAD09582.1	U76409	Lycopersicon esculentum
AAF23898.1	AF193802	Nicotiana tabacum	AAF23753.2	AF193813	Brassica oleracea
AAD16139.1	AF096299	Oryza sativa	AAD00691.1	U90091	Picea mariana
BAA86031.1	AB026890	Nicotiana tabacum	AAC32818.1	AF050181	Oryza sativa
CAA88326.1	Z48429	Avena fatua	SEQ ID NO. 1340		
AAC31956.1	AF080595	Pimpinella brachycarpa	AAD11482.1	U51192	Glycine max
AAD55974.1	AF121353	Petroselinum crispum	AAD11481.1	U51191	Glycine max
AAC49527.1	U48831	Petroselinum crispum	AAA65637.1	L13654	Lycopersicon esculentum
BAB16432.1	AB041520	Nicotiana tabacum	CAA76374.2	Y16776	Spinacia oleracea
AAC49528.1	U56834	Petroselinum crispum	AAA65636.1	L13653	Lycopersicon esculentum
BAA77358.1	AB020023	Nicotiana tabacum	BAA03644.1	D14997	Oryza sativa
AAG35659.1	AF204926	Petroselinum crispum	CAA80502.1	Z22920	Spirodela polyrrhiza
AAF61864.1	AF193771	Nicotiana tabacum	BAA07664.1	D42065	Nicotiana tabacum
AAF61863.1	AF193770	Nicotiana tabacum	BAA07663.1	D42064	Nicotiana tabacum
BAA87069.1	AB035271	Matricaria chamomilla	AAA32676.1	M37637	Arachis hypogaea
SEQ ID NO. 1332			BAA77387.1	AB024437	Scutellaria baicalensis
CAB53493.1	AJ245900	Oryza sativa	CAC21393.1	AJ401276	Zea mays
BAA85440.1	AP000616	Oryza sativa	AAB67737.1	L77080	Stylosanthes humilis
BAA90626.1	AP001129	Oryza sativa	AAF63024.1	AF244921	Spinacia oleracea
SEQ ID NO. 1337			BAA82307.1	AB027753	Nicotiana tabacum
AAF43095.1	AF053769	Malus x domestica	CAA64413.1	X94943	Lycopersicon esculentum
			AAC98519.1	AF007211	Glycine max
			AAD37427.1	AF149277	Phaseolus vulgaris



CAB94692.1	AJ242742	Ipomoea batatas	AAC49150.1	U21940	Cladrastis kentukea
CAA62226.1	X90693	Medicago sativa	CAB96391.1	AJ271873	Phaseolus lunatus
CAA62227.1	X90694	Medicago sativa	CAB96392.1	AJ271874	Phaseolus lunatus
AAB41811.1	I36157	Medicago sativa	CAA76366.1	Y16754	Medicago sativa
AAD37429.2	AF149279	Phaseolus vulgaris	BAA82556.1	AB030083	Populus nigra
CAA71494.1	Y10468	Spinacia oleracea	CAA93830.1	Z70000	Phaseolus lunatus
AAD11484.1	U51194	Glycine max	AAG16779.1	AF190633	Ulex europaeus
CAC21391.1	AJ401274	Zea mays	AAC49136.1	U21958	Cladrastis kentukea
AAA34108.1	J02979	Nicotiana tabacum	AAB39933.1	U65009	Maackia amurensis
AAD37430.1	AF149280	Phaseolus vulgaris	AAB39934.1	U65010	Maackia amurensis
AAF63027.1	AF244924	Spinacia oleracea	AAA33766.1	I26237	Phaseolus lunatus
CAA62225.1	X90692	Medicago sativa	AAA33143.1	M34270	Dolichos biflorus
AAD37375.1	AF145349	Glycine max	CAA57697.1	X82216	Medicago truncatula
CAB67121.1	Y19023	Lycopersicon esculentum	BAA36413.1	AB012632	Robinia pseudoacacia
AAB41810.1	I36156	Medicago sativa	AAA80182.1	U12783	Robinia pseudoacacia
CAA66037.1	X97351	Populus balsamifera subsp.	BAA04604.1	D17757	Robinia pseudoacacia
trichocarpa			CAA68497.1	Y00440	Pisum sativum
BAA92500.1	AP001383	Oryza sativa	AAC49271.1	U24249	Robinia pseudoacacia
BAA94962.1	AB042103	Asparagus officinalis	AAA80181.1	U12782	Robinia pseudoacacia
AAB97734.1	AF014502	Glycine max	BAA36416.1	AB012635	Robinia pseudoacacia
CAA50597.1	X71593	Lycopersicon esculentum	AAA33676.1	M18160	Pisum sativum
BAA01992.1	D11396	Nicotiana tabacum	CAA47011.1	X66368	Pisum sativum
CAA40796.1	X57564	Armoracia rusticana	AAA33141.1	J02721	Dolichos biflorus
AAD11483.1	U51193	Glycine max	BAA36414.1	AB012633	Robinia pseudoacacia
AAF63026.1	AF244923	Spinacia oleracea	BAA02049.1	D12481	Bauhinia purpurea
AAF65464.2	AF247700	Oryza sativa	AAA80183.1	U12784	Robinia pseudoacacia
BAA11853.1	D83225	Populus nigra	AAC49272.1	U24250	Robinia pseudoacacia
BAA06335.1	D30653	Populus kitakamiensis	AAA82737.1	U18296	Medicago sativa
SEQ ID NO. 1342			AAA74571.1	U22468	Arachis hypogaea
AAG14455.1	AF283707	Tulipa gesneriana	AAB51441.1	U63011	Sophora japonica
AAG14454.1	AF283706	Tulipa gesneriana	AAA74574.1	U22471	Arachis hypogaea
AAG14456.1	AF283708	Tulipa gesneriana	AAG00508.1	AF285121	Sophora flavescens
AAC08401.1	AF053564	Mesembryanthemum crystallinum	AAB39932.1	U65008	Maackia amurensis
SEQ ID NO. 1346			SEQ ID NO. 1347		
AAB51442.1	U63012	Sophora japonica	BAA85400.1	AP000615	Oryza sativa
CAA93829.1	Z69999	Phaseolus lunatus	CAA74909.1	Y14573	Hordeum vulgare
BAA36415.1	AB012634	Robinia pseudoacacia	CAB06083.1	Z83834	Hordeum vulgare
CAA93828.1	Z69998	Phaseolus lunatus	CAA06487.1	AJ005341	Linum usitatissimum
AAC49137.1	U21959	Cladrastis kentukea	SEQ ID NO. 1349		

BAA97124.1	AB016266	Nicotiana sylvestris	CAA72133.1	Y11268	Lycopersicon esculentum
BAA97122.1	AB016264	Nicotiana sylvestris	CAA60737.1	X87323	Capsicum annuum
BAA07321.1	D38123	Nicotiana tabacum	AAC78504.1	U34754	Phaseolus vulgaris
BAA87068.1	AB035270	Matricaria chamomilla	AAA02563.1	M57400	Phaseolus vulgaris
AAC62619.1	AF057373	Nicotiana tabacum	CAA65826.1	X97188	Capsicum annuum
AAD00708.1	U91857	Stylosanthes hamata	AAD08699.1	AF098292	Lycopersicon esculentum
BAA97123.1	AB016265	Nicotiana sylvestris	AAA69908.1	U13054	Lycopersicon esculentum
BAA76734.1	AB024575	Nicotiana tabacum	CAB43938.1	AJ006349	Fragaria x ananassa
AAF05606.1	AF190770	Oryza sativa	BAA96207.1	AP002094	Oryza sativa
BAB03248.1	AB037183	Oryza sativa	BAA96209.1	AP002094	Oryza sativa
SEQ ID NO. 1352			CAB51903.1	AJ242807	Brassica napus
AAC24835.1	AF061870	Helianthus annuus	BAA94257.1	AB040769	Hordeum vulgare
SEQ ID NO. 1353			AAC49704.1	U78526	Lycopersicon esculentum
CAA75575.1	Y15293	Medicago truncatula	AAA20082.1	U00730	Glycine max
BAA85440.1	AP000616	Oryza sativa	CAA11301.1	AJ223386	Fragaria x ananassa
CAB53493.1	AJ245900	Oryza sativa	CAA11302.1	AJ223387	Fragaria x ananassa
BAA85424.2	AP000616	Oryza sativa	BAA21111.1	D88417	Gossypium hirsutum
BAA85439.1	AP000616	Oryza sativa	CAA65598.1	X96854	Prunus persica
BAA90641.1	AP001129	Oryza sativa	SEQ ID NO. 1355		
SEQ ID NO. 1354			CAA64798.1	X95552	Cucumis melo
AAA80495.1	U20590	Lycopersicon esculentum	CAA57285.1	X81629	Brassica oleracea
BAB39482.1	AB049199	Populus alba	AAA32981.1	L27664	Brassica napus
BAA85150.1	AB032830	Pisum sativum	CAA57284.1	X81628	Brassica oleracea
AAC12684.1	U76725	Pinus radiata	AAB70883.1	U19856	Pelargonium x hortorum
AAC62241.1	AF077339	Lycopersicon esculentum	AAF36484.1	AF129074	Prunus persica
CAA65828.1	X97190	Capsicum annuum	CAA90904.1	Z54199	Lycopersicon esculentum
CAB59900.1	AJ010950	Capsicum annuum	CAA71738.1	Y10749	Betula pendula
BAB32662.1	AB055886	Atriplex lentiformis	BAA21541.1	AB003514	Actinidia deliciosa
BAA77239.1	AB025796	Populus alba	CAA67216.1	X98627	Malus x domestica
BAB39483.1	AB049200	Populus alba	CAA04895.1	AJ001646	Malus x domestica
AAC12685.1	U76756	Pinus radiata	AAC36461.1	AF030859	Malus x domestica
CAA65597.1	X96853	Prunus persica	AAC37381.1	L21976	Petunia x hybrida
CAA65600.1	X96856	Prunus persica	CAA74328.1	Y14005	Malus x domestica
AAC95009.1	AF074923	Fragaria x ananassa	CAA64799.1	X95553	Cucumis melo
CAB43937.1	AJ006348	Fragaria x ananassa	AAB70884.1	U67861	Pelargonium x hortorum
AAA69909.1	U13055	Lycopersicon esculentum	BAA76387.1	D67038	Pyrus pyrifolia
AAA96135.1	L41046	Pisum sativum	AAB94031.1	AF015787	Malus x domestica
CAA65827.1	X97189	Capsicum annuum	AAC48977.1	U07953	Pelargonium x hortorum
			AAC67233.1	AF033582	Cucumis sativus
			AAC48922.1	U06047	Vigna radiata

AAA33273.1	L35152	Dianthus caryophyllus	BAA83554.1	AP000399	Oryza sativa
CAA41212.1	X58273	Lycopersicon esculentum	CAA53192.1	X75440	Chlorella kessleri
BAA34924.1	AB013101	Lycopersicon esculentum	CAA68813.1	Y07520	Chlorella kessleri
AAF65472.1	AF252628	Brassica juncea	CAA39036.1	X55349	Chlorella kessleri
BAB32502.1	AB044747	Phyllostachys edulis	BAB19862.1	AB052883	Oryza sativa
CAA71140.1	Y10034	Rumex palustris	CAB52688.1	AJ132223	Lycopersicon esculentum
CAA68538.1	Y00478	Lycopersicon esculentum	AAD55054.1	AF173655	Beta vulgaris
AAB71421.1	L29405	Helianthus annuus	CAB52690.1	AJ132225	Lycopersicon esculentum
AAC98808.1	U68215	Carica papaya	AAG43998.1	AF215837	Lycopersicon esculentum
CAA58232.1	X83229	Nicotiana tabacum	AAF74568.1	AF215854	Apium graveolens var. dulc
CAA86468.1	Z46349	Nicotiana tabacum	AAF74567.1	AF215853	Zea mays
AAA99793.1	U54566	Nicotiana glutinosa	AAF74566.1	AF215852	Solanum tuberosum
AAA33697.1	L21978	Petunia x hybrida	AAF74565.1	AF215851	Nicotiana tabacum
AAF64528.1	AF254125	Carica papaya	AAD37424.1	AF149282	Spinacia oleracea
AAA33644.1	M98357	Pisum sativum	AAD45934.1	AF168773	Phaseolus vulgaris
AAA99792.1	U54565	Nicotiana glutinosa	SEQ ID NO. 1368		Betula pendula
AAB97368.1	AF041479	Rumex palustris	AAF20002.1	AF213936	Prunus dulcis
BAA33378.1	AB006807	Cucumis sativus	AAD01600.1	AF016713	Lycopersicon esculentum
AAB05171.1	U62764	Nicotiana glutinosa	AAC32034.1	AF023472	Hordeum vulgare
CAA59749.1	X85747	Oryza sativa	AAF07875.1	AF140606	Oryza sativa
BAA06526.1	D31727	Cucumis melo	CAC07206.1	AJ278966	Brassica napus
SEQ ID NO. 1359			AAB69642.1	AF000392	Lotus japonicus
BAA33810.1	AB018441	Nicotiana tabacum	BAB19760.1	AB052788	Glycine max
AAK15505.1	AF325723	Pennisetum ciliare	CAA93316.1	Z69370	Cucumis sativus
SEQ ID NO. 1361			BAB19757.1	AB052785	Glycine max
AAB01567.1	L47672	Picea glauca	BAB19756.1	AB052784	Glycine max
SEQ ID NO. 1365			AAD16016.1	AF080545	Nepenthes alata
CAB52689.1	AJ132224	Lycopersicon esculentum	AAD42860.1	AF154930	Prunus dulcis
CAA09419.1	AJ010942	Lycopersicon esculentum	SEQ ID NO. 1370		
BAB19864.1	AB052885	Oryza sativa	BAB19760.1	AB052788	Glycine max
CAA47324.1	X66856	Nicotiana tabacum	BAB19757.1	AB052785	Glycine max
AAB06594.1	U38651	Medicago truncatula	BAB19756.1	AB052784	Glycine max
AAA79761.1	L08196	Ricinus communis	AAD01600.1	AF016713	Lycopersicon esculentum
CAA04511.1	AJ001061	Vitis vinifera	AAC32034.1	AF023472	Hordeum vulgare
CAA70777.1	Y09590	Vitis vinifera	CAA93316.1	Z69370	Cucumis sativus
AAA79857.1	L08188	Ricinus communis	AAF20002.1	AF213936	Prunus dulcis
CAB06079.1	Z83829	Picea abies	AAF07875.1	AF140606	Oryza sativa
BAB19863.1	AB052884	Oryza sativa	AAB69642.1	AF000392	Lotus japonicus
			CAC07206.1	AJ278966	Brassica napus

AAD16016.1	AF080545	Nepenthes alata	AAC62396.1	AF050756	Ricinus communis
AAD42860.1	AF154930	Prunus dulcis	AAC35211.1	U12637	Hemerocallis hybrid cultiva
SEQ ID NO. 1371			AAD10337.1	U94591	Hordeum vulgare
CAB55409.1	AL117265	Oryza sativa	AAD28477.1	AF133839	Sandersonia aurantiaca
AAC78593.1	AF053995	Lycopersicon esculentum	CAB09699.1	Z97023	Hordeum vulgare
AAC78596.1	AF053998	Lycopersicon esculentum	CAB09697.1	Z97021	Hordeum vulgare
AAC78591.1	AF053993	Lycopersicon esculentum	CAA56844.1	X80876	Oryza sativa
AAC78592.1	AF053994	Lycopersicon esculentum	BAA83472.1	AB004648	Oryza sativa
AAC78594.1	AF053996	Lycopersicon pimpinellifolium	AAB37233.1	U34747	Phalaenopsis sp. SM9108
CAA05276.1	AJ002236	Lycopersicon pimpinellifolium	AAC49406.1	U19267	Zinnia elegans
AAD50430.1	AF166121	Lycopersicon pimpinellifolium	CAA06243.1	AJ004958	Pisum sativum
CAA05268.1	AJ002235	Hordeum vulgare	AAK27968.1	AF242372	Ipomoea batatas
CAA05274.1	AJ002236	Lycopersicon hirsutum	BAA83473.1	AB004819	Oryza sativa
AAA65235.1	U15936	Lycopersicon pimpinellifolium	BAA11170.1	D76415	Oryza sativa
AAC78595.1	AF053997	Lycopersicon esculentum	CAA84378.1	Z34895	Vicia sativa
CAA05279.1	AJ002237	Lycopersicon esculentum	SEQ ID NO. 1373		
SEQ ID NO. 1372			AAC39318.1	AF029858	Sorghum bicolor
AAD48496.1	AF172856	Lycopersicon esculentum	BAB40323.1	AB037244	Asparagus officinalis
AAC49455.1	U41902	Pseudotsuga menziesii	AAA32913.1	M32885	Persea americana
CAB53515.1	AJ245924	Solanum tuberosum	BAB40324.1	AB037245	Asparagus officinalis
CAB17076.1	Z99954	Phaseolus vulgaris	AAA19701.1	L24438	Thlaspi arvense
BAA88898.1	AB020961	Phaseolus vulgaris	AAB94589.1	AF022460	Glycine max
CAA46863.1	X66061	Zea mays	AAB94588.1	AF022459	Glycine max
AAB88263.1	AF019147	Pisum sativum	CAA70575.1	Y09423	Nepeta racemosa
CAA05894.1	AJ003137	Zea mays	AAD47832.1	AF166332	Nicotiana tabacum
AAA79915.1	U17135	Lycopersicon esculentum	AAB94584.1	AF022157	Glycine max
AAD28476.1	AF133838	Dianthus caryophyllus	AAF27282.1	AF122821	Capsicum annuum
AAB88262.1	AF019146	Sandersonia aurantiaca	CAA50312.1	X70981	Solanum melongena
CAA53377.1	X75749	Zea mays	CAB56503.1	AJ238612	Catharanthus roseus
CAB16317.1	Z99173	Vicia sativa	CAA50645.1	X71654	Solanum melongena
CAB17074.1	Z99952	Nicotiana tabacum	BAA03635.1	D14990	Solanum melongena
CAA12118.1	AJ224766	Phaseolus vulgaris	AAD44151.1	AF124816	Mentha x piperita
AAB68374.1	U52970	Phaseolus vulgaris	AAD44152.1	AF124817	Mentha x piperita
CAA57538.1	X82011	Phaseolus vulgaris	CAA83941.1	Z33875	Mentha x piperita
AAB41816.1	U44947	Cicer arietinum	AAD44150.1	AF124815	Mentha spicata
AAD54424.1	AF182079	Pisum sativum	BAB40322.1	AB036772	Triticum aestivum
AAK06862.1	AF343446	Matricaria chamomilla	CAC27827.1	AJ295719	Catharanthus roseus
CAA52425.1	X74406	Actinidia chinensis	AAG44132.1	AF218296	Pisum sativum
AAB70820.2	AF019145	Hemerocallis sp.	AAD56282.1	AF155332	Petunia x hybrida
		Zea mays	AAG14963.1	AF214009	Brassica napus

AAD37433.1	AF150881	Lycopersicon peruvianum	Lycopersicon esculentum x	SEQ ID NO. 1382	SEQ ID NO. 1384	
CAA65580.1	X96784	Nicotiana tabacum	Nicotiana tabacum	AAF61647.1	AF190634	Nicotiana tabacum
AAG14961.1	AF214007	Brassica napus	Brassica napus	BAA89009.1	AB027455	Petunia x hybrida
AAG14962.1	AF214008	Brassica napus	Brassica napus	AAF17077.1	AF199453	Sorghum bicolor
AAB17562.1	U72654	Eustoma grandiflorum	Eustoma grandiflorum	AAF98390.1	AF287143	Brassica napus
				BAA36423.1	AB013598	Verbena x hybrida
				BAA36421.1	AB013596	Perilla frutescens
				BAA93039.1	AB033758	Citrus unshiu
				BAA36422.1	AB013597	Perilla frutescens
				BAA12737.1	D85186	Gentiana triflora
				AAB48444.1	U82367	Solanum tuberosum
				BAA19659.1	AB002818	Perilla frutescens
				CAA54612.1	X77462	Manihot esculenta
				BAA89008.1	AB027454	Petunia x hybrida
				BAA83484.1	AB031274	Scutellaria baicalensis
				AAB36652.1	U32643	Nicotiana tabacum
				AAK28304.1	AF346432	Nicotiana tabacum
				AAB36653.1	U32644	Nicotiana tabacum
				AAD04166.1	AF101972	Phaseolus lunatus
				AAD21086.1	AF127218	Forsythia x intermedia
				CAA54611.1	X77461	Manihot esculenta
				AAK28303.1	AF346431	Nicotiana tabacum
				CAA54609.1	X77459	Manihot esculenta
				CAA54613.1	X77463	Manihot esculenta
				BAB41026.1	AB047099	Vitis vinifera
				BAB41024.1	AB047097	Vitis vinifera
				BAB41022.1	AB047095	Vitis vinifera
				BAB41017.1	AB047090	Vitis labrusca x Vitis vinifera
				BAB41020.1	AB047093	Vitis vinifera
				CAA59450.1	X85138	Lycopersicon esculentum
				BAB41025.1	AB047098	Vitis vinifera
				BAB41023.1	AB047096	Vitis vinifera
				BAB41018.1	AB047091	Vitis labrusca x Vitis vinifera
				SEQ ID NO. 1385		
				AAF06347.1	AF195654	Vitis vinifera
				BAA28872.1	AB006009	Pyrus pyrifolia
				AAB38064.1	U32440	Prunus avium
				BAA95017.1	AB031870	Cestrum elegans
				BAA74546.2	AB000834	Nicotiana tabacum
				AAC36740.1	AF090143	Malus x domestica

CAC10270.1	AJ243427	Malus x domestica	CAA12118.1	AJ224766	Phaseolus vulgaris
AAB95118.1	U71244	Brassica rapa	CAB17074.1	Z99952	Phaseolus vulgaris
CAC09477.1	AL442113	Oryza sativa	AAD48496.1	AF172856	Lycopersicon esculentum
CAB62167.1	AJ242828	Castanea sativa	AAD53012.1	AF089849	Brassica napus
AAF06346.1	AF195653	Vitis vinifera	CAA05894.1	AJ003137	Lycopersicon esculentum
AAB02259.1	U57787	Avena sativa	BAA08245.1	D45403	Zea mays
AAD55090.1	AF178653	Vitis riparia	BAA88898.1	AB020961	Zea mays
CAA10492.1	AJ131731	Pseudotsuga menziesii	CAB16317.1	Z99173	Nicotiana tabacum
CAA09228.1	AJ010501	Cicer arietinum	AAB88263.1	AF019147	Zea mays
BAA95165.1	AB029918	Nicotiana tabacum	CAA92583.1	Z68291	Pisum sativum
AAF82264.1	AF227324	Vitis vinifera	CAA68192.1	X99936	Zea mays
AAB53368.1	U77657	Oryza sativa	AAC35211.1	U12637	Hemerocallis hybrid cultiv
AAB61590.1	AF003007	Vitis vinifera	AAB97142.1	U93166	Prunus armeniaca
AAB53367.1	U77656	Oryza sativa			
SEQ ID NO. 1386			SEQ ID NO. 1387		
AAF61440.1	AF138264	Ipomoea batatas	AAA33967.1	M76981	Glycine max
AAF61442.1	AF138266	Ipomoea batatas	BAA23563.1	D50094	Phaseolus vulgaris
AAF61441.1	AF138265	Ipomoea batatas	BAA19152.1	AB000585	Phaseolus vulgaris
AAK27969.1	AF242373	Ipomoea batatas	AAA34020.1	M20037	Glycine max
CAB17075.1	Z99953	Phaseolus vulgaris	AAA34022.1	M76980	Glycine max
AAB67878.1	U59465	Vicia faba	AAA34021.1	M20038	Glycine max
CAA08906.1	AJ009878	Cicer arietinum			
CAA82995.1	Z30338	Vicia sativa	SEQ ID NO. 1390		
BAA92495.1	AB038598	Vigna mungo	BAA87043.1	AB035183	Ipomoea batatas
AAD29084.1	AF082181	Solanum melongena	CAB06427.1	Z84383	Dianthus caryophyllus
CAA78403.1	Z14028	Lycopersicon esculentum	CAB06429.1	Z84385	Dianthus caryophyllus
BAA08244.1	D45402	Zea mays	CAB06430.1	Z84386	Dianthus caryophyllus
CAA83673.1	Z32795	Glycine max	CAB11466.1	Z98758	Dianthus caryophyllus
CAB17077.1	Z99955	Phaseolus vulgaris	CAB06538.1	Z84571	Dianthus caryophyllus
CAB16316.1	Z99172	Vicia sativa	CAB06428.1	Z84384	Dianthus caryophyllus
CAB53397.1	AJ245868	Medicago sativa			
AAB62937.1	AF007215	Lavatera thuringiaca	SEQ ID NO. 1391		
BAA96501.1	AB032168	Nicotiana tabacum	AAK01360.1	AF314811	Brassica napus
CAA57675.1	X82185	Zea mays	CAB40834.1	AJ005686	Vitis vinifera
AAC49455.1	U41902	Pseudotsuga menziesii	AAC14481.1	U92286	Actinidia deliciosa
CAB17076.1	Z99954	Phaseolus vulgaris	AAB67875.1	U60267	Lycopersicon esculentum
AAD53011.1	AF089848	Brassica napus	CAA67069.1	X98421	Medicago sativa
CAA88629.1	Z48736	Lycopersicon esculentum	AAK01361.1	AF314812	Brassica napus
AAK27968.1	AF242372	Ipomoea batatas	BAA19916.1	D49714	Oryza sativa
AAB68374.1	U52970	Phaseolus vulgaris	AAC18862.1	AF067967	Mesembryanthemum crystallinum
			CAA67070.1	X98422	Medicago sativa

AAC84137.1	AF101424	Cichorium intybus	SEQ ID NO. 1392	SEQ ID NO. 1404	Glycine max
AAB80946.1	AF022914	Triticum aestivum		AAB71227.1 AF004809	Sesamum indicum
				AAF13743.1 AF109921	Oryza sativa
SEQ ID NO. 1392				CAA61981.1 X89891	
AAD10836.1	U52079	Solanum tuberosum			
SEQ ID NO. 1400				SEQ ID NO. 1405	
BAA05648.1	D26601	Nicotiana tabacum		AAD10327.1 U63534	Fragaria x ananassa
AAF34436.1	AF172282	Oryza sativa		AAK28509.1 AF320110	Fragaria x ananassa
CAA08995.1	AJ010091	Brassica napus		AAB38503.1 U79770	Mesembryanthemum crystalli
CAA08997.1	AJ010093	Brassica napus		CAA48028.1 X67817	Petroselinum crispum
AAF19402.1	AF203480	Lycopersicon esculentum		AAC15467.1 U24561	Apium graveolens
AAF19403.1	AF203481	Lycopersicon esculentum		AAC61854.1 AF067082	Apium graveolens
AAB70706.1	U82087	Tortula ruralis		AAC35846.1 AF083333	Medicago sativa
AAF19401.1	AF203479	Glycine max		AAA74883.1 L36456	Stylosanthes humilis
BAA85396.1	AP000615	Oryza sativa		AAA74882.1 L36823	Stylosanthes humilis
AAC05270.1	AF048691	Oryza sativa		AAF72100.1 AF146691	Lycopersicon esculentum
AAF06970.1	AF162662	Kalanchoe fedtschenkoi		CAA86072.1 Z37991	Pinus taeda
AAF06969.1	AF162661	Kalanchoe fedtschenkoi		CAA05097.1 AJ001926	Picea abies
CAA57156.1	X81393	Oryza sativa		CAA05096.1 AJ001925	Picea abies
AAB80692.1	U69173	Glycine max		CAA05095.1 AJ001924	Picea abies
AAF21062.1	AF216527	Dunaliella tertiolecta		CAA51226.1 X72675	Picea abies
BAA96628.1	AF002482	Oryza sativa		AAB38774.1 U62394	Pinus radiata
AAG53979.1	AF325168	Nicotiana tabacum		AAC31166.1 AF060491	Pinus radiata
BAA81750.1	AB017516	Marchantia polymorpha		CAA86073.1 Z37992	Pinus taeda
BAA81748.1	AB017515	Marchantia polymorpha		AAK00679.1 AF229407	Brassica napus
CAA89202.1	Z49233	Chlamydomonas eugametos		AAK00681.1 AF229409	Brassica napus
AAA33443.1	L15390	Zea mays		CAA44216.1 X62343	Nicotiana tabacum
BAA81749.1	AB017515	Marchantia polymorpha		CAA44217.1 X62344	Nicotiana tabacum
BAA81751.1	AB017517	Marchantia polymorpha		AAK00682.1 AF229410	Brassica oleracea
AAC49405.1	U08140	Vigna radiata		AAC07987.1 AF038561	Eucalyptus globulus
AAD00239.1	U73938	Nicotiana tabacum		BAA03099.1 D13991	Aralia cordata
AAD00240.1	U73939	Nicotiana tabacum		CAA46585.1 X65631	Eucalyptus gunnii
AAD17800.1	AF090835	Mesembryanthemum crystallinum		AAK00678.1 AF229406	Brassica napus
AAB49984.1	U90262	Cucurbita pepo		AAG15553.1 AF294793	Eucalyptus saligna
AAF05112.1	AF158091	Mesembryanthemum crystallinum		AAF43140.1 AF217957	Populus tremuloides
AAF27340.1	AF186020	Vicia faba		CAC07423.1 AJ295837	Populus balsamifera subsp.
CAA65244.1	X95997	Solanum tuberosum		trichocarpa	
CAA39936.1	X56599	Daucus carota		CAA79622.1 Z19568	Populus deltoides
CAA07481.1	AJ007366	Zea mays		AAK00684.1 AF229412	Brassica rapa
AAA69507.1	U28376	Zea mays		AAB70908.1 AF010290	Lolium perenne

CAA53211.1	X75480	Eucalyptus gunnii	CAA61589.1	X89409	Lotus japonicus
AAK00680.1	AF229408	Brassica napus	CAA67889.1	X99552	Asparagus officinalis
CAA74070.1	Y13733	Zea mays	AAF74755.1	AF263432	Helianthus annuus
AAK00683.1	AF229411	Brassica rapa	AAD05035.1	AF014057	Triphysaria versicolor
CAA79625.1	Z19573	Medicago sativa	AAD05034.1	AF014056	Triphysaria versicolor
AAC35845.1	AF083332	Medicago sativa	AAD05033.1	AF014055	Triphysaria versicolor
CAA06687.1	AJ005702	Zea mays	CAA96526.1	Z72354	Vicia faba
CAA13177.1	AJ231135	Saccharum officinarum	CAA48141.1	X67958	Asparagus officinalis
BAA19487.1	D86590	Zinnia elegans	CAA61590.1	X89410	Lotus japonicus
BAA04046.1	D16624	Eucalyptus botryoides	CAA36429.1	X52179	Pisum sativum
AAD18000.1	AF109157	Eucalyptus globulus	BAA96252.1	AB035248	Astragalus sinicus
AAF23409.1	AF207552	Brassica napus	CAA36430.1	X52180	Pisum sativum
AAF23411.1	AF207554	Brassica oleracea	BAA96251.1	AB035247	Astragalus sinicus
AAF23412.1	AF207555	Brassica rapa	CAB57292.1	AJ133522	Phaseolus vulgaris
AAF23410.1	AF207553	Brassica napus	AAC49614.1	U77679	Glycine max
AAF23416.1	AF207559	Brassica rapa	BAA18951.1	D83378	Oryza sativa
AAF23415.1	AF207558	Brassica oleracea	AAB03991.1	U55873	Oryza sativa
SEQ ID NO. 1412			AAF02776.1	AF190729	Helianthus annuus
AAK14395.1	AF339732	Dianthus caryophyllus	AAB71532.1	AF005724	Sandersonia aurantiaca
BAB20580.1	AB042267	Zea mays	CAA58052.1	X82849	Zea mays
BAB20581.1	AB042268	Zea mays	AAB91481.1	AF037363	Helianthus annuus
BAB20579.1	AB042261	Zea mays	CAA73762.1	Y13321	Pisum sativum
BAB17300.1	AB042260	Zea mays	CAA73763.1	Y13322	Pisum sativum
BAA82873.1	AB024291	Zea mays	BAA96452.1	AB021793	Pyrus pyrifolia
BAA85113.1	AB031012	Zea mays	AAA73943.1	L23833	Glycine max
BAA75253.1	AB004882	Zea mays	SEQ ID NO. 1415		
BAA85112.1	AB031011	Zea mays	AAG21985.1	AF271636	Zea mays
BAB20582.1	AB042269	Zea mays	AAC18622.2	AF003551	Zea mays
BAB41137.1	AB060130	Zea mays	AAG28387.1	AF191667	Brassica oleracea
SEQ ID NO. 1414			AAG28386.1	AF191666	Brassica napus
BAB17726.1	AB050900	Raphanus sativus	AAB97685.1	AF042184	Brassica napus
CAA59138.1	X84448	Brassica oleracea	AAG14462.1	AF293461	Brassica napus
AAC16325.1	AF061740	Elaeagnus umbellata	SEQ ID NO. 1417		
CAA08913.1	AJ009952	Phaseolus vulgaris	AAB03379.1	U27108	Brassica napus
AAF02775.1	AF190728	Helianthus annuus	AAB03378.1	U27107	Brassica napus
AAC49613.1	U77678	Glycine max	AAD42937.1	AF084971	Catharanthus roseus
AAB81011.1	U89923	Medicago sativa	AAC49474.1	U41817	Phaseolus vulgaris
AAC09952.1	U55874	Glycine max	CAA11499.1	AJ223624	Spinacia oleracea
AAB48058.1	L40327	Medicago sativa	CAA88492.1	Z48602	Nicotiana tabacum



AA49398.1	U46217	Petroselinum crispum	AAA32990.1	M87514	Brassica oleracea
CAA76555.1	Y16953	Sinapis alba	CAA50575.1	X71441	Nicotiana tabacum
CAA88493.1	Z48603	Nicotiana tabacum	CAA53366.1	X75670	Oryza sativa
CAA63073.1	X92102	Raphanus sativus	CAA04702.1	AJ001369	Olea europaea
CAA58772.1	X83920	Brassica napus	AAA62621.1	L22209	Cuscuta reflexa
AAB00098.1	L01449	Glycine max	AAC49701.1	U79011	Borago officinalis
AAA80169.1	U10270	Zea mays	CAA56318.1	X80008	Nicotiana tabacum
AAB40291.1	U42208	Oryza sativa	CAA48240.1	X68140	Nicotiana tabacum
AAC49556.1	U04295	Oryza sativa	AAD10774.1	AF098510	Petunia x hybrida
CAA58774.1	X83922	Brassica napus	AAF60299.1	AF233640	Petunia x hybrida
AAD42938.1	AF084972	Catharanthus roseus	CAA11033.1	AJ222981	Physcomitrella patens
AAB36514.1	U57389	Phaseolus vulgaris	SEQ ID NO. 1433		
CAC00656.1	AJ292743	Petroselinum crispum	BAA19675.1	D49486	Solidago canadensis
CAA71768.1	Y10809	Petroselinum crispum	CAA39819.1	X56435	Pisum sativum
BAA02304.1	D12920	Petroselinum crispum	AAA33688.1	J04087	Pisum sativum
CAA40101.1	X56781	Triticum aestivum	BAA01088.1	D10244	Spinacia oleracea
BAA07289.1	D38111	Triticum aestivum	CAA32200.1	X14041	Lycopersicon esculentum
AAA34293.1	M28704	Triticum aestivum	AAA34195.1	M37151	Lycopersicon esculentum
AAK14790.1	AY027510	Catharanthus roseus	BAB21760.1	AB026724	Oryza sativa
CAA58773.1	X83921	Brassica napus	BAA12745.1	D85239	Oryza sativa
CAA52897.1	X74943	Lycopersicon esculentum	AAA33728.1	M20792	Petunia x hybrida
CAB62402.1	Y15165	Zea mays	AAB67990.1	U69536	Chloroplast Triticum aestivum
BAA10928.1	D64051	Triticum aestivum	AAB67991.1	U69632	Triticum aestivum
CAA52896.1	X74942	Lycopersicon esculentum	AAC08582.1	AF054151	Zantedeschia aethiopica
AAA17488.1	U07933	Triticum aestivum	CAA41455.1	X58579	Pinus sylvestris
CAA66477.1	X97903	Vicia faba	BAA24919.1	AB004870	Marchantia paleacea
CAA52895.1	X74941	Lycopersicon esculentum	AAA33659.1	M63003	Pisum sativum
BAA02303.2	D12919	Triticum aestivum	AAC25568.1	AF071112	Brassica rapa subsp. pekinensis
AAA68429.1	M63999	Triticum aestivum	AAB87572.1	AF034630	Panax ginseng
CAA67298.1	X98747	Hordeum vulgare	CAA10160.1	AJ012739	Cicer arietinum
AAA19103.1	U10466	Triticum aestivum	CAA10132.1	AJ012691	Cicer arietinum
BAA36492.1	AB021736	Oryza sativa	CAB57992.1	X17565	Zea mays
BAA11431.1	D78609	Oryza sativa	CAA41454.1	X58578	Pinus sylvestris
SEQ ID NO. 1425			AAB40394.1	U80069	Mesembryanthemum crystallinum
CAA73333.1	Y12805	Nicotiana tabacum	CAA60826.1	X87372	Lycopersicon esculentum
CAA09420.1	AJ010943	Lycopersicon esculentum	AAB92612.1	AF037359	Paulownia kawakamii
SEQ ID NO. 1428			AAA33917.1	L36320	Oryza sativa
CAA04703.1	AJ001370	Olea europaea	CAA73929.1	Y13610	Carica papaya
			CAA37866.1	X53872	Spinacia oleracea
			AAC14464.1	L19435	Oryza sativa

BAA00799.1	D00999	Oryza sativa	CAA60507.1	X86924	Vitis vinifera
AAK06837.1	AF328859	Avicennia marina	BAA08445.1	D49475	Zea mays
AAD01605.1	AF016893	Populus tremuloides	AAB51596.1	U93561	Zea mays
AAD05576.1	AF009735	Raphanus sativus	AAB51595.1	U93560	Zea mays
AAA33510.1	M54936	Zea mays	CAB94837.1	AJ277950	Nicotiana plumbaginifolia
CAA65043.1	X95728	Brassica juncea	CAA09478.1	AJ011096	Asparagus officinalis
AAC14465.1	L19434	Oryza sativa	CYA69601.2	Y08293	Nicotiana plumbaginifolia
BAA00800.1	D01000	Oryza sativa	AAB39508.1	U48695	Lycopersicon esculentum
CAB60191.1	AJ250667	Ananas comosus	CAA09456.1	AJ011006	Asparagus officinalis
CAA39444.1	X55974	Nicotiana plumbaginifolia	CAA41635.1	X58831	Chlorella sorokiniana
AAD48484.1	AF170297	Manihot esculenta	CAA41636.1	X58832	Chlorella sorokiniana
AAC08581.1	AF054150	Zantedeschia aethiopica	SEQ ID NO. 1438		
AAA34194.1	M37150	Lycopersicon esculentum	AAD26332.1	AF120148	Triticum aestivum
CAA32199.1	X14040	Lycopersicon esculentum	AAD26331.1	AF120147	Triticum aestivum
AAD01604.1	AF016892	Populus tremuloides	AAD26330.1	AF120146	Triticum aestivum
AAB49913.1	U34727	Zea mays	AAB06756.2	U66307	Brassica napus
SEQ ID NO. 1434			AAA91164.1	U38920	Phaseolus vulgaris
AAC36697.1	AF075579	Mesembryanthemum crystallinum	AAG01148.1	AF284065	Sesamum indicum
CAC10358.1	AJ277086	Nicotiana tabacum	BAA84084.1	AB032073	Nicotiana paniculata
AAF19804.1	AF180355	Brassica oleracea	BAA95788.1	AB009881	Nicotiana tabacum
AAD17804.1	AF092431	Lotus japonicus	AAB03687.1	U32511	Mesembryanthemum crystallinum
CAC10359.1	AJ277087	Nicotiana tabacum	AAG40328.1	AF323175	Zea mays
CAC09575.1	AJ298987	Fagus sylvatica	AAC15756.1	AF056326	Zea mays
CAA72341.1	Y11607	Medicago sativa	AAK21969.1	AY028259	Avicennia marina
AAC36698.1	AF075580	Mesembryanthemum crystallinum	CAA77751.1	Z11693	Spirodela polyrrhiza
AAD17805.1	AF092432	Lotus japonicus	BAB40956.1	AB059557	Avena sativa
AAG43835.1	AF213455	Zea mays	AAC17133.1	AF056325	Hordeum vulgare
AAD11430.1	AF097667	Mesembryanthemum crystallinum	BAA25729.1	AB012107	Oryza sativa
AAC36699.1	AF075581	Mesembryanthemum crystallinum	AAF97409.1	AY005128	Actinidia arguta
AAC36700.1	AF075582	Mesembryanthemum crystallinum	AAG14461.1	AF293460	Lycopersicon esculentum
AAC35951.1	AF079355	Mesembryanthemum crystallinum	AAK26439.1	AF357837	Solanum tuberosum
CAB90634.1	AJ277744	Fagus sylvatica	SEQ ID NO. 1439		
AAB93832.1	U81960	Zea mays	BAB21545.1	AB042950	Nicotiana tabacum
AAC26828.1	AF075603	Oryza sativa	AAK01938.1	AY026321	Lupinus albus
CAC09576.1	AJ298988	Fagus sylvatica	BAA20522.1	AB004809	Catharanthus roseus
SEQ ID NO. 1435			AAAF74025.1	AF156696	Nicotiana tabacum
CAA69600.1	Y08292	Nicotiana plumbaginifolia	BAB21562.1	AB042951	Nicotiana tabacum
CAB94836.1	AJ277949	Nicotiana plumbaginifolia	BAB21563.1	AB042956	Nicotiana tabacum
CAC18730.1	AJ303070	Vitis vinifera	CAA67396.1	X98891	Solanum tuberosum

CAC28218.1	AJ286743	Sesbania rostrata	CAA42529.2	X59872	Triticum aestivum
CAC28219.1	AJ286744	Sesbania rostrata	AAK29456.1	AF352253	Lens culinaris
AAB81346.1	AF000354	Medicago truncatula	AAD41006.1	AF107023	Triticum aestivum
AAB81347.1	AF000355	Medicago truncatula	AAA74723.1	L07946	Volvox carteri
AAD38859.1	AF156695	Solanum tuberosum	CAA12232.1	AJ224933	Lycopersicon esculentum
CAA67395.1	X98890	Solanum tuberosum	AAK29455.1	AF352252	Lens culinaris
AAB82146.1	AF022873	Lycopersicon esculentum	AAD41009.1	AF107027	Triticum aestivum
AAB82147.1	AF022874	Lycopersicon esculentum	AAA50578.1	U03391	Lycopersicon esculentum
CAA74607.1	Y14214	Lycopersicon esculentum	AAC41651.1	L29456	Nicotiana tabacum
AAF42956.2	AF239619	Oryza sativa	AAA50303.1	L34578	Pisum sativum
AAD26146.1	AF110180	Triticum aestivum	AAA98452.1	U16726	Chlamydomonas reinhardtii
AAF76345.1	AF271893	Oryza sativa	CAA29123.1	X05636	Pisum sativum
AAK06857.1	AF337531	Oryza rufipogon	AAF27930.1	AF222804	Euphorbia esula
AAK25766.1	AF335588	Oryza sativa	CAA07233.1	AJ006767	Cicer arietinum
AAF40188.1	AF229169	Oryza sativa	BAA87331.1	AB012694	Lilium longiflorum
AAG43998.1	AF215837	Apium graveolens var. dulce	BAA88671.1	AB029614	Nicotiana tabacum
CAA68813.1	Y07520	Chlorella kessleri	CAA73171.1	Y12599	Apium graveolens
CAA39036.1	X55349	Chlorella kessleri	AAB86857.1	AF031547	Fritillaria agrestis
CAA53192.1	X75440	Chlorella kessleri			
SEQ ID NO. 1440			SEQ ID NO. 1444		
AAC49815.1	U87257	Daucus carota	AAB62181.1	U95953	Zea mays
CAA04245.1	AJ000693	Hordeum vulgare	AAK00632.1	AF224672	Persea americana
			BAB11932.1	AB030293	Vigna unguiculata
			AAF26356.1	AF190462	Phaseolus vulgaris
SEQ ID NO. 1441			SEQ ID NO. 1445		
AAF64525.1	AF253416	Lycopersicon chilense	BAA81762.1	AP000364	Oryza sativa
CAA77867.1	Z11842	Lycopersicon esculentum			
AAB03076.1	U01890	Lycopersicon pennellii	SEQ ID NO. 1446		
AAD41007.1	AF107024	Triticum aestivum	BAA21922.1	AB006600	Petunia x hybrida
AAK29452.1	AF352249	Lathyrus sativus	BAA21923.1	AB006601	Petunia x hybrida
AAK29453.1	AF352250	Lathyrus sativus	BAA21921.1	AB006599	Petunia x hybrida
AAA34246.1	L07947	Volvox carteri	BAA19110.1	AB000451	Petunia x hybrida
BAA25203.1	D87064	Triticum aestivum	BAA21925.1	AB006603	Petunia x hybrida
AAK29450.1	AF352247	Pisum sativum	BAA21926.1	AB006604	Petunia x hybrida
AAK29451.1	AF352248	Pisum sativum	BAA21924.1	AB006602	Petunia x hybrida
CAA40362.1	X57077	Zea mays	BAA19111.1	AB000452	Petunia x hybrida
AAK29449.1	AF352246	Pisum sativum	BAA05077.1	D26084	Petunia x hybrida
AAD41008.1	AF107026	Triticum aestivum	AAD26942.1	AF119050	Datisca glomerata
BAA25204.1	D87065	Triticum aestivum	BAA05076.1	D26083	Petunia x hybrida
AAK29454.1	AF352251	Lens culinaris	AAC06243.1	AF053077	Nicotiana tabacum
AAD41005.1	AF107022	Triticum aestivum			

367

BAA21927.1	AB006605	Petunia x hybrida	CAA66037.1	X97351	Populus balsamifera subsp
BAA96071.1	AB035133	Petunia x hybrida	trichocarpa		
BAA21920.1	AB006598	Petunia x hybrida	BAA07241.1	D38051	Populus kitakamiensis
AAB53261.1	U76555	Brassica rapa	AAB47602.1	L07554	Linum usitatissimum
AAB53260.1	U76554	Brassica rapa	BAA06334.1	D30652	Populus kitakamiensis
AAK01713.1	AF332876	Oryza sativa	CAA98519.1	AF007211	Glycine max
BAA05079.1	D26086	Petunia x hybrida	AAB97734.1	AF014502	Glycine max
BAA96070.1	AB035132	Petunia x hybrida	BAA06335.1	D30653	Populus kitakamiensis
BAA21919.1	AB006597	Petunia x hybrida	AAD37427.1	AF149277	Phaseolus vulgaris
BAA05078.1	D26085	Petunia x hybrida	CAA62226.1	X90693	Medicago sativa
BAA19112.1	AB000453	Petunia x hybrida	CAA62227.1	X90694	Medicago sativa
BAA19114.1	AB000455	Petunia x hybrida	AAB41811.1	L36157	Medicago sativa
BAA21928.1	AB006606	Petunia x hybrida	CAA62225.1	X90692	Medicago sativa
BAA19926.1	AB000456	Petunia x hybrida	AAB41810.1	L36156	Medicago sativa
SEQ ID NO. 1453			AAD37430.1	AF149280	Phaseolus vulgaris
AAF75791.1	AF271892	Pisum sativum	CAB94692.1	AJ242742	Ipomoea batatas
AAF03763.1	D16247	Nicotiana sylvestris	AAA34108.1	J02979	Nicotiana tabacum
AAF40306.1	AF156667	Vigna radiata	CAA40796.1	X57564	Armoracia rusticana
CAA68193.1	X99937	Spinacia oleracea	BAA01877.1	D11102	Populus kitakamiensis
AAD20980.1	AF079782	Zea mays	BAA01992.1	D11396	Nicotiana tabacum
SEQ ID NO. 1454			CAB67121.1	Y19023	Lycopersicon esculentum
BAA92155.1	AB007818	Citrus unshiu	CAA50597.1	X71593	Lycopersicon esculentum
AAF28386.1	AF151215	Nicotiana glauca	AAD43561.1	AF155124	Gossypium hirsutum
CAA32230.1	X14067	Chenopodium rubrum	BAA92500.1	AF001383	Oryza sativa
AAB84194.1	AF029243	Pisum sativum	AAF63027.1	AF244924	Spinacia oleracea
BAB16425.1	AB041513	Nicotiana tabacum	AAB02554.1	L37790	Stylosanthes humilis
AAB02879.1	M37152	Nicotiana tabacum	AAB06183.1	M37636	Arachis hypogaea
SEQ ID NO. 1457			CAA59487.1	X85230	Triticum aestivum
BAA14143.1	D90115	Armoracia rusticana	BAA94962.1	AB042103	Asparagus officinalis
BAA14144.1	D90116	Armoracia rusticana	AAF63026.1	AF244923	Spinacia oleracea
BAA11853.1	D83225	Populus nigra	CAB99487.1	AJ276227	Hordeum vulgare
CAA66035.1	X97349	Populus balsamifera subsp.	CAA71492.1	Y10466	Spinacia oleracea
CAA66036.1	X97350	Populus balsamifera subsp.	CAB65334.1	AJ250121	Picea abies
trichocarpa			AAA33121.1	M32742	Cucumis sativus
BAA11852.1	D83224	Populus nigra	CAA39486.1	X56011	Triticum aestivum
CAA66034.1	X97348	Populus balsamifera subsp.	BAA92422.1	AF001366	Oryza sativa
trichocarpa			BAA92497.1	AF001383	Oryza sativa
			CAA59485.1	X85228	Triticum aestivum
			CAA76680.1	Y17192	Cucurbita pepo
			SEQ ID NO. 1458		

AAA32676.1	M37637	Arachis hypogaea	CAA66036.1	X97350	Populus balsamifera subsp
CAA64413.1	X94943	Lycopersicon esculentum	trichocarpa		
BAA82307.1	AB027753	Nicotiana tabacum	BAA14143.1	D90115	Armoracia rusticana
AAB67737.1	L77080	Stylosanthes humilis	AAD37427.1	AF149277	Phaseolus vulgaris
AAD37429.2	AF149279	Phaseolus vulgaris	CAA59485.1	X85228	Triticum aestivum
CAA71494.1	Y10468	Spinacia oleracea	CAB65334.1	AJ250121	Picea abies
AAD37375.1	AF145349	Glycine max	AAB47602.1	L07554	Linum usitatissimum
BAA03644.1	D14997	Oryza sativa	AAB41811.1	L36157	Medicago sativa
AAD11482.1	U51192	Glycine max	AAC49820.1	AF014469	Oryza sativa
AAD11481.1	U51191	Glycine max			
BAA07663.1	D42064	Nicotiana tabacum	SEQ ID NO. 1459		
AAA65637.1	L13654	Lycopersicon esculentum	BAA11394.1	D78498	Brassica rapa
BAA94962.1	AB042103	Asparagus officinalis	BAA11388.1	D78491	Brassica rapa
AAA65636.1	L13653	Lycopersicon esculentum	CAA71803.1	Y10850	Brassica juncea
CAA80502.1	Z22920	Spirodela polyrrhiza	AAA74958.1	L31940	Brassica rapa
AAF63024.1	AF244921	Spinacia oleracea	BAA11391.1	D78494	Brassica rapa
BAA07664.1	D42065	Nicotiana tabacum	AAF70556.1	AF200712	Brassica oleracea
BAA11853.1	D83225	Populus nigra	CAA71805.1	Y10852	Brassica juncea
BAA92500.1	AF001383	Oryza sativa	CAA71802.1	Y10849	Brassica juncea
CAA66034.1	X97348	Populus balsamifera subsp.	CAA71806.1	Y10853	Brassica juncea
trichocarpa			CAA71804.1	Y10851	Brassica juncea
CAA76374.2	Y16776	Spinacia oleracea	AAC27531.1	AF078912	Mesembryanthemum crystallinum
AAF63027.1	AF244924	Spinacia oleracea	AB61212.1	AF000935	Mesembryanthemum crystallinum
CAA40796.1	X57564	Armoracia rusticana	AAA19611.1	U11423	Coffea arabica
CAA62226.1	X90693	Medicago sativa	CAA65009.1	X95709	Cicer arietinum
CAA71489.1	Y10463	Spinacia oleracea	CAA92243.1	Z68138	Lycopersicon esculentum
AAF63026.1	AF244923	Spinacia oleracea	CAA10232.1	AJ130886	Fagus sylvatica
CAA50597.1	X71593	Lycopersicon esculentum	AA53074.1	L27813	Actinidia deliciosa
CAB67121.1	Y19023	Lycopersicon esculentum	AAG50080.1	AF333385	Avicennia marina
CAA66035.1	X97349	Populus balsamifera subsp.	CAA54471.1	X77254	Vicia faba
trichocarpa			AAK28022.1	AF279655	Typha latifolia
BAA14144.1	D90116	Armoracia rusticana	CAC12823.1	AJ299253	Nicotiana tabacum
BAA07241.1	D38051	Populus kitakamiensis	CAB77242.1	AJ133145	Persea americana
CAA62615.1	X91232	Mercurialis annua	CAB53392.1	AJ247196	Eichhornia crassipes
CAC21393.1	AJ401276	Zea mays	CAB53390.1	AJ247090	Eichhornia crassipes
BAA06334.1	D30652	Populus kitakamiensis	AAK11269.1	AF334141	Avicennia marina
AAD43561.1	AF155124	Gossypium hirsutum	AAG61122.1	AF329968	Avicennia marina
AAC98519.1	AF007211	Glycine max	AAG44757.1	AF268391	Musa acuminata
CAA66037.1	X97351	Populus balsamifera subsp.	CAB53391.1	AJ247195	Eichhornia crassipes
trichocarpa			AAC49627.1	U43530	Oryza sativa
AAB97734.1	AF014502	Glycine max	BAA14038.1	D89931	Oryza sativa

AA70560.1	AF017787	Oenanthе javanica	AAF01694.1	AF181456	Hordeum vulgare
CAA92652.1	Z68310	Lycopersicon esculentum	AAD50291.1	AF172263	Prunus dulcis
AAC72984.1	AF101825	Silene vulgaris	CAA33364.1	X15290	Zea mays
AAB05223.1	U46543	Nicotiana glutinosa	CAA44789.1	X63063	Pisum sativum
CAB56620.1	AJ243532	Prunus persica	CAA44787.1	X63061	Pisum sativum
AAB88276.1	U97494	Prunus armeniaca	AAB51381.1	U91970	Pisum sativum
BAA96444.1	AB021785	Pyrus pyrifolia	AAF01695.1	AF181457	Hordeum vulgare
AAC62510.1	AF033585	Pimpinella brachycarpa	CAA44788.1	X63062	Pisum sativum
AAB04674.1	L77963	Lycopersicon esculentum	AAC49618.1	U26423	Lycopersicon esculentum
CAA92651.1	Z68309	Lycopersicon esculentum	AAB05927.1	U63831	Sorghum bicolor
BAA31561.1	AB008100	Citrus unshiu	CAA33362.1	X15288	Hordeum vulgare
SEQ ID NO. 1461			AAD02253.1	AF043087	Hordeum vulgare
AAB53099.1	U68217	Brassica napus	AAF01689.1	AF181451	Hordeum vulgare
AAA33959.1	M64337	Glycine max	AAC05922.1	AF031248	Lophopyrum elongatum
AAA34016.1	M72894	Glycine max	AAB71225.1	AF004807	Glycine max
CAA65771.1	X97059	Medicago sativa	CAA33360.1	X15286	Hordeum vulgare
AAB18928.1	U31648	Glycine max	CAA55194.1	X78431	Triticum turgidum subsp. durum
AAC06026.1	AF052057	Vigna unguiculata	AAF60172.1	AF236067	Elaeis guineensis
AAC06027.1	AF052058	Vigna unguiculata	CAA66970.1	X98326	Hordeum vulgare
CAA41213.1	X58274	Phaseolus vulgaris	CAA55192.1	X78429	Triticum turgidum subsp. durum
AAD50644.1	AF133814	Solanum tuberosum	AAD02255.1	AF043089	Hordeum vulgare
CAA51786.1	X73369	Pisum sativum	AAF01691.1	AF181453	Hordeum vulgare
CAA45763.1	X64417	Pisum sativum	AAD02254.1	AF043088	Hordeum vulgare
CAA43663.1	X61391	Zea mays	AAF01690.1	AF181452	Hordeum vulgare
CAA58146.1	X83076	Zea mays	CAA33363.1	X15289	Hordeum vulgare
CAA58147.1	X83077	Zea mays	CAA50499.1	X71362	Hordeum vulgare
CAA43664.1	X61392	Zea mays	AAB51380.1	U91969	Pisum sativum
AAA33958.1	M58336	Glycine max	SEQ ID NO. 1463		
AAC15241.1	AF028072	Pinus taeda	CAA64636.1	X95343	Nicotiana tabacum
CAA47982.1	X67754	Vigna unguiculata	SEQ ID NO. 1464		
CAA47984.1	X67756	Vigna unguiculata	CAA48706.1	X68807	Oryza sativa
CAA47983.1	X67755	Vigna unguiculata	SEQ ID NO. 1465		
AAC12282.1	AF052511	Glycine max	AAC63057.1	U70076	Lycopersicon esculentum
AAC12281.1	AF052513	Glycine max	AAB23482.1	S45035	Glycine max
SEQ ID NO. 1462			BAA82254.1	AB029441	Glycine max
CAA09421.1	AJ010944	Helianthus annuus	AAB23483.1	S45035	Glycine max
CAA05713.1	AJ002741	Helianthus annuus	CAA45778.1	X64448	Glycine max
CAA63339.1	X92647	Helianthus annuus	CAA56343.1	X80039	Glycine max
AAD02257.1	AF043091	Hordeum vulgare			

[illegible]

[illegible]



[illegible]

AAB82755.1	U72725	Oryza longistaminata	SEQ ID NO. 1481	Malus x domestica
AAG52992.1	U77888	Ipomoea nil	AAK25768.1	AF336307
AAB82756.1	U72724	Oryza sativa	AAA73872.1	L44142
AAB82753.1	U72726	Oryza longistaminata	CAA36676.1	X52429
BAA88636.1	AB029327	Nicotiana tabacum	AAG33924.1	AF009094
AAG52994.1	U77888	Ipomoea nil	AAB84193.1	AF029242
			AAC62104.1	AF091513
SEQ ID NO. 1480				
AAD21872.1	AF078082	Phaseolus vulgaris	SEQ ID NO. 1482	
AAC23542.1	U20948	Ipomoea trifida	CAA07563.1	AJ007574
CAA73134.1	Y12531	Brassica oleracea	CAA10608.1	AJ132228
CAA74662.1	Y14286	Brassica oleracea	CAA70778.1	Y09591
CAA67145.1	X98520	Brassica oleracea	AAD16014.1	AF080543
CAA73133.1	Y12530	Brassica oleracea	CAA70969.1	Y09826
AAB93834.1	U82481	Zea mays	AAD16015.1	AF080544
AAA33008.1	M97667	Brassica napus	CAA70968.1	Y09825
CAB89179.1	AJ745479	Brassica napus subsp. napus	CAA92992.1	Z68759
AAA33000.1	M76647	Brassica oleracea	AAD16013.1	AF080542
CAA74661.1	Y14285	Brassica oleracea	AAF15945.1	AF061435
BAA23676.1	AB000970	Brassica rapa	CAA72006.1	Y11121
CAB41878.1	Y18259	Brassica oleracea	AAF15944.1	AF061434
CAB41879.1	Y18260	Brassica oleracea	AAF15946.1	AF061436
AAA62232.1	U00443	Brassica napus	AAB48944.1	U31932
CAA79355.1	Z18921	Brassica oleracea	AAB96830.1	U64823
BAA07576.1	D38563	Brassica rapa	AAD25162.1	AF014810
BAA92837.1	AB032474	Brassica oleracea	BAA93437.1	AB022783
BAA92836.1	AB032473	Brassica oleracea	AAD25161.1	AF014809
BAB21001.1	AB054061	Brassica rapa	AAD25160.1	AF014808
BAA07577.2	D38564	Brassica rapa	AAF76897.1	AF274032
BAA06285.1	D30049	Brassica rapa	CAB42599.1	AJ238635
BAA21132.1	D88193	Brassica rapa		
AAD52097.1	AF088885	Nicotiana tabacum	SEQ ID NO. 1484	
BAA94509.1	AB041503	Populus nigra	AAG13408.1	AF297472
BAA94510.1	AB041504	Populus nigra	AAG13407.1	AF297471
AAC27489.1	AF077130	Oryza sativa	AAA32993.1	M81224
AAB61708.1	U93048	Daucus carota	AAA33011.1	L21896
AAF78016.1	AF238472	Oryza sativa	CAA80862.1	Z24737
AAC02535.1	AF044260	Oryza sativa	CAB39890.1	AJ237582
AAC49629.1	U51330	Triticum aestivum	CAA10234.1	AJ130888
AAA33915.1	L27821	Oryza sativa		
			SEQ ID NO. 1485	
				Brassica napus
				Brassica napus
				Brassica napus
				Brassica rapa
				Brassica rapa
				Armoracia rusticana
				Fagus sylvatica

BAA76745.1	D89972	Vigna mungo	AAG36774.1	AF210616	Zea mays
CAB64544.1	AJ131718	Zea mays	CAA75509.1	Y15219	Oryza sativa subsp. indica
BAA76744.1	D89971	Vigna mungo			
CAB64545.1	AJ131719	Zea mays	SEQ ID NO. 1489		
BAA04225.1	D17401	Ricinus communis	BAA08094.1	D45066	Cucurbita maxima
CAB16318.1	Z99174	Vicia narbonensis	BAA88190.1	AP000836	Oryza sativa
CAA07639.1	AJ007743	Vicia sativa	CAA46875.1	X66076	Zea mays
CAB51545.1	AJ243876	Lycopersicon esculentum	AAB70119.1	U82230	Zea mays
			CAA09976.1	AJ012284	Triticum aestivum
SEQ ID NO. 1486			CAA04440.1	AJ000991	Hordeum vulgare
CAA45701.1	X64349	Nicotiana tabacum	CAB89831.1	AJ242853	Solanum tuberosum
CAA78043.1	Z11999	Lycopersicon esculentum	CAA66604.1	X97945	Nicotiana tabacum
CAA35601.1	X17578	Solanum tuberosum	BAA78574.1	AB028131	Oryza sativa
BAA96365.2	AB043960	Bruguiera gymnorhiza			
AAC04808.1	AF037457	Fritillaria agrestis	SEQ ID NO. 1490		
BAA02554.1	D13297	Pisum sativum	CAC10555.1	AJ279059	Lotus japonicus
CAA40670.1	X57408	Triticum aestivum	CAA64475.1	X95098	Lycopersicon esculentum
AAD38521.1	AF139818	Brassica napus	AAG28780.1	AF306518	Brassica napus
AAD55562.1	AF110780	Volvox carteri f. nagariensis	AAG11397.1	AF118858	Lycopersicon esculentum
CAA36674.1	X52427	Lycopersicon esculentum	AAD16012.1	AF080541	Nepenthes alata
			AAF01774.1	AF188744	Brassica napus
SEQ ID NO. 1487					
CAA71238.1	Y10156	Brassica napus	SEQ ID NO. 1491		
CAA71237.1	Y10155	Brassica napus	AAD02462.1	AF047490	Zea mays
CAB62165.1	AJ223307	Brassica napus	AAG10425.1	AF251013	Tagetes erecta
AAC49181.1	U39289	Brassica napus	CAA12062.1	AJ224683	Narcissus pseudonarcissus
AAC49182.1	U39319	Brassica napus	AAF13698.1	AF195507	Lycopersicon esculentum
			CAA61985.1	X89897	Capsicum annuum
SEQ ID NO. 1488			AAG14399.1	AF054629	Oryza sativa
CAA64615.1	X95297	Lycopersicon esculentum	CAA55392.1	X78815	Narcissus pseudonarcissus
CAA67600.1	X99210	Lycopersicon esculentum	CAA42573.1	X59948	Lycopersicon esculentum
CAB43399.1	AJ006292	Antirrhinum majus	AAA68865.1	M88683	Lycopersicon esculentum
CAA78386.1	Z13396	Petunia x hybrida	CAA55078.1	X78271	Lycopersicon esculentum
AAF22256.1	AF161711	Pimpinella brachycarpa	CAB59726.1	X71023	Lycopersicon esculentum
CAA64614.1	X95296	Lycopersicon esculentum	AAG10645.1	AF086803	Oryza sativa subsp. japonica
BAA88224.1	AB028652	Nicotiana tabacum	AAG10426.1	AF251014	Tagetes erecta
CAA78387.1	Z13397	Petunia x hybrida	BAB08179.1	AB046992	Citrus unshiu
BAA88221.1	AB028649	Nicotiana tabacum	AAA99519.1	L39266	Zea mays
BAA88222.1	AB028650	Nicotiana tabacum	CAA48195.1	X68058	Capsicum annuum
CAA66952.1	X98308	Lycopersicon esculentum	AAC12846.1	U37285	Zea mays
AAA33500.1	M73028	Zea mays	CAA75094.1	Y14807	Dunaliella bardawil

AAD02489.1	AF049356	Oryza sativa	AAF59905.1	AF197946	Glycine max
CAA60479.1	X86783	Haematococcus pluviialis	BAA06538.1	D31737	Nicotiana tabacum
SEQ ID NO. 1492			BAA94509.1	AB041503	Populus nigra
CAC05338.1	AJ293028	Brassica napus	AAF91322.1	AF244888	Glycine max
CAA69387.1	Y08210	Nicotiana plumbaginifolia	AAK11566.1	AF318490	Lycopersicon hirsutum
BAA33382.1	AB008519	Oryza sativa	AAK09771.1	U67422	Zea mays
AAK19519.1	AF332214	Triticum aestivum	AAC36318.1	AF053127	Malus x domestica
AAC49531.1	U34198	Hordeum vulgare	ABAB7421.1	U59316	Lycopersicon esculentum
AAG01172.1	AF288688	Triticum aestivum	AAF76313.1	AF220603	Lycopersicon esculentum
AAC49532.1	U34290	Hordeum vulgare	AAK11569.1	AF318493	Lycopersicon hirsutum
AAK02066.1	AY026523	Chlorella sorokiniana	BAA94510.1	AB041504	Populus nigra
CAA80925.1	Z25438	Chlamydomonas reinhardtii	AAK11674.1	AF339747	Lophopyrum elongatum
AAD38794.1	AF153602	Triticum aestivum	AAF43496.1	AF131222	Lophopyrum elongatum
CAA80926.1	Z25439	Chlamydomonas reinhardtii	AAF34428.1	AF172282	Oryza sativa
CAA11238.1	AJ223296	Chlamydomonas reinhardtii	AAK11567.1	AF318491	Lycopersicon hirsutum
SEQ ID NO. 1493			AAB47423.1	U59315	Lycopersicon pimpinellifolium
AAC16403.1	U82810	Glycine max	AAC48914.1	U02271	Lycopersicon pimpinellifolium
CAA63338.1	X92646	Helianthus annuus	AAF76306.1	AF220602	Lycopersicon pimpinellifolium
BAA76309.1	AB019617	Triticum aestivum	AAG16628.1	AY007545	Brassica napus
AAB70536.1	AF017356	Oryza sativa	SEQ ID NO. 1497		
CAA79273.1	Z18809	Onoclea sensibilis	AAD21872.1	AF078082	Phaseolus vulgaris
SEQ ID NO. 1494			AAC23542.1	U20948	Ipomoea trifida
CAA67291.1	X98739	Pisum sativum	CAA73134.1	Y12531	Brassica oleracea
CAA67290.1	X98738	Pisum sativum	AAB93834.1	U82481	Zea mays
SEQ ID NO. 1496			CAA74662.1	Y14286	Brassica oleracea
AAG00510.1	AF285172	Phaseolus vulgaris	BAA23676.1	AB000970	Brassica rapa
BAA84787.1	AP000559	Oryza sativa	CAA73133.1	Y12530	Brassica oleracea
BAA83373.1	AP000391	Oryza sativa	CAA67145.1	X98520	Brassica oleracea
CAA97692.1	Z73295	Catharanthus roseus	CAA74661.1	Y14285	Brassica oleracea
AAK21965.1	AY028699	Brassica napus	CAB41879.1	Y18260	Brassica oleracea
CAB51834.1	O0069	Oryza sativa	CAB41878.1	Y18259	Brassica oleracea
AAB61708.1	U93048	Daucus carota	AAA33000.1	M76647	Brassica oleracea
CAA61510.1	X89226	Oryza sativa	CAB89179.1	AJ245479	Brassica napus subsp. napus
BAA78764.1	AB023482	Oryza sativa	AAA33008.1	M97667	Brassica napus
AAF59906.1	AF197947	Glycine max	BAA92836.1	AB032473	Brassica oleracea
AAF91324.1	AF244890	Glycine max	BAA07576.1	D38563	Brassica rapa
AAF91323.1	AF244889	Glycine max	AAA62232.1	U00443	Brassica napus
			BAA92837.1	AB032474	Brassica oleracea
			BAB21001.1	AB054061	Brassica rapa
			BAA07577.2	D38564	Brassica rapa

[illegible]

AAG14962.1	AF214008	Brassica napus	AAG61118.1	AF329371	Zea mays
AAG14961.1	AF214007	Brassica napus	AAB67860.1	U60201	Solanum tuberosum
CAB56503.1	AJ238612	Catharanthus roseus	AAA53184.1	U09026	Lycopersicon esculentum
AAG14963.1	AF214009	Brassica napus	AAG21691.1	AY008278	Lycopersicon esculentum
AAD44150.1	AF124815	Mentha spicata	CAA64766.1	X95513	Solanum tuberosum
AAD56282.1	AF155332	Petunia x hybrida	CAB65460.1	Y18548	Solanum tuberosum
AAB94584.1	AF022157	Glycine max	AAB67858.1	U60200	Solanum tuberosum
BAA12159.1	D83968	Glycine max	AAB81595.1	AF019614	Solanum tuberosum
CAA50155.1	X70824	Solanum melongena	CAA55724.1	X79107	Solanum tuberosum
SEQ ID NO. 1500			AAB18970.2	U76687	Phaseolus vulgaris
CAC24844.1	AJ303354	Hordeum vulgare	AAB81594.1	AF019613	Solanum tuberosum
			AAA64893.1	L35931	Hordeum vulgare
			CAA55318.1	X78580	Pisum sativum
SEQ ID NO. 1501			AAA79186.1	U36339	Cucumis sativus
BAA33415.1	AB017525	Brassica napus	CAB83038.1	AJ271161	Cucumis sativus
BAA33417.1	AB017527	Brassica napus	AAB60715.1	L37359	Hordeum vulgare
BAA33418.1	AB017528	Brassica rapa	CAA58859.1	X84040	Nicotiana tabacum
BAA33421.1	AB017531	Brassica oleracea	AAF15296.2	AF204210	Phaseolus vulgaris
BAA33419.1	AB017529	Brassica rapa	AAB31252.1	S73865	Solanum tuberosum
BAA33416.1	AB017526	Brassica napus	BAA03042.1	D13949	Glycine max
BAA33420.1	AB017530	Brassica oleracea	CAA97845.1	Z73498	Vicia faba
AAG31808.1	AF316419	Lolium perenne	AAA33987.1	J03211	Glycine max
SEQ ID NO. 1502			AAB67865.1	U60202	Solanum tuberosum
AAK35215.1	AF355602	Zea mays	CAA63483.1	X92890	Cucumis sativus
AAK27688.1	AF347614	Lycopersicon esculentum	AAC49159.1	U36191	Glycine max
CAA65291.1	X96431	Hordeum vulgare	AAC61785.1	U25058	Cucumis sativus
AAA97952.1	U52867	Hordeum vulgare	AAD04258.1	AF039651	Solanum tuberosum
AAK27687.1	AF347613	Lycopersicon esculentum	CAA75609.1	Y15410	Pisum sativum
CAA57711.1	X82256	Stylosanthes hamata	AAB71759.1	U84198	Pisum sativum
AAG41419.1	AF309643	Solanum tuberosum	AAD09202.1	U24232	Solanum tuberosum
CAA57710.1	X82255	Stylosanthes hamata	AAB67732.1	U50075	Glycine max
CAA65536.1	X96761	Sporobolus stapfianus	CAA39604.1	X56139	Glycine max
CAA57831.1	X82454	Stylosanthes hamata	CAA64765.1	X95512	Solanum tuberosum
CAA11413.1	AJ223495	Brassica juncea	AAA74393.1	U13681	Lycopersicon esculentum
AAB94543.1	AF016306	Zea mays	AAA53183.1	U09025	Lycopersicon esculentum
SEQ ID NO. 1504			AAB41272.1	U50081	Glycine max
CAB94852.1	AJ404331	Prunus dulcis	CAA30016.1	X06928	Glycine max
CAA34906.1	X17061	Pisum sativum	CAA55319.1	X78581	Pisum sativum
AAF76207.1	AF271894	Zea mays	CAA47717.1	X67304	Glycine max
			CAA45088.1	X63525	Phaseolus vulgaris
			AAA33986.1	J02795	Glycine max

AAA03726.1	U04785	Glycine max	AAA33915.1	L27821	Oryza sativa
CAA64769.1	X95516	Solanum tuberosum	AAD21872.1	AF078082	Phaseolus vulgaris
			AAG03090.1	AC073405	Oryza sativa
SEQ ID NO. 1505			BAA94510.1	AB041504	Populus nigra
BAA08479.1	D49535	Citrullus lanatus	AAG16628.1	AY007545	Brassica napus
BAA12843.1	D85624	Citrullus lanatus	BAA94509.1	AB041503	Populus nigra
BAA21827.1	AB006530	Citrullus lanatus	CAA97692.1	Z73295	Catharanthus roseus
BAA13635.1	D88530	Spinacia oleracea	CAB51834.1	00069	Oryza sativa
BAA13634.1	D88529	Spinacia oleracea	BAA84787.1	AF000559	Oryza sativa
BAA93050.1	AB040502	Allium tuberosum	BAA83373.1	AP000391	Oryza sativa
AAF19000.1	AF212156	Allium cepa	BAA92954.1	AF001551	Oryza sativa
			AAF43496.1	AF131222	Lophopyrum elongatum
SEQ ID NO. 1506			AAK11674.1	AF339747	Lophopyrum elongatum
AAD48912.1	AF139532	Liquidambar styraciflua	BAA94529.2	AP001800	Oryza sativa
CAC26920.1	AJ295586	Arabidopsis lyrata subsp. petraea	BAA94517.1	AP001800	Oryza sativa
			BAA78764.1	AB023482	Oryza sativa
AAD37433.1	AF150881	Lycopersicon esculentum x Lycopersicon peruvianum	BAA94516.1	AP001800	Oryza sativa
CAB65335.1	AJ010324	Populus balsamifera subsp. trichocarpa	AAB93834.1	U82481	Zea mays
AAG49301.1	AF313491	Matthiola incana	AAB47422.1	U59318	Lycopersicon esculentum
AAD56282.1	AF155332	Petunia x hybrida	AAF76314.1	AF220603	Lycopersicon esculentum
AAG49299.1	AF313489	Callistephus chinensis	AAB47424.1	U59317	Lycopersicon pimpinellifolium
AAG49315.1	AF315465	Pelargonium x hortorum	AAF76307.1	AF220602	Lycopersicon pimpinellifolium
CAA80266.1	Z22545	Petunia x hybrida	CAA67145.1	X98520	Brassica oleracea
BAA03438.1	D14588	Petunia x hybrida			
AAC32274.1	AF081575	Petunia x hybrida	SEQ ID NO. 1511		
CAA09850.1	AJ011862	Catharanthus roseus	CAA50498.1	X71360	Malus sp.
CAA80265.1	Z22544	Petunia x hybrida	AAC49826.1	U71604	Catharanthus roseus
AAG49300.1	AF313490	Lycianthes rantonnei	AAC49827.1	U71605	Catharanthus roseus
BAA03440.1	D14590	Campanula medium	AAB97311.1	AF008597	Catharanthus roseus
CAA50645.1	X71654	Solanum melongena	AAD26206.1	AF117270	Malus x domestica
CAA50155.1	X70824	Solanum melongena	CAA53579.1	X75965	Vitis vinifera
CAA50312.1	X70981	Solanum melongena	BAA78340.1	AB017153	Atropa belladonna
			CAA55628.1	X78994	Medicago sativa
SEQ ID NO. 1508			AAC97525.1	U23066	Persea americana
AAB37246.1	U58971	Nicotiana tabacum	BAA19657.1	AB002816	Perilla frutescens
			AAC86820.1	U93210	Pisum sativum
SEQ ID NO. 1510			CAA57410.1	X81812	Medicago sativa
AAB61708.1	U93048	Daucus carota	AAA91227.1	U04434	Zea mays
AAK21965.1	AY028699	Brassica napus	AAC15414.1	AF036093	Nicotiana tabacum
			AAB97310.1	U86837	Chrysanthemum x morifolium
			BAA05630.1	D26583	Hyoscyamus niger

AAA33387.1	M62719	Hyoscyamus niger	BAA82307.1	AB027753	Nicotiana tabacum
AAD56577.1	AF184270	Daucus carota	AAB67737.1	L77080	Stylosanthes humilis
SEQ ID NO. 1515			AAD37429.2	AF149279	Phaseolus vulgaris
AAC32138.1	AF051237	Picea mariana	CAA71494.1	Y10468	Spinacia oleracea
SEQ ID NO. 1517			AAD37375.1	AF145349	Glycine max
AAF61647.1	AF190634	Nicotiana tabacum	AAF63024.1	AF244921	Spinacia oleracea
BAA89009.1	AB027455	Petunia x hybrida	CAA66037.1	X97351	Populus balsamifera subsp.
BAA36421.1	AB013596	Perilla frutescens	trichocarpa		
BAA36423.1	AB013598	Verbena x hybrida	AAA65637.1	L13654	Lycopersicon esculentum
BAA93039.1	AB033758	Citrus unshiu	CAA40796.1	X57564	Amoracia rusticana
BAA36422.1	AB013597	Perilla frutescens	AAD11482.1	U51192	Glycine max
AAF98390.1	AF287143	Brassica napus	CAA80502.1	Z22920	Spirodela polyrrhiza
AAD21086.1	AF127218	Forsythia x intermedia	BAA77387.1	AB024437	Scutellaria baicalensis
BAA12737.1	D85186	Gentiana triflora	CAA59485.1	X85228	Triticum aestivum
BAA90787.1	AB038248	Ipomoea batatas	BAA07663.1	D42064	Nicotiana tabacum
AAF17077.1	AF199453	Sorghum bicolor	BAA11853.1	D83225	Populus nigra
AAD04166.1	AF101972	Phaseolus lunatus	BAA07664.1	D42065	Nicotiana tabacum
BAA89008.1	AB027454	Petunia x hybrida	AAD37430.1	AF149280	Phaseolus vulgaris
AAB86473.1	AF028237	Ipomoea purpurea	AAD11481.1	U51191	Glycine max
BAA19659.1	AB002818	Perilla frutescens	CAB94692.1	AJ242742	Ipomoea batatas
CAA54612.1	X77462	Manihot esculenta	BAA03644.1	D14997	Oryza sativa
BAA83484.1	AB031274	Scutellaria baicalensis	AAD43561.1	AF155124	Gossypium hirsutum
BAB41018.1	AB047091	Vitis labrusca x Vitis vinifera	BAA06334.1	D30652	Populus kitakamiensis
CAA59450.1	X85138	Lycopersicon esculentum	BAA92500.1	AP001383	Oryza sativa
BAB41020.1	AB047093	Vitis vinifera	BAA90365.1	AP001081	Oryza sativa
BAB41022.1	AB047095	Vitis vinifera	BAA89584.1	AP001073	Oryza sativa
AAB81682.1	AF000371	Vitis vinifera	AAC49820.1	AF014469	Oryza sativa
BAB41017.1	AB047090	Vitis vinifera	CAA66034.1	X97348	Populus balsamifera subsp.
BAB41026.1	AB047099	Vitis labrusca x Vitis vinifera	trichocarpa		
BAB41024.1	AB047097	Vitis vinifera	BAA14144.1	D90116	Amoracia rusticana
BAB41025.1	AB047098	Vitis vinifera	AAB97734.1	AF014502	Glycine max
BAB41023.1	AB047096	Vitis vinifera	CAA37713.1	X53675	Triticum aestivum
BAB41021.1	AB047094	Vitis vinifera	AAC05277.1	AF049881	Linum usitatissimum
BAB41019.1	AB047092	Vitis vinifera	CAA66035.1	X97349	Populus balsamifera subsp.
AAB81683.1	AF000372	Vitis vinifera	trichocarpa		
SEQ ID NO. 1518			BAA06335.1	D30653	Populus kitakamiensis
CAA64413.1	X94943	Lycopersicon esculentum	CAA39486.1	X56011	Triticum aestivum
AAA32676.1	M37637	Arachis hypogaea	BAA03911.1	D16442	Oryza sativa
			BAA94962.1	AB042103	Asparagus officinalis
			AAC49821.1	AF014470	Oryza sativa
			AAD37427.1	AF149277	Phaseolus vulgaris



CAA76374.2	Y16776	Spinacia oleracea	SEQ ID NO. 1529	AAC49792.1	AF001219	Pisum sativum
BAA08499.1	D49551	Oryza sativa		AAC86820.1	U93210	Pisum sativum
CAA66036.1	X97350	Populus balsamifera subsp. trichocarpa		AAC49793.1	AF010167	Pisum sativum
AAA34108.1	J02979	Nicotiana tabacum		AAC96017.1	AF007766	Pisum sativum
CAA62226.1	X90693	Medicago sativa		AAC96015.1	AF004730	Pisum sativum
CAA59487.1	X85230	Triticum aestivum		AAC49794.1	AF010168	Pisum sativum
				BAA89316.1	AB032198	Nicotiana tabacum
				BAA37129.1	AB012205	Lactuca sativa
				BAA34124.1	AB010991	Lycopersicon esculentum
				BAA37130.1	AB012206	Lactuca sativa
				BAA34125.1	AB010992	Lycopersicon esculentum
				CAB92914.1	AJ006453	Cucurbita maxima
				BAB12439.1	AB031203	Lactuca sativa
				AAB64347.1	U63650	Cucurbita maxima
				BAB32734.1	AB049408	Eustoma grandiflorum
				BAB12438.1	AB031202	Lactuca sativa
				AAD45425.1	AF100955	Pisum sativum
				AAF08609.1	AF056935	Pisum sativum
				AAF13735.1	AF101383	Pisum sativum
				BAB12442.1	AB031206	Lactuca sativa
				CAC26921.1	AJ295607	Arabidopsis lyrata subsp. petraea
				AAC49757.1	U70531	Phaseolus vulgaris
				CAA50498.1	X71360	Malus sp.
				BAA32156.1	AB012856	Nicotiana tabacum
				AAG43043.1	AY014277	Lolium perenne
				AAD15755.1	AF049898	Lycopersicon esculentum
				CAB96202.1	AJ250187	Citrus sinensis x Poncirus trifoliata
				AAG43044.1	AY014280	Lolium perenne
				SEQ ID NO. 1530		Oryza sativa
				AAG43286.1	AF140228	
				SEQ ID NO. 1536		Populus nigra
				BAA82556.1	AB030083	Daucus carota
				AAB61708.1	U93048	Brassica napus
				AAK21965.1	AY028699	Zea mays
				AAB93834.1	U82481	Phaseolus vulgaris
				AAD21872.1	AF078082	

AAC23542.1	U20948	Ipomoea trifida	CAA81386.1	Z26633	Flaveria pringlei
CAA73134.1	Y12531	Brassica oleracea	AAA84890.1	U13630	Brassica oleracea
CAB51834.1	00069	Oryza sativa	CAA52979.1	X75088	Nicotiana tabacum
BAA94509.1	AB041503	Populus nigra	CAA32016.1	X13754	Spinacia oleracea
AAG16628.1	AY007545	Brassica napus	AAK01174.2	AF314182	Triticum aestivum
BAA92954.1	AP001551	Oryza sativa	AAB40649.1	U66403	Zea mays
BAA94510.1	AB041504	Oryza sativa	CAA81349.1	Z26595	Zea mays
AAG03090.1	AC073405	Populus nigra	AAB40650.1	U66404	Zea mays
AAF91322.1	AF244888	Glycine max	CAA47430.1	X67045	Solanum tuberosum
BAA94517.1	AP001800	Oryza sativa	CAA81385.1	Z26632	Flaveria trinervia
CAB51836.1	AJ243961	Oryza sativa	AAK27373.1	AY028422	Oryza sativa
BAA78764.1	AB023482	Oryza sativa	AAB40648.1	U66402	Nicotiana tabacum
AAA33915.1	L27821	Oryza sativa	AAF86907.1	AF223359	Plastid Mesembryanthemum
AAF91323.1	AF244889	Glycine max	crystallinum		
CAA67145.1	X98520	Brassica oleracea	AAA84892.1	U13632	Brassica oleracea
CAA73133.1	Y12530	Brassica oleracea	AAB40647.1	U66401	Nicotiana tabacum
AAF91324.1	AF244890	Glycine max	AAD55058.1	AF173679	Beta vulgaris
CAA74661.1	Y14285	Brassica oleracea			
BAA92953.1	AP001551	Oryza sativa	SEQ ID NO. 1539		
AAF43496.1	AF131222	Lophopyrum elongatum	AAG29748.1	AF172172	Medicago sativa
AAK11674.1	AF339747	Lophopyrum elongatum	CAA68405.1	Y00296	Trema tomentosa
BAA94516.1	AP001800	Oryza sativa	AAC28426.1	AF027215	Trema orientalis
CAB41878.1	Y18259	Brassica oleracea	AAB86653.1	U27194	Parasponia andersonii
BAA23676.1	AB000970	Brassica rapa	CAB63706.1	AJ131349	Trema virgata
CAB41879.1	Y18260	Brassica oleracea	CAB63709.1	AJ131352	Trema virgata
			CAA37898.1	X53950	Casuarina glauca
SEQ ID NO. 1537			CAB16751.1	Z99635	Trema orientalis
AAD25300.1	AF088276	Lycopersicon esculentum	CAB63707.1	AJ131350	Trema virgata
CAA63704.1	X93301	Oryza sativa	CAB63708.1	AJ131351	Trema virgata
AAD24966.1	AF109150	Lycopersicon esculentum	AAA97887.1	U47143	Glycine max
AAD25225.1	AF088279	Potamogeton crispus	AAB70097.1	U94968	Hordeum vulgare
			AAG01183.1	AF291052	Zea mays subsp. parviglumis
SEQ ID NO. 1538			AAF44664.1	AF236080	Zea mays
AAC08525.1	AF020814	Pisum sativum	AAC49884.1	U76031	Oryza sativa
AAC08526.1	AF020816	Solanum tuberosum	AAC49881.1	U76028	Oryza sativa
AAC08524.1	AF020813	Zea mays	AAK07676.1	AY026343	Lycopersicon esculentum
AAF86908.1	AF223360	Plastid Mesembryanthemum	AAG01375.1	AY005818	Zea mays subsp. mays
crystallinum			AAC49882.1	U76029	Oryza sativa
CAA48210.1	X68077	Pisum sativum	AAC49883.1	U76030	Oryza sativa
AAF86906.1	AF223358	Plastid Mesembryanthemum	AAG22831.1	AF309562	Ceratodon purpureus
crystallinum			AAF66104.1	AF218049	Physcomitrella patens

AAK14807.1	AY026342	Physcomitrella patens	AAC49188.2	U29333	Pisum sativum
CAA07547.1	AJ007507	Cichorium intybus x Cichorium	AAG44132.1	AF218296	Pisum sativum
endivia			CAA65580.1	X96784	Nicotiana tabacum
AAA33018.1	L28826	Casuarina glauca	BAA12159.1	D83968	Glycine max
AAA03005.1	M23313	Sesbania rostrata	AAD56282.1	AF155332	Petunia x hybrida
BAA31155.1	AB015719	Pisum sativum	CAA64635.1	X95342	Nicotiana tabacum
BAA31157.1	AB015721	Pisum sativum	AAD38930.1	AF135485	Glycine max
AAB48005.1	M91077	Medicago sativa	AAB94590.1	AF022461	Glycine max
CAA40900.1	X57733	Medicago truncatula	CAB56742.1	AJ249800	Cicer arietinum
BAA31156.1	AB015720	Pisum sativum	BAA13076.1	D86351	Glycine max
CAA32492.1	X14311	Medicago sativa	AAC39454.1	AF014802	Eschscholzia californica
AAA32657.1	M36100	Medicago sativa	BAA74466.1	AB022733	Glycyrrhiza echinata
BAA24088.1	AB009844	Pisum sativum	BAA22423.1	AB001380	Glycyrrhiza echinata
CAA31750.1	X13375	Medicago sativa	CAA70575.1	Y09423	Nepeta racemosa
CAA90870.1	Z54159	Vicia faba	CAA50648.1	X71657	Solanum melongena
AAA18503.1	U09671	Canavalia lineata	AAB94587.1	AF022458	Glycine max
CAA90869.1	Z54158	Vicia faba	BAA84072.1	AB028152	Torenia hybrida
CAA90868.1	Z54157	Vicia faba	AAC32274.1	AF081575	Petunia x hybrida
CAA31859.1	X13505	Sesbania rostrata	BAA92894.1	AB006790	Petunia x hybrida
CAA32044.1	X13815	Sesbania rostrata			
CAA38024.1	X54089	Medicago sativa	SEQ ID NO. 1542		
AAA03002.1	M23312	Sesbania rostrata	AAB63814.1	L46848	Glycine max
			AAF34767.1	AF227622	Euphorbia esula
SEQ ID NO. 1540			BAA04668.1	D21130	Oryza sativa
AAB65776.1	U97521	Vitis vinifera	CAA63786.1	X93587	Lupinus luteus
AAB65777.1	U97522	Vitis vinifera	CAA69256.1	Y07959	Zea mays
BAA03751.1	D16223	Oryza sativa			
CAA30142.1	X07130	Solanum tuberosum	SEQ ID NO. 1544		
BAA03749.1	D16221	Oryza sativa	AAB84222.1	AF030301	Helianthus annuus
			CAA39708.1	X56267	Nicotiana tabacum
SEQ ID NO. 1541					
CAB43505.1	AJ239051	Cicer arietinum	SEQ ID NO. 1547		
BAA93634.1	AB025016	Lotus japonicus	AAC36697.1	AF075579	Mesembryanthemum crystallinum
CAB41490.1	AJ238439	Cicer arietinum	CAC10358.1	AJ277086	Nicotiana tabacum
CAA10067.1	AJ012581	Cicer arietinum	CAB90633.1	AJ277743	Fagus sylvatica
BAA22422.1	AB001379	Glycyrrhiza echinata	CAC10359.1	AJ277087	Nicotiana tabacum
BAA74465.1	AB02732	Glycyrrhiza echinata	AAD17804.1	AF092431	Lotus japonicus
CAA04117.1	AJ000478	Helianthus tuberosus	CAC09575.1	AF298987	Fagus sylvatica
CAA04116.1	AJ000477	Helianthus tuberosus	CAA72341.1	Y11607	Medicago sativa
AAA32913.1	M32885	Persea americana	AAD17805.1	AF092432	Lotus japonicus
AAG09208.1	AF175278	Pisum sativum	AAC36698.1	AF075580	Mesembryanthemum crystallinum

AAC36699.1	AF075581	Mesembryanthemum crystallinum	CAA66037.1	X97351	Populus balsamifera subsp.
AAG43835.1	AF213455	Zea mays	trichocarpa		
AAC36700.1	AF075582	Mesembryanthemum crystallinum	BAA01877.1	D11102	Populus kitakamiensis
AAD11430.1	AF097667	Mesembryanthemum crystallinum	CAA62227.1	X90694	Medicago sativa
AAC35951.1	AF079355	Mesembryanthemum crystallinum	BAA07241.1	D38051	Populus kitakamiensis
CAB90634.1	AJ277744	Fagus sylvatica	BAA01950.1	D11337	Vigna angularis
AAB93832.1	U81960	Zea mays	AAF65464.2	AF247700	Oryza sativa
AAC26828.1	AF075603	Oryza sativa	AAF63027.1	AF244924	Spinacia oleracea
CAC09576.1	AJ298988	Fagus sylvatica	CAC21393.1	AJ401276	Zea mays
			CAA59487.1	X85230	Triticum aestivum
SEQ ID NO. 1548			AAD37430.1	AF149280	Phaseolus vulgaris
CAA09881.1	AJ011939	Trifolium repens	CAA71491.1	Y10465	Spinacia oleracea
CAA62228.1	X90695	Medicago sativa	AAB41811.1	L36157	Medicago sativa
CAA71495.1	Y10469	Spinacia oleracea	BAA03644.1	D14997	Oryza sativa
AAB41812.1	L36158	Medicago sativa	AAA32676.1	M37637	Arachis hypogaea
BAA77387.1	AB024437	Scutellaria baicalensis	CAA71494.1	Y10468	Spinacia oleracea
AAF63024.1	AF244921	Spinacia oleracea	AAA34050.1	M74103	Nicotiana sylvestris
AAD11483.1	U51193	Glycine max	CAA40796.1	X57564	Armoracia rusticana
AAB67737.1	L77080	Stylosanthes humilis			
BAA07663.1	D42064	Nicotiana tabacum	SEQ ID NO. 1549		
BAA07664.1	D42065	Nicotiana tabacum	CAA76374.2	Y16776	Spinacia oleracea
CAB94692.1	AJ242742	Ipomoea batatas	AAD11482.1	U51192	Glycine max
CAB67121.1	Y19023	Lycopersicon esculentum	AAD11481.1	U51191	Glycine max
CAA62226.1	X90693	Medicago sativa	BAA07663.1	D42064	Nicotiana tabacum
CAA50597.1	X71593	Lycopersicon esculentum	AAA65637.1	L13654	Lycopersicon esculentum
AAD11481.1	U51191	Glycine max	AAA65636.1	L13653	Lycopersicon esculentum
AAD11484.1	U51194	Glycine max	BAA07664.1	D42065	Nicotiana tabacum
BAA82306.1	AB027752	Nicotiana tabacum	BAA03644.1	D14997	Oryza sativa
AAA65637.1	L13654	Lycopersicon esculentum	AAA32676.1	M37637	Arachis hypogaea
AAD11482.1	U51192	Glycine max	CAA80502.1	Z22920	Spirodela polyrrhiza
CAA62225.1	X90692	Medicago sativa	AAB67737.1	L77080	Stylosanthes humilis
AAC98519.1	AF007211	Glycine max	BAA82307.1	AB027753	Nicotiana tabacum
AAD37427.1	AF149277	Phaseolus vulgaris	CAA64413.1	X94943	Lycopersicon esculentum
BAA14144.1	D90116	Armoracia rusticana	AAD11484.1	U51194	Glycine max
AAA98491.1	L36981	Petroselinum crispum	AAF63024.1	AF244921	Spinacia oleracea
CAA71488.1	Y10462	Spinacia oleracea	AAD11483.1	U51193	Glycine max
AAD43561.1	AF155124	Gossypium hirsutum	CAA71494.1	Y10468	Spinacia oleracea
BAA14143.1	D90115	Armoracia rusticana	AAD37429.2	AF149279	Phaseolus vulgaris
CAA71490.1	Y10464	Spinacia oleracea	BAA92500.1	AP001383	Oryza sativa
AAB02554.1	L37790	Stylosanthes humilis	AAC98519.1	AF007211	Glycine max
			CAB67121.1	Y19023	Lycopersicon esculentum

CAA62226.1	X90693	Medicago sativa	BAB39391.1	AB048949	Hordeum vulgare
CAA50597.1	X71593	Lycopersicon esculentum	CAA76131.1	Y16242	Triticum aestivum
AAD37375.1	AF145349	Glycine max	AAA33899.1	L10346	Oryza sativa
AAB97734.1	AF014502	Glycine max	CAC16789.1	AJ301645	Hordeum vulgare
BAA94962.1	AB042103	Asparagus officinalis	AAG44882.1	AF284857	Calystegia sepium
CAB65334.1	AJ250121	Picea abies	CAA67128.1	X98504	Triticum aestivum
BAA06335.1	D30653	Populus kitakamiensis	AAD15902.1	AF068119	Zea mays
BAA77387.1	AB024437	Scutellaria baicalensis	CAA77817.1	Z11772	Secale cereale
CAA71490.1	Y10464	Spinacia oleracea	CAA81091.1	Z25871	Zea mays
AAD43561.1	AF155124	Gossypium hirsutum	BAA02286.1	D12882	Ipomoea batatas
AAF63027.1	AF244924	Spinacia oleracea	BAA92921.1	AP001539	Oryza sativa
BAA14144.1	D90116	Armoracia rusticana	BAA00828.1	D01022	Ipomoea batatas
CAA76680.1	Y17192	Cucurbita pepo	AAD38148.1	AF139501	Prunus armeniaca
BAA89584.1	AP001073	Oryza sativa	AAB64177.1	AF012345	Hordeum vulgare
BAA90365.1	AP001081	Oryza sativa	BAA09793.1	D63574	Hordeum vulgare
CAB94692.1	AJ242742	Ipomoea batatas	CAA40105.1	X56785	Secale cereale
AAB4181.1	L36157	Medicago sativa	SEQ ID NO. 1551		
CAC21393.1	AJ401276	Zea mays	CAA11219.1	AJ223281	Manihot esculenta
AAD37427.1	AF149277	Phaseolus vulgaris	AAC49184.1	U40402	Hevea brasiliensis
CAA71488.1	Y10462	Spinacia oleracea	CAA82334.1	Z29091	Manihot esculenta
CAA62227.1	X90694	Medicago sativa	CAA11428.1	AJ223506	Manihot esculenta
CAA62615.1	X91232	Mercurialis annua			
CAA66037.1	X97351	Populus balsamifera subsp. trichocarpa	SEQ ID NO. 1552		
SEQ ID NO. 1550			AAC34858.1	AF082033	Hemerocallis hybrid cultivar
AAD04188.1	AF026217	Medicago sativa	AAG28600.1	AF247134	Limnanthes douglasii
BAA09462.1	D50866	Glycine max	AAC49186.1	U37088	Simmondsia chinensis
BAA20453.1	AB004271	Glycine max	AAB72178.1	AF009563	Brassica napus
AAD04259.1	AF049098	Trifolium repens	AAA96054.1	U50771	Brassica napus
CAA12395.1	AJ225087	Vigna unguiculata	AAK11266.1	AF333040	Dunaliella salina
BAA04815.1	D21349	Hordeum vulgare	CAA71898.1	Y11007	Brassica juncea
BAA08741.1	D49999	Hordeum vulgare	CAC17746.1	AJ291728	Zea mays
AAC67246.1	AF061204	Hordeum vulgare subsp. spontaneum	AAC25109.1	AF054497	Brassica napus
AAA33898.1	L10345	Oryza sativa	AAC25110.1	AF054498	Brassica napus
CAA36556.1	X52321	Hordeum vulgare	AAC25111.1	AF054499	Brassica rapa
AAG25637.1	AF300799	Hordeum vulgare	AAC25112.1	AF054500	Brassica oleracea
AAC67245.1	AF061203	Hordeum vulgare	SEQ ID NO. 1553		
AAK30294.1	AF353207	Castanea crenata	BAA07328.1	D38132	Cucurbita sp.
AAG25638.1	AF300800	Hordeum vulgare	AAA82743.1	U19481	Citrus maxima
			BAA32557.1	AB017159	Daucus carota

CAA59010.1	X84228	Beta vulgaris	CAA67600.1	X99210	Lycopersicon esculentum
CAA59008.1	X84226	Nicotiana tabacum	CAA64614.1	X95296	Lycopersicon esculentum
CAA52976.1	X75082	Solanum tuberosum	AAF22256.1	AF161711	Pimpinella brachycarpa
BAA82390.1	AF000367	Oryza sativa	BAA88222.1	AB028650	Nicotiana tabacum
CAA59009.1	X84227	Populus x generosa	CAA67575.1	X99134	Lycopersicon esculentum
			CAA78387.1	Z13997	Petunia x hybrida
			CAA66952.1	X98308	Lycopersicon esculentum
SEQ ID NO. 1555			AAB41101.1	U72762	Nicotiana tabacum
AAF67052.1	AF190303	Adiantum raddianum	AAA33500.1	M73028	Zea mays
AAG08959.1	AF122051	Solanum tuberosum	AAG36774.1	AF210616	Zea mays
AAF67053.1	AF190304	Adiantum raddianum	BAA88223.1	AB028651	Nicotiana tabacum
AAF67050.1	AF190301	Secale cereale	BAA88224.1	AB028652	Nicotiana tabacum
AAF67051.1	AF190302	Secale cereale	BAA88221.1	AB028649	Nicotiana tabacum
AAG08961.1	AF122053	Solanum tuberosum			
AAG08960.1	AF122052	Solanum tuberosum			
BAA81731.1	AB029160	Glycine max			
BAA81730.1	AB029159	Glycine max			
CAA72217.1	Y11414	Oryza sativa			
BAA81732.1	AB029161	Glycine max			
CAA64615.1	X95297	Lycopersicon esculentum	SEQ ID NO. 1557		
AAG08962.1	AF122054	Solanum tuberosum	BAA03763.1	D16247	Nicotiana sylvestris
BAA88223.1	AB028651	Nicotiana tabacum	AAF40306.1	AF156667	Vigna radiata
CAA78387.1	Z13997	Petunia x hybrida	AAF75791.1	AF271892	Pisum sativum
AAB41101.1	U72762	Nicotiana tabacum	CAA68193.1	X99937	Spinacia oleracea
BAB40790.1	AB058642	Lilium hybrid division I	AAD20980.1	AF079782	Zea mays
AAG13574.1	AC037425	Oryza sativa	BAA95705.1	AB042644	Oryza sativa
BAA88221.1	AB028649	Nicotiana tabacum	BAA95704.1	AB042643	Oryza sativa
CAA72185.1	Y11350	Oryza sativa	AAG48833.1	AC084218	Oryza sativa
BAA88224.1	AB028652	Nicotiana tabacum			
BAA88222.1	AB028650	Nicotiana tabacum	SEQ ID NO. 1559		
BAA81733.2	AB029162	Glycine max	BAA83689.1	AB011968	Oryza sativa
CAA71992.1	Y11105	Pisum sativum	BAA83688.1	AB011967	Oryza sativa
AAK19618.1	AF336285	Gossypium hirsutum	AAF22219.1	AF141378	Zea mays
AAK19611.1	AF336278	Gossypium hirsutum	BAA34675.1	AB011670	Triticum aestivum
AAF34434.1	AF172282	Oryza sativa	CAA73068.1	Y12465	Sorghum bicolor
CAA67575.1	X99134	Lycopersicon esculentum	CAA73067.1	Y12464	Sorghum bicolor
AAK08983.1	AY026332	Oryza sativa	AAB62693.1	AF004947	Oryza sativa
AAK19615.1	AF336282	Gossypium hirsutum	BAA96628.1	AP002482	Oryza sativa
			AAD23582.1	AF128443	Glycine max
			BAA05649.1	D26602	Nicotiana tabacum
			CAA71142.1	Y10036	Cucumis sativus
			AAC99329.1	AF062479	Oryza sativa
			CAA65244.1	X95997	Solanum tuberosum
			CAA57898.1	X82548	Hordeum vulgare
SEQ ID NO. 1556			CAA07813.1	AJ007990	Hordeum vulgare
CAA78386.1	Z13996	Petunia x hybrida	CAA46556.1	X65606	Hordeum vulgare
CAB43399.1	AJ006292	Antirrhinum majus			

AAB05457.1	U55768	Oryza sativa	CAA54045.1	X76535	Solanum tuberosum
CAA46554.1	X65604	Hordeum vulgare	AAB84202.2	AF029256	Kosteletzkyia virginica
AAD00239.1	U73938	Nicotiana tabacum	CAA47275.1	X66737	Nicotiana plumbaginifolia
AAD00240.1	U73939	Nicotiana tabacum	BAA37150.1	AB022442	Vicia faba
BAA13608.1	D88399	Oryza sativa	BAA08134.1	D45189	Zostera marina
AAG60195.1	AC084763	Oryza sativa	CAB69824.1	AJ271439	Prunus persica
BAA19573.1	AB002109	Oryza sativa	CAB69823.1	AJ271438	Prunus persica
AAB68962.1	I38855	Glycine max	AAB35314.2	S79323	Vicia faba
AAB58348.1	U29095	Triticum aestivum	CAB85495.1	AJ132892	Medicago truncatula
AAF27340.1	AF186020	Vicia faba	CAB85494.1	AJ132891	Medicago truncatula
AAA96325.1	M94726	Triticum aestivum	AAA34173.1	M60166	Lycopersicon esculentum
CAA81443.1	Z26846	Mesembryanthemum crystallinum	CAC29436.1	AJ310524	Vicia faba
CAA06503.1	AJ005373	Craterostigma plantagineum	AAA34098.1	M80490	Nicotiana plumbaginifolia
AAF21062.1	AF216527	Dunaliella tertiolecta	AAB60276.1	U09989	Zea mays
CAA89202.1	Z49233	Chlamydomonas eugametos	AAA34094.1	M80489	Nicotiana plumbaginifolia
SEQ ID NO. 1565			AAA34052.1	M27888	Nicotiana plumbaginifolia
BAA90357.1	AP001080	Oryza sativa	CAA59799.1	X85804	Phaseolus vulgaris
BAA85438.1	AP000616	Oryza sativa	AAF98344.1	AF275745	Lycopersicon esculentum
BAA78746.1	AB023482	Oryza sativa	AAD55399.1	AF179442	Lycopersicon esculentum
BAA43550.1	AF211532	Nicotiana tabacum	BAA06629.1	D31843	Oryza sativa
BAA96875.1	AB045121	Oryza sativa	CAA54046.1	X76536	Solanum tuberosum
SEQ ID NO. 1570			CAC29435.1	AJ310523	Vicia faba
CAA68234.1	X99972	Brassica oleracea	AAD46187.1	AF156683	Nicotiana plumbaginifolia
AAG28435.1	AF195028	Glycine max	CAA52107.1	X73901	Dunaliella bioculata
AAG28436.1	AF195029	Glycine max	AAB49042.1	U54690	Dunaliella acidophila
AAD31896.1	AF145478	Mesembryanthemum crystallinum	AAK31799.1	AY029190	Lilium longiflorum
CAA63790.1	X93592	Dunaliella bioculata	AAD29712.1	AF140499	Oryza sativa
BAA90510.2	AP001111	Oryza sativa	AAA81348.1	U38965	Vicia faba
AAD11617.1	AF050495	Lycopersicon esculentum	AAK32118.1	AF308816	Hordeum vulgare
AAA34138.1	M96324	Lycopersicon esculentum	AAF97591.1	AF263917	Lycopersicon esculentum
AAD11618.1	AF050496	Lycopersicon esculentum	AAA34099.1	M80491	Nicotiana plumbaginifolia
AAF73985.1	AF096871	Lycopersicon esculentum	AAK32119.1	AF308817	Hordeum vulgare
AAB58910.1	U82966	Zea mays	SEQ ID NO. 1571		
AAD46188.1	AF156691	Oryza sativa	AAA34236.1	M94863	Vigna radiata
CAA59800.1	X85805	Nicotiana plumbaginifolia	CAA81749.1	Z27235	Solanum tuberosum
AAB17186.1	D12148	Zea mays	AAF22108.1	AF119410	Lupinus albus
BAA01058.1	U10207	Lycopersicon esculentum	AAF22112.1	AF119414	Lupinus albus
AAD46186.1	AF156679	Oryza sativa	BAA76388.1	AB007639	Pyrus pyrifolia
AAB41898.1	U84891	Nicotiana plumbaginifolia	CAB01401.1	Z77854	Phalaenopsis sp.
		Mesembryanthemum crystallinum	CAB86187.1	AJ277161	Carica papaya

[illegible]



AAF61647.1	AF190634	Nicotiana tabacum	AAA34002.1	M67449	Glycine max
BAA89009.1	AB027455	Petunia x hybrida	CAC09580.1	AJ298992	Fagus sylvatica
BAA93039.1	AB033758	Citrus unshiu	AAK11734.1	AY027437	Arachis hypogaea
BAA36423.1	AB013598	Verbena x hybrida	AAF34436.1	AF172282	Oryza sativa
BAA36421.1	AB013596	Perilla frutescens	AAF66615.1	AF142596	Nicotiana tabacum
AAF98390.1	AF287143	Brassica napus	CAA08995.1	AJ010091	Brassica napus
BAA36422.1	AB013597	Perilla frutescens	BAA06538.1	D31737	Nicotiana tabacum
AAD21086.1	AF127218	Forsythia x intermedia	AAK11674.1	AF3339747	Lophopyrum elongatum
BAA12737.1	D85186	Gentiana triflora	BAA05648.1	D26601	Nicotiana tabacum
CAA59450.1	X85138	Lycopersicon esculentum	AAF43496.1	AF131222	Lophopyrum elongatum
AAF17077.1	AF199453	Sorghum bicolor	AAK21965.1	AY028699	Brassica napus
BAA89008.1	AB027454	Petunia x hybrida	AAB09771.1	U67422	Zea mays
AAB81683.1	AF000372	Vitis vinifera	AAF76189.1	AF271206	Rosa hybrid cultivar
BAB41017.1	AB047090	Vitis labrusca x Vitis vinifera	AAF59905.1	AF197946	Glycine max
AAB81682.1	AF000371	Vitis vinifera	AAF78021.1	AF238477	Oryza sativa
BAB41022.1	AB047095	Vitis vinifera	AAF91323.1	AF244889	Glycine max
BAB41020.1	AB047093	Vitis vinifera	CAB51834.1	00069	Oryza sativa
BAB41021.1	AB047094	Vitis vinifera	AAD46916.1	AF164020	Oryza sativa
BAB41019.1	AB047092	Vitis vinifera	CAA08997.1	AJ010093	Brassica napus
BAB83484.1	AB031274	Scutellaria baicalensis	AAF91322.1	AF244888	Glycine max
BAB41025.1	AB047098	Vitis vinifera	CAA61510.1	X89226	Oryza sativa
BAB41023.1	AB047096	Vitis vinifera	AAF59906.1	AF197947	Glycine max
BAA90787.1	AB038248	Ipomoea batatas	AAF91324.1	AF244890	Glycine max
BAA19659.1	AB002818	Perilla frutescens	SEQ ID NO. 1578		
BAB41018.1	AB047091	Vitis labrusca x Vitis vinifera	BAA24448.1	AB003516	Panax ginseng
AAB36652.1	U32643	Nicotiana tabacum	CAA06770.1	AJ005928	Brassica napus
AAK28304.1	AF346432	Nicotiana tabacum	CAA06773.1	AJ005931	Brassica napus
BAB41024.1	AB047097	Vitis vinifera	CAA06223.1	AJ004923	Lycopersicon esculentum
BAB41026.1	AB047099	Vitis vinifera	SEQ ID NO. 1579		
CAA31855.1	X13500	Zea mays	AAC60566.1	S68113	Brassica napus
AAB86473.1	AF028237	Ipomoea purpurea	AAD01800.1	AF026382	Fragaria x ananassa
CAA54614.1	X77464	Manihot esculenta	CAA59472.1	X85206	Catharanthus roseus
SEQ ID NO. 1577			BAB16431.1	AB041519	Nicotiana tabacum
AAG31141.1	AF305911	Oryza sativa	BAB16428.1	AB041516	Nicotiana tabacum
AAG31142.1	AF305912	Hordeum vulgare	BAA99575.1	AB037109	Daucus carota
CAA06334.1	AJ005077	Lycopersicon esculentum	BAA95941.1	AB035125	Nicotiana tabacum
AAD46406.1	AF096250	Lycopersicon esculentum	AAC49369.1	U34333	Phaseolus vulgaris
AAD10057.1	AF110519	Lycopersicon esculentum	AAF78903.1	AF248055	Glycine max
AAD10056.1	AF110518	Lycopersicon esculentum	BAA13150.1	D86629	Nicotiana tabacum
AAK30005.1	AY029067	Rosa hybrid cultivar			

BAA13155.1	D86721	Nicotiana tabacum	CAA47717.1	X67304	Glycine max
CAA42959.1	X60432	Zea mays	AAB81595.1	AF019614	Solanum tuberosum
AAB18205.1	U73214	Triticum aestivum	CAA64766.1	X95513	Solanum tuberosum
CAA57810.1	X82413	Asparagus officinalis	AAB31252.1	S73865	Solanum tuberosum
CAA40361.1	X57076	Lycopersicon esculentum	AAA53184.1	U09026	Lycopersicon esculentum
CAA43666.1	X61395	Lycopersicon esculentum	AAB65766.1	U37839	Lycopersicon esculentum
AAD03487.1	AF028841	Medicago sativa	CAA65268.1	X96405	Solanum tuberosum
AAA33132.1	L20755	Cuscuta reflexa	AAF15296.2	AF204210	Phaseolus vulgaris
			CAA55319.1	X78581	Pisum sativum
SEQ ID NO. 1583			AAB03728.1	U04526	Glycine max
CAA49599.1	X69979	Lycopersicon esculentum	CAA34906.1	X17061	Pisum sativum
			CAA55318.1	X78580	Pisum sativum
SEQ ID NO. 1584			BAA03042.1	D13949	Glycine max
BAA88198.1	AP000837	Oryza sativa	AAA33987.1	J03211	Glycine max
BAA88195.1	AP000837	Oryza sativa	AAB71759.1	U84198	Pisum sativum
			AAB41272.1	U50081	Glycine max
SEQ ID NO. 1585			CAA39604.1	X56139	Glycine max
AAD28506.1	AF123265	Lycopersicon esculentum	AAA96817.1	U26457	Glycine max
AAB49425.1	U72489	Solanum tuberosum	AAG42354.1	AF234983	Phaseolus vulgaris
AAD28507.2	AF123266	Lycopersicon esculentum	AAG18376.1	AF283894	Zantedeschia aethiopica
			AAD39093.1	AF095895	Oryza sativa
SEQ ID NO. 1588			CAC04380.1	AJ293015	Pisum sativum
CAA65269.1	X96406	Solanum tuberosum	CAA45088.1	X63525	Phaseolus vulgaris
AAB65767.1	U37840	Lycopersicon esculentum	AAB18970.2	U76687	Phaseolus vulgaris
BAA03102.1	D14000	Oryza sativa	AAC49159.1	U36191	Glycine max
AAC12951.1	U56406	Hordeum vulgare	AAA03726.1	U04785	Glycine max
CAB94852.1	AJ404331	Prunus dulcis	CAA45086.1	X63521	Phaseolus vulgaris
AAG21691.1	AY008278	Lycopersicon esculentum			
AAA79186.1	U36339	Cucumis sativus	SEQ ID NO. 1589		
AAB67858.1	U60200	Solanum tuberosum	CAB39890.1	AJ237582	Armoracia rusticana
CAA64765.1	X95512	Solanum tuberosum	CAB39158.1	AJ132906	Brassica napus
CAB83038.1	AJ271161	Cucumis sativus	CAB39159.1	AJ132905	Brassica rapa
CAA58859.1	X84040	Nicotiana tabacum	CAB39172.1	AJ132903	Raphanus sativus
AAB67865.1	U60202	Solanum tuberosum	CAB39892.1	AJ237584	Capsella bursa-pastoris
CAA55724.1	X79107	Solanum tuberosum			
AAB67860.1	U60201	Solanum tuberosum	SEQ ID NO. 1590		
CAB65460.1	Y18548	Solanum tuberosum	AAK19616.1	AF336283	Gossypium hirsutum
AAD04258.1	AF039651	Solanum tuberosum	CAA78386.1	Z13996	Petunia x hybrida
AAB81594.1	AF019613	Solanum tuberosum	CAA72218.1	Y11415	Oryza sativa
AAA33986.1	J02795	Glycine max	CAB43399.1	AJ006292	Antirrhinum majus
AAB67732.1	U50075	Glycine max	AAK19619.1	AF336286	Gossypium hirsutum

CAA50224.1	X70879	Hordeum vulgare	AAAD11617.1	AF050495	Lycopersicon esculentum
CAA50222.1	X70877	Hordeum vulgare	AAA34138.1	M96324	Lycopersicon esculentum
BAA23337.1	D88617	Oryza sativa	AAAD11618.1	AF050496	Lycopersicon esculentum
CAA64614.1	X95296	Lycopersicon esculentum	BAA90510.2	AP001111	Oryza sativa
CAA50221.1	X70876	Hordeum vulgare	AAF73985.1	AF096871	Zea mays
AAK19611.1	AF336278	Gossypium hirsutum	AAB58910.1	U82966	Oryza sativa
BAA81732.1	AB029161	Glycine max	CAB69823.1	AJ271438	Prunus persica
BAA81731.1	AB029160	Glycine max	CAC29436.1	AJ310524	Vicia faba
BAA81730.1	AB029159	Glycine max	AAD46188.1	AF156691	Nicotiana plumbaginifolia
CAA72185.1	Y11350	Oryza sativa	AAD46186.1	AF156679	Nicotiana plumbaginifolia
AAG13574.1	AC037425	Oryza sativa	CAA47275.1	X66737	Nicotiana plumbaginifolia
BAA81733.2	AB029162	Glycine max	AAB17186.1	U72148	Lycopersicon esculentum
BAA88221.1	AB028649	Nicotiana tabacum	AAD29712.1	AF140499	Oryza sativa
CAA78387.1	Z13997	Petunia x hybrida	CAA59800.1	X85805	Zea mays
BAA88224.1	AB028652	Nicotiana tabacum	AAB35314.2	S79323	Vicia faba
BAA23338.1	D88618	Oryza sativa	AAA34173.1	M60166	Lycopersicon esculentum
AAK19617.1	AF336284	Gossypium hirsutum	CAA54045.1	X76535	Solanum tuberosum
CAA72217.1	Y11414	Oryza sativa	AAB60276.1	U09989	Zea mays
CAA67600.1	X99210	Lycopersicon esculentum	AAB84202.2	AF029256	Kosteletzky virginica
AAK19615.1	AF336282	Gossypium hirsutum	AAA34098.1	M80490	Nicotiana plumbaginifolia
BAA81736.1	AB029165	Glycine max	CAAS9799.1	X85804	Phaseolus vulgaris
BAA88222.1	AB028650	Nicotiana tabacum	AAB41898.1	U84891	Mesembryanthemum crystallinum
AAB41101.1	U72762	Nicotiana tabacum	AAD53399.1	AF179442	Lycopersicon esculentum
BAA88223.1	AB028651	Nicotiana tabacum	AAF98344.1	AF275745	Lycopersicon esculentum
AAK19618.1	AF336285	Gossypium hirsutum	CAA54046.1	X76536	Solanum tuberosum
CAA72186.1	Y11351	Oryza sativa	AAA34052.1	M27888	Nicotiana plumbaginifolia
CAA66952.1	X98308	Lycopersicon esculentum	CAB69824.1	AJ271439	Prunus persica
AAF22256.1	AF161711	Pimpinella brachycarpa	AAA34094.1	M80489	Nicotiana plumbaginifolia
CAA64615.1	X95297	Lycopersicon esculentum	BAA06629.1	D31843	Oryza sativa
CAA67575.1	X99134	Lycopersicon esculentum	AAB49042.1	U54690	Dunaliella acidophila
AAA19821.1	L19495	Zea mays	AAK31799.1	AY029190	Lilium longiflorum
CAA65525.1	X96749	Oryza sativa	CAC29435.1	AJ310523	Vicia faba
AAA33500.1	M73028	Zea mays	BAA37150.1	AB022442	Vicia faba
BAA23339.1	D88619	Oryza sativa	BAA01058.1	D10207	Oryza sativa
SEQ ID NO. 1594			CAB85494.1	AJ132891	Medicago truncatula
AAG28435.1	AF195028	Glycine max	CAB85495.1	AJ132892	Medicago truncatula
AAG28436.1	AF195029	Glycine max	AAD46187.1	AF156683	Nicotiana plumbaginifolia
CAA68234.1	X99972	Brassica oleracea	BAA08134.1	D45189	Zostera marina
AAD31896.1	AF145478	Mesembryanthemum crystallinum	CAA52107.1	X73901	Dunaliella bioculata
CAA63790.1	X93592	Dunaliella bioculata	AAA34099.1	M80491	Nicotiana plumbaginifolia
			AAA20601.1	U08985	Zea mays

AAA20600.1	U08984	Zea mays	BAA89584.1	AP001073	Oryza sativa
AAF97591.1	AF263917	Lycopersicon esculentum	AAD11481.1	U51191	Glycine max
AAA81348.1	U38965	Vicia faba	AAD11482.1	U51192	Glycine max
			BAA03644.1	D14997	Oryza sativa
SEQ ID NO. 1595			CAB67121.1	Y19023	Lycopersicon esculentum
AAC36697.1	AF075579	Mesembryanthemum crystallinum	CAA50597.1	X71593	Lycopersicon esculentum
CAC10358.1	AJ277086	Nicotiana tabacum	AAA34108.1	J02979	Nicotiana tabacum
CAB90633.1	AJ277743	Fagus sylvatica	BAA06335.1	D30653	Populus kitakamiensis
AAD17804.1	AF092431	Lotus japonicus	CAA40796.1	X57564	Armoracia rusticana
CAC10359.1	AJ277087	Nicotiana tabacum	BAA94962.1	AB042103	Asparagus officinalis
CAC09575.1	AJ298987	Fagus sylvatica	BAA01992.1	D11396	Nicotiana tabacum
CAA72341.1	Y11607	Medicago sativa	CAA66035.1	X97349	Populus balsamifera subsp.
AAD17805.1	AF092432	Lotus japonicus	trichocarpa		
AAG43835.1	AF213455	Zea mays	CAC21393.1	AJ401276	Zea mays
AAC36698.1	AF075580	Mesembryanthemum crystallinum	BAA08499.1	D49551	Oryza sativa
AAC36700.1	AF075582	Mesembryanthemum crystallinum	BAA77387.1	AB024437	Scutellaria baicalensis
AAC36699.1	AF075581	Mesembryanthemum crystallinum	CAA59485.1	X85228	Triticum aestivum
AAD11430.1	AF097667	Mesembryanthemum crystallinum	BAA11853.1	D83225	Populus nigra
CAB90634.1	AJ277744	Fagus sylvatica	BAA01877.1	D11102	Populus kitakamiensis
AAC35951.1	AF079355	Mesembryanthemum crystallinum	BAA14144.1	D90116	Armoracia rusticana
AAB93832.1	U81960	Zea mays	AAB47602.1	L07554	Linum usitatissimum
AAC26828.1	AF075603	Oryza sativa	BAA06334.1	D30652	Populus kitakamiensis
CAC09576.1	AJ298988	Fagus sylvatica	CAC21391.1	AJ401274	Zea mays
			AAB41811.1	L36157	Medicago sativa
SEQ ID NO. 1596			BAA92500.1	AP001383	Oryza sativa
AAA32676.1	M37637	Arachis hypogaea	BAA14143.1	D90115	Armoracia rusticana
CAA64413.1	X94943	Lycopersicon esculentum	CAA80502.1	Z22920	Spirodela polyrrhiza
BAA82307.1	AB027753	Nicotiana tabacum	CAA62225.1	X90692	Medicago sativa
AAB67737.1	L77080	Stylosanthes humilis	CAA66036.1	X97350	Populus balsamifera subsp.
AAD37429.2	AF149279	Phaseolus vulgaris	trichocarpa		
CAA71494.1	Y10468	Spinacia oleracea	CAA62226.1	X90693	Medicago sativa
AAD37375.1	AF145349	Glycine max			
AAC66037.1	X97351	Populus balsamifera subsp.	SEQ ID NO. 1597		
trichocarpa			CAB08111.1	Z94180	Lycopersicon esculentum
AAA65637.1	L13654	Lycopersicon esculentum	CAA81558.1	Z26949	Solanum tuberosum
AAF63024.1	AF244921	Spinacia oleracea	AAC72195.1	AF069911	Zea mays
AAD37430.1	AF149280	Phaseolus vulgaris	AAG43499.1	AF209924	Lycopersicon esculentum
BAA07664.1	D42065	Nicotiana tabacum	AAA97411.1	U51918	Pisum sativum
BAA07663.1	D42064	Nicotiana tabacum	CAA10992.1	AJ222787	Hordeum vulgare
CAB94692.1	AJ242742	Ipomoea batatas			
BAA90365.1	AP001081	Oryza sativa	SEQ ID NO. 1600		

CAA06309.1	AJ005042	Cicer arietinum	AAC97494.1	AF079232	Lycopersicon esculentum
CAA54525.1	X77319	Asparagus officinalis	AAB67993.1	U73746	Gossypium hirsutum
AAF67342.1	AF229795	Vigna radiata	AAD24540.1	AF113545	Nicotiana tabacum
CAA10128.1	AJ012687	Cicer arietinum	AAB67994.1	U73747	Gossypium hirsutum
AAB61470.1	AF004812	Mangifera indica	AA79922.1	U19941	Fragaria x ananassa
AAC77377.1	AF064786	Carica papaya	CAA75213.1	Y14972	Nicotiana tabacum
AAF21626.1	AF023847	Lycopersicon esculentum	CAA76769.1	Y17502	Nicotiana tabacum
CAA10174.1	AJ012797	Lycopersicon esculentum	AAC97493.1	AF079231	Lycopersicon esculentum
CAA10175.1	AJ012798	Lycopersicon esculentum	CAA75214.1	Y14973	Nicotiana tabacum
AAF70821.1	AF154420	Lycopersicon esculentum	CAA76770.1	Y17503	Nicotiana tabacum
AAC25984.1	AF020390	Lycopersicon esculentum	CAB92956.1	AJ401032	Solanum tuberosum
CAA59162.1	X84684	Brassica oleracea	AAB71830.1	AF006197	Lavatera thuringiaca
CAA10173.1	AJ012796	Lycopersicon esculentum	CAA66900.2	X98244	Zea mays
AAF70822.1	AF154421	Lycopersicon esculentum	CAA52903.1	X74947	Medicago sativa
BAB21492.1	AB046543	Pyrus pyrifolia	CAA75308.1	Y15036	Medicago truncatula
CAA09457.1	AJ011010	Cicer arietinum	CAA66901.1	X98245	Zea mays
AAF67341.1	AF229794	Vigna radiata	AAC32468.1	AF308589	Ceratopteris richardii
CAA07236.1	AJ006771	Cicer arietinum	CAA72183.1	Y11348	Medicago sativa
CAA10064.1	AJ012578	Carica papaya	AAG32467.1	AF308588	Ceratopteris richardii
AAC28739.1	AF079874	Carica papaya			
AAG12249.1	AF184080	Prunus armeniaca			
CAA06310.1	AJ005043	Cicer arietinum			
AAD45349.1	AF159124	Vitis vinifera			
			SEQ ID NO. 1604		
AAA86950.1	U10044	Pisum sativum	AAK17067.1	AF254558	Oryza sativa
AAA86952.1	U10046	Pisum sativum	BAA89800.1	AB028185	Oryza sativa
CAA50035.1	X70702	Pisum sativum	BAA89799.1	AB028184	Oryza sativa
AAA86951.1	U10045	Pisum sativum	BAA89798.1	AB028183	Oryza sativa
BAA96367.1	AB043975	Panax ginseng	BAA89797.1	AB028182	Oryza sativa
CAB57298.1	Z30162	Solanum tuberosum	BAA89801.1	AB028186	Oryza sativa
CAA48289.1	X68202	Pyrobotrys stellata	AAF68626.1	AF254124	Medicago truncatula
AAA86949.1	U10043	Pisum sativum	BAA89802.1	AB028187	Oryza sativa
			BAA78417.1	AB021178	Nicotiana tabacum
			SEQ ID NO. 1606		
AAF01250.1	AF188832	Fragaria x ananassa	AA092209.1	U38247	Glycine soja
AAC33305.1	U89609	Gossypium hirsutum	AAG37440.1	AY007600	Glycine max
CAA06492.1	AJ005347	Cicer arietinum	AAG37451.1	AY007611	Glycine tomentella
CAA63710.1	X93308	Capsicum annuum	AA015418.1	AY007515	Glycine tomentella
CAA10261.1	AJ130956	Capsicum annuum	AAG15412.1	AY007506	Glycine tomentella
CAA10210.1	AJ130829	Capsicum annuum	AAG37441.1	AY007601	Glycine tomentella
			AAG37443.1	AY007603	Glycine tomentella
			AAG37444.1	AY007604	Glycine tomentella
			AAG15415.1	AY007510	Glycine tomentella

AAG37438.1	AY007598	Glycine canescens	AAD02257.1	AF043091	Hordeum vulgare
AAG15416.1	AY007511	Glycine tomentella	CAC34554.1	Y07600	Pistacia vera
AAG37448.1	AY007608	Glycine tomentella	AAF01698.1	AF181460	Hordeum vulgare
AAF91486.1	AF287476	Glycine tomentella	AAD02256.1	AF043090	Hordeum vulgare
AAG37446.1	AY007606	Glycine tomentella	AAD02261.1	AF043095	Hordeum vulgare
AAG37445.1	AY007605	Glycine tomentella	CAA33361.1	X15287	Hordeum vulgare
AAG37452.1	AY007612	Glycine tomentella	CAA44787.1	X63061	Pisum sativum
AAG15413.1	AY007507	Glycine tomentella	AAD02258.1	AF043092	Hordeum vulgare
AAG37442.1	AY007602	Glycine tabacina	CAA44788.1	X63062	Pisum sativum
AAG37447.1	AY007607	Glycine tomentella	AAF60172.1	AF236067	Elaeis guineensis
AAG15417.1	AY007514	Glycine tomentella	CAA44789.1	X63063	Pisum sativum
AAD09208.1	U38246	Glycine soja	AAD02252.1	AF043086	Hordeum vulgare
AAG37439.1	AY007599	Glycine canescens	AAF01699.1	AF181461	Hordeum vulgare
AAG15414.1	AY007509	Glycine tabacina	AAF01692.1	AF181454	Hordeum vulgare
AAG37449.1	AY007609	Glycine tomentella	AAB51381.1	U91970	Pisum sativum
AAG37450.1	AY007610	Glycine tomentella	CAA51278.1	X72748	Hordeum vulgare
AAG37454.1	AY007614	Glycine tomentella	AAF01695.1	AF181457	Hordeum vulgare
AAG37453.1	AY007613	Glycine tomentella	CAA33360.1	X15286	Hordeum vulgare
CAA42221.1	X59700	Helianthus annuus	AAF01691.1	AF181453	Hordeum vulgare
AAC49862.1	U72767	Phaseolus vulgaris	AAD02255.1	AF043089	Hordeum vulgare
CAA31590.1	X13202	Gossypium hirsutum	SEQ ID NO. 1612		
AAG12980.1	AY007517	Glycine tomentella	AAB36543.1	U77935	Phaseolus vulgaris
AAG12981.1	AY007518	Glycine tomentella	SEQ ID NO. 1614		
AAG12982.1	AY007519	Glycine tomentella	AAD10204.1	AF030260	Vicia sativa
AAG12979.1	AY007516	Glycine tomentella	AAG33645.1	AF092917	Vicia sativa
AAB01552.1	L47607	Picea glauca	AAG17470.1	AF123609	Triticum aestivum
AAD01541.1	AF004810	Glycine max	AAK31592.1	AY029178	Brassica rapa subsp. pekinensis
CAA45506.1	X64145	Lemna gibba	CAB41474.1	AJ238402	Catharanthus roseus
SEQ ID NO. 1609			AAB94586.1	AF022457	Glycine max
AAC05921.1	AF031247	Lophopyrum elongatum	AAB94588.1	AF022459	Glycine max
CAC00637.1	AJ271620	Prunus persica	CAA89260.1	Z49263	Pisum sativum
AAD02262.1	AF043096	Hordeum vulgare	AAG09208.1	AF175278	Pisum sativum
AAA32952.1	M95810	Hordeum vulgare	AAC49188.2	U29333	Pisum sativum
AAF01693.1	AF181455	Hordeum vulgare	CAA04117.1	AJ000478	Helianthus tuberosus
AAC49658.1	U62486	Prunus persica	CAA04116.1	AJ000477	Helianthus tuberosus
AAC49657.1	U34809	Prunus persica	BAA22423.1	AB001380	Glycyrrhiza echinata
AAD50291.1	AF172263	Prunus dulcis	BAA74466.1	AB022733	Glycyrrhiza echinata
AAC05923.1	AF031249	Lophopyrum elongatum	AAA17732.1	L19074	Catharanthus roseus
AAC05924.1	AF031250	Lophopyrum elongatum	BAA93634.1	AB025016	Lotus japonicus
AAF01694.1	AF181456	Hordeum vulgare			

[illegible]

SEQ ID NO.	1623	1624	1625
CAA81689.1	Brassica napus	CAA72092.1	Nicotiana tabacum
CAA50218.1	Cucurbita sp.	AAD55566.1	Volvox carteri f. nagariensis
CAA50217.1	Cucurbita sp.	AAC49896.1	Chlamydomonas reinhardtii
CAA78100.1	Zea mays	AAD02069.1	Chlamydomonas reinhardtii
AAA33450.1	Zea mays	AAB05641.1	Ricinus communis
AAA33452.1	Zea mays	AAD28260.1	Datisca glomerata
AAA33451.1	Zea mays	CAC21229.1	Triticum turgidum subsp. durum
CAA78101.1	Zea mays	CAC21231.1	Triticum turgidum subsp. durum
CAA77645.1	Zea mays	AAA19660.1	Triticum aestivum
AAAB39827.1	Solanum tuberosum	CAC21230.1	Triticum turgidum subsp. durum
AAA66365.1	Chloroplast Pisum sativum	CAC21228.1	Triticum turgidum subsp. durum
BAA92724.1	Oryza sativa	BAA92322.1	Oryza sativa
AAA32980.1	Brassica napus	CAA77575.1	Medicago sativa
CAA93139.1	Secale cereale	BAB18780.1	Cucumis sativus
AAA32979.1	Brassica napus		
CAA81736.1	Brassica napus	SEQ ID NO.	1626
AAC68501.1	Canavalia lineata	CAA72092.1	Nicotiana tabacum
BAB16318.1	Avicennia marina	AAD55566.1	Volvox carteri f. nagariensis
AAB39828.1	Solanum tuberosum	AAC49896.1	Chlamydomonas reinhardtii
CAA89836.1	Pseudotsuga menziesii	AAD02069.1	Chlamydomonas reinhardtii
CAA09989.1	Glycine max	AAB05641.1	Ricinus communis
		AAD28260.1	Datisca glomerata
		CAC21229.1	Triticum turgidum subsp. durum
		CAC21231.1	Triticum turgidum subsp. durum
		AAA19660.1	Triticum aestivum
		CAC21230.1	Triticum turgidum subsp. durum
		CAC21228.1	Triticum turgidum subsp. durum
		BAA92322.1	Oryza sativa
		CAA77575.1	Medicago sativa
		BAB18780.1	Cucumis sativus
		SEQ ID NO.	1627
		BAA90610.1	Oryza sativa
		CAA43454.1	Nicotiana tabacum



SEQ ID NO. 1627	AAAF74566.1	AF215852	Nicotiana tabacum	CAC35328.1	AJ310153	Linum usitatissimum
	AAF74567.1	AF215853	Solanum tuberosum	CAC35325.1	AJ310150	Linum usitatissimum
	AAF74568.1	AF215854	Zea mays	CAC35332.1	AJ310157	Linum usitatissimum
	AAF74565.1	AF215851	Spinacia oleracea	CAC35336.1	AJ310161	Linum usitatissimum
				CAC35338.1	AJ310163	Linum usitatissimum
				CAC35321.1	AJ310150	Linum usitatissimum
				CAC35326.1	AJ310151	Linum usitatissimum
				CAC35339.1	AJ310164	Linum usitatissimum
				CAC35329.1	AJ310154	Linum usitatissimum
				CAC35323.1	AJ310150	Linum usitatissimum
				CAC35331.1	AJ310156	Linum usitatissimum
				CAC35327.1	AJ310152	Linum usitatissimum
				AAF61452.1	AF139523	Tagetes erecta
				AAK28811.1	AF310966	Linum usitatissimum
SEQ ID NO. 1630	CAA08798.1	AJ0009720	Solanum tuberosum	SEQ ID NO. 1631		
	CAA08797.1	AJ0009719	Solanum tuberosum	AAF20002.1	AF213936	Prunus dulcis
	AAG43546.1	AF211528	Nicotiana tabacum	AAD01600.1	AF016713	Lycopersicon esculentum
	AAG09951.1	AF175388	Glycine max	AAC32034.1	AF023472	Hordeum vulgare
	AAK28808.1	AF310961	Linum usitatissimum	AAF07875.1	AF140606	Oryza sativa
	AAK28805.1	AF310960	Linum usitatissimum	CAC07206.1	AF278966	Brassica napus
	AAK28803.1	AF310958	Linum usitatissimum	AAD16016.1	AF080545	Nepenthes alata
	AAA50763.1	U15605	Nicotiana glutinosa	AAB69642.1	AF000392	Lotus japonicus
	AAK28809.1	AF310962	Linum usitatissimum	CAA93316.1	Z69370	Cucumis sativus
	AAK28804.1	AF310959	Linum usitatissimum	BAB19760.1	AB052788	Glycine max
	AAG09954.1	AF175399	Glycine max	BAB19757.1	AB052785	Glycine max
	AAD25966.1	AF093639	Linum usitatissimum	BAB19756.1	AB052784	Glycine max
	AAD25974.1	AF093647	Linum usitatissimum	AAD42860.1	AF154930	Prunus dulcis
	AAA91021.1	U27081	Linum usitatissimum	SEQ ID NO. 1632		
	AAD25968.1	AF093641	Linum usitatissimum	AAD43561.1	AF155124	Gossypium hirsutum
	AAA91022.1	U27081	Linum usitatissimum	AAF63027.1	AF244924	Spinacia oleracea
	AAD25969.1	AF093642	Linum usitatissimum	BAA92500.1	AP001383	Oryza sativa
	AAG01051.1	AF175394	Glycine max	BAA94962.1	AB042103	Asparagus officinalis
	AAD25975.1	AF093648	Linum usitatissimum	AAB97734.1	AF014502	Glycine max
	AAG01052.1	AF175395	Glycine max	CAA59487.1	X85230	Triticum aestivum
	AAD25965.1	AF093638	Linum usitatissimum	AAC05277.1	AF049881	Linum usitatissimum
	AAD25976.1	AF093649	Linum usitatissimum	BAA08499.1	D49551	Oryza sativa
	AAD25972.1	AF093645	Linum usitatissimum	AAF63026.1	AF244923	Spinacia oleracea
	AAD25971.1	AF093644	Linum usitatissimum	AAD37430.1	AF149280	Phaseolus vulgaris
	AAD25970.1	AF093643	Linum usitatissimum	BAA11853.1	D83225	Populus nigra
	AAD25967.1	AF093640	Linum usitatissimum			
	AAD25973.1	AF093646	Linum usitatissimum			
	AAG01053.1	AF175396	Glycine max			
	CAC35330.1	AJ310155	Linum usitatissimum			
	CAC35337.1	AJ310162	Linum usitatissimum			
	AAB47618.1	U73916	Linum usitatissimum			
	CAC35334.1	AJ310159	Linum usitatissimum			
	CAC35333.1	AJ310158	Linum usitatissimum			

CAA66037.1	X97351	Populus balsamifera subsp.	SEQ ID NO. 1633	
trichocarpa				Cucumis sativus
BAA82306.1	AB027752	Nicotiana tabacum	BAA85819.1	AB026500
CAB94692.1	AJ242742	Ipomoea batatas	AAD31396.1	AF118843
BAA92497.1	AP001383	Oryza sativa	AAC31213.3	AF026267
BAA92422.1	AP001366	Oryza sativa	BAB13718.1	AB040406
CAA40796.1	X57564	Armoracia rusticana	AAD31397.1	AF118844
BAA06335.1	D30653	Populus kitakamiensis	AAD37577.1	AF141929
AAB48184.1	I24120	Linum usitatissimum	AAC31123.1	AF032448
CAA66034.1	X97348	Populus balsamifera subsp.	AAD37576.1	AF141928
trichocarpa			AAB97160.1	AF022727
CAB55334.1	AJ250121	Picea abies	AAC02213.1	AF043084
CAA62597.1	X91172	Raphanus sativus	AAA85479.1	U41103
CAA66036.1	X97350	Populus balsamifera subsp.	AAE28893.1	AF124527
trichocarpa			BAA37136.1	AB015496
AAF63025.1	AF244922	Spinacia oleracea	AAC39497.1	AF047476
CAA66035.1	X97349	Populus balsamifera subsp.	AAF61919.1	AF227742
trichocarpa			AAC02214.1	AF043085
AAC98519.1	AF007211	Glycine max	BAB18937.1	AB052228
AAB06183.1	M37636	Arachis hypogaea	BAA85817.1	AB026498
BAA84764.1	D84400	Oryza sativa	AAB39386.1	U47279
AAC49819.1	AF014468	Oryza sativa	AAD03598.1	AF098272
CAA71492.1	Y10466	Spinacia oleracea	AAB72193.1	AF013979
CAA71493.1	Y10467	Spinacia oleracea	AAB94773.1	AF039746
BAA06334.1	D30652	Populus kitakamiensis	CAA06723.1	AJ005829
BAA11852.1	D83224	Populus nigra	AAD26899.1	AF055894
BAA77389.1	AB024439	Scutellaria baicalensis	BAA37137.1	AB015497
CAA62615.1	X91232	Mercurialis annua	BAA85818.1	AB026499
AAD37427.1	AF149277	Phaseolus vulgaris	AAD12777.1	AF051938
CAA62226.1	X90693	Medicago sativa	AAB96765.2	AF039921
BAA92967.1	AP001551	Oryza sativa	AAF08300.1	AF113748
AAB02554.1	I37790	Stylosanthes humilis	AAG41977.1	AF311942
CAA62227.1	X90694	Medicago sativa	AAD38057.1	AF154119
BAA14143.1	D90115	Armoracia rusticana	AAC31157.1	AF047477
AAC49821.1	AF014470	Oryza sativa	CAA69646.1	Y08359
BAA07241.1	D38051	Populus kitakamiensis	AAB68819.1	U63291
CAB99487.1	AJ276227	Hordeum vulgare	BAA96745.1	AB035806
CAA50597.1	X71593	Lycopersicon esculentum	CAB76929.1	AJ276294
BAA03911.1	D16442	Oryza sativa	BAA90551.1	AB031028
CAB67121.1	Y19023	Lycopersicon esculentum	BAA90552.1	AB031029
			SEQ ID NO. 1634	
				Cucumis sativus
				Lycopersicon esculentum
				Nicotiana tabacum
				Zea mays
				Lycopersicon esculentum
				Pelargonium x hortorum
				Malus x domestica
				Pelargonium x hortorum
				Nicotiana tabacum
				Lycopersicon esculentum
				Lycopersicon esculentum
				Prunus persica
				Passiflora edulis
				Brassica oleracea
				Mangifera indica
				Lycopersicon esculentum
				Cucumis melo var. reticulatus
				Cucumis sativus
				Lycopersicon esculentum
				Vigna radiata
				Oryza sativa
				Pisum sativum
				Pisum sativum
				Phalaenopsis sp. 'True Lady'
				Passiflora edulis
				Cucumis sativus
				Solanum tuberosum
				Nicotiana tabacum
				Musa acuminata
				Carica papaya
				Rosa hybrid cultivar
				Brassica oleracea
				Rumex palustris
				Rumex palustris
				Dianthus caryophyllus
				Citrus sinensis
				Prunus mume
				Prunus mume

CAB90633.1	AJ277743	Fagus sylvatica	AG34836.1	AF244693	Zea mays
CAC10358.1	AJ277086	Nicotiana tabacum	AG34837.1	AF244694	Zea mays
CAC10359.1	AJ277087	Nicotiana tabacum	AG34800.1	AF243365	Glycine max
CAC09575.1	AJ279897	Fagus sylvatica	AA18566.1	AF048978	Glycine max
CAC36697.1	AJ075579	Mesembryanthemum crystallinum	AA32118.1	AF051214	Picea mariana
AAAD17804.1	AF092431	Lotus japonicus	AA22517.1	AF118924	Papaver somniferum
CAA72341.1	Y11607	Medicago sativa	AA22518.1	AF118925	Papaver somniferum
AAAD17805.1	AF092432	Lotus japonicus	AG34806.1	AF243371	Glycine max
AAAC36698.1	AF075580	Mesembryanthemum crystallinum	CAA04391.1	AJ000923	Carica papaya
AAAG34335.1	AF213455	Zea mays	AG34833.1	AF244690	Zea mays
AAAC36639.1	AF075581	Mesembryanthemum crystallinum	CAA71784.1	Y10820	Glycine max
AAAC36700.1	AF075582	Mesembryanthemum crystallinum	AG34847.1	AF244704	Zea mays
CAB90634.1	AJ277744	Fagus sylvatica	AA22519.1	AF118926	Papaver somniferum
AAAD11430.1	AF097667	Mesembryanthemum crystallinum			
AAAB93832.1	U81960	Zea mays	SEQ ID NO. 1636		
AAAC35951.1	AF079355	Mesembryanthemum crystallinum	AAAD37699.1	AF145730	Oryza sativa
AAAC26828.1	AF075603	Oryza sativa	BAA93461.1	AB028073	Physcomitrella patens
CAC09576.1	AJ298988	Fagus sylvatica	AAF01765.1	AF184278	Glycine max
			AAE01764.2	AF184277	Glycine max
			BAA93466.1	AB028078	Physcomitrella patens
			CAB67118.1	Y17306	Lycopersicon esculentum
			AAE73482.1	AF268422	Brassica rapa subsp. pekinensis
			AAAD37697.1	AF145728	Oryza sativa
			BAA21017.1	D26578	Daucus carota
			BAA05624.1	D26575	Daucus carota
			BAA93460.1	AB028072	Physcomitrella patens
			BAA93464.1	AB028076	Physcomitrella patens
			BAA93467.1	AB028079	Physcomitrella patens
			BAA93465.1	AB028077	Physcomitrella patens
			BAA05625.1	D26576	Daucus carota
			BAA93468.1	AB028080	Physcomitrella patens
			BAA05623.1	D26574	Daucus carota
			AAAD37698.1	D26573	Daucus carota
			CAA64221.1	AF145729	Oryza sativa
			CAA64152.1	X94449	Pimpinella brachycarpa
			CAA64491.1	X94375	Pimpinella brachycarpa
			BAA93463.1	X95193	Pimpinella brachycarpa
			CAA06728.1	AB028075	Physcomitrella patens
			AAAD37695.1	AJ005833	Craterostigma plantagineum
			CAA65456.2	AF145726	Oryza sativa
				X96681	Oryza sativa

AAF19980.1	AF211193	Oryza sativa	CAA30261.1	X07280	Nicotiana plumbaginifolia
AAK31270.1	AC079890	Oryza sativa	AAD10384.1	U72253	Oryza sativa
CAA63222.1	X92489	Glycine max	AAA88794.1	U01900	Solanum tuberosum
CAA06717.1	AJ005820	Craterostigma plantagineum	AAA32939.1	M62907	Hordeum vulgare
			AAC14399.1	AF030771	Hordeum vulgare
SEQ ID NO. 1637			AAA87456.1	U22147	Hevea brasiliensis
AAD16016.1	AF080545	Nepenthes alata	AAD10381.1	U72250	Oryza sativa
			AAD33881.1	AF141654	Nicotiana tabacum
SEQ ID NO. 1638			AAA03617.1	M80604	Lycopersicon esculentum
CAA65987.2	X97322	Pisum sativum	CAB38443.1	AJ133470	Hevea brasiliensis
BAA07209.1	D38012	Oryza sativa	AAA63542.1	M59443	Nicotiana tabacum
			AAA63539.1	M60402	Nicotiana tabacum
SEQ ID NO. 1639			AAA63541.1	M59442	Nicotiana tabacum
AAC49528.1	U56834	Petroselinum crispum	AAA63540.1	M60403	Nicotiana tabacum
AAD27591.1	AF121354	Petroselinum crispum	CAA37289.1	X53129	Phaseolus vulgaris
BAA77358.1	AB020023	Nicotiana tabacum	CAA57255.1	X81560	Nicotiana tabacum
AAD16139.1	AF096299	Nicotiana tabacum	CAB91554.1	AJ277900	Vitis vinifera
AAC49527.1	U48831	Petroselinum crispum	AAA19111.1	U01902	Solanum tuberosum
CAA88326.1	Z48429	Avena fatua	AAB86541.1	AF030166	Oryza sativa
AAC49529.1	U58540	Petroselinum crispum	AAC39322.1	U96096	Hordeum vulgare
AAD16138.1	AF096298	Nicotiana tabacum	AAD33880.1	AF141653	Nicotiana tabacum
AAC37515.1	I44134	Cucumis sativus			
CAA88331.1	Z48431	Avena fatua	SEQ ID NO. 1641		
AAF61864.1	AF193771	Nicotiana tabacum	AAF97510.1	AF246266	Lycopersicon esculentum
BAA87069.1	AB035271	Matricaria chamomilla	AAD30549.1	AF136580	Lycopersicon esculentum
AAF61863.1	AF193770	Nicotiana tabacum	AAF97509.1	AF246266	Lycopersicon esculentum
			AAD30548.1	AF136579	Lycopersicon esculentum
SEQ ID NO. 1640			AAC17441.1	AF065444	Pisum sativum
AAD10386.1	U72255	Oryza sativa	AAF61374.1	AF133267	Thlaspi caerulescens
BAA89481.1	AB029462	Salix gilgiana	AAG09635.1	AY007281	Medicago truncatula
CAB85903.1	AJ251646	Pisum sativum			
CAA49513.1	X69887	Brassica napus	SEQ ID NO. 1642		
AAB82772.2	AF001523	Musa acuminata	AAG43549.1	AF211531	Nicotiana tabacum
AAF08679.1	AF004838	Musa acuminata	AAG43548.1	AF211530	Nicotiana tabacum
CAA82271.1	Z28697	Nicotiana tabacum	CAB96899.1	AJ251249	Catharanthus roseus
AAA18928.1	U01901	Solanum tuberosum	CAB96900.1	AJ251250	Catharanthus roseus
AAC19114.1	AF067863	Solanum tuberosum	AAF63205.1	AF245119	Mesembryanthemum crystallinum
AAA90953.1	U30323	Triticum aestivum	BAB16083.1	AB036883	Oryza sativa
AAA03618.1	M80608	Lycopersicon esculentum	BAB03248.1	AB037183	Oryza sativa
AAA51643.1	M23120	Nicotiana plumbaginifolia	CAC12822.1	AJ299252	Nicotiana tabacum
AAA34078.1	M63634	Nicotiana plumbaginifolia	BAA07321.1	D38123	Nicotiana tabacum

AAF23899.1	AF193803	Oryza sativa	AAC32034.1	AF023472	Hordeum vulgare
AAG43545.1	AF211527	Nicotiana tabacum	AAD01600.1	AF016713	Lycopersicon esculentum
AAC62619.1	AF057373	Nicotiana tabacum	AAF07875.1	AF140606	Oryza sativa
SEQ ID NO. 1643			AAF20002.1	AF213936	Prunus dulcis
AAA74360.1	L33912	Zea mays	CAC07206.1	AJ278966	Brassica napus
AAC05981.1	AF049706	Chloroplast	BAB19760.1	AB052788	Glycine max
AAC05983.1	AF049708	Glycine max	BAB19757.1	AB052785	Glycine max
BAA11417.1	D78573	Oryza sativa	BAB19756.1	AB052784	Glycine max
AAA74361.1	L33913	Zea mays	AAB69642.1	AF000392	Lotus japonicus
AAA16972.1	L11529	Daucus carota	CAA93316.1	Z69370	Cucumis sativus
AAD41796.1	AF135862	Glycine max	AAD16016.1	AF080545	Nepenthes alata
BAA95630.1	AB042521	Oryza sativa	AAD42860.1	AF154930	Prunus dulcis
SEQ ID NO. 1644			SEQ ID NO. 1646		
AAG43545.1	AF211527	Nicotiana tabacum	AAD00829.1	U96736	Selaginella lepidophylla
AAF63205.1	AF245119	Mesembryanthemum crystallinum	SEQ ID NO. 1647		
BAA07321.1	D38123	Nicotiana tabacum	AAC49326.1	U19924	Zinnia elegans
BAA97122.1	AB016264	Nicotiana sylvestris	AA221135.1	U13256	Nicotiana alata
BAA87068.1	AB035270	Matricaria chamomilla	CAA10130.1	AJ012689	Cicer arietinum
BAA97124.1	AB016266	Nicotiana sylvestris	AAF82615.1	AF157011	Prunus dulcis
CAB96900.1	AJ251250	Catharanthus roseus	AAG09465.1	AF227522	Prunus dulcis
CAB96899.1	AJ251249	Catharanthus roseus	BAA08475.1	D49529	Pyrus pyrifolia
AAC62619.1	AF057373	Nicotiana tabacum	AAC49325.1	U19923	Zinnia elegans
BAA97123.1	AB016265	Nicotiana sylvestris	CAA55896.1	X79338	Lycopersicon esculentum
AAC24587.1	AF071893	Prunus armeniaca	CAB40353.1	Y17446	Lycopersicon esculentum
CAC12822.1	AJ299252	Nicotiana tabacum	CAB40355.1	Y17444	Lycopersicon esculentum
AAF76898.1	AF274033	Atriplex hortensis	CAA55895.1	X79337	Lycopersicon esculentum
AAD00708.1	U91857	Stylosanthes hamata	AAB58719.1	AF000940	Hordeum vulgare
BAA76734.1	AB024575	Nicotiana tabacum	BAB19803.1	AB052842	Oryza sativa
BAB03248.1	AB037183	Oryza sativa	BAB19804.1	AB052843	Oryza sativa
BAB16083.1	AB036883	Oryza sativa	BAB19805.1	AB052844	Oryza sativa
AAF23899.1	AF193803	Oryza sativa	CAB40354.1	Y17445	Lycopersicon esculentum
AAF05606.1	AF190770	Oryza sativa	AAB58718.1	AF000939	Hordeum vulgare
BAA78738.1	AB023482	Oryza sativa	BAA10891.1	D64011	Luffa cylindrica
AAG43548.1	AF211530	Nicotiana tabacum	BAA10892.1	D64012	Luffa cylindrica
AAG43549.1	AF211531	Nicotiana tabacum	AAG21384.1	AF301533	Petunia integrifolia
BAA99376.1	AP002526	Oryza sativa	BAA08474.1	D49528	Pyrus pyrifolia
AAK01089.1	AF298231	Hordeum vulgare	AAK60466.1	U07363	Petunia x hybrida
SEQ ID NO. 1645			AAK15437.1	AF239910	Petunia axillaris
			AAF36980.1	AF232304	Solanum chacoense

AAA60465.1	U07362	Petunia x hybrida	AAG34840.1	AF244697	Zea mays
BAA24018.1	D63888	Nicotiana glauca	AAG34848.1	AF244705	Zea mays
AAF05729.1	AF191732	Solanum chacoense	AAG34833.1	AF244690	Zea mays
AAD56217.1	AF176533	Solanum chacoense	AAC32118.1	AF051214	Picea mariana
SEQ ID NO. 1649			AAD10129.1	AF004358	Aegilops tauschii
AAC49528.1	U56834	Petroselinum crispum	AAG34850.1	AF244707	Zea mays
BAA77358.1	AB020023	Nicotiana tabacum	AAG34830.1	AF244687	Zea mays
AAD16139.1	AF096299	Nicotiana tabacum	AAG34839.1	AF244696	Zea mays
AAD27591.1	AF121354	Petroselinum crispum	CAA09188.1	AF010449	Alopecurus myosuroides
AAC37515.1	I44134	Cucumis sativus	AAG34835.1	AF244692	Zea mays
AAC49527.1	U48831	Petroselinum crispum	AAG34828.1	AF244685	Zea mays
CAR88326.1	Z48429	Avena fatua	CAA09187.1	AF010448	Alopecurus myosuroides
AAC49529.1	U58540	Petroselinum crispum	CAA09189.1	AF010450	Alopecurus myosuroides
CAR88331.1	Z48431	Avena fatua	AAG34847.1	AF244704	Zea mays
AAD16138.1	AF096298	Nicotiana tabacum	AAG34846.1	AF244703	Zea mays
AAF61864.1	AF193771	Nicotiana tabacum	AAG34834.1	AF244691	Zea mays
BAA87069.1	AB035271	Matricaria chamomilla	AAG34841.1	AF244698	Zea mays
AAF61863.1	AF193770	Nicotiana tabacum	AAG34845.1	AF244702	Zea mays
SEQ ID NO. 1650			AAG34797.1	AF243362	Glycine max
BAR85440.1	AP000616	Oryza sativa	AAG34798.1	AF243363	Glycine max
CAB53493.1	AJ245900	Oryza sativa	AAG34809.1	AF243374	Glycine max
SEQ ID NO. 1654			AAC32139.1	AF051238	Picea mariana
AAD51854.1	AF178990	Vitis riparia	AAG34844.1	AF244701	Zea mays
AAB00555.1	U54704	Phaseolus vulgaris	AAG34843.1	AF244700	Zea mays
SEQ ID NO. 1659			AAG34807.1	AF243372	Glycine max
AAF62403.1	AF212183	Nicotiana tabacum	AAF64450.1	AF239928	Euphorbia esula
CAB68848.1	Y07563	Nicotiana tabacum	AAG34801.1	AF243366	Glycine max
AAB97367.1	AF039532	Oryza sativa	SEQ ID NO. 1667		
SEQ ID NO. 1665			AAB69642.1	AF000392	Lotus japonicus
AAF22517.1	AF118924	Papaver somniferum	AAD01600.1	AF016713	Lycopersicon esculentum
AAF22518.1	AF118925	Papaver somniferum	AAC32034.1	AF023472	Hordeum vulgare
AAF22519.1	AF118926	Papaver somniferum	AAF20002.1	AF213936	Prunus dulcis
AAF29773.1	AF159229	Gossypium hirsutum	AAF07875.1	AF140606	Oryza sativa
AAG34838.1	AF244695	Zea mays	CAC07206.1	AJ278966	Brassica napus
AAG34795.1	AF243360	Glycine max	CAA93316.1	Z69370	Cucumis sativus
AAG34842.1	AF244699	Zea mays	BAB19757.1	AB052785	Glycine max
			BAB19760.1	AB052788	Glycine max
			BAB19756.1	AB052784	Glycine max
			AAD16016.1	AF080545	Nepenthes alata
			AAD42860.1	AF154930	Prunus dulcis

SEQ ID NO. 1668				CAA09419.1	AJ010942	Lycopersicon esculentum
AAK21965.1	AY028699	Brassica napus		CAA68813.1	Y07520	Chlorella kessleri
AAD21872.1	AF078082	Phaseolus vulgaris		CAB52689.1	AJ132224	Lycopersicon esculentum
AAA33915.1	L27821	Oryza sativa		BAB19864.1	AB052885	Oryza sativa
BAA82556.1	AB030083	Populus nigra		CAA39036.1	X55349	Chlorella kessleri
AAK11674.1	AF339747	Lophopyrum elongatum		CAA47324.1	X66856	Nicotiana tabacum
AAF43496.1	AF131222	Lophopyrum elongatum		AAA79761.1	L08196	Ricinus communis
AAG03090.1	AC073405	Oryza sativa		AAA79857.1	L08188	Ricinus communis
AAB93834.1	U82481	Zea mays		CAB06079.1	Z83829	Picea abies
AAF66615.1	AF142596	Nicotiana tabacum		CBA53192.1	X75440	Chlorella kessleri
AAG25966.1	AF302082	Nicotiana tabacum		CAA70777.1	Y09590	Vitis vinifera
AAB09771.1	U67422	Zea mays		CAB07812.1	Z93775	Vitis vinifera
AAF34428.1	AF172282	Oryza sativa		CAA04511.1	AJ001061	Oryza sativa
AAC23542.1	U20948	Ipomoea trifida		BAB19863.1	AB052884	Oryza sativa
BAA94516.1	AP001800	Oryza sativa		BAB19862.1	AB052883	Oryza sativa
CAA73134.1	Y12531	Brassica oleracea		AAB06594.1	U38651	Medicago truncatula
BAA92954.1	AP001551	Oryza sativa		BAA85398.1	AP000615	Oryza sativa
AAG16628.1	AY007545	Brassica napus		AAD55054.1	AF173655	Beta vulgaris
CAB51834.1	O0069	Oryza sativa		CAB52690.1	AJ132225	Lycopersicon esculentum
BAA06538.1	D31737	Nicotiana tabacum		SEQ ID NO. 1673		
CAA73133.1	Y12530	Brassica oleracea		AAG00510.1	AF285172	Phaseolus vulgaris
CAB89179.1	AJ245479	Brassica napus subsp. napus		CAA97692.1	Z73295	Catharanthus roseus
AAA33008.1	M97667	Brassica napus		CAB51834.1	O0069	Oryza sativa
BAA92837.1	AB032474	Brassica oleracea		AAK21965.1	AY028699	Brassica napus
AAA33000.1	M76647	Brassica oleracea		AAF91323.1	AF244889	Glycine max
CAA79355.1	Z18921	Brassica oleracea		AAF59906.1	AF197947	Glycine max
CAA67145.1	X98520	Brassica oleracea		AAF91324.1	AF244890	Glycine max
CAA74661.1	Y14285	Brassica oleracea		AAF91322.1	AF244888	Glycine max
AAA62232.1	U00443	Brassica oleracea		AAF59905.1	AF197946	Glycine max
BAA23676.1	AB000970	Brassica rapa		AAK11567.1	AF318491	Lycopersicon hirsutum
BAA07577.2	D38564	Brassica rapa		AAK11569.1	AF318493	Lycopersicon hirsutum
CAA74662.1	Y14286	Brassica oleracea		AAF76306.1	AF220602	Lycopersicon pimpinellifolium
BAA07576.1	D38563	Brassica rapa		AAC48914.1	U02271	Lycopersicon pimpinellifolium
SEQ ID NO. 1669				AAB47423.1	U59315	Lycopersicon pimpinellifolium
AAG43998.1	AF215837	Apium graveolens var. dulce		AAK11566.1	AF318490	Lycopersicon hirsutum
AAF74566.1	AF215852	Nicotiana tabacum		AAC36318.1	AF053127	Malus x domestica
AAF74565.1	AF215851	Spinacia oleracea		AAB09771.1	U67422	Zea mays
AAF74567.1	AF215853	Solanum tuberosum		AAB47421.1	U59316	Lycopersicon esculentum
AAF74568.1	AF215854	Zea mays		AAF76313.1	AF220603	Lycopersicon esculentum
				AAG03090.1	AC073405	Oryza sativa

BAA94509.1	AB041503	Populus nigra	SEQ ID NO. 1677	AF122051	Solanum tuberosum
AAF76314.1	AF220603	Lycopersicon esculentum	AAG08959.1	AF122052	Solanum tuberosum
BAA94510.1	AB041504	Populus nigra	AAG08960.1	AF122053	Solanum tuberosum
AAG25966.1	AF302082	Nicotiana tabacum	AAF08961.1	AF190304	Adiantum raddianum
AAF76307.1	AF220602	Lycopersicon pimpinellifolium	AAF67052.1	AF190303	Adiantum raddianum
U59317	U59317	Lycopersicon pimpinellifolium	AAF34434.1	AF172282	Oryza sativa
AB47424.1	AB023482	Oryza sativa	CAA78388.1	Z13998	Petunia x hybrida
BAA78764.1	AB023482	Lycopersicon esculentum	AAF67051.1	AF190302	Secale cereale
AB47422.1	U59318	Lycopersicon esculentum	AAF67050.1	AF190301	Secale cereale
SEQ ID NO. 1674			AAF28525.1	AF198498	Nicotiana tabacum
AAD10836.1	U52079	Solanum tuberosum	AAK19619.1	AF336286	Gossypium hirsutum
BAA83352.1	AP000391	Oryza sativa	CAA64615.1	X95297	Lycopersicon esculentum
BAA90508.1	AP001111	Oryza sativa	BAA81730.1	AB029159	Glycine max
BAA90507.1	AP001111	Oryza sativa	CAA50224.1	X70879	Hordeum vulgare
SEQ ID NO. 1675			CAA50222.1	X70877	Hordeum vulgare
AAF20931.1	AF206721	Brassica juncea	CAB40189.1	AJ133638	Avena sativa
BAA07734.1	D43624	Nicotiana tabacum	AAG28526.1	AF198499	Nicotiana tabacum
AAA33119.1	J04494	Cucumis sativus	AAAD31395.1	AF114162	Lolium temulentum
CAA75577.1	Y15295	Medicago truncatula	BAA81732.1	AB029161	Glycine max
AAF35911.2	AF233594	Cucumis melo	BAA81731.1	AB029160	Glycine max
CAA39300.1	X55779	Cucurbita sp.	CAA61021.1	X87690	Hordeum vulgare
BAA09528.1	D55677	Cucurbita maxima	AAG22863.1	AY008692	Hordeum vulgare
AAF35910.1	AF233593	Cucumis melo	BAA96421.1	AB044084	Triticum aestivum
CAA71275.1	Y10226	Cucumis melo	BAA81733.2	AB029162	Glycine max
AAF20932.1	AF206722	Brassica juncea	BAA81736.1	AB029165	Glycine max
AAF20933.1	AF206723	Brassica juncea	CAA72218.1	Y11415	Oryza sativa
CAA71273.1	Y10224	Cucumis melo	CAA67000.1	X98355	Oryza sativa
CAA71274.1	Y10225	Cucumis melo	CAA78387.1	Z13997	Petunia x hybrida
BAA20520.1	AB004799	Oryza sativa	CAA72217.1	Y11414	Oryza sativa
AAF33751.1	AF202460	Capsicum annuum	BAA23341.1	D88621	Oryza sativa
AAB17193.1	U73105	Liriodendron tulipifera	CAA64614.1	X95296	Lycopersicon esculentum
AAB17191.1	U73103	Liriodendron tulipifera	AAK19616.1	AF336283	Gossypium hirsutum
AAC49536.1	U43542	Nicotiana tabacum	CAA78386.1	Z13996	Petunia x hybrida
AAB17194.1	U73106	Liriodendron tulipifera	CAA67575.1	X99134	Lycopersicon esculentum
AAB17192.1	U73104	Liriodendron tulipifera	BAA88222.1	AB028650	Nicotiana tabacum
AAB09228.1	U12757	Acer pseudoplatanus	SEQ ID NO. 1679		
CAA45554.1	X64257	Brassica napus	CAA57773.1	X82329	Arachis hypogaea
AAC49538.1	U45243	Nicotiana tabacum	AAD54935.1	AF141373	Petroselinum crispum
AAC49537.1	U43543	Nicotiana tabacum			
AAD02557.1	AF049931	Petunia x hybrida			



AA54936.1	AF141374	Petroselinum crispum	AA14324.1	U83591	Medicago sativa
AAF00131.1	AF147091	Fragaria x ananassa	CAC17793.1	AJ301671	Nicotiana sylvestris
AAC95376.1	AF105426	Cynodon dactylon	AAB1325.1	U83592	Medicago sativa
BAA95846.1	AP002070	Oryza sativa	AAB23263.1	S43926	Phaseolus vulgaris
AAA32986.1	M95835	Brassica napus	AAA33756.1	M13968	Phaseolus vulgaris
AAF69783.1	AF135143	Arabis lemmonii	CAA35945.1	X51599	Nicotiana tabacum
AAF69775.1	AF135135	Arabis drummondii	AAA34070.1	M15173	Nicotiana tabacum
AAF69792.1	AF135152	Arabis parishii	CAA45822.1	X64519	Nicotiana tabacum
AAC95375.1	AF105425	Cynodon dactylon	SEQ ID NO. 1680		
AAF69785.1	AF135145	Arabis lignifera	BAA85400.1	AP000615	Oryza sativa
AAF69770.1	AF135130	Arabis holboellii	CAB06083.1	Z83834	Hordeum vulgare
AAF69781.1	AF135141	Arabis gunnisoniana	CAA74909.1	Y14573	Hordeum vulgare
AAF69777.1	AF135137	Arabis fecunda	CAA06487.1	AJ005341	Linum usitatissimum
AAF69790.1	AF135150	Arabis microphylla	SEQ ID NO. 1681		
AAF69787.1	AF135147	Arabis lignifera	BAA82107.1	AB022693	Nicotiana tabacum
AAF69772.1	AF135132	Arabis gunnisoniana	AAC31956.1	AF080595	Pimpinella brachycarpa
AAF69782.1	AF135142	Halimolobos perplexa var. perplexa	AAD55974.1	AF121353	Petroselinum crispum
AAF69784.1	AF135144	Arabis lemmonii	BAA77383.1	AB020590	Nicotiana tabacum
AAF69788.1	AF135148	Arabis lyallii	AAC49527.1	U48831	Petroselinum crispum
BAA03750.1	D16222	Oryza sativa	CAA88326.1	Z48429	Avena fatua
AAF69776.1	AF135136	Arabis fecunda	AAD16139.1	AF096299	Nicotiana tabacum
CAA40107.1	X56787	Oryza sativa	BAA86031.1	AB026890	Nicotiana tabacum
BAB13369.1	AB048531	Psophocarpus tetragonolobus	AAC37515.1	I44134	Cucumis sativus
AAF69778.1	AF135138	Arabis glabra	AAF23898.1	AF193802	Oryza sativa
AAF69786.1	AF135146	Arabis lignifera	AAD16138.1	AF096298	Nicotiana tabacum
BAA82826.1	AB023464	Arabis gemmifera	AAC49529.1	U58540	Petroselinum crispum
AAF69773.1	AF135133	Arabis blepharophylla	CAA88331.1	Z48431	Avena fatua
AAF69791.1	AF135151	Arabis microphylla	AAC49528.1	U56834	Petroselinum crispum
AAF69793.1	AF135153	Arabis parishii	AAG35658.1	AF204925	Petroselinum crispum
CAA39535.1	X56063	Oryza sativa	BAB16432.1	AB041520	Nicotiana tabacum
BAA03749.1	D16221	Oryza sativa	BAA77358.1	AB020023	Nicotiana tabacum
AAF69789.1	AF135149	Arabis microphylla	AAG35659.1	AF204926	Petroselinum crispum
CAA71402.1	Y10373	Medicago truncatula	AAD27591.1	AF121354	Petroselinum crispum
AAC16010.1	AF061805	Elaeagnus umbellata	CAB66338.1	AJ279697	Betula pendula
CAA53626.1	X76041	Triticum aestivum	AAF61864.1	AF193771	Nicotiana tabacum
BAA33971.1	AB008892	Nicotiana tabacum	BAA87069.1	AB035271	Matricaria chamomilla
CAA47921.1	X67693	Solanum tuberosum	AAF61863.1	AF193770	Nicotiana tabacum
AAF69780.1	AF135140	Arabis glabra	SEQ ID NO. 1682		
BAB18519.1	AB051578	Secale cereale			
AAA51377.1	I37289	Oryza sativa			

CAA19877.1	AJ401089	Brassica napus	CAA55128.1	X78325	Nicotiana tabacum
CAA96523.1	272153	Brassica napus	CAA54373.1	X77110	Nicotiana tabacum
CAA64327.1	X94624	Brassica napus	CAA54374.1	X77111	Nicotiana tabacum
CAA06820.1	AJ006025	Cicer arietinum	SEQ ID NO. 1685		
AAC24504.1	AF041050	Populus tremuloides	CAB55394.1	AL117264	Oryza sativa
AAF37734.1	AF052223	Lolium perenne	BAA78563.1	AB024338	Atriplex lentiformis
BAA08366.2	D49367	Lithospermum erythrorhizon	AAB97470.1	AF042489	Oryza sativa
CAA31696.1	X13324	Petroselinum crispum	AAA33030.1	M93041	Mesembryanthemum crystalli
AAF91309.1	AF239686	Rubus idaeus	CAB65371.1	AJ250834	Pisum sativum
CAA31697.1	X13325	Petroselinum crispum	CAB55559.1	AJ237943	Triticum aestivum
AAC24503.1	AF041049	Populus tremuloides	CAB65370.1	AJ250833	Pisum sativum
AAB42382.1	U39404	Pinus taeda	CAB55558.1	AJ237942	Triticum aestivum
AA922669.1	U12013	Pinus taeda	AAD43971.1	AF141878	Oryza sativa
AAB42383.1	U39405	Pinus taeda	AAD43973.1	AF141880	Oryza sativa
AAC39366.1	AF008184	Populus x generosa	AAC04837.1	AF032976	Oryza sativa
AAF37733.1	AF052222	Lolium perenne	AAG00425.1	AF250933	Hordeum vulgare
AAC39365.1	AF008183	Populus x generosa	AAD43972.1	AF141879	Oryza sativa
CAA36850.1	X52623	Oryza sativa	CAA63659.1	X93171	Hordeum vulgare
AAA92668.1	U12012	Pinus taeda	AAC04833.1	AF032972	Oryza sativa
AAF91308.1	AF239685	Rubus idaeus	AAC04834.1	AF032973	Oryza sativa
BAA08365.1	D49366	Lithospermum erythrorhizon	AAC04832.1	AF032971	Oryza sativa
AAA33842.1	M62755	Solanum tuberosum	AAG00426.1	AF250934	Hordeum vulgare
AAF37732.1	AF052221	Lolium perenne	AAG00427.1	AF250935	Hordeum vulgare
AAF91310.1	AF239687	Rubus idaeus	AAF34811.1	AF005084	Triticum aestivum
CAA49575.1	X69954	Glycine max	AAC04835.1	AF032974	Oryza sativa
CAB97359.1	AJ278455	Juglans nigra	BAB39965.1	AP003018	Oryza sativa
AAF74018.2	AF144525	Tsuga canadensis	BAB39980.1	AP003020	Oryza sativa
AAF74016.2	AF144523	Nothotsuga longibracteata	AAG00428.1	AF250936	Hordeum vulgare
AAF74019.2	AF144526	Tsuga canadensis	AAA20245.1	U01963	Hordeum vulgare
AAF73997.2	AF144504	Picea smithiana	CAC19429.1	AJ291825	Lolium perenne
AAF74022.2	AF144529	Cedrus atlantica	AAA34270.1	M63223	Triticum aestivum
AAF73995.2	AF144502	Pinus armandii	AAA34268.1	M21962	Triticum aestivum
AAF73994.2	AF144501	Pinus armandii	CAA74595.1	Y14203	Hordeum vulgare
AAF73996.2	AF144503	Pinus armandii	AAG00429.1	AF250937	Hordeum vulgare
AAF74004.2	AF144511	Pseudotsuga sinensis	CAB65369.1	AJ250832	Pisum sativum
AAF74002.2	AF144509	Pseudotsuga sinensis	AAA32959.1	L15737	Hordeum vulgare
AAF74020.2	AF144527	Pseudolarix amabilis	CAA71052.1	Y09917	Triticum aestivum
AAF74017.2	AF144524	Tsuga mertensiana	AAA34271.1	M63224	Triticum aestivum
AAF74008.2	AF144515	Abies firma	CAA71050.1	Y09915	Triticum aestivum
			BAA86880.1	AB028454	Barbula unguiculata
SEQ ID NO. 1684					

SEQ ID NO.	1689	1690	1691	1695
AAAF03355.1	Nicotiana glauca	AAA33280.1	SEQ ID NO.	SEQ ID NO.
BAA25197.1	Lycopersicon esculentum	AAA33281.1	AAAF5979.1	AAAF5979.1
AAAF07731	Solanum tuberosum	BAA85844.1	CAA84230.1	CAA84230.1
AAAF072694	Oryza sativa	CAC34420.1	AAAF5980.1	AAAF5980.1
AAAF039201	Pinus caribaea	BAA13547.1		
AAAF709916	Triticum aestivum	AAA33282.1		
AAAF049065	Pinus radiata	BAA85845.1		
AAAF311624	Pisum sativum	AAAF09776.1		
		AAA33283.1		
		BAA85846.1		
		AAAF09777.1		
		AAA33284.1		
		BAA85847.1		
		AAAF09778.1		
		AAA33285.1		
		BAA85848.1		
		AAAF09779.1		
		AAA33286.1		
		BAA85849.1		
		AAAF09780.1		
		AAA33287.1		
		BAA85850.1		
		AAAF09781.1		
		AAA33288.1		
		BAA85851.1		
		AAAF09782.1		
		AAA33289.1		
		BAA85852.1		
		AAAF09783.1		
		AAA33290.1		
		BAA85853.1		
		AAAF09784.1		
		AAA33291.1		
		BAA85854.1		
		AAAF09785.1		
		AAA33292.1		
		BAA85855.1		
		AAAF09786.1		
		AAA33293.1		
		BAA85856.1		
		AAAF09787.1		
		AAA33294.1		
		BAA85857.1		
		AAAF09788.1		
		AAA33295.1		
		BAA85858.1		
		AAAF09789.1		
		AAA33296.1		
		BAA85859.1		
		AAAF09790.1		
		AAA33297.1		
		BAA85860.1		
		AAAF09791.1		
		AAA33298.1		
		BAA85861.1		
		AAAF09792.1		
		AAA33299.1		
		BAA85862.1		
		AAAF09793.1		
		AAA33300.1		
		BAA85863.1		
		AAAF09794.1		
		AAA33301.1		
		BAA85864.1		
		AAAF09795.1		
		AAA33302.1		
		BAA85865.1		
		AAAF09796.1		
		AAA33303.1		
		BAA85866.1		
		AAAF09797.1		
		AAA33304.1		
		BAA85867.1		
		AAAF09798.1		
		AAA33305.1		
		BAA85868.1		
		AAAF09799.1		
		AAA33306.1		
		BAA85869.1		
		AAAF09800.1		
		AAA33307.1		
		BAA85870.1		
		AAAF09801.1		
		AAA33308.1		
		BAA85871.1		
		AAAF09802.1		
		AAA33309.1		
		BAA85872.1		
		AAAF09803.1		
		AAA33310.1		
		BAA85873.1		
		AAAF09804.1		
		AAA33311.1		

AAA85367.1	L42465	Picea glauca	CAA73133.1	Y12530	Brassica oleracea
AAA34267.1	M72395	Triticum aestivum	CAB41878.1	Y18259	Brassica oleracea
			CAB41879.1	Y18260	Brassica oleracea
			CAA74661.1	Y14285	Brassica oleracea
SEQ ID NO. 1696			CAA74662.1	Y14286	Brassica oleracea
AAG10793.1	AF296158	Citrus unshiu	AA333000.1	M76647	Brassica oleracea
AAG33636.1	AF315289	Citrus unshiu	BAA23676.1	AB000970	Brassica rapa
AAG10430.1	AF251018	Tagetes erecta	AA333008.1	M97667	Brassica napus
CAB55625.1	Y14809	Lycopersicon esculentum	AA62232.1	U00443	Brassica napus
CAA70888.1	Y09722	Capsicum annuum	CAB89179.1	AJ245479	Brassica napus subsp. napu
CAB55626.1	Y14810	Lycopersicon esculentum	BAA92836.1	AB032473	Brassica oleracea
CAA70427.1	Y09225	Capsicum annuum	CAA79355.1	Z18921	Brassica oleracea
CAC06712.1	AJ278882	Narcissus pseudonarcissus	BAA92837.1	AB032474	Brassica oleracea
AAD54243.1	AF162276	Haematococcus pluvialis	BAA07577.2	D38564	Brassica rapa
			BAA07576.1	D38563	Brassica rapa
SEQ ID NO. 1697			BAB21001.1	AB054061	Brassica rapa
CAB63264.1	AJ251808	Lotus japonicus	BAA06285.1	D30049	Brassica rapa
AAG43547.1	AF211529	Nicotiana tabacum	BAA21132.1	D88193	Brassica rapa
AAD10245.1	AF030033	Phaseolus vulgaris	AAD52097.1	AF088885	Nicotiana tabacum
AAA92681.1	U13882	Pisum sativum	CAA79324.1	Z18884	Brassica oleracea
CAA78301.1	Z12839	Lilium longiflorum	AAK21965.1	AY028699	Brassica napus
AAA19571.1	U10150	Brassica napus	AAF66615.1	AF142596	Nicotiana tabacum
AAD10244.1	AF030032	Phaseolus vulgaris	AAG03090.1	AC073405	Oryza sativa
AAA85157.1	U20297	Solanum tuberosum	AAK16628.1	AY007545	Brassica napus
AAA85156.1	U20296	Solanum tuberosum	BAA94509.1	AB041503	Populus nigra
AAA62351.1	U20295	Solanum tuberosum			
AAA85155.1	U20294	Solanum tuberosum	SEQ ID NO. 1711		
AAC49587.1	U49105	Triticum aestivum	AAF63026.1	AF244923	Spinacia oleracea
AAC49586.1	U49104	Triticum aestivum	AAF63027.1	AF244924	Spinacia oleracea
AAC49585.1	U49103	Triticum aestivum	BAA94962.1	AB042103	Asparagus officinalis
AAC49584.1	U48693	Triticum aestivum	BAA92500.1	AP001383	Oryza sativa
AAC49580.1	U48689	Triticum aestivum	AAF63025.1	AF244922	Spinacia oleracea
AAC49579.1	U48688	Triticum aestivum	CAA62615.1	X91232	Mercurialis annua
AAC49578.1	U48242	Triticum aestivum	BAA92422.1	AP001366	Oryza sativa
CAA78287.1	Z12827	Oryza sativa	BAA92497.1	AP001383	Oryza sativa
			CAB65334.1	AJ250121	Picea abies
SEQ ID NO. 1708			AAD43561.1	AF155124	Gossypium hirsutum
AAD21872.1	AF078082	Phaseolus vulgaris	CAA71492.1	Y10466	Spinacia oleracea
CAA73134.1	Y12531	Brassica oleracea	BAA92306.1	AB027752	Nicotiana tabacum
AAB93834.1	U82481	Zea mays	BAA14143.1	D90115	Armoracia rusticana
CAA67145.1	X98520	Brassica oleracea			
AAC23542.1	U20948	Ipomoea trifida			

CAA66037.1	X97351	Populus balsamifera subsp.	CAB42794.1	AJ238754	Citrus clementina x Citrus
trichocarpa			reticulata		
AAD37430.1	AF149280	Phaseolus vulgaris	BAA00886.1	D10002	Pisum sativum
BAA06335.1	D30653	Populus kitakamiensis	BAA00887.1	D10003	Pisum sativum
CAA66034.1	X97348	Populus balsamifera subsp.	AAB67733.1	U43338	Citrus limon
trichocarpa			AAF40224.1	AF237955	Rubus idaeus
AAB02554.1	L37790	Stylosanthes humilis	AAA17993.1	M91192	Trifolium subterraneum
BAA07241.1	D38051	Populus kitakamiensis	CAA57057.1	X81159	Petroselinum crispum
BAA06334.1	D30652	Populus kitakamiensis	AAF40223.1	AF237954	Rubus idaeus
CAA66036.1	X97350	Populus balsamifera subsp.	CAA68938.1	Y07654	Petroselinum crispum
trichocarpa			CAA57056.1	X81158	Petroselinum crispum
BAA11853.1	D83225	Populus nigra	CAB60719.1	AJ250836	Cicer arietinum
CAB94692.1	AJ242742	Ipomoea batatas	CAA05251.1	AJ002221	Digitalis lanata
BAA92967.1	AP001551	Oryza sativa	AAC78457.1	AF036948	Prunus avium
CAA62226.1	X90693	Medicago sativa	BAA23367.1	D85850	Daucus carota
BAA11852.1	D83224	Populus nigra	CAA68256.1	X99997	Bromheadia finlaysoniana
AAC05277.1	AF049881	Linum usitatissimum	AAA33805.1	L11747	Populus x generosa
BAA77389.1	AB024439	Scutellaria baicalensis	BAA24928.1	D83075	Lithospermum erythrorhizon
AAB47602.1	L07554	Linum usitatissimum	CAA34226.1	X16099	Oryza sativa subsp. japonica
AAC98519.1	AF007211	Glycine max	CAA41169.1	X58180	Medicago sativa
CAA66035.1	X97349	Populus balsamifera subsp.	AAA34176.1	M90692	Lycopersicon esculentum
trichocarpa			BAA07860.1	D43802	Populus kitakamiensis
CAA40796.1	X57564	Armoracia rusticana	AAA84889.1	U39792	Pinus taeda
CAA59487.1	X85230	Triticum aestivum	CAA73065.1	Y12461	Helianthus annuus
AAB48184.1	L24120	Linum usitatissimum	BAA95629.1	AB042520	Catharanthus roseus
BAA08499.1	D49551	Oryza sativa	BAA05643.1	D26596	Camellia sinensis
CAA62227.1	X90694	Medicago sativa	BAA24929.1	D83076	Lithospermum erythrorhizon
AAD37427.1	AF149277	Phaseolus vulgaris	BAA21643.1	D30656	Populus kitakamiensis
AAB06183.1	M37636	Arachis hypogaea	CAA37129.1	X52953	Glycine max
BAA77388.1	AB024438	Scutellaria baicalensis	AAA34122.1	M84466	Nicotiana tabacum
AAC49819.1	AF014468	Oryza sativa	BAA22948.1	AB008200	Nicotiana tabacum
CAA71493.1	Y10467	Spinacia oleracea	AAA99500.1	L36822	Stylosanthes humilis
CAA62597.1	X91172	Raphanus sativus	CAB42793.1	AJ238753	Citrus clementina x Citrus
BAA03911.1	D16442	Oryza sativa	reticulata		
AAC49821.1	AF014470	Oryza sativa	AAF49585.1	AF325496	Ipomoea nil
CAA71491.1	Y10465	Spinacia oleracea	CAA55075.1	X78269	Nicotiana tabacum
SEQ ID NO. 1713			BAA22963.1	D17467	Nicotiana tabacum
BAA00885.1	D10001	Pisum sativum	BAA22947.1	AB008199	Nicotiana tabacum
AAK15640.1	AF326116	Agastache rugosa	AAA34179.2	M83314	Lycopersicon esculentum
			BAA11459.1	D78640	Ipomoea batatas
			AAA33389.1	M29232	Ipomoea batatas

CAA68036.1	X99705	Triticum aestivum	BAA14144.1	D90116	Armoracia rusticana
CAA61198.1	X87946	Oryza sativa	AAA33129.1	M91372	Cucumis sativus
BAA06337.1	D30657	Populus kitakamiensis	BAA14143.1	D90115	Armoracia rusticana
AAD45384.1	AF165998	Vigna unguiculata	BAA08499.1	D49551	Oryza sativa
CAA53733.1	X76130	Cucumis melo	AAA34101.1	L02124	Nicotiana tabacum
AAA51873.1	U16130	Persea americana	BAA82306.1	AB027752	Nicotiana tabacum
BAB19128.1	AB041361	Dianthus caryophyllus	CAA40796.1	X57564	Armoracia rusticana
CAA34715.1	X16772	Petroselinum crispum	AAA33121.1	M32742	Cucumis sativus
BAA07861.1	D43803	Populus kitakamiensis	CAA76680.1	Y17192	Cucurbita pepo
SEQ ID NO. 1714			BAA92500.1	AF001383	Oryza sativa
CAB94692.1	AJ242742	Ipomoea batatas	BAA77388.1	AB024438	Scutellaria baicalensis
AAD37430.1	AF149280	Phaseolus vulgaris	AAD43561.1	AF155124	Gossypium hirsutum
CAA66037.1	X97351	Populus balsamifera subsp. trichocarpa	AAB06183.1	M37636	Arachis hypogaea
BAA06335.1	D30653	Populus kitakamiensis	AAF63027.1	AF244924	Spinacia oleracea
AAA34108.1	J02979	Nicotiana tabacum	CAA71492.1	Y10466	Spinacia oleracea
BAA01992.1	D11396	Nicotiana tabacum	AAB02554.1	L37790	Stylosanthes humilis
CAA50597.1	X71593	Lycopersicon esculentum	BAA94962.1	AB042103	Asparagus officinalis
CAB67121.1	Y19023	Lycopersicon esculentum	BAA77389.1	AB024439	Scutellaria baicalensis
BAA11853.1	D83225	Populus nigra	SEQ ID NO. 1716		
CAA66034.1	X97348	Populus balsamifera subsp. trichocarpa	AAG08959.1	AF122051	Solanum tuberosum
BAA01877.1	D11102	Populus kitakamiensis	AAG08960.1	AF122052	Solanum tuberosum
BAA11852.1	D83224	Populus nigra	AAG08961.1	AF122053	Solanum tuberosum
CAA66035.1	X97349	Populus balsamifera subsp. trichocarpa	AAF67052.1	AF190303	Adiantum raddianum
AAB47602.1	L07554	Linum usitatissimum	AAF67053.1	AF190304	Adiantum raddianum
AAD37427.1	AF149277	Phaseolus vulgaris	AAF34434.1	AF172282	Oryza sativa
CAA66036.1	X97350	Populus balsamifera subsp. trichocarpa	AAF67051.1	AF190302	Secale cereale
AAB97734.1	AF014502	Glycine max	AAF67050.1	AF190301	Secale cereale
BAA06334.1	D30652	Populus kitakamiensis	CAA66952.1	X98308	Lycopersicon esculentum
BAA07241.1	D38051	Populus kitakamiensis	AAG13574.1	AC037425	Oryza sativa
CAA62226.1	X90693	Medicago sativa	CAA72185.1	Y11350	Oryza sativa
CAA62225.1	X90692	Medicago sativa	CAA78388.1	Z13998	Petunia x hybrida
CAA62227.1	X90694	Medicago sativa	BAA81733.2	AB029162	Glycine max
AAB41811.1	L36157	Medicago sativa	CAA72217.1	Y11414	Oryza sativa
AAB41810.1	L36156	Medicago sativa	BAA88222.1	AB028650	Nicotiana tabacum
AAC98519.1	AF007211	Glycine max	CAA78387.1	Z13997	Petunia x hybrida
BAA02840.1	D13683	Populus kitakamiensis	BAA81736.1	AB029165	Glycine max
			BAA81730.1	AB029159	Glycine max
			BAA81732.1	AB029161	Glycine max
			BAA81731.1	AB029160	Glycine max
			CAA67000.1	X98355	Oryza sativa

CAA67575.1	X99134	Lycopersicon esculentum	CAA66035.1	X97349	Populus balsamifera subsp.
CAB40189.1	AJ133638	Avena sativa	trichocarpa		
AAD31395.1	AF114162	Lolium temulentum	AAB48184.1	I24120	Linum usitatissimum
BAA88224.1	AB028652	Nicotiana tabacum	CAA40796.1	X57564	Armoracia rusticana
AAB41101.1	U72762	Nicotiana tabacum	BAA11852.1	D83224	Populus nigra
BAA88223.1	AB028651	Nicotiana tabacum	CAA59485.1	X85228	Triticum aestivum
BAA88221.1	AB028649	Nicotiana tabacum	AAB97734.1	AF014502	Glycine max
CAA61021.1	X87690	Hordeum vulgare	BAA03911.1	D16442	Oryza sativa
AAG22863.1	AY008692	Hordeum vulgare	AAC49821.1	AF014470	Oryza sativa
BAA96421.1	AB044084	Triticum aestivum	CAA71493.1	Y10467	Spinacia oleracea
CAA72218.1	Y11415	Oryza sativa	CAA66034.1	X97348	Populus balsamifera subsp.
BAA23341.1	D88621	Oryza sativa	trichocarpa		
AAG28526.1	AF198499	Nicotiana tabacum	CAA71491.1	Y10465	Spinacia oleracea
AAG28525.1	AF198498	Nicotiana tabacum	AAD37430.1	AF149280	Phaseolus vulgaris
CAA78386.1	Z13996	Petunia x hybrida	CAA66036.1	X97350	Populus balsamifera subsp.
CAA72187.1	Y11352	Oryza sativa	trichocarpa		
SEQ ID NO. 1718			CAA62227.1	X90694	Medicago sativa
AAA67067.1	U25430	Oryza sativa	CAA46916.1	X66125	Oryza sativa
BAB20681.1	AB032413	Spinacia oleracea	BAA92967.1	AP001551	Oryza sativa
SEQ ID NO. 1719			CAE94692.1	AJ242742	Ipomoea batatas
BAA92500.1	AP001383	Oryza sativa	BAA08499.1	D49551	Oryza sativa
AAF63027.1	AF244924	Spinacia oleracea	AAC49818.1	AF014467	Oryza sativa
AAF63026.1	AF244923	Spinacia oleracea	CAA62597.1	X91172	Raphanus sativus
CAA62615.1	X91232	Mercurialis annua	AAC05277.1	AF049881	Linum usitatissimum
BAA92422.1	AP001366	Oryza sativa	CAA66037.1	X97351	Populus balsamifera subsp.
BAA92497.1	AP001383	Oryza sativa	trichocarpa		
AAF63025.1	AF244922	Oryza sativa	CAA37713.1	X53675	Triticum aestivum
BAA94962.1	AB042103	Spinacia oleracea	AAD37427.1	AF149277	Phaseolus vulgaris
BAA82306.1	AB027752	Asparagus officinalis	AAB97854.1	AF043235	Striga asiatica
AAD43561.1	AF155124	Nicotiana tabacum	BAA77388.1	AB024438	Scutellaria baicalensis
BAA77389.1	AB024439	Gossypium hirsutum	CAA62226.1	X90693	Medicago sativa
BAA07241.1	D38051	Scutellaria baicalensis	BAA14143.1	D90115	Armoracia rusticana
AAB06183.1	M37636	Populus kitakamiensis	CAA59487.1	X85230	Triticum aestivum
CAA71492.1	Y10466	Arachis hypogaea	SEQ ID NO. 1720		
BAA06334.1	D30652	Spinacia oleracea	AAC49008.1	U24188	Lilium longiflorum
AAB02554.1	L37790	Populus kitakamiensis	AAD52098.1	U70923	Nicotiana tabacum
AAD37428.1	AF149278	Stylosanthes humilis	AAD28791.1	AF145593	Nicotiana tabacum
BAA11853.1	D83225	Phaseolus vulgaris	AAD52092.1	AF087813	Nicotiana tabacum
		Populus nigra	AAF21450.1	U38446	Nicotiana tabacum
			AAC32116.1	AF051211	Picea mariana

AAA92677.1	U13736	Pisum sativum	AAF26451.1	AF221503	Pyrus communis
AAA61682.1	I27484	Zea mays	AAG29777.1	AF228333	Gossypium hirsutum
AAA49984.1	U90262	Cucurbita pepo	AAF35185.1	AF195864	Gossypium hirsutum
AAA85157.1	U20297	Solanum tuberosum	AAK28533.1	AF329829	Corylus avellana
AAA85156.1	U20296	Solanum tuberosum	CAA65475.1	X96714	Prunus dulcis
AAA62351.1	U20295	Solanum tuberosum	AAC00499.1	AF044204	Gossypium hirsutum
AAA85155.1	U20294	Solanum tuberosum	AAA34032.1	M58635	Spinacia oleracea
CAA09302.1	AJ010645	Capsicum annuum	CAB96874.1	AJ277164	Malus x domestica
AAB88537.1	AF035944	Fragaria x ananassa	CAA65477.1	X96716	Prunus dulcis
AAC49582.1	U48691	Triticum aestivum	AAF35184.1	AF195863	Gossypium hirsutum
AAC49583.1	U48692	Triticum aestivum	CAA05771.1	AF002958	Cicer arietinum
CAA78288.1	Z12828	Oryza sativa	AAB34774.1	S78173	Gossypium hirsutum
AAA33390.1	L18914	Oryza sativa	AAA75599.1	U15153	Gossypium hirsutum
AAA19571.1	U10150	Brassica napus	AAF28385.1	AF151214	Nicotiana glauca
AAA85154.1	U20293	Solanum tuberosum	AAC49860.1	U72765	Phaseolus vulgaris
AAA85152.1	U20291	Solanum tuberosum	CAA50660.1	X71667	Sorghum bicolor
AAA92681.1	U13882	Pisum sativum	AAD09107.1	AF101038	Brassica napus
AAC49581.1	U48690	Triticum aestivum	AAB70539.1	AF017359	Oryza sativa
			AAD46683.1	AF171094	Lilium longiflorum
			AAA74624.1	U31766	Oryza sativa
SEQ ID NO. 1721		Oryza sativa	CAA44267.1	X62395	Nicotiana tabacum
BAB21153.1	AP002899	Brassica napus	CAB96876.1	AJ277163	Prunus persica
AAC49181.1	U39289	Brassica napus	CAA80809.1	Z23271	Oryza sativa
AAC49182.1	U39319	Oryza sativa	CAA50661.1	X71668	Sorghum bicolor
BAA94228.1	AP001633	Oryza sativa	AAA33493.1	J04176	Zea mays
BAA94224.1	AP001633	Oryza sativa	CAA85484.1	Z37115	Hordeum vulgare
BAA94219.1	AP001633	Oryza sativa	AAB06443.1	U66105	Zea mays
BAA94236.1	AP001633	Oryza sativa	BAA03044.1	D13952	Nicotiana tabacum
BAA94215.1	AP001633	Oryza sativa	AAA86694.1	U18127	Hordeum vulgare
			CAA63407.1	X92748	Beta vulgaris
			CAA83459.1	Z31588	Gerbera hybrida
SEQ ID NO. 1722		Brassica oleracea	AAF23459.1	AF208833	Capsicum annuum
AAA73945.1	L33904	Brassica oleracea			
AAC63372.1	AF093751	Brassica oleracea			
AAA73947.1	L33906	Brassica oleracea			
AAB73728.1	U22105	Brassica napus			
AAA73946.1	L33905	Brassica oleracea	SEQ ID NO. 1723		
AAA64310.1	U22174	Brassica napus	CAA34248.1	X16115	Brassica napus
AAA73948.1	L33907	Brassica oleracea	CAA31517.1	X13126	Brassica napus
AAA32995.1	L29767	Brassica oleracea	CAA31516.1	X13125	Brassica napus
AAF26449.1	AF221501	Prunus avium	CAA31513.1	X13122	Brassica napus
AAF26450.1	AF221502	Malus x domestica	CAA30782.1	X07970	Brassica napus
AAF35186.1	AF195865	Gossypium hirsutum	CAA49802.1	X70336	Brassica rapa
			CAA34247.1	X16114	Brassica napus



CAA31519.1	X13128	Brassica napus	CAA38252.1	X54377	Pisum sativum
CAA49803.1	X70337	Brassica rapa	AAB99846.1	AF043099	Coffea eugenoides
CAA68475.1	Y00418	Brassica rapa	AAB99844.1	AF043097	Coffea canephora
AAB21541.1	S84968	Brassica rapa	AAB97081.1	AF042072	Coffea arabica
CAA31514.1	X13123	Brassica napus	AAB99845.1	AF043098	Coffea congensis
AAC39495.1	AF041386	Fragaria x ananassa	SEQ ID NO. 1726		
CAA31518.1	X13127	Brassica napus	CAA51227.1	X72676	Brassica juncea
AAB05224.1	U48777	Gossypium hirsutum	AAC83147.1	AF057563	Nicotiana glutinosa
AAD46394.1	AF083950	Coriandrum sativum	CAB60722.1	AJ012551	Citrus sinensis
CAA71885.1	Y10994	Casuarina glauca	CAB60721.1	AJ012550	Citrus sinensis
AAA32921.1	M63799	Hordeum vulgare	AAF97614.1	U18056	Lycopersicon esculentum
CAA54714.1	X77620	Cuphea lanceolata	AAF97615.1	U18057	Lycopersicon esculentum
AAD21198.1	AF127796	Capsicum chinense	CAA67118.1	X98492	Nicotiana tabacum
AAA32922.1	M58754	Hordeum vulgare	AAA33275.1	M66619	Dianthus caryophyllus
CAA64542.1	X95253	Cuphea lanceolata	BAA34923.1	AB013100	Lycopersicon esculentum
AAA32924.1	M24426	Hordeum vulgare	CAB60831.1	AJ012696	Citrus sinensis
CAA54715.1	X77621	Cuphea lanceolata	CAA41855.1	X59139	Lycopersicon esculentum
AAA32923.1	M24425	Hordeum vulgare	CAA41856.1	X59145	Lycopersicon esculentum
AAA32920.1	M58753	Hordeum vulgare	AA098809.1	U68216	Carica papaya
CAA54716.1	X77622	Cuphea lanceolata	AAB70885.1	U88971	Pelargonium x hortorum
CAA36288.1	X52065	Spinacia oleracea	AAD04199.1	AF016459	Pisum sativum
CAA41024.1	X57956	Zea mays	BAA33375.1	AB006804	Cucumis sativus
CAA31515.1	X13124	Brassica napus	BAB16433.1	AB041521	Solanum tuberosum
AAA34023.1	M17636	Spinacia oleracea	AAC15777.1	AF061605	Nicotiana glutinosa
AAK00695.1	AF229423	Brassica rapa	BAA90549.1	AB031026	Prunus mume
AAK00698.1	AF229426	Brassica oleracea	AAF22109.1	AF119411	Lupinus albus
AAK00690.1	AF229418	Brassica napus	AA083146.1	AF057562	Nicotiana glutinosa
AAK00699.1	AF229427	Brassica oleracea	CAA09477.1	AJ011095	Citrus sinensis
AAK00696.1	AF229424	Brassica rapa	SEQ ID NO. 1727		
AAK00697.1	AF229425	Brassica oleracea	CAA09853.1	AJ011893	Nicotiana tabacum
CAA65138.1	X95895	Zea mays	CAB60837.1	AJ002589	Lycopersicon esculentum
AAK00692.1	AF229420	Brassica napus	CAB40540.1	AJ132929	Medicago sativa
AAK00693.1	AF229421	Brassica napus	CAA61334.1	X88864	Medicago sativa
AAK00694.1	AF229422	Brassica rapa	BAA33153.1	AB008188	Pisum sativum
AAK00691.1	AF229419	Brassica napus	CAB60836.1	AJ002588	Lycopersicon esculentum
SEQ ID NO. 1724			CAB51788.1	AJ245415	Lycopersicon esculentum
CAA85353.1	Z36879	Flaveria pringlei	CAA09854.1	AJ011894	Nicotiana tabacum
CAA91000.1	Z54239	Flaveria pringlei	CAB61223.1	AJ250398	Antirrhinum majus
CAA81076.1	Z25857	Flaveria pringlei	CAB61222.1	AJ250397	Antirrhinum majus
AAB82711.1	AF024589	Hordeum x Triticum			

413

CAB60838.1	AJ002590	Lycopersicon esculentum	BAA90357.1	AP001080	Oryza sativa
CAA09769.1	AJ011776	Chenopodium rubrum	BAA85438.1	AP000616	Oryza sativa
CAB40541.1	AJ132930	Medicago sativa	BAA90806.1	AP001168	Oryza sativa
CAA71244.1	Y10162	Chenopodium rubrum	SEQ ID NO. 1729		
CAA09852.1	AJ011892	Nicotiana tabacum	AAB94619.1	AF032386	Nicotiana tabacum
CAB61221.1	AJ250396	Antirrhinum majus	SEQ ID NO. 1730		
CAA63540.1	X92964	Nicotiana tabacum	AAB97366.1	AF039531	Oryza sativa
CAA48675.1	X68741	Medicago sativa	SEQ ID NO. 1731		
CAB46643.1	AJ243453	Lycopersicon esculentum	BAA03094.1	D13987	Brassica napus
BAA86629.1	AB024987	Oryza sativa	AAB80714.1	AF008939	Gossypium hirsutum
BAA20426.1	D89636	Nicotiana tabacum	CAA88829.1	Z48966	Flaveria pringlei
CAB81558.1	Z37978	Nicotiana tabacum	AAG17619.1	AF248080	Flaveria trinervia
CAA63541.1	X92965	Pisum sativum	CAA62469.1	X90982	Solanum tuberosum
CAB77269.1	AJ133722	Nicotiana tabacum	CAA47437.1	X67053	Solanum tuberosum
CAA63753.1	X93467	Catharanthus roseus	CAA45505.1	X64144	Flaveria pringlei
BAA20410.1	D86385	Lupinus luteus	AAG17618.1	AF248079	Flaveria trinervia
AAC61889.1	U24194	Lupinus luteus	CAA41758.1	X59016	Nicotiana tabacum
AAD31790.1	AF126107	Lupinus luteus	BAA23419.1	AB008540	Glycine max
CAA81232.1	Z26331	Glycine max	CAB65171.1	AJ243417	Lycopersicon esculentum
CAA44632.1	X62820	Glycine max	AAD31452.1	AF135371	Lotus corniculatus
CAA44188.1	X62303	Glycine max	CAB65170.1	AJ243416	Lycopersicon esculentum
AAC50013.1	U50064	Zea mays	BAA01560.1	D10717	Glycine max
CAA57556.1	X82036	Oryza sativa	AAB18633.1	L49175	Amaranthus hypochondriacus
BAA09467.1	D50871	Glycine max	CAA55700.1	X79090	Picea abies
CAB46642.1	AJ243452	Lycopersicon esculentum	CAC28225.1	AJ286750	Sesbania rostrata
BAA33154.1	AB008189	Pisum sativum	CAA43601.1	X61304	Flaveria trinervia
AAC24245.1	U44857	Lupinus luteus	CAA09807.1	AJ011844	Solanum tuberosum
AAD31791.1	AF126108	Lupinus luteus	CAA81072.1	Z25853	Flaveria australasica
CAA44631.1	X62819	Daucus carota	AAC33164.1	M86661	Saccharum sp.
BAA20412.1	D86387	Catharanthus roseus	BAA03100.1	D13998	Glycine max
CAA71243.1	Y10161	Chenopodium rubrum	CAA92209.1	Z68125	Amaranthus hypochondriacus
CAA99990.1	Z75660	Sesbania rostrata	CAA45504.1	X64143	Flaveria trinervia
AAA51660.1	L25406	Brassica napus	AAK28444.1	AF288382	Phaseolus vulgaris
CAB46644.1	AJ243454	Lycopersicon esculentum	CAA31956.1	X13660	Mesembryanthemum crystallinum
AAA20236.1	U10076	Zea mays	AAB46618.1	M83086	Medicago sativa
CAB58998.1	AJ250315	Petunia x hybrida	AAB41903.1	L39371	Medicago sativa
SEQ ID NO. 1728			AAG42288.1	AF268091	Chloris gayana
AAG43550.1	AF211532	Nicotiana tabacum	CAA09588.1	AJ011302	Vicia faba
BAA78746.1	AB023482	Oryza sativa			
BAA96875.1	AB045121	Oryza sativa			

BAA10902.1	D64037	Pisum sativum	AAC98808.1	U68215	Carica papaya
CAA07610.1	AJ007705	Triticum aestivum	BAA06526.1	D31727	Cucumis melo
CAA11414.1	AJ223496	Brassica juncea	CAA64797.1	X95551	Cucumis melo
CAA42549.1	X59925	Sorghum bicolor	CAA58232.1	X83229	Nicotiana tabacum
CAA11415.1	AJ223497	Brassica juncea	BAA34924.1	AB013101	Lycopersicon esculentum
CAA43709.1	X61489	Zea mays	AAF64528.1	AF254125	Carica papaya
AG00180.1	AF271995	Oryza sativa	AAA33698.1	L21979	Petunia x hybrida
CAA33317.1	X15239	Zea mays	CAA41212.1	X58273	Lycopersicon esculentum
CAA46267.1	X65137	Sorghum bicolor	BAA21541.1	AB003514	Actinidia deliciosa
CAA39197.1	X55664	Sorghum bicolor	AB71421.1	L29405	Helianthus annuus
BAA28170.1	AB012228	Zea mays	AAA99793.1	U54566	Nicotiana glutinosa
CAA33316.1	X15238	Zea mays	AAF36484.1	AF129074	Prunus persica
CAA33663.1	X15642	Zea mays	CAA64799.1	X95553	Cucumis melo
CAA32728.2	X14588	Mesembryanthemum crystallinum	CAA90904.1	Z54199	Lycopersicon esculentum
AAD45696.1	AF159051	Picea abies	CAA68538.1	Y00478	Lycopersicon esculentum
CAA60626.1	X87148	Vanilla planifolia	AAC12934.1	AF053354	Phaseolus vulgaris
CAA60627.1	X87149	Vanilla planifolia	AB70883.1	U19856	Pelargonium x hortorum
CAA62747.1	X91404	Welwitschia mirabilis	AAC67233.1	AF033582	Cucumis sativus
			BAA33377.1	AB006806	Cucumis sativus
SEQ ID NO. 1732			BAA33378.1	AB006807	Cucumis sativus
AAD26116.1	AF106954	Brassica napus	CAA71140.1	Y10034	Rumex palustris
CAB51533.1	AJ237693	Ajuga reptans	AAA33644.1	M98357	Pisum sativum
CAB51534.1	AJ237694	Ajuga reptans	AAC48921.1	U06046	Vigna radiata
AAD55726.1	AF178569	Vitis riparia	AAK07883.1	AF315316	Vigna radiata
			AAA33273.1	L35152	Dianthus caryophyllus
SEQ ID NO. 1735			CAA74328.1	Y14005	Malus x domestica
BAA94601.1	AB033504	Populus euramericana	SEQ ID NO. 1736		
AAA33697.1	L21978	Petunia x hybrida	AAG35777.1	AF273844	Brassica oleracea var.
AAC48977.1	U07953	Pelargonium x hortorum	alboglabra		
CAA54449.1	X77232	Prunus persica	AB53694.1	U59379	Brassica napus
AAF36483.1	AF129073	Prunus persica	BAA25681.1	AB010434	Brassica rapa
AAC33524.1	AF026793	Prunus armeniaca	BAB20886.1	AB053294	Oryza sativa
AB70884.1	U67861	Pelargonium x hortorum	AB53695.1	U59380	Brassica napus
AAG49361.1	AF321533	Citrus sinensis	AAF88067.1	AF286593	Triticum aestivum
BAA90550.1	AB031027	Prunus mume	CAA94534.1	Z70677	Ricinus communis
AAA99792.1	U54565	Nicotiana glutinosa	CAA05081.1	AJ001903	Triticum turgidum subsp. durum
AB05171.1	U62764	Nicotiana glutinosa	BAA13524.1	D87984	Fagopyrum esculentum
AAC37381.1	L21976	Petunia x hybrida	CAA41415.1	X58527	Nicotiana tabacum
CAA71738.1	Y10749	Betula pendula	CAA77847.1	Z11803	Nicotiana tabacum
CAA86468.1	Z46349	Nicotiana tabacum	AAC32111.1	AF051206	Picea mariana
BAA83466.1	AB012857	Nicotiana tabacum			

BAA05546.1	D26547	Oryza sativa	AAA51643.1	M23120	Nicotiana plumbaginifolia
BAA04864.1	D21836	Oryza sativa	AAA87456.1	U22147	Hevea brasiliensis
AAB51522.1	U92541	Oryza sativa	CAB38443.1	AJ133470	Hevea brasiliensis
AAD49232.1	AF159387	Iolium perenne	AAA03618.1	M80608	Lycopersicon esculentum
AAD56954.1	AF186240	Secale cereale	AAA18928.1	U01901	Solanum tuberosum
AAD49231.1	AF159386	Secale cereale	AAC19114.1	AF067863	Solanum tuberosum
AAD49230.1	AF159385	Hordeum bulbosum	CAG22278.1	Z68154	Gossypium hirsutum
AAD49234.1	AF159389	Phalaris coarulescens	AAG24921.1	AF311749	Hevea brasiliensis
AAD49233.1	AF159388	Phalaris coarulescens	AAA63539.1	M60402	Nicotiana tabacum
BAB39913.1	AP002912	Oryza sativa	AAA63540.1	M60403	Nicotiana tabacum
CAA55399.1	X78822	Chlamydomonas reinhardtii	AAA88794.1	U01900	Solanum tuberosum
CAA56850.1	X80887	Chlamydomonas reinhardtii	AAA63541.1	M59442	Nicotiana tabacum
AAD33596.1	AF133127	Hevea brasiliensis	AAB82772.2	AF001523	Musa acuminata
CAA35826.1	X51462	Spinacia oleracea	CAB37289.1	X53129	Phaseolus vulgaris
CAA35827.1	X51463	Spinacia oleracea	AAF08679.1	AF004838	Musa acuminata
CAA45098.1	X63537	Pisum sativum	AAD33881.1	AF141654	Nicotiana tabacum
AAC49357.1	U35830	Pisum sativum	AAD33880.1	AF141653	Nicotiana tabacum
AAC19392.1	AF069314	Mesembryanthemum crystallinum	AAA34082.1	M20620	Nicotiana tabacum
AAC04671.1	AF018174	Brassica napus	AAA19111.1	U01902	Solanum tuberosum
AAB47556.1	U87141	Mesembryanthemum crystallinum	CAB57255.1	X81560	Nicotiana tabacum
CAA53900.1	X76269	Pisum sativum	AAA34053.1	M60464	Nicotiana tabacum
AAC49358.1	U35831	Pisum sativum	AAA63542.1	M59443	Nicotiana tabacum
CAA33082.1	X14959	Spinacia oleracea	AAB24898.1	S51479	Pisum sativum
CAA06736.1	AJ005841	Oryza sativa	AAB41551.1	U27179	Medicago sativa subsp. sativa
CAA55398.1	X78821	Chlamydomonas reinhardtii	AAD10384.1	U72253	Oryza sativa
CAA56851.1	X80888	Chlamydomonas reinhardtii	AAA03617.1	M80604	Lycopersicon esculentum
CAA44209.1	X62335	Chlamydomonas reinhardtii			
CAA06735.1	AJ005840	Triticum aestivum			
AAB52409.1	U76831	Brassica napus			
AAD45358.1	AF160870	Brassica napus			
SEQ ID NO. 1738			SEQ ID NO. 1739		
AAA92013.1	U49454	Prunus persica	BAA19102.1	AB000408	Populus kitakamiensis
CAA54952.1	X77990	Brassica rapa	AAC28973.1	U20736	Medicago sativa subsp. sativa
AAF33405.1	AF230109	Populus x canescens	CAA12198.1	AJ224894	Populus balsamifera subsp.
AAA33946.1	M37753	Glycine max	trichocarpa		
CAA03908.1	AJ000081	Citrus sinensis	CAA11496.1	AJ223621	Populus balsamifera subsp.
CAB91554.1	AJ277900	Vitis vinifera	trichocarpa		
AAB03501.1	U41323	Glycine max	AAB80931.1	AF022775	Nicotiana tabacum
AAA34078.1	M63634	Nicotiana plumbaginifolia	CAA83943.1	Z33878	Petroselinum crispum
CAA30261.1	X07280	Nicotiana plumbaginifolia	AAA33851.1	M69184	Petroselinum crispum
			CAA90894.1	Z54183	Petroselinum crispum
			CAA90969.1	Z54233	Vitis vinifera
			AAA59389.1	U13151	Zinnia elegans
			CAB05369.1	Z82982	Nicotiana tabacum

AAA80651.1	U27116	Populus tremuloides	BAA94510.1	AB041504	Populus nigra
AAC08395.1	AF053553	Mesembryanthemum crystallinum	AAC27895.1	AF023165	Zea mays
CAA12200.1	AJ224896	Populus balsamifera subsp.	AAF91337.1	AF249318	Glycine max
trichocarpa			AAF91336.1	AF249317	Glycine max
CAA12199.1	AJ224895	Populus balsamifera subsp.	CAB51834.1	00069	Oryza sativa
trichocarpa			AAB09771.1	U67422	zea mays
CAA11495.1	AJ223620	Populus balsamifera subsp.	AAC61805.1	U28007	Lycopersicon esculentum
trichocarpa			AAK21965.1	AY028699	Brassica napus
AAD50443.1	AF168780	Eucalyptus globulus	AAG03090.1	AC073405	Oryza sativa
AAF44689.1	AF240466	Populus tomentosa	AAF34428.1	AF172282	Oryza sativa
AAC49913.1	U38612	Nicotiana tabacum	AAG25966.1	AF302082	Nicotiana tabacum
CAA72911.1	Y12228	Eucalyptus gunnii	AAF66615.1	AF142596	Nicotiana tabacum
AAC49916.1	U62736	Nicotiana tabacum	CAB51836.1	AJ243961	Oryza sativa
BAA78733.1	AB023482	Oryza sativa	CAA97692.1	Z73295	Catharanthus roseus
CAA91228.1	Z56282	Nicotiana tabacum	BAA84787.1	AP000559	Oryza sativa
AAC49914.1	U62734	Nicotiana tabacum	BAA83373.1	AF000391	Oryza sativa
AAC26191.1	AF046122	Eucalyptus globulus	AAF76313.1	AF220603	Lycopersicon esculentum
AAC49915.1	U62735	Nicotiana tabacum	AAB47421.1	U59316	Lycopersicon esculentum
AAD02050.1	AF036095	Pinus taeda	CAA79355.1	Z18921	Brassica oleracea
AAK16714.1	AF327458	Populus alba x Populus	AAA33915.1	L27821	Oryza sativa
glandulosa			BAA95893.1	AP002071	Oryza sativa
CAB45150.1	AJ242981	Zea mays	AAC36318.1	AF053127	Malus x domestica
CAB45149.1	AJ242980	Zea mays			
AAB61680.1	L22203	Stellaria longipes	SEQ ID NO. 1742		
BAA88234.1	AB035144	Citrus natsudaoidai	AAK27157.1	AF349449	Brassica juncea
BAA81776.1	AP000364	Oryza sativa	AAD28177.1	AF109694	Brassica juncea
BAA81774.1	AP000364	Oryza sativa	AAB70837.1	AF019907	Vitis vinifera
BAA81777.1	AP000364	Oryza sativa	CAA53925.1	X76293	Nicotiana tabacum
CAA10217.1	AJ130841	Populus balsamifera subsp.	AAF26175.1	AF105199	Glycine max
trichocarpa			AAA33962.1	L11632	Glycine max
AAD50441.1	AF168778	Eucalyptus globulus	CAA42921.1	X60373	Pisum sativum
AAD50442.1	AF168779	Eucalyptus globulus	CAA62482.1	X90996	Pisum sativum
AAC15067.1	AF060180	Nicotiana tabacum	CAA54043.1	X76533	Nicotiana tabacum
			CAA53993.1	X76455	Nicotiana tabacum
SEQ ID NO. 1741			CAA06835.1	AJ006055	Zea mays
BAA78764.1	AB023482	Oryza sativa	CAA66924.1	X98274	Pisum sativum
AAF43496.1	AF131222	Lophopyrum elongatum	BAA36283.1	D85751	Oryza sativa
AAK11674.1	AF339747	Lophopyrum elongatum	BAA37092.1	AB009592	Oryza sativa
AAG16628.1	AY007545	Brassica napus	BAA07108.1	D37870	Spinacia oleracea
AAC27894.1	AF023164	Zea mays	AAF67753.1	AF255651	Brassica rapa subsp. pekinensis
BAA94509.1	AB041503	Populus nigra	AAC49980.2	AF008441	Brassica rapa

CAC13956.1	AJ400816	Mesembryanthemum crystallinum	BAA20074.1	AB002147	Nicotiana excelsior
CAB66332.1	AJ279690	Betula pendula	BAA81820.1	AB029325	Oryza sativa
AAC26053.1	AF074940	Glycine max	AAB67870.1	U60149	Beta vulgaris
AAB30526.1	S70187	Glycine max	AAB18228.1	U73467	Mesembryanthemum crystalli:
AAD53185.1	AF181096	Vigna unguiculata	CAB46350.1	Y18311	Solanum tuberosum
AAD28178.1	AF109695	Brassica juncea	BAA24016.1	AB009665	Oryza sativa
BAA05408.1	D26392	Cucumis sativus	CAA04652.1	AJ001292	Craterostigma plantagineum
AAC41654.1	L41345	Lycopersicon esculentum	SEQ ID NO. 1746		
CAA82945.1	Z30243	Secale cereale	CAB76364.1	AJ133371	Cucumis sativus
AAA33748.1	M99431	Ipomoea nil	SEQ ID NO. 1747		
BAA90487.1	AB037681	Oryza sativa	BAB21153.1	AP002899	Oryza sativa
CAA77978.1	Z11920	Oryza sativa	AAC49181.1	U39289	Brassica napus
AAA16785.1	L14594	Catharanthus roseus	BAA94228.1	AP001633	Oryza sativa
AAB01376.1	M96549	Lycopersicon esculentum	AAC49182.1	U39319	Brassica napus
AAD11549.1	U55859	Triticum aestivum	BAA94236.1	AP001633	Oryza sativa
AAB26482.2	S59780	Zea mays	BAA94219.1	AP001633	Oryza sativa
CAA44877.1	X63195	Nicotiana tabacum	BAA94224.1	AP001633	Oryza sativa
AAD30456.1	AF123259	Lycopersicon esculentum	BAA94215.1	AP001633	Oryza sativa
AAF31705.1	AF221856	Euphorbia esula	SEQ ID NO. 1749		
AAC32131.1	AF051230	Picea mariana	CAA65064.1	X95753	Antirrhinum majus
AAD11550.1	U55860	Triticum aestivum	SEQ ID NO. 1750		
SEQ ID NO. 1744			AAD21872.1	AF078082	Phaseolus vulgaris
AAD41796.1	AF135862	Glycine max	CAA73134.1	Y12531	Brassica oleracea
BAA95630.1	AB042521	Oryza sativa	AAB93834.1	U82481	Zea mays
AAA74361.1	L33913	Zea mays	AAC23542.1	U20948	Ipomoea trifida
BAA11417.1	D78573	Oryza sativa	CAA73133.1	Y12530	Brassica oleracea
AAC05983.1	AF049708	Glycine max	CAA67145.1	X98520	Brassica oleracea
AAC05981.1	AF049706	Chloroplast Glycine max	AAA62232.1	U00443	Brassica napus
AAA74360.1	L33912	Zea mays	CAA74661.1	Y14285	Brassica oleracea
AAA16972.1	L11529	Daucus carota	CAB41879.1	Y18260	Brassica oleracea
SEQ ID NO. 1745			AAA33000.1	M76647	Brassica oleracea
AAF82791.1	AF275316	Lotus japonicus	BAA92836.1	AB032473	Brassica oleracea
CAB45652.1	AJ243308	Pisum sativum	BAA23676.1	AB000970	Brassica rapa
BAA04257.1	D17443	Oryza sativa	CAA74662.1	Y14286	Brassica oleracea
CAB40742.1	AJ237751	Nicotiana tabacum	AAA33008.1	M97667	Brassica napus
AAF61465.1	AF139816	Triticum aestivum	CAB89179.1	AJ245479	Brassica napus subsp. napus
BAB40142.1	AB058679	Pyrus communis	CAB41878.1	Y18259	Brassica oleracea

CAA79355.1	Z18921	Brassica oleracea	AAC84001.1	AF063248	Picea abies
BAA21132.1	D88193	Brassica rapa	AAC33008.1	AF080104	Pisum sativum
BAA06285.1	D30049	Brassica rapa	AAD00692.1	U90092	Picea mariana
BAA92837.1	AB032474	Brassica oleracea	AAC32262.1	AF063307	Pisum sativum
BAB21001.1	AB054061	Brassica rapa	BAA03959.1	D16507	Oryza sativa
BAA07577.2	D38564	Brassica rapa	AAG27464.1	AF308454	Medicago truncatula
BAA07576.1	D38563	Brassica rapa	AAD00691.1	U90091	Picea mariana
AAD52097.1	AF088885	Nicotiana tabacum	AAC32817.1	AF050180	Oryza sativa
AAK21965.1	AY028699	Brassica napus	BAA79226.1	AB028885	Oryza sativa
AAG16628.1	AY007545	Brassica napus	BAA79224.1	AB028883	Oryza sativa
AAG03090.1	AC073405	Oryza sativa	BAA77818.1	AB007624	Oryza sativa
CAB51836.1	AJ243961	Oryza sativa	AAF23753.2	AF193813	Brassica oleracea
BAA94509.1	AB041503	Populus nigra	AAD00251.1	U76407	Lycopersicon esculentum
AAA33915.1	L27821	Oryza sativa	CAA96510.1	Z71978	Malus x domestica
			BAA31688.1	AB016071	Oryza sativa
		Vitis riparia	BAA77817.1	AB007623	Oryza sativa
SEQ ID NO. 1753			BAB18582.1	AB043954	Ceratopteris richardii
AAF37267.1	AF220406		BAA76903.1	AB025713	Nicotiana tabacum
			AAD00252.1	U76408	Lycopersicon esculentum
SEQ ID NO. 1755			BAB18584.1	AB043956	Ceratopteris richardii
AAF05256.1	AF202179	Capsicum chacoense	CAA96511.1	Z71979	Malus x domestica
CAB50786.1	AJ011801	Solanum tuberosum	AAA20882.1	L13663	Glycine max
			CAB88029.1	AJ276389	Dendrobium grex Madame Thong-In
SEQ ID NO. 1758					
CAA96512.1	Z71980	Malus x domestica	SEQ ID NO. 1759		
BAA25921.1	AB004797	Nicotiana tabacum	AAB71417.1	U81287	Pisum sativum
AAD09582.1	U76409	Lycopersicon esculentum	BAA22083.1	D28862	Nicotiana sylvestris
AAC49918.1	AF000142	Lycopersicon esculentum	CAA05729.1	AJ002894	Oryza sativa
BAA08552.1	D49704	Oryza sativa	BAA05170.1	D26182	Nicotiana sylvestris
BAB18585.1	AB043957	Ceratopteris richardii	CAA40862.1	X57662	Sorghum bicolor
AAD00253.1	U76410	Lycopersicon esculentum	AAB07749.1	U49482	Hordeum vulgare
CAA82314.1	Z29073	Brassica napus	AAA75104.1	U32310	Triticum aestivum
BAA77822.1	AB007628	Oryza sativa	AAG23220.1	AF310215	Sorghum bicolor
BAA77823.1	AB007629	Oryza sativa	CAA88558.1	Z48624	Hordeum vulgare
AAB81079.1	AF022390	Hordeum vulgare	CAA78513.1	Z14143	Brassica napus
AAF32399.1	AF224499	Triticum aestivum	AAB88616.1	AF034945	Zea mays
BAA76750.1	AB025573	Nicotiana tabacum	CAA41152.1	X58146	Daucus carota
AAF32400.1	AF224500	Triticum aestivum	AAA59213.1	L31377	Sinapis alba
AAC49917.1	AF000141	Lycopersicon esculentum	BAA03742.1	D16205	Nicotiana sylvestris
BAA25546.1	AB004785	Nicotiana tabacum	AAC50020.1	AF005359	Nicotiana glutinosa
AAF32398.1	AF224498	Triticum aestivum	AAB66884.1	AF010579	Oryza sativa
AAD13611.1	AF100455	Zea mays			

AAA59212.1	I31374	Sinapis alba	AAC61839.1	AF025430	Papaver somniferum
CAA05728.1	AJ002893	Oryza sativa	SEQ ID NO. 1766		
AAC61786.1	AF036339	Euphorbia esula	AAF19196.1	AF206320	Musa acuminata
AAB63582.1	AF009004	Pelargonium x hortorum	AAF63756.1	AF243475	Vitis vinifera
AAB63581.1	AF009003	Pelargonium x hortorum	AAF19195.1	AF206319	Musa acuminata
BAA03741.1	D16204	Nicotiana sylvestris	CAA63496.1	X92943	Musa acuminata
AAB66885.1	AF010580	Oryza sativa	CAA70735.1	Y09541	Zinnia elegans
AAB63589.1	AF009411	Oryza sativa	AAB711208.1	U63550	Fragaria x ananassa
AAD48471.1	AF169205	Glycine max	AAA86241.1	U41472	Medicago sativa
CAA43431.1	X61121	Zea mays	CAA47630.1	X67158	Nicotiana tabacum
BAA92156.1	AB007819	Citrus unshiu	CAA43414.1	X61102	Nicotiana tabacum
BAA03743.1	D16206	Nicotiana sylvestris	CAA43413.1	X61101	Nicotiana tabacum
AAC61787.1	AF031933	Euphorbia esula	CAA47631.1	X67159	Nicotiana tabacum
AAB65412.1	AF011331	Oryza sativa	SEQ ID NO. 1767		
CAA40863.1	X57663	Sorghum bicolor	AAD55566.1	AF110784	Volvox carteri f. nagariensis
AAB61213.1	AF001894	Oryza sativa	AAD02069.1	AF036939	Chlamydomonas reinhardtii
AAF06329.1	AF191305	Medicago sativa	AAC49896.1	AF027727	Chlamydomonas reinhardtii
AAK01176.1	AF315811	Triticum aestivum	AAD28260.1	AF131223	Datisca glomerata
BAA12064.1	D83696	Nicotiana sylvestris	AAA19660.1	U11496	Triticum aestivum
CAA46233.1	X65117	Nicotiana plumbaginifolia	CAC21230.1	AJ277379	Triticum turgidum subsp. durum
AAA79045.1	U34742	Spinacia oleracea	CAC21228.1	AJ277377	Triticum turgidum subsp. durum
SEQ ID NO. 1760			AAB05641.1	U41385	Ricinus communis
CAA69936.1	Y08680	Alnus glutinosa	CAA77575.1	Z11499	Medicago sativa
AAB80947.1	AF022915	Triticum aestivum	CAC21231.1	AJ277380	Triticum turgidum subsp. durum
SEQ ID NO. 1762			CAC21229.1	AJ277378	Triticum turgidum subsp. durum
AAD17487.1	AF049347	Berberis stolonifera	BAB18780.1	AB047268	Cucumis sativus
AAB20352.1	S65550	Eschscholzia californica	BAA92322.1	AB039278	Oryza sativa
AAC39358.1	AF005655	Eschscholzia californica	CAA72092.1	Y11209	Nicotiana tabacum
AAC61839.1	AF025430	Papaver somniferum	SEQ ID NO. 1769		
SEQ ID NO. 1763			AAF74566.1	AF215852	Nicotiana tabacum
BAA96221.1	AP002094	Oryza sativa	AAG43998.1	AF215837	Apium graveolens var. dulce
AAD32141.1	AF123503	Nicotiana tabacum	AAF74565.1	AF215851	Spinacia oleracea
CAA42636.1	X60033	Glycine max	AAF74568.1	AF215854	Zea mays
SEQ ID NO. 1765			AAF74567.1	AF215853	Solanum tuberosum
AAD17487.1	AF049347	Berberis stolonifera	CAA47324.1	X66856	Nicotiana tabacum
AAB20352.1	S65550	Eschscholzia californica	CAA04511.1	AJ001061	Vitis vinifera
AAC39358.1	AF005655	Eschscholzia californica	AAB06594.1	U38651	Medicago truncatula
			CAA09419.1	AJ010942	Lycopersicon esculentum



CAB52689.1	AJ132224	Lycopersicon esculentum	AAC97157.1	U69482	Picea mariana
CAA70777.1	Y09590	Vitis vinifera	AAC97146.1	U46582	Picea mariana
BAB19864.1	AB052885	Oryza sativa	AAD09342.1	AF023615	Pinus radiata
CAA68813.1	Y07520	Chlorella kessleri	AAF04972.1	AF091458	Oryza sativa
CAA39036.1	X55349	Chlorella kessleri	AAK21254.1	AF335241	Petunia x hybrida
CAA53192.1	X75440	Chlorella kessleri	AAB00081.1	L46400	Zea mays
BAB19863.1	AB052884	Oryza sativa	AAD10626.1	AF035379	Lolium temulentum
CAB06079.1	Z83829	Picea abies	CAB97354.1	AJ249146	Hordeum vulgare
BAB19862.1	AB052883	Oryza sativa	AAA99964.1	L37528	Oryza sativa
AAD55054.1	AF173655	Beta vulgaris	AAD10625.1	AF035378	Lolium temulentum
CAB52688.1	AJ132223	Lycopersicon esculentum	AAB64250.1	U78782	Oryza sativa
BAA85398.1	AP000615	Oryza sativa	SEQ ID NO. 1778		
CAB52690.1	AJ132225	Lycopersicon esculentum	CAA56123.1	X79675	Nicotiana tabacum
CAC28219.1	AJ286744	Sesbania rostrata	CAA51273.2	X72743	Populus x generosa
AAB81347.1	AF000355	Medicago truncatula	AAA73555.1	L36436	Glycine max
AAB81346.1	AF000354	Medicago truncatula	AAA34264.1	M60599	Triticum aestivum
AAK01938.1	AY026321	Lupinus albus	AAA34263.1	M60598	Triticum aestivum
BAB21562.1	AB042951	Nicotiana tabacum	AAB04021.1	U61730	Coix lacryma-jobi
SEQ ID NO. 1772			AAF44718.1	L77616	Oryza sativa
BAB08199.1	AP002539	Oryza sativa	CAA37038.1	X52850	Zea mays
BAA96760.1	AP002521	Oryza sativa	CAA55659.1	X79060	Nicotiana sylvestris
SEQ ID NO. 1776			SEQ ID NO. 1780		
AAB41526.1	U25696	Sinapis alba	AAD09343.1	AF026538	Hordeum vulgare
CAA53782.1	X76188	Nicotiana tabacum	SEQ ID NO. 1783		
AAC33475.1	AF082531	Pimpinella brachycarpa	AAC49528.1	U56834	Petroselinum crispum
AAK21257.1	AF335244	Petunia x hybrida	AAC49527.1	U48831	Petroselinum crispum
AAK21251.1	AF335238	Petunia x hybrida	AAD27591.1	AF121354	Petroselinum crispum
AAK21252.1	AF335239	Petunia x hybrida	SEQ ID NO. 1785		
AAG43199.1	AF112148	Zea mays	AAG35658.1	AF204925	Petroselinum crispum
AAK21253.1	AF335240	Petunia x hybrida	BAA87058.1	AB028022	Nicotiana tabacum
BAA81886.1	AB003328	Oryza sativa	BAA86031.1	AB026890	Nicotiana tabacum
AAF19968.1	AF207699	Elaeis guineensis	AAD16139.1	AF096299	Nicotiana tabacum
AAD38369.1	AF141965	Oryza sativa	BAA77383.1	AB020590	Nicotiana tabacum
AAB58907.1	U76726	Pinus radiata	AAF23898.1	AF193802	Oryza sativa
AAG43200.1	AF112150	Zea mays	AAD55974.1	AF121353	Petroselinum crispum
BAA85630.1	AB022665	Gnetum parvifolium	BAA82107.1	AB022693	Nicotiana tabacum
CAB56800.1	AJ011675	Oryza sativa	BAB16432.1	AB041520	Nicotiana tabacum
AAD01266.1	AF006210	Pinus resinosa			
AAC97158.1	U69483	Picea mariana			

AAAD16138.1	AF096298	Nicotiana tabacum	AAA03202.1	M27821	Zea mays
AAAD27591.1	AF121354	Petroselinum crispum	AAA33483.1	M77792	Zea mays
AAAF61864.1	AF193771	Nicotiana tabacum	AAAB39555.1	U64310	Agrostemma githago
AAAG35659.1	AF204926	Petroselinum crispum	AAAB39554.1	U64309	Agrostemma githago
AAAF61863.1	AF193770	Nicotiana tabacum	CAAA33817.1	X15819	Oryza sativa
			CAAA58908.1	X84102	Cichorium intybus
SEQ ID NO. 1786			AAA33998.1	L23853	Glycine max
BAA07395.1	D38220	Brassica napus	CAA40090.1	X56771	Chlorella vulgaris
BAA07394.1	D38219	Brassica napus	CAA45776.1	X64446	Zea mays
CAA32218.1	X14060	Lycopersicon esculentum	AAD17694.1	AF077372	Zea mays
AAA33712.1	L11563	Petunia x hybrida	AAA96242.1	L40147	Avena strigosa
AAG30576.1	AF314093	Ricinus communis	AAA96250.1	L40149	Hordeum chilense
CAA32217.1	X14059	Nicotiana tabacum	AAA96245.1	L40151	Hordeum pusillum
CAA32216.1	X14058	Nicotiana tabacum	AAA96247.1	L40153	Hordeum stenostachys
AAA33114.1	M33154	Cucurbita maxima			
AAB52786.1	U95317	Solanum tuberosum	SEQ ID NO. 1793		
AAB18985.1	U76701	Solanum tuberosum	AAB97526.1	AF042321	Camptotheca acuminata
AAA34033.1	M32600	Spinacia oleracea	AAB97087.1	AF042320	Camptotheca acuminata
BAA13047.1	D86226	Spinacia oleracea	BAA19928.1	AB003491	Oryza sativa
CAA38031.1	X54097	Betula pendula	AAA33491.1	M76685	Zea mays
CAA56696.1	X80670	Lotus japonicus	AAA33490.1	M76684	Zea mays
AAA95940.1	U01029	Phaseolus vulgaris	AAC25986.1	AF047024	Chlamydomonas reinhardtii
CAA58909.1	X84103	Cichorium intybus			
AAD19790.1	AF055369	Glycine max	SEQ ID NO. 1797		
AAA96813.1	U13987	Glycine max	AAC09414.1	M68929	Mitochondrion Marchantia
CAA40976.1	X57845	Hordeum vulgare	polymorpha		
AAA96727.1	L23854	Glycine max	AAG32322.1	AF287344	Fuchsia hybrid cultivar Qiu
CAA37672.1	X53603	Phaseolus vulgaris	94208		
CAA33819.1	X15820	Oryza sativa	AAG32321.1	AF287343	Fuchsia hybrid cultivar Qiu
AAD38068.1	AF153448	Zea mays	94208		
CAA40975.1	X57844	Hordeum vulgare			
AAB93560.1	AF022780	Glycine max	SEQ ID NO. 1799		
AAA62316.1	U20450	Zea mays	AAG41777.1	AF212991	Cucurbita maxima
CAA42739.1	X60173	Hordeum vulgare	AAB17070.1	U54770	Lycopersicon esculentum
AAF17595.1	AF203033	Chlamydomonas reinhardtii	AAK11616.1	AF326277	Hordeum vulgare
CAA45497.1	X64136	Volvox carteri	AAK00946.1	AF318211	Taxus cuspidata
AAC49460.1	U39931	Chlorella vulgaris	AAC49659.1	U74319	Sorghum bicolor
AAC49459.1	U39930	Chlorella vulgaris	CAB41490.1	AJ238439	Cicer arietinum
CAA29497.1	X06134	Nicotiana tabacum	CAA10067.1	AJ012581	Cicer arietinum
AAA18377.1	U08029	Spinacia oleracea	BAA22422.1	AB001379	Glycyrrhiza echinata
AAB39553.1	U64308	Agrostemma githago	BAA74465.1	AB022732	Glycyrrhiza echinata

CAB83941.1	Z33875	Mentha x piperita	BAB41022.1	AB047095	Vitis vinifera
CAB56503.1	AJ238612	Catharanthus roseus	BAB41019.1	AB047092	Vitis vinifera
AAD44150.1	AF124815	Mentha spicata	AAB81682.1	AF000371	Vitis vinifera
CAB43505.1	AJ239051	Cicer arietinum	BAB41025.1	AB047098	Vitis vinifera
CAB56742.1	AJ249800	Cicer arietinum	BAB41023.1	AB047096	Vitis vinifera
BAB40322.1	AB036772	Triticum aestivum	BAB41021.1	AB047094	Vitis vinifera
AAF34530.1	AF195809	Vigna radiata	BAB41026.1	AB047099	Vitis vinifera
AAF45142.1	AF195818	Glycine max	BAB41024.1	AB047097	Vitis vinifera
AAF34533.1	AF195812	Pisum sativum	BAB41018.1	AB047091	Vitis labrusca x Vitis vin
BAA93634.1	AB025016	Lotus japonicus	BAA19659.1	AB002818	Perilla frutescens
AAF34536.1	AF195815	Trifolium repens	BAA89008.1	AB027454	Petunia x hybrida
AAD38929.1	AF135484	Glycine max	AAB86473.1	AF028237	Ipomoea purpurea
AAB94591.1	AF022462	Glycine max	SEQ ID NO. 1807		
AAF45143.1	AF195819	Glycine max	AAA59212.1	L31374	Sinapis alba
AAF34532.1	AF195811	Trifolium pratense	AAA59213.1	L31377	Sinapis alba
AAF34531.1	AF195810	Trifolium pratense	CAA78513.1	Z14143	Brassica napus
AAF34529.1	AF195808	Vigna radiata	CAA40862.1	X57662	Sorghum bicolor
AAF34528.1	AF195807	Vigna radiata	AAG23220.1	AF310215	Sorghum bicolor
AAA17732.1	L19074	Catharanthus roseus	CAA41152.1	X58146	Daucus carota
SEQ ID NO. 1802			AAB66884.1	AF010579	Oryza sativa
AAF61647.1	AF190634	Nicotiana tabacum	AAB63582.1	AF009004	Pelargonium x hortorum
BAA36423.1	AB013598	Verbena x hybrida	AAB63581.1	AF009003	Pelargonium x hortorum
BAA89009.1	AB027455	Petunia x hybrida	AAD48471.1	AF169205	Glycine max
BAA36421.1	AB013596	Perilla frutescens	AAB07749.1	U49482	Hordeum vulgare
BAA93039.1	AB033758	Citrus unshiu	BAA03741.1	D16204	Nicotiana sylvestris
BAA36422.1	AB013597	Perilla frutescens	CAA88558.1	Z48624	Hordeum vulgare
AAF98390.1	AF287143	Brassica napus	AAC61786.1	AF036339	Euphorbia esula
AAF17077.1	AF199453	Sorghum bicolor	AAA75104.1	U32310	Triticum aestivum
AAB36653.1	U32644	Nicotiana tabacum	BAA92156.1	AB007819	Citrus unshiu
AAK28303.1	AF346431	Nicotiana tabacum	BAA03742.1	D16205	Nicotiana sylvestris
BAA83484.1	AF031274	Scutellaria baicalensis	AAC50020.1	AF005359	Nicotiana glutinosa
AAD21086.1	AF127218	Forsythia x intermedia	AAB63589.1	AF009411	Oryza sativa
AAB36652.1	U32643	Nicotiana tabacum	CAA05728.1	AJ002893	Oryza sativa
AAK28304.1	AF346432	Nicotiana tabacum	AAB66885.1	AF010580	Oryza sativa
CAA59450.1	X85138	Lycopersicon esculentum	BAA03743.1	D16206	Nicotiana sylvestris
CAB56231.1	Y18871	Dorotheanthus bellidifloris	AAC61787.1	AF031933	Euphorbia esula
BAA12737.1	D85186	Gentiana triflora	CAA43431.1	X61121	Zea mays
BAB41017.1	AB047090	Vitis labrusca x Vitis vinifera	AAB65412.1	AF011331	Oryza sativa
AAB81683.1	AF000372	Vitis vinifera	AAB88616.1	AF034945	Zea mays
BAB41020.1	AB047093	Vitis vinifera	AAB61213.1	AF001894	Oryza sativa

AAF06329.1	AF191305	Medicago sativa	BAB32871.1	AB056063	Oryza sativa
BAA12064.1	D83696	Nicotiana sylvestris	CAA50719.1	X71900	Lycopersicon esculentum
AAK01176.1	AF315811	Triticum aestivum	SEQ ID NO. 1811		
CAA05729.1	AJ002894	Oryza sativa	AAB50679.1	S80863	Rosa hybrid cultivar
AAB71417.1	U81287	Pisum sativum	BAA23136.1	D49385	Rosa hybrid cultivar
BAA22083.1	D28862	Nicotiana sylvestris	BAA23135.1	D49384	Rosa hybrid cultivar
			BAA23134.1	D49383	Rosa hybrid cultivar
			AAG28599.1	AF247133	Limnanthes douglasii
SEQ ID NO. 1808			SEQ ID NO. 1812		
AAB00554.1	U54703	Phaseolus vulgaris	AAF17077.1	AF199453	Sorghum bicolor
CAA78515.1	Z14145	Pisum sativum	AAF61647.1	AF190634	Nicotiana tabacum
AAB53203.1	U69633	Solanum tuberosum	AAF98390.1	AF287143	Brassica napus
AAD02259.1	AF043093	Hordeum vulgare	BAA93039.1	AB033758	Citrus unshiu
AAF01696.1	AF181458	Hordeum vulgare	BAA89009.1	AB027455	Petunia x hybrida
AAB18202.1	U73211	Triticum aestivum	BAA36421.1	AB013596	Perilla frutescens
AAC02689.1	AF044584	Triticum aestivum	BAB41018.1	AB047091	Vitis labrusca x Vitis vinifera
CAB93666.1	AJ289610	Lavatera thuringiaca	BAA83484.1	AB031274	Scutellaria baicalensis
AAD02252.1	AF043086	Pinus sylvestris	BAB41026.1	AB047099	Vitis vinifera
AAF01699.1	AF181461	Hordeum vulgare	BAB41024.1	AB047097	Vitis vinifera
AAD50291.1	AF172263	Prunus dulcis	BAB41020.1	AB047093	Vitis vinifera
CAA09421.1	AJ010944	Helianthus annuus	BAB41022.1	AB047095	Vitis vinifera
CAA05713.1	AJ002741	Helianthus annuus	BAB41019.1	AB047092	Vitis vinifera
AAF60172.1	AF236067	Elaeis guineensis	BAB41025.1	AB047098	Vitis vinifera
AAA19693.1	U11696	Sorghum bicolor	BAB41023.1	AB047096	Vitis vinifera
AAB71225.1	AF004807	Glycine max	BAB41021.1	AB047094	Vitis vinifera
AAB05927.1	U63831	Sorghum bicolor	AAD21086.1	AF127218	Forsythia x intermedia
CAA63339.1	X92647	Helianthus annuus	BAB41017.1	AB047090	Vitis labrusca x Vitis vinifera
CAA33364.1	X15290	Zea mays	AAB81682.1	AF000371	Vitis vinifera
CAA66970.1	X98326	Hordeum vulgare	AAB81683.1	AF000372	Vitis vinifera
CAA33363.1	X15289	Hordeum vulgare	BAA36423.1	AB013598	Verbena x hybrida
SEQ ID NO. 1810			AAB36422.1	AB013597	Perilla frutescens
AAA33710.1	I16977	Petunia x hybrida	AAK36652.1	U32643	Nicotiana tabacum
AAA33709.1	I16797	Petunia x hybrida	AAK28304.1	AF346432	Nicotiana tabacum
AAC24195.1	AF020425	Nicotiana tabacum	CAA30760.1	X07937	Zea mays
AAB40608.1	U54774	Nicotiana tabacum	AAK36653.1	U32644	Nicotiana tabacum
AAK18620.1	AF352732	Nicotiana tabacum	AAK28303.1	AF346431	Nicotiana tabacum
AAC39483.1	AF020424	Nicotiana tabacum	CAA31855.1	X13500	Zea mays
BAB32870.1	AB056062	Oryza sativa	CAA30761.1	X07940	Zea mays
BAB32868.1	AB056060	Oryza sativa	AAK16410.1	AF320086	Zea mays
BAB32869.1	AB056061	Oryza sativa			

CAB56231.1	Y18871	Dortheanthus bellidiformis	AAB19183.1	U41189	Chlamydomonas reinhardtii
AAD26203.1	AF117267	Malus x domestica	SEQ ID NO. 1814		
BAA89008.1	AB027454	Petunia x hybrida	AAK14395.1	AF339732	Dianthus caryophyllus
BAA19659.1	AB002818	Perilla frutescens	BAB20581.1	AB042268	Zea mays
BAA12737.1	D85186	Gentiana triflora	BAB20580.1	AB042267	Zea mays
AAB86473.1	AF028237	Ipomoea purpurea	BAB20579.1	AB042261	Zea mays
CAA33729.1	X15694	Hordeum vulgare	BAA85113.1	AB031012	Zea mays
			BAA82873.1	AB024291	Zea mays
			BAB17300.1	AB042260	Zea mays
SEQ ID NO. 1813		Populus tremula x Populus	BAA75253.1	AB004882	Zea mays
AAB65822.1	U55838	Populus tremula x Populus	BAA85112.1	AB031011	Zea mays
tremuloides			BAB20582.1	AB042269	Zea mays
AAC49785.1	U55837		BAB41137.1	AB060130	Zea mays
tremuloides			SEQ ID NO. 1815		
AAD29050.1	AF132855	Gossypium hirsutum	AAB62808.1	U71108	Nicotiana tabacum
AAA86993.1	U19738	Flaveria linearis	AAB62807.1	U71107	Nicotiana tabacum
AAD29049.1	AF132854	Gossypium hirsutum	AAC34989.1	AF042333	Oryza sativa
AAA86942.1	U08402	Flaveria brownii	AAC34951.1	U81312	Nicotiana tabacum
AAA34027.1	J05403	Spinacia oleracea	AAB04057.1	U43683	Glycine max
AAA34057.1	I19255	Nicotiana tabacum	AAB70886.1	U79669	Zea mays
AAA34065.1	M94135	Nicotiana tabacum	AAC34988.1	AF042332	Oryza sativa subsp. japonica
AAA86992.1	U19737	Flaveria pringlei	AAC04265.1	AF045570	Zea mays
AAA86939.1	U08398	Flaveria bidentis	AAC35787.1	AF053766	Nicotiana tabacum
AAA34026.1	M27295	Spinacia oleracea	AAB49338.1	U60755	Triticum aestivum
AAA33652.1	M63627	Pisum sativum	AAB37769.1	U60754	Triticum aestivum
AAD27876.2	AF139464	Vigna radiata	AAB62812.1	U81313	Ricinus communis
AAA86994.1	U19740	Flaveria linearis	AAF61950.1	AF237633	Spinacia oleracea
CAB43571.1	AJ239132	Glycine max	AAG59894.1	AF328858	Lycopersicon esculentum
CAA63712.1	X93312	Medicago sativa	SEQ ID NO. 1817		
AAA86944.1	U08401	Zea mays	AAB26960.1	U63726	Glycine max
BAA31953.1	AB016283	Oryza sativa	SEQ ID NO. 1818		
AAD56038.1	AF182806	Oryza sativa	AAC36699.1	AF075581	Mesembryanthemum crystallinum
AAA86943.1	U08404	Oryza sativa	AAC36697.1	AF075579	Mesembryanthemum crystallinum
AAA86945.1	U08403	Zea mays	AAD17804.1	AF092431	Lotus japonicus
AAA69027.1	U19739	Urochloa panicoides	CAC10358.1	AJ277086	Nicotiana tabacum
AAA69028.1	U19741	Urochloa panicoides	CAB90634.1	AJ277744	Fagus sylvatica
BAA95793.1	AB009887	Nicotiana tabacum	CAC10359.1	AJ277087	Nicotiana tabacum
AAF78507.1	AF195204	Pyrus pyrifolia			
AAC33484.1	U49976	Coccomyxa sp. PA			
AAC49888.1	U08085	Chlamydomonas reinhardtii			
AAC49887.1	U08084	Chlamydomonas reinhardtii			
AAB19184.1	U41190	Chlamydomonas reinhardtii			

CAC09575.1	AJ298987	Fagus sylvatica	SEQ ID NO. 1831	Sorghum bicolor
AAD11430.1	AF097667	Mesembryanthemum crystallinum	CAA73067.1	Sorghum bicolor
AAD17805.1	AF092432	Lotus japonicus	CAA73068.1	Oryza sativa
AAC35951.1	AF079355	Mesembryanthemum crystallinum	AAB62693.1	Zea mays
AAC36698.1	AF075580	Mesembryanthemum crystallinum	AAF22219.1	Oryza sativa
CAA72341.1	Y11607	Medicago sativa	BAA83688.1	Oryza sativa
AAC36700.1	AF075582	Mesembryanthemum crystallinum	BAA96628.1	Oryza sativa
AAG43835.1	AF213455	Zea mays	BAA34675.1	Triticum aestivum
AAB93832.1	U81960	Zea mays	BAA83689.1	Oryza sativa
CAC09576.1	AJ298988	Fagus sylvatica	AAF66639.1	Lycopersicon esculentum
AAC26828.1	AF075603	Oryza sativa	AAD23582.1	Glycine max
			CAA71142.1	Cucumis sativus
SEQ ID NO. 1825			BAA05649.1	Nicotiana tabacum
CAC17011.1	AJ297967	Fragaria x ananassa	CAA57898.1	Hordeum vulgare
CAA93442.1	Z69596	Fragaria x ananassa	CAA65244.1	Solanum tuberosum
CAA63919.1	X94225	Brassica napus	AAAC99329.1	Oryza sativa
AAF19789.1	AF162204	Lactuca sativa	AAB52224.1	Solanum tuberosum
			CAA07813.1	Hordeum vulgare
SEQ ID NO. 1826			CAA46556.1	Hordeum vulgare
BAA76438.1	AB025047	Oryza sativa	CAA46554.1	Hordeum vulgare
CAA70475.1	Y09291	Triticum aestivum	AAB05457.1	Oryza sativa
AAC49659.1	U74319	Sorghum bicolor	AAD00239.1	Nicotiana tabacum
CAA70476.1	Y09292	Triticum aestivum	CAA06503.1	Craterostigma plantagineum
CAB64667.1	AJ251798	Triticum aestivum	BAA19573.1	Oryza sativa
			BAA13608.1	Oryza sativa
SEQ ID NO. 1827			AAG60195.1	Oryza sativa
CAB94837.1	AJ277950	Nicotiana plumbaginifolia	AAF27340.1	Vicia faba
CAA69601.2	Y08293	Nicotiana plumbaginifolia	AAB68962.1	Glycine max
AAB39508.1	U48695	Lycopersicon esculentum	AAD00240.1	Nicotiana tabacum
AAB51596.1	U93561	Zea mays	CAA89202.1	Chlamydomonas eugametos
CAA09478.1	AJ011096	Asparagus officinalis	AAB58348.1	Triticum aestivum
BAA08445.1	D49475	Zea mays	AAA96325.1	Triticum aestivum
AAB51595.1	U93560	Zea mays	CAA81443.1	Mesembryanthemum crystallinum
CAC18730.1	AJ303070	Vitis vinifera	AAB80692.1	Glycine max
CAA60507.1	X86924	Vitis vinifera		
CAA69600.1	Y08292	Nicotiana plumbaginifolia	SEQ ID NO. 1833	
CAB94836.1	AJ277949	Nicotiana plumbaginifolia	BAB21205.1	Oryza sativa
CAA09456.1	AJ011006	Asparagus officinalis	BAA22813.1	Nicotiana tabacum
CAA41635.1	X58831	Chlorella sorokiniana		
CAA41636.1	X58832	Chlorella sorokiniana	SEQ ID NO. 1839	
			AAF40306.1	Vigna radiata

CAA68193.1	X99937	Spinacia oleracea	AAD04191.1	AF113950	Lactuca sativa
BAA03763.1	D16247	Nicotiana sylvestris	AAK18295.1	AF338960	Brassica oleracea
AAF75791.1	AF271892	Pisum sativum	AAG43184.1	AF107545	Brassica napus
AAD20980.1	AF079782	Zea mays	AAG43186.1	AF107547	Brassica napus
BAA95705.1	AB042644	Oryza sativa	AAK20742.1	AF325198	Triticum aestivum
BAA95704.1	AB042643	Oryza sativa	AAG43189.1	AF107550	Brassica napus
			AAK18299.1	AF338966	Brassica rapa
SEQ ID NO. 1840			AAG40143.1	AF209500	Brassica napus
CAA70260.1	Y09057	Helianthus annuus	AAF19148.1	AF158634	Aegilops ventricosa
AAF00549.1	AF189148	Helianthus annuus	AAG52747.1	AF263318	Brassica napus
			AAK18288.1	AF338951	Brassica oleracea
SEQ ID NO. 1842			CAC29242.1	AJ302293	Hordeum vulgare
AAG40131.1	AF209484	Brassica napus	CAC29241.1	AJ302292	Hordeum vulgare
AAG40133.1	AF209486	Brassica napus	AAG52755.1	AF263326	Brassica napus
AAG40132.1	AF209485	Brassica napus	AAG40134.1	AF209487	Brassica napus
AAG40136.1	AF209490	Brassica napus	AAK18305.1	AF338972	Brassica rapa
AAC31553.1	AF078874	Avena sativa	AAK20736.1	AF325196	Triticum aestivum
AAC31552.1	AF078873	Avena sativa			
AAB96976.1	AF032679	Hordeum vulgare	SEQ ID NO. 1853		
AAF14565.1	AF181728	Brassica napus	AAC78596.1	AF053998	Lycopersicon esculentum
AAK18300.1	AF338967	Brassica rapa	AAC78591.1	AF053993	Lycopersicon esculentum
AAG40139.1	AF209494	Brassica napus	AAC78593.1	AF053995	Lycopersicon esculentum
AAB96999.1	AF032702	Oryza sativa	AAC78592.1	AF053994	Lycopersicon esculentum
AAG40140.1	AF209495	Brassica napus	AAC78594.1	AF053996	Lycopersicon pimpinellifolium
AAG40135.1	AF209489	Brassica napus	CAA05274.1	AJ002236	Lycopersicon pimpinellifolium
AAG40142.1	AF209499	Brassica napus	AAA65235.1	U15936	Lycopersicon pimpinellifolium
AAK18290.1	AF338954	Brassica oleracea	CAA05276.1	AJ002236	Lycopersicon pimpinellifolium
AAG43187.1	AF107548	Brassica napus	AAC78595.1	AF053997	Lycopersicon pimpinellifolium
AAK18301.1	AF338968	Brassica rapa	CAA05268.1	AJ002235	Lycopersicon esculentum
AAD27815.1	AF118127	Lycopersicon esculentum	CAA05279.1	AJ002237	Lycopersicon hirsutum
AAB63275.1	AF004879	Lycopersicon esculentum	BAB08215.1	AF002539	Lycopersicon esculentum
AAD03157.1	AF113957	Lactuca sativa	BAB96776.1	AF002521	Oryza sativa
AAD03156.1	AF113948	Lactuca sativa	AAD50430.1	AF166121	Oryza sativa
AAG43188.1	AF107549	Brassica napus	CAB55409.1	AL117265	Hordeum vulgare
AAD03671.1	AF072271	Lactuca sativa	AAC80225.1	U72723	Oryza sativa
AAF14567.1	AF181730	Brassica rapa	AAC49123.1	U37133	Oryza longistaminata
AAG52749.1	AF263320	Brassica napus			Oryza sativa
AAC02203.1	AF017752	Lactuca sativa	SEQ ID NO. 1854		
AAC02202.1	AF017751	Lactuca sativa	AAF06346.1	AF195653	Vitis vinifera
AAF14566.1	AF181729	Brassica oleracea	BAA28872.1	AB006009	Pyrus pyrifolia
BAA75812.1	AB019186	Oryza sativa	CAC10270.1	AJ243427	Malus x domestica

AAC36740.1	AF090143	Malus x domestica	AAD01604.1	AF016892	Populus tremuloides
CAB62167.1	AJ242828	Castanea sativa	AAB40394.1	U80069	Mesembryanthemum crystalli
AAB38064.1	U32440	Prunus avium	CAA51654.1	X73139	Ipomoea batatas
BAA74546.2	AB000834	Nicotiana tabacum	CAA37866.1	X53872	Spinacia oleracea
AAF06347.1	AF195654	Vitis vinifera	CAA39444.1	X55974	Nicotiana plumbaginifolia
CAC09477.1	AL442113	Oryza sativa	CAB57992.1	X17565	Zea mays
AAB95118.1	U71244	Brassica rapa	CAA60826.1	X87372	Lycopersicon esculentum
CAA10492.1	AJ131731	Pseudotsuga menziesii	AAB92612.1	AF037359	Paulownia kawakamii
BAA95017.1	AB031870	Cestrum elegans	AAB66812.1	AF009734	Capsicum annuum
BAA95165.1	AB029918	Nicotiana tabacum	AAD48484.1	AF170297	Manihot esculenta
AAB61590.1	AF003007	Vitis vinifera	AAA34194.1	M37150	Lycopersicon esculentum
AAD55090.1	AF178653	Vitis riparia	CAA32199.1	X14040	Lycopersicon esculentum
AAF82264.1	AF227324	Vitis vinifera	CAB60191.1	AJ250667	Ananas comosus
AAB02259.1	U57787	Avena sativa	CAA73929.1	Y13610	Carica papaya
AAB53368.1	U77657	Oryza sativa	AAC08581.1	AF054150	Zantedeschia aethiopica
CAA09228.1	AJ010501	Cicer arietinum	CAA10160.1	AJ012739	Cicer arietinum
CAA33293.1	X15224	Nicotiana tabacum	CAA10132.1	AJ012691	Cicer arietinum
CAA33292.1	X15223	Nicotiana tabacum	AAK26435.1	AF354748	Solanum tuberosum
SEQ ID NO. 1856			AAC14465.1	L19434	Oryza sativa
AAB62808.1	U71108	Nicotiana tabacum	BAA00800.1	D01000	Oryza sativa
AAB62807.1	U71107	Nicotiana tabacum	AAB49913.1	U34727	Zea mays
AAC34989.1	AF042333	Oryza sativa	CAB57993.1	X17564	Zea mays
AAC34951.1	U81312	Nicotiana tabacum	AAA33659.1	M63003	Pisum sativum
AAB04057.1	U43683	Glycine max	AAC14464.1	L19435	Oryza sativa
AAB62812.1	U81313	Ricinus communis	BAA00799.1	D00999	Oryza sativa
AAC35787.1	AF053766	Nicotiana tabacum	AAK06837.1	AF328859	Avicennia marina
AAC34988.1	AF042332	Oryza sativa subsp. japonica	AAA33917.1	L36320	Oryza sativa
AAB70886.1	U79669	Zea mays	BAA19674.1	D49485	Solidago canadensis
AAC04265.1	AF045570	Zea mays	AAA33510.1	M54936	Zea mays
AAB49338.1	U60755	Triticum aestivum	CAA41454.1	X58578	Pinus sylvestris
AAB37769.1	U60754	Triticum aestivum	AAB87572.1	AF034630	Panax ginseng
AAF61950.1	AF237633	Spinacia oleracea	CAC34448.1	AJ307586	Pinus sylvestris
AAG59894.1	AF328858	Lycopersicon esculentum	CAA05633.1	AJ002604	Pinus sylvestris
SEQ ID NO. 1857			BAA01088.1	D10244	Spinacia oleracea
AAD05576.1	AF009735	Raphanus sativus	AAB49912.1	U34726	Zea mays
AAC25568.1	AF071112	Brassica rapa subsp. pekinensis	BAA19675.1	D49486	Solidago canadensis
CAA65043.1	X95728	Brassica juncea	AAB67991.1	U69632	Triticum aestivum
CAA65041.1	X95726	Brassica juncea	BAA24919.1	AB004870	Marchantia paleacea
AAD01605.1	AF016893	Populus tremuloides	AAB67990.1	U69536	Chloroplast Triticum aestivum
			CAB66335.1	AJ279694	Betula pendula



[illegible]

AAC49527.1	D48831	Petroselinum crispum	AAF27282.1	AF122821	Capsicum annuum
AAD16139.1	AF096299	Nicotiana tabacum	BAA22422.1	AB001379	Glycyrrhiza echinata
AAD16138.1	AF096298	Nicotiana tabacum	AAA17732.1	L19074	Catharanthus roseus
CAA83331.1	Z48431	Avena fatua	CAA57423.1	X81829	Zea mays
AAC37515.1	I44134	Cucumis sativus	CAA72208.1	Y11404	Zea mays
AAF61864.1	AF193771	Nicotiana tabacum	AAF66543.1	AF140609	Triglochin maritimum
BAA87069.1	AB035271	Matricaria chamomilla	AAC39454.1	AF014802	Eschscholzia californica
AAF61863.1	AF193770	Nicotiana tabacum	CAA04117.1	AJ000478	Helianthus tuberosus
			CAA04116.1	AJ000477	Helianthus tuberosus
			AAA32913.1	M32885	Persea americana
SEQ ID NO. 1866					
CAB40834.1	AJ005686	Vitis vinifera	SEQ ID NO. 1870		Brassica rapa subsp. pekin
AAK01360.1	AF314811	Brassica napus	AAF21800.1	AF090836	Triticum aestivum
AAC14481.1	U92286	Actinidia deliciosa	CAA50004.1	X70666	Triticum aestivum
AAB67875.1	U60267	Lycopersicon esculentum	CAA65313.1	X96446	Triticum aestivum
CAA67069.1	X98421	Medicago sativa	AAA32978.1	M19048	Hordeum vulgare
AAK01361.1	AF314812	Brassica napus	AAA32977.1	M19047	Hordeum vulgare
BAA19916.1	D49714	Oryza sativa	AAA32976.1	M19046	Hordeum vulgare
AAC18862.1	AF067967	Mesembryanthemum crystallinum	AAB71137.1	AF004018	Triticum aestivum
CAA67070.1	X98422	Medicago sativa	BAA12336.1	D84390	Triticum aestivum
AAC84137.1	AF101424	Cichorium intybus	CAA65315.1	X96448	Triticum aestivum
AAB80946.1	AF022914	Triticum aestivum	CAA50003.1	X70665	Triticum aestivum
			CAA65316.1	X96449	Secale cereale
SEQ ID NO. 1867					
AAD56018.1	AF180758	Vitis riparia	CAA65312.1	X96445	Triticum aestivum
AAF34765.1	AF227620	Euphorbia esula	AAA91048.1	L36883	Hordeum vulgare
			CAA29330.1	X05901	Hordeum vulgare
			AAA32966.1	M23080	Hordeum vulgare
SEQ ID NO. 1868					
AAG17470.1	AF123609	Triticum aestivum	CAA57351.1	X81707	Tulipa gesneriana
AAK31592.1	AY029178	Brassica rapa subsp. pekinensis	CAA78352.1	Z13008	Hordeum vulgare
AAD10204.1	AF030260	Vicia sativa	AAA91047.1	L36882	Hordeum vulgare
AAG33645.1	AF092917	Vicia sativa	CAA29082.1	X05576	Hordeum vulgare
CAB41474.1	AJ238402	Catharanthus roseus	CAA57353.1	X81709	Hordeum vulgare
AAB94586.1	AF022457	Glycine max	CAA57352.1	X81708	Tulipa gesneriana
AAD56282.1	AF155332	Petunia x hybrida	CAA57350.1	X81706	Tulipa gesneriana
AAD03415.1	AF069494	Sinapis alba	CAA57354.1	X81710	Tulipa gesneriana
CAA89260.1	Z49263	Pisum sativum	CAA65314.1	X96447	Triticum aestivum
AAC32274.1	AF081575	Petunia x hybrida			
CAA50155.1	X70824	Solanum melongena	SEQ ID NO. 1872		Petunia x hybrida
AAF66544.1	AF140610	Triglochin maritimum	AAD39439.1	AF132001	Picea abies
AAB94590.1	AF022461	Glycine max	AAG32658.1	AF253970	Picea abies
BAA74465.1	AB022732	Glycyrrhiza echinata	AAG32659.1	AF253971	Picea abies

AAD22495.3	AF134116	Hyacinthus orientalis	SEQ ID NO. 1873	SEQ ID NO. 1875	Petunia x hybrida
AAF76898.1	AF274033	Atriplex hortensis		BAA21921.1 AB006599	
AAK21249.1	AF335236	Petunia x hybrida		SEQ ID NO. 1876	Nicotiana tabacum
AAF76381.1	AF068723	Nicotiana tabacum		CAB41987.1 AJ133453	Pisum sativum
AAK21254.1	AF335241	Petunia x hybrida		CAA75603.1 Y15383	Tagetes erecta
AAF22138.1	AF129875	Capsicum annuum		AAF81220.1 AF251346	Nicotiana tabacum
AAF25922.1	U78947	Malus x domestica		CAB89286.1 AJ271748	Nicotiana tabacum
CAA04919.1	AJ001681	Malus x domestica		AAF23770.1 AF205858	Physcomitrella patens
CAA64741.1	X95467	Antirrhinum majus		CAB54558.1 AJ249138	Gentiana lutea
AAD51422.1	U78949	Malus x domestica		AAF23771.1 AF205859	Physcomitrella patens
CAA04323.1	AJ000761	Malus x domestica		CAB76387.1 AJ249140	Physcomitrella patens
AAK78284.1	AF029977	Eucalyptus grandis		CAB76386.1 AJ249139	Physcomitrella patens
CAA04920.1	AJ001682	Malus x domestica		CAA04845.2 AJ001586	Physcomitrella patens
AAK21247.1	AF335234	Petunia x hybrida		CAB89288.1 AJ271750	Nicotiana tabacum
AAK21248.1	AF335235	Petunia x hybrida		BAA96782.1 AB042101	Lilium longiflorum
AAD51423.1	U78950	Malus x domestica		AAF87239.1 AF275720	Plastid Neottopteris nidus
CAA04322.1	AJ000760	Malus x domestica		AAF19407.1 AF203636	Chlamydomonas reinhardtii
AAF77579.1	AF072534	Capsicum annuum		SEQ ID NO. 1877	
CAA48859.1	X59107	Aranda deborah		AAG01147.1 AF283816	Pinus taeda
AAC49817.1	U78892	Oryza sativa		CAA05161.1 AJ002057	Beta vulgaris
AAC49816.1	U78891	Oryza sativa		AAB71419.1 U74630	Ricinus communis
CAB97355.1	AJ249147	Hordeum vulgare		AAB71420.1 U74631	Ricinus communis
AAD39034.1	AF068722	Nicotiana sylvestris		CAA95999.1 Z71395	Nicotiana plumbaginifolia
CAA64742.1	X95468	Antirrhinum majus		AAD17490.1 AF052040	Berberis stolonifera
CAA64743.1	X95469	Antirrhinum majus		AAD32207.1 AF134733	Prunus armeniaca
CAA69916.1	Y08626	Sinapis alba		CAA61939.1 X89813	Zea mays
CAB95648.1	AJ252070	Betula pendula		AAA32948.1 L27348	Hordeum vulgare
AAF13262.1	AF198176	Dendrobium grex Madame Thong-In		AAA32949.1 L27349	Hordeum vulgare
CAA11258.1	AJ223318	Pisum sativum		AAF01470.1 AF190454	Zea mays
AAB50187.1	U49734	Sorghum bicolor		CAB54526.1 AJ000765	Chlamydomonas reinhardtii
AAA66187.1	I34271	Oryza sativa		AAB70919.1 AF019376	Brassica napus
AAG35652.1	AF204063	Oryza sativa		BAA85118.1 AB018243	Solanum melongena
AAC78282.1	AF029975	Eucalyptus grandis		CAA54975.1 X78057	Zea mays
AAD38370.1	AF141966	Oryza sativa		CAA57914.1 X82578	Parthenium argentatum
BAA81882.1	AB003324	Oryza sativa		AAK15502.1 AF325720	Pennisetum ciliare
CAA04325.1	AJ000763	Malus x domestica		BAA77025.1 AB026251	Lithospermum erythrorhizon
AAD20816.1	AF107588	Dendrobium grex Madame Thong-In		SEQ ID NO. 1878	
AAB64250.1	U78782	Oryza sativa			
AAF13260.1	AF198174	Dendrobium grex Madame Thong-In			

BAA12206.1	D84061	Spinacia oleracea	SEQ ID NO. 1887	Brassica napus
SEQ ID NO. 1879			AAG28780.1	Lotus japonicus
CAC21424.1	AJ278332	Lycopersicon esculentum	CAC10555.1	Lycopersicon esculentum
BAB40340.1	AB044940	Pisum sativum	CAC10555.1	Lycopersicon esculentum
CAB43506.1	AJ242551	Lycopersicon esculentum	AAG11397.1	Nepenthes alata
			AAD16012.1	Brassica napus
			AAF01774.1	
SEQ ID NO. 1880			SEQ ID NO. 1888	
AAC28907.1	U18349	Phaseolus vulgaris	AAG22044.1	Pisum sativum
AAB00686.1	U18348	Phaseolus vulgaris	AAF00610.1	Dolichos biflorus
AAD15818.1	AF061107	Zea mays	AAG32959.1	Glycine soja
AAG25928.1	AF260919	Petunia x hybrida	AAG32960.1	Glycine soja
AAG25927.1	AF260918	Petunia x hybrida	AAD31285.1	Dolichos biflorus
AAC39455.1	AF020545	Petunia x hybrida	AAF00609.1	Lotus japonicus
AAC49219.1	U39860	Oryza sativa	BAB18896.1	Pisum sativum
			BAB18895.1	Pisum sativum
SEQ ID NO. 1881			BAB18894.1	Pisum sativum
CAB57457.2	AJ249786	Nicotiana tabacum	BAB18893.1	Pisum sativum
AAB57668.1	U82974	Citrus sinensis	BAB18900.1	Pisum sativum
			BAB40230.1	Pisum sativum
SEQ ID NO. 1882			BAB18890.1	Pisum sativum
AAC29516.1	U77655	Solanum tuberosum	BAA75506.1	Pisum sativum
AAD00708.1	U91857	Stylosanthes hamata	AAF00611.1	Medicago sativa
BAB03248.1	AB037183	Oryza sativa	BAA89275.1	Pisum sativum
BAA97123.1	AB016265	Nicotiana sylvestris	BAB40231.1	Pisum sativum
BAA97124.1	AB016266	Nicotiana sylvestris	AAB02720.1	Solanum tuberosum
BAA76734.1	AB024575	Nicotiana tabacum	BAB18891.1	Pisum sativum
AAC50047.1	U89255	Lycopersicon esculentum	BAB18892.1	Pisum sativum
BAA97122.1	AB016264	Nicotiana sylvestris	SEQ ID NO. 1889	
BAA87068.1	AB035270	Matricaria chamomilla	AAF97728.1	Eucalyptus camaldulensis
AAC49741.1	U89257	Lycopersicon esculentum	AAD53890.1	Eucalyptus camaldulensis
CAB96899.1	AJ251249	Catharanthus roseus	AAG37274.1	Oryza sativa
CAB96900.1	AJ251250	Catharanthus roseus	AAA52749.1	Triticum aestivum
AAC49740.1	U89256	Lycopersicon esculentum	SEQ ID NO. 1890	
AAB38748.1	U81157	Nicotiana tabacum	BAA90507.1	Oryza sativa
AAC62619.1	AF057373	Nicotiana tabacum	AAD10836.1	Solanum tuberosum
AAD45623.1	AF084185	Brassica napus	BAA90508.1	Oryza sativa
			BAA83352.1	Oryza sativa
SEQ ID NO. 1883				
BAA92965.1	AF001551	Oryza sativa		

CAA94437.1	Z70524	Spirodela polyrrhiza	CAA12231.1	AJ224932	Lycopersicon esculentum
BAA94511.1	AB041505	Populus nigra	CAA12233.1	AJ224934	Lycopersicon esculentum
			AAB94923.1	AF038386	Capsicum annuum
SEQ ID NO. 1894			CAA72091.1	Y11208	Nicotiana tabacum
AAG13131.1	AF193791	Fragaria x ananassa	CAB88668.1	AJ400863	Cicer arietinum
BAB08208.1	AF002539	Oryza sativa	CAA42530.1	X59873	Triticum aestivum
BAA96769.1	AF002521	Oryza sativa	AAB04688.1	U08226	Zea mays
AAB40530.1	U38199	Oryza sativa	CAA12230.1	AJ224931	Lycopersicon esculentum
AAA90948.1	U27350	Oryza sativa	CAA40564.1	X57312	Zea mays
CAA57447.1	X81854	Nicotiana tabacum	CAA49584.1	X69960	Zea mays
CAA91445.1	Z66544	Pisum sativum	CAA57778.1	X82362	Asparagus officinalis
AAA68290.1	U07339	Oryza sativa	CAA40565.1	X57313	Zea mays
AAC49442.1	U26660	Oryza sativa	CAA49585.1	X69961	Zea mays
CAA35589.1	X17555	Zea mays	BAA07156.1	D37942	Triticum aestivum
CAA42120.1	X59546	Zea mays	BAA07157.1	D37943	Triticum aestivum
AAA68289.1	U07338	Oryza sativa	BAA07159.1	D37945	Triticum aestivum
CAA57448.1	X81855	Nicotiana tabacum	AAA98454.1	U16726	Chlamydomonas reinhardtii
AAG22488.1	AF195868	Vitis vinifera	AAA98450.1	U16725	Chlamydomonas reinhardtii
CAA91444.1	Z66543	Pisum sativum	AAA98446.1	U16724	Chlamydomonas reinhardtii
CAB61763.1	AJ251246	Saccharum officinarum	AAA34248.1	M31921	Volvox carteri
CAA63404.1	X92743	Oryza sativa	AAA34250.1	M31922	Volvox carteri
BAA03354.1	D14457	Zea mays	AAC05126.1	AF048824	Malus x domestica
CAA79819.1	D21722	Zea mays	CAA64986.1	X95690	Allium cepa
BAA03353.1	D14456	Zea mays	BAA07158.1	D37944	Triticum aestivum
CAA79818.1	Z21721	Zea mays	CAA64987.1	X95691	Allium cepa
			BAA96095.1	AB003780	Lilium longiflorum
SEQ ID NO. 1895			SEQ ID NO. 1909		
CAA80559.1	Z23023	Solanum tuberosum	CAC26921.1	AJ295607	Arabidopsis lyrata subsp.
CAA12157.1	AJ224847	Zea mays	petraea		
CAA54986.1	X78069	Flaveria pringlei	BAA36553.1	AB011795	Citrus sinensis
CAA45772.1	X64434	Mesembryanthemum crystallinum	AAD56577.1	AF184270	Daucus carota
AAB08874.1	U67426	Vitis vinifera	AAC49929.1	AF022142	Petunia x hybrida
AAA67087.1	I34836	Vitis vinifera	BAA75309.1	AB023790	Ipomoea batatas
CAB66003.1	AJ132257	Apium graveolens	BAA75308.1	AB023789	Ipomoea batatas
AAA34174.1	I27509	Lycopersicon esculentum	AAD26206.1	AF117270	Malus x domestica
AAD11429.1	AF097666	Mesembryanthemum crystallinum	AAB41102.1	U74081	Ipomoea purpurea
AAA83963.1	I35306	Lycopersicon esculentum	CAA53579.1	X75965	Vitis vinifera
BAA76435.1	AB025007	Cicer arietinum	BAA21897.1	D83041	Ipomoea nil
			CAA57410.1	X81812	Medicago sativa
SEQ ID NO. 1896			CAA55628.1	X78994	Medicago sativa
AAB97163.1	AF025667	Gossypium hirsutum			

AAC97525.1	U23066	Persea americana	CAC14718.1	Y18217	Populus balsamifera subsp.
AAB97310.1	U86837	Chrysanthemum x morifolium	trichocarpa		
AAC15414.1	AF036093	Nicotiana tabacum	AAC49537.1	U43543	Nicotiana tabacum
AAA91227.1	U04434	Zea mays	SEQ ID NO. 1911		
CAA61486.1	X89199	Bromheadia finlaysoniana	AAK21965.1	AY028699	Brassica napus
BAA19657.1	AB002816	Perilla frutescens	AAG03090.1	AC073405	Oryza sativa
CAA41146.1	X58138	Hordeum vulgare	AAG16628.1	AY007545	Brassica napus
CAB97360.1	AJ278457	Juglans nigra	AAB61708.1	U93048	Daucus carota
AAG31153.1	AF308856	Lotus corniculatus	BAA94509.1	AB041503	Populus nigra
CAA50498.1	X71360	Malus sp.	AAA33915.1	L27821	Oryza sativa
			AAF43496.1	AF131222	Lophopyrum elongatum
SEQ ID NO. 1910			AAK11674.1	AF339747	Lophopyrum elongatum
CAC14720.1	Y18219	Populus balsamifera subsp.	BAA78764.1	AB023482	Oryza sativa
trichocarpa			BAA94510.1	AB041504	Populus nigra
AAK37826.1	AF132122	Pinus taeda	BAA92954.1	AP001551	Oryza sativa
AAK37824.1	AF132120	Pinus taeda	AAC61805.1	U28007	Lycopersicon esculentum
CAA74104.1	Y13772	Populus balsamifera subsp.	CAB51834.1	00069	Oryza sativa
trichocarpa			CAA73134.1	Y12531	Brassica oleracea
AAK37825.1	AF132121	Pinus taeda	CAA97692.1	Z73295	Catharanthus roseus
AAK37830.1	AF132126	Pinus taeda	AAF91323.1	AF244889	Glycine max
AAC49536.1	U43542	Nicotiana tabacum	AAF76313.1	AF220603	Lycopersicon esculentum
AAB17194.1	U73106	Liriodendron tulipifera	AAF91324.1	AF244890	Glycine max
AAB17193.1	U73105	Liriodendron tulipifera	AAB47421.1	U59316	Lycopersicon esculentum
AAK37829.1	AF132125	Pinus taeda	BAA92953.1	AP001551	Oryza sativa
AAK37823.1	AF132119	Pinus taeda	AAF66615.1	AF142596	Nicotiana tabacum
AAB17191.1	U73103	Liriodendron tulipifera	AAF91337.1	AF249318	Glycine max
AAK37827.1	AF132123	Pinus taeda	AAF91332.1	AF244888	Glycine max
AAB17192.1	U73104	Liriodendron tulipifera	CAC20842.1	AJ250467	Pinus sylvestris
AAK37828.1	AF132124	Pinus taeda	AAB93834.1	U82481	Zea mays
CAA74105.1	Y13773	Populus balsamifera subsp.	AAF91336.1	AF249317	Glycine max
trichocarpa			AAC23542.1	U20948	Ipomoea trifida
AAB09228.1	U12757	Acer pseudoplatanus	AAF59905.1	AF197946	Glycine max
CAA74103.1	Y13771	Populus balsamifera subsp.	SEQ ID NO. 1912		
trichocarpa			AAG08959.1	AF122051	Solanum tuberosum
CAC14719.1	Y18218	Populus balsamifera subsp.	AAG08960.1	AF122052	Solanum tuberosum
trichocarpa			AAG08961.1	AF122053	Solanum tuberosum
CAA74102.1	Y13770	Populus balsamifera subsp.	AAF34434.1	AF172282	Oryza sativa
trichocarpa			AAF67053.1	AF190304	Adiantum raddianum
AAC49538.1	U45243	Nicotiana tabacum	AAF67052.1	AF190303	Adiantum raddianum
CAA74101.1	Y13769	Populus balsamifera subsp.			
trichocarpa					

AF190301	AAF67050.1	Secale cereale	AAK28804.1	AF310959	Linum usitatissimum
AF190302	AAF67051.1	Secale cereale	AAG09951.1	AF175388	Glycine max
Z13998	CAA78388.1	Petunia x hybrida	CAC35337.1	AJ310162	Linum usitatissimum
Y11415	CAA72218.1	Oryza sativa	CAC35330.1	AJ310155	Linum usitatissimum
AB029160	BAA81731.1	Glycine max	CAA08797.1	AJ009719	Solanum tuberosum
AB029159	BAA81730.1	Glycine max	CAC35326.1	AJ310151	Linum usitatissimum
Y11414	CAA72217.1	Oryza sativa	CAC35325.1	AJ310150	Linum usitatissimum
AB029165	BAA81736.1	Glycine max	CAC35336.1	AJ310161	Linum usitatissimum
U72762	AAB41101.1	Nicotiana tabacum	CAC35328.1	AJ310153	Linum usitatissimum
AB028651	BAA88223.1	Nicotiana tabacum	CAC35332.1	AJ310157	Linum usitatissimum
D88620	BAA23340.1	Oryza sativa	CAC35339.1	AJ310164	Linum usitatissimum
AB029162	BAA81733.2	Glycine max	AAD25966.1	AF093639	Linum usitatissimum
AB028650	BAA88222.1	Nicotiana tabacum	CAC35338.1	AJ310163	Linum usitatissimum
AJ006292	CAB43339.1	Antirrhinum majus	AA643546.1	AF211528	Nicotiana tabacum
AB029161	BAA81732.1	Glycine max	CAC35321.1	AJ310150	Linum usitatissimum
AF198498	AAAG28525.1	Nicotiana tabacum	CAC35333.1	AJ310158	Linum usitatissimum
X70881	CAA50226.1	Hordeum vulgare	CAC35334.1	AJ310159	Linum usitatissimum
X70878	CAA50223.1	Hordeum vulgare	CAC35329.1	AJ310154	Linum usitatissimum
Z13997	CAA78387.1	Petunia x hybrida	AAD25969.1	AF093642	Linum usitatissimum
X98355	CAA67000.1	Oryza sativa	AAD25974.1	AF093647	Linum usitatissimum
AF336283	AAK19616.1	Gossypium hirsutum	CAC35327.1	AJ310152	Linum usitatissimum
AF198499	AAAG28526.1	Nicotiana tabacum	AAD25975.1	AF093648	Linum usitatissimum
Z13996	CAA78386.1	Petunia x hybrida	AAG01052.1	AF175395	Glycine max
X98308	CAA66952.1	Lycopersicon esculentum	CAC35331.1	AJ310156	Linum usitatissimum
D88621	BAA23341.1	Oryza sativa	CAC35323.1	AJ310150	Linum usitatissimum
X70876	CAA50221.1	Hordeum vulgare	AAD25968.1	AF093641	Linum usitatissimum
AF336278	AAK19611.1	Gossypium hirsutum	AAA91022.1	U27081	Linum usitatissimum
X87690	CAA61021.1	Hordeum vulgare	AAD25976.1	AF093649	Linum usitatissimum
AY008692	AAG22863.1	Hordeum vulgare	AAA91021.1	U27081	Linum usitatissimum
			AAD25970.1	AF093643	Linum usitatissimum
			AAD25967.1	AF093640	Linum usitatissimum
			AAB47618.1	U73916	Linum usitatissimum
		Nicotiana glutinosa	AAD25971.1	AF093644	Linum usitatissimum
		Linum usitatissimum	AAD25965.1	AF093638	Linum usitatissimum
		Linum usitatissimum	AAD25973.1	AF093646	Linum usitatissimum
		Linum usitatissimum	AAD25972.1	AF093645	Linum usitatissimum
		Linum usitatissimum	AAG01051.1	AF175394	Glycine max
		Solanum tuberosum	AAG09954.1	AF175399	Glycine max
		Linum usitatissimum	AAG09953.1	AF175398	Glycine max
		Linum usitatissimum			
		Linum usitatissimum			
		Linum usitatissimum			
		SEQ ID NO. 1918			

AAF76897.1	AF274032	Atriplex hortensis	AAD25969.1	AF093642	Linum usitatissimum
AAD25162.1	AF014810	Lycopersicon esculentum	CAC35337.1	AJ310162	Linum usitatissimum
AAD25161.1	AF014809	Lycopersicon esculentum	CAC35331.1	AJ310156	Linum usitatissimum
AAD25160.1	AF014808	Lycopersicon esculentum	CAC35334.1	AJ310159	Linum usitatissimum
CAA70778.1	Y09591	Vicia faba	CAC35323.1	AJ310150	Linum usitatissimum
AAB96830.1	U64823	Nicotiana sylvestris	CAC35327.1	AJ310152	Linum usitatissimum
AAB48944.1	U31932	Nicotiana sylvestris	AAD25968.1	AF093641	Linum usitatissimum
AAD16015.1	AF080544	Nepenthes alata	AAA91022.1	U27081	Linum usitatissimum
CAA70969.1	Y09826	Solanum tuberosum	AAA91021.1	U27081	Linum usitatissimum
CAA70968.1	Y09825	Solanum tuberosum	CAC35338.1	AJ310163	Linum usitatissimum
AAD16014.1	AF080543	Nepenthes alata	CAC35332.1	AJ310157	Linum usitatissimum
AAD16013.1	AF080542	Nepenthes alata	CAC35325.1	AJ310150	Linum usitatissimum
AAF15945.1	AF061435	Vicia faba	CAC35336.1	AJ310161	Linum usitatissimum
AAF15946.1	AF061436	Vicia faba	CAC35333.1	AJ310158	Linum usitatissimum
AAF15944.1	AF061434	Vicia faba	CAC35321.1	AJ310150	Linum usitatissimum
SEQ ID NO. 1919			AAG09954.1	AF175399	Glycine max
CAA08798.1	AJ009720	Solanum tuberosum	CAC35330.1	AJ310155	Linum usitatissimum
AAA50763.1	U15605	Nicotiana glutinosa	CAC35328.1	AJ310153	Linum usitatissimum
AAG43546.1	AF211528	Nicotiana tabacum	CAC35339.1	AJ310164	Linum usitatissimum
CAA08797.1	AJ009719	Solanum tuberosum	CAC35326.1	AJ310151	Linum usitatissimum
AAB47618.1	U73916	Linum usitatissimum	AAK28810.1	AF310964	Linum usitatissimum
AAK28803.1	AF310958	Linum usitatissimum	AAK28812.1	AF310968	Linum usitatissimum
AAK28804.1	AF310959	Linum usitatissimum	AAK28811.1	AF310966	Linum usitatissimum
AAK28808.1	AF310961	Linum usitatissimum	SEQ ID NO. 1920		
AAK28809.1	AF310962	Linum usitatissimum	CAA39280.1	X55751	Solanum tuberosum
AAK28805.1	AF310960	Linum usitatissimum	AAC31886.1	AF059484	Gossypium hirsutum
AAG01052.1	AF175395	Glycine max	CAA45149.1	X63603	Nicotiana tabacum
AAG09951.1	AF175388	Glycine max	CAA39278.1	X55749	Solanum tuberosum
AAG01051.1	AF175394	Glycine max	AAC49651.1	U68461	Striga asiatica
CAC35329.1	AJ310154	Linum usitatissimum	AAC49652.1	U68462	Striga asiatica
AAD25972.1	AF093645	Linum usitatissimum	AAF40438.1	AF234528	Avena nuda
AAD25976.1	AF093649	Linum usitatissimum	AAF03692.1	AF172094	Picea rubens
AAD25967.1	AF093640	Linum usitatissimum	AAF31643.1	AF143208	Vigna radiata
AAD25966.1	AF093639	Linum usitatissimum	CAA33874.1	X15865	Oryza sativa
AAD25965.1	AF093638	Linum usitatissimum	AAG10041.1	AF288226	Setaria italica
AAD25975.1	AF093648	Linum usitatissimum	BAA89214.1	AB032361	Mimosa pudica
AAD25974.1	AF093647	Linum usitatissimum	CAA39281.1	X55752	Solanum tuberosum
AAD25973.1	AF093646	Linum usitatissimum	AAF71264.1	AF246714	Phalaenopsis sp. 'True Lady'
AAD25971.1	AF093644	Linum usitatissimum	AAD41039.1	AF112538	Malva pusilla
AAD25970.1	AF093643	Linum usitatissimum	AAF71265.1	AF246715	Phalaenopsis sp. 'True Lady'



AAD03741.1	Brassica napus	CAC10358.1	AJ277086	Nicotiana tabacum
CAA55923.1	Sorghum bicolor	AAC36698.1	AF075580	Mesembryanthemum crystallin
AAB38512.1	Pisum sativum	CAC10359.1	AJ277087	Nicotiana tabacum
AAB38511.1	Pisum sativum	AAG43835.1	AF213455	Zea mays
AAB18642.1	Pisum sativum	CAC09575.1	AJ298987	Fagus sylvatica
AAB18641.1	Pisum sativum	CAB90634.1	AJ277744	Fagus sylvatica
CAA62028.1	Pisum sativum	AAC35951.1	AF079355	Mesembryanthemum crystallin
CAA34356.1	Oryza sativa	AAD11430.1	AF097667	Mesembryanthemum crystallin
CAA47899.1	Pisum sativum	AAC36700.1	AF075582	Mesembryanthemum crystallin
AAF82805.1	Helianthus annuus	CAC09576.1	AJ298988	Fagus sylvatica
CAA48609.1	Pisum sativum	AAC26828.1	AF075603	Oryza sativa
AAC16054.1	Coleochaete scutata	AAB93832.1	U81960	Zea mays
AAB38514.1	Pisum sativum	AAC36699.1	AF075581	Mesembryanthemum crystallin
AAB18644.1	Pisum sativum			
AAC64127.1	Anemia phyllitidis	SEQ ID NO. 1927		
CAA39279.1	Solanum tuberosum	AAG02411.1	AF284038	Cucurbita maxima
AAD02328.1	Brassica oleracea	CAA72274.1	Y11486	Triticum aestivum
CAA23728.1	Glycine max	CAB52709.1	AJ245878	Triticum aestivum
AAC16055.1	Mesostigma viride	CAB52710.1	AJ245879	Triticum aestivum
AAC64128.1	Anemia phyllitidis	CAA66232.1	X97636	Hordeum vulgare
AAC05272.1	Glycine max	CAA72273.1	Y11485	Triticum aestivum
AAF87302.1	Magnolia denudata	CAA64599.1	X95277	Hordeum vulgare
BAA09450.1	Chlamydomonas reinhardtii	CAA90071.1	Z49890	Triticum aestivum
BAA09449.1	Chlamydomonas reinhardtii	BAA88536.1	AP000969	Oryza sativa
AAA34243.1	Volvox carteri			
AAA33433.1	Zea mays	SEQ ID NO. 1928		
AAC16053.1	Scherffelia dubia	AAC35846.1	AF083333	Medicago sativa
CAA33873.1	Oryza sativa	AAA74882.1	L36823	Stylosanthes humilis
CAA33871.1	Oryza sativa	AAK28509.1	AF320110	Fragaria x ananassa
AAA33940.1	Glycine max	AAD10327.1	U63534	Fragaria x ananassa
AAC64126.1	Anemia phyllitidis	AAB38503.1	U79770	Mesembryanthemum crystallinum
AAD48335.1	Selaginella apoda	AAC15467.1	U24561	Apium graveolens
AAD48336.1	Cosmarium botrytis	AAC61854.1	AF067082	Apium graveolens
CAA39276.1	Solanum tuberosum	AAA74883.1	L36456	Stylosanthes humilis
		CAA86072.1	Z37991	Pinus taeda
		CAA51226.1	X72675	Picea abies
	Medicago sativa	CAA05097.1	AJ001926	Picea abies
	Lotus japonicus	CAA05096.1	AJ001925	Picea abies
	Lotus japonicus	AAB38774.1	U62394	Pinus radiata
	Fagus sylvatica	CAA05095.1	AJ001924	Picea abies
	Mesembryanthemum crystallinum	CAA86073.1	Z37992	Pinus taeda
AA03741.1				
AA55923.1				
AB38512.1				
AB38511.1				
AB18642.1				
AB18641.1				
AA62028.1				
AA34356.1				
AA47899.1				
AF82805.1				
AA48609.1				
AA16054.1				
AB38514.1				
AB18644.1				
AA64127.1				
AA39279.1				
AD02328.1				
AA23728.1				
AA16055.1				
AA64128.1				
AA05272.1				
AF87302.1				
BA09450.1				
BA09449.1				
AA34243.1				
AA33433.1				
AA16053.1				
AA33873.1				
AA33871.1				
AA33940.1				
AA64126.1				
AD48335.1				
AD48336.1				
AA39276.1				
SEQ ID NO. 1925				
CAA72341.1				
AAD17804.1				
AAD17805.1				
CAB90633.1				
AAC36697.1				

AAC31166.1	AF060491	Pinus radiata	BAA82394.1	AP000367	Oryza sativa
CAC07423.1	AJ295837	Populus balsamifera subsp. trichocarpa	BAA94510.1	AB041504	Populus nigra
AAF43140.1	AF217957	Populus tremuloides	BAA78764.1	AB023482	Oryza sativa
CAA79622.1	Z19568	Populus deltoides	AAF43496.1	AF131222	Lophopyrum elongatum
CAA44216.1	X62343	Nicotiana tabacum	AAK11674.1	AF339747	Lophopyrum elongatum
BAA03099.1	D13991	Aralia cordata	AAG03090.1	AC073405	Oryza sativa
AAG15553.1	AF294793	Eucalyptus saligna	AAB09771.1	U67422	Zea mays
AAC07987.1	AF038561	Eucalyptus globulus	AAF91323.1	AF244889	Glycine max
CAA44217.1	X62344	Nicotiana tabacum	AAF91324.1	AF244890	Glycine max
CAA4585.1	X65631	Eucalyptus gunnii	AAF91322.1	AF244888	Glycine max
AAF72100.1	AF146691	Lycopersicon esculentum	AAG25966.1	AF302082	Nicotiana tabacum
CAA53211.1	X75480	Eucalyptus gunnii	AAB61708.1	U93048	Daucus carota
CAA74070.1	Y13733	Zea mays	CAC20842.1	AJ250467	Pinus sylvestris
CAA79625.1	Z19573	Medicago sativa	AAF66615.1	AF142596	Nicotiana tabacum
CAA06687.1	AJ005702	Zea mays	AAF59906.1	AF197947	Glycine max
AAC35845.1	AF083332	Medicago sativa	CAB51834.1	00069	Oryza sativa
CAA13177.1	AJ231135	Saccharum officinarum	CAA97692.1	Z73295	Catharanthus roseus
AAB70908.1	AF010290	Lolium perenne	AAC36318.1	AF053127	Malus x domestica
BAA19487.1	D86590	Zinnia elegans	BAA94529.2	AP001800	Oryza sativa
BAA04046.1	D16624	Eucalyptus botryoides	BAA94516.1	AP001800	Oryza sativa
AAF23416.1	AF207559	Brassica rapa	SEQ ID NO. 1936		
AAF23415.1	AF207558	Brassica oleracea	BAA78764.1	AB023482	Oryza sativa
AAF23414.1	AF207557	Brassica napus	AAF43496.1	AF131222	Lophopyrum elongatum
AAF23413.1	AF207556	Brassica napus	AAK11674.1	AF339747	Lophopyrum elongatum
AAD18000.1	AF109157	Eucalyptus globulus	AAG16628.1	AY007545	Brassica napus
AAF23409.1	AF207552	Brassica napus	BAA94509.1	AB041503	Populus nigra
AAF23411.1	AF207554	Brassica oleracea	BAA94510.1	AB041504	Populus nigra
SEQ ID NO. 1929			AAK21965.1	AY028699	Brassica napus
CAA63223.1	X92491	Solanum tuberosum	AAF91337.1	AF249318	Glycine max
SEQ ID NO. 1935			AAG03090.1	AC073405	Oryza sativa
AAC27894.1	AF023164	Zea mays	AAC61805.1	U28007	Lycopersicon esculentum
AAC27895.1	AF023165	Zea mays	AAF91336.1	AF249317	Glycine max
AAG16628.1	AY007545	Brassica napus	CAB51834.1	00069	Oryza sativa
AAK21965.1	AY028699	Brassica napus	AAC27894.1	AF023164	Zea mays
AAF91336.1	AF249317	Glycine max	AAG25966.1	AF302082	Nicotiana tabacum
BAA94509.1	AB041503	Populus nigra	AAG33377.1	AF290411	Oryza meyeriana
AAC61805.1	U28007	Lycopersicon esculentum	AAC27895.1	AF023165	Zea mays
AAF91337.1	AF249318	Glycine max	AAB47421.1	U59316	Lycopersicon esculentum
			AAK11566.1	AF318490	Lycopersicon hirsutum
			AAF76313.1	AF220603	Lycopersicon esculentum

AAF66615.1	AF142596	Nicotiana tabacum	CAB43994.1	AJ242712	Brassica napus
AAC48914.1	U02271	Lycopersicon pimpinellifolium	CAA55383.1	X7800	Eucalyptus gunnii
AAF76306.1	AF220602	Lycopersicon pimpinellifolium	AAC41647.1	I31900	Cucumis sativus
AAB47423.1	U59315	Lycopersicon pimpinellifolium	CAB43995.1	AJ242713	Brassica napus
AAB09771.1	U67422	Zea mays	BAA12870.1	D85763	Oryza sativa
CAA97692.1	Z73295	Catharanthus roseus	AAC24855.1	AF068686	Glycine max
AAB47424.1	U59317	Lycopersicon pimpinellifolium	AAC28106.1	AF079850	Pisum sativum
AAB61708.1	U93048	Daucus carota	AAB99754.1	AF020270	Medicago sativa
AAF76307.1	AF220602	Lycopersicon pimpinellifolium	CAB45387.1	AJ0006974	Plastid Nicotiana tabacum
AAG00510.1	AF285172	Phaseolus vulgaris	CAB63268.1	X92512	Brassica napus
AAK11567.1	AF318491	Lycopersicon hirsutum	AAA84971.1	U40212	Chlamydomonas reinhardtii
SEQ ID NO.	1937		AAF69802.1	AF195869	Vitis vinifera
BAB32443.1	AB055630	Phragmites australis	CAC15546.1	AJ250842	Dunaliella bioculata
BAB32444.1	AB055631	Phragmites australis	CAA61621.1	X89451	Brassica napus
BAB32442.1	AB055629	Phragmites australis	AAB99755.1	AF020271	Medicago sativa
BAB32445.1	AB055632	Phragmites australis	AAD56659.1	AF180335	Glycine max
AAF36491.1	AF129479	Hordeum vulgare	AAC19244.1	AF068687	Glycine max
AAF36497.1	AF129485	Oryza sativa	SEQ ID NO.	1941	
AAF36492.1	AF129480	Hordeum vulgare	AAB95118.1	U71244	Brassica rapa
AAF36496.1	AF129484	Hordeum vulgare	AAF06346.1	AF195653	Vitis vinifera
CAC15061.1	AJ300161	Hordeum vulgare	CAC10270.1	AJ243427	Malus x domestica
SEQ ID NO.	1938		AAC36740.1	AF090143	Malus x domestica
CAA71611.1	Y10602	Lycopersicon esculentum	BAA74546.2	AB000834	Nicotiana tabacum
CAA70100.1	Y08887	Lycopersicon esculentum	AAB38064.1	U32440	Prunus avium
CAA70101.1	Y08888	Lycopersicon esculentum	BAA28872.1	AB006009	Pyrus pyrifolia
AAC21564.1	AF057859	Solanum tuberosum	AAF06347.1	AF195654	Vitis vinifera
AAA62697.1	M55684	Hordeum vulgare	CAB62167.1	AJ242828	Castanea sativa
AAA62696.1	M55685	Hordeum vulgare	CAC09477.1	AL442113	Oryza sativa
BAA02971.1	D13817	Oryza sativa	BAA95017.1	AB031870	Cestrum elegans
CAA77808.1	Z11754	Zea mays	CAA10492.1	AJ131731	Pseudotsuga menziesii
BAA90618.1	AP001129	Oryza sativa	BAA95165.1	AB029918	Nicotiana tabacum
CAA71612.1	Y10603	Lycopersicon esculentum	AAB02259.1	U57787	Avena sativa
AAC21565.1	AF067860	Solanum tuberosum	AAB53368.1	U77657	Oryza sativa
BAA04088.1	D16685	Oryza sativa	AAF82264.1	AF227324	Vitis vinifera
AAB38970.1	U80676	Botryococcus braunii	CAA09228.1	AJ010501	Cicer arietinum
AAB39506.1	U40465	Chlamydomonas reinhardtii	AAB61590.1	AF003007	Vitis vinifera
AAD10324.1	U42979	Chlamydomonas reinhardtii	CAB33293.1	X15224	Nicotiana tabacum
AAA33041.1	M33148	Citrullus lanatus	AAD55090.1	AF178653	Vitis riparia
AAB99757.1	AF020273	Medicago sativa	CAA33292.1	X15223	Nicotiana tabacum
			AAA93095.1	J01209	Thaumatococcus daniellii

[illegible]

AAA81348.1	U38965	Vicia faba	CAA46234.1	X65118	Nicotiana plumbaginifolia
AAK32119.1	AF308817	Hordeum vulgare	AAA33486.1	M74566	Zea mays
AAK32118.1	AF308816	Hordeum vulgare	AAA79045.1	U34742	Spinacia oleracea
AAA20600.1	U08984	Zea mays	CAA57551.1	X82030	Phaseolus vulgaris
SEQ ID NO. 1959			CAA11893.1	AJ224324	Hordeum vulgare
CAB43505.1	AJ239051	Cicer arietinum	CAA41023.1	X57955	Spinacia oleracea
BAA74465.1	AB022732	Glycyrrhiza echinata	AAA33039.1	L15080	Mesembryanthemum crystalli
BAA93634.1	AB025016	Lotus japonicus	CAC01238.1	AJ292768	Nicotiana plumbaginifolia
BAA22422.1	AB001379	Glycyrrhiza echinata	AAC49850.1	U90212	Nicotiana tabacum
CAA04117.1	AJ000478	Helianthus tuberosus	CAC01237.1	AJ292767	Nicotiana plumbaginifolia
CAB41490.1	AJ238439	Cicer arietinum	CAA81127.1	Z26042	Anemia phyllitidis
CAA04116.1	AJ000477	Helianthus tuberosus	AAF66823.1	AF190655	Nicotiana tabacum
CAA10067.1	AJ012581	Cicer arietinum	AAB38974.1	U81318	Triticum aestivum
AAD56282.1	AF155332	Petunia x hybrida	CAA05729.1	AJ002894	Oryza sativa
AAG09208.1	AF175278	Pisum sativum	BAA05170.1	D26182	Nicotiana sylvestris
BAA12159.1	D83968	Glycine max	AAF66825.1	AF190657	Nicotiana tabacum
CAA65580.1	X96784	Nicotiana tabacum	AAK30205.1	AF349964	Daucus carota
AAC49188.2	U29333	Pisum sativum	AAF63202.1	AF240679	Cucumis sativus
AAG44132.1	AF218296	Pisum sativum	AAB71417.1	U81287	Pisum sativum
CAA64635.1	X95342	Nicotiana tabacum	BAA22083.1	D28862	Nicotiana sylvestris
AAC39454.1	AF014802	Eschscholzia californica	CAB75429.1	AJ272011	Nicotiana plumbaginifolia
AAB94590.1	AF022461	Glycine max	BAA12064.1	D83696	Nicotiana sylvestris
AAA32913.1	M32885	Persea americana	AAA75104.1	U32310	Triticum aestivum
BAA84072.1	AB028152	Torenia hybrida	BAA03742.1	D16205	Nicotiana sylvestris
BAA13076.1	D86351	Glycine max	CAA88558.1	Z48624	Hordeum vulgare
BAA84071.1	AB028151	Antirrhinum majus	AAG23220.1	AF310215	Sorghum bicolor
AAC32274.1	AF081575	Petunia x hybrida	SEQ ID NO. 1961		
CAA50155.1	X70824	Solanum melongena	AAG27547.1	AF269128	Brassica nigra
CAA70575.1	Y09423	Nepeta racemosa	AAC27695.1	AF016010	Brassica napus
BAA92894.1	AB006790	Petunia x hybrida	AAC27694.1	AF016009	Brassica napus
AAB94587.1	AF022458	Glycine max	AAC27696.1	AF016011	Brassica napus
SEQ ID NO. 1960			AAG27546.1	AF269126	Brassica nigra
BAA01887.1	D11111	Nicotiana sylvestris	AAG24863.1	AF300700	Ipomoea nil
BAA01886.1	D11110	Nicotiana tabacum	AAC99310.1	AF052585	Malus x domestica
CAA11894.1	AJ224325	Hordeum vulgare	AAC99309.1	AF052584	Malus x domestica
BAA22411.1	D38485	Triticum aestivum	AAC35496.1	AF052690	Raphanus sativus
CAA06469.1	AJ005286	Hordeum vulgare	AAD22518.1	AF001136	Pinus radiata
CAA66479.1	X97905	Vicia faba	AAK14948.1	AF230669	Brassica napus
CAA46233.1	X65117	Nicotiana plumbaginifolia	AAK14950.1	AF230671	Brassica oleracea
			AAK14947.1	AF230668	Brassica napus

AAK14949.1	AF230670	Brassica rapa	AAC78393.1	U83670	Oryza sativa
SEQ ID NO. 1962			CAA31785.1	X13431	Triticum aestivum
AAA33975.1	M11395	Glycine max	CAA63570.1	X92983	Pseudotsuga menziesii
CAA41547.1	X58711	Medicago sativa	AAC78394.1	U83671	Oryza sativa
AAB03893.1	M11318	Glycine max	CAA63571.1	X92984	Pseudotsuga menziesii
AAA33672.1	M33899	Pisum sativum			
CAA25578.1	X01104	Glycine max	SEQ ID NO. 1965		
CAB55634.2	AJ237596	Helianthus annuus	AAD03415.1	AF069494	Sinapis alba
BAA33062.1	AB017273	Cuscuta japonica	AAA85440.1	U32624	Sorghum bicolor
AAA33974.1	M11317	Glycine max	AAF27289.1	AF140613	Manihot esculenta
AAD30454.1	AF123257	Lycopersicon esculentum	AAF27290.1	AF140614	Manihot esculenta
AAD30452.1	AF123255	Lycopersicon esculentum	AAF66543.1	AF140609	Triglochin maritimum
CAA39603.1	X56138	Lycopersicon esculentum	AAF66544.1	AF140610	Triglochin maritimum
AAD30453.1	AF123256	Lycopersicon esculentum	BAA92894.1	AB006790	Petunia x hybrida
CAA37847.1	X53851	Daucus carota	AAD56282.1	AF155332	Petunia x hybrida
AAA33671.1	M33900	Pisum sativum	CAA50155.1	X70824	Solanum melongena
AAF34133.1	AF161179	Malus x domestica	AAC32274.1	AF081575	Petunia x hybrida
CAA41546.1	X58710	Medicago sativa	AAA32913.1	M32885	Persea americana
AAB63310.1	U46544	Helianthus annuus	CAA64635.1	X95342	Nicotiana tabacum
AAB63311.1	U46545	Helianthus annuus	CAA65580.1	X96784	Nicotiana tabacum
CAB08441.1	Z95153	Helianthus annuus	AAB94587.1	AF022458	Glycine max
CAA42222.1	X59701	Helianthus annuus	AAB17562.1	U72654	Eustoma grandiflorum
AAC39360.1	U63631	Fragaria x ananassa	AAG09208.1	AF175278	Pisum sativum
AAA33910.1	M80939	Oryza sativa	AAD37433.1	AF150881	Lycopersicon esculentum x
CAA37848.1	X53852	Daucus carota	Lycopersicon peruvianum		
AAA33909.1	M80938	Oryza sativa	CAA04117.1	AJ000478	Helianthus tuberosus
CAA43210.1	X60820	Oryza sativa	CAA04116.1	AJ000477	Helianthus tuberosus
CAA37864.1	X53870	Chenopodium rubrum	CAB43505.1	AJ239051	Cicer arietinum
AAD49336.1	AF166277	Nicotiana tabacum	AAC49188.2	U29333	Pisum sativum
AAA61632.1	U08601	Papaver somniferum	AAG14963.1	AF214009	Brassica napus
AAB72109.1	AF022217	Brassica rapa	AAD38930.1	AF135485	Glycine max
CAA63902.1	X94192	Pennisetum glaucum	AAG14962.1	AF214008	Brassica napus
AAB39856.1	U81385	Oryza sativa	AAG44132.1	AF218296	Pisum sativum
CAA46641.1	X5725	Zea mays	AAB94588.1	AF022459	Glycine max
CAA08908.1	AJ009880	Castanea sativa	AAG14961.1	AF214007	Brassica napus
CAA63903.1	X94193	Pennisetum glaucum	AAB94590.1	AF022461	Glycine max
CAB36910.1	AJ000691	Quercus suber	BAA84071.1	AB028151	Antirrhinum majus
CAA63901.1	X94191	Pennisetum glaucum	CAA50442.1	X71130	Petunia x hybrida
AAC78392.1	U83669	Oryza sativa			
BAA02160.1	D12635	Oryza sativa	SEQ ID NO. 1966		
			AAG38521.1	AF283536	Citrus x paradisi

AAA97905.1	U51853	Glycine max	AAD32650.1	AF136941	Hordeum vulgare
CAA79954.1	Z21954	Vigna unguiculata	BAA74583.1	AB011266	Hordeum vulgare
AAB66355.1	U54702	Oryza sativa	BAB17826.1	AB046401	Oryza sativa
AAB24010.1	S49967	Oryza	BAB17823.1	AB023818	Oryza sativa
CAA60610.1	X87126	Zea mays	BAA74586.1	AB011269	Hordeum vulgare
BAA09666.1	D63342	Zea mays	BAA74588.2	AB021746	Oryza sativa
AAA32672.1	L16624	Ambrosia artemisiifolia	BAB17825.1	AB046401	Oryza sativa
BAA07327.1	D38130	Zea mays	BAA74587.1	AB019525	Hordeum vulgare
AAA97907.1	U51855	Glycine max	BAA74585.1	AB011268	Hordeum vulgare
BAB18766.1	AB038392	Triticum aestivum	BAA74580.1	AB010086	Hordeum vulgare
BAB18767.1	AB038393	Triticum aestivum	BAA74584.1	AB011267	Hordeum vulgare
CAA11899.1	CAJ224331	Castanea sativa	SEQ ID NO. 1968		
AAB71505.1	U82220	Pyrus communis	AAD49420.1	AF172681	Canavalia lineata
CAA60634.1	X87168	Sorghum bicolor	CAA08855.1	AJ009825	Cicer arietinum
BAB18765.1	AB038391	Triticum aestivum	AAA62490.1	L39931	Pisum sativum
BAB18768.1	AB038394	Triticum aestivum	BAA77206.1	AB026253	Pisum sativum
AAC37479.1	L41355	Brassica rapa	AAB34918.2	S78994	Lens culinaris
BAA28867.1	AB014760	Cucumis sativus	CAA06833.1	AJ006052	Cicer arietinum
AAD33907.1	AF143677	Artemisia vulgaris	CAA45526.1	X64201	Lens culinaris
BAA89582.1	AP001073	Oryza sativa	AAD40979.1	AF089851	Glycine max
CAA72790.1	Y12068	Hordeum vulgare	AAD51007.1	AF171698	Euphorbia characias
AAA96316.1	U51119	Brassica rapa	SEQ ID NO. 1969		
AAK15090.1	AF240007	Sesamum indicum	AAC98091.1	AF067401	Oryza sativa
AAF23127.1	AF198389	Lycopersicon esculentum	AAG13663.1	AF263457	Zea mays
BAA19610.1	D64115	Glycine max	BAB39155.1	AB048713	Pisum sativum
BAA19608.1	D31700	Glycine max	AAC98090.1	AF067400	Zea mays
CAA89697.1	Z49697	Ricinus communis	BAA90816.1	AP001168	Oryza sativa
AAF72202.1	AF265551	Manihot esculenta	SEQ ID NO. 1977		
AAA97906.1	U51854	Glycine max	BAA78764.1	AB023482	Oryza sativa
CAA50437.1	X71124	Carica papaya	BAA94510.1	AB041504	Populus nigra
AAF23126.1	AF198388	Lycopersicon esculentum	AAF43496.1	AF131222	Lophopyrum elongatum
AAD13812.1	AF117334	Ipomoea batatas	AAK11674.1	AF339747	Lophopyrum elongatum
AAF64480.1	AF241536	Ipomoea batatas	BAA94509.1	AB041503	Populus nigra
AAK30004.1	AY028994	Dianthus caryophyllus	AAG16628.1	AY007545	Brassica napus
BAB18769.1	AB038395	Triticum aestivum	AAK21965.1	AY028699	Brassica napus
AAC32853.1	AF083253	Lycopersicon esculentum	AAG03090.1	AC073405	Oryza sativa
SEQ ID NO. 1967			CAB51834.1	00069	Oryza sativa
CAB42052.1	AJ242045	Lycopersicon esculentum	AAC61805.1	U28007	Lycopersicon esculentum
AAD32651.1	AF136942	Hordeum vulgare			
BAB17824.1	AB023819	Oryza sativa			

AAAF91337.1	AF249318	Glycine max	BAA13608.1	D88399	Oryza sativa
AAAF91336.1	AF249317	Glycine max	AAG60195.1	AC084763	Oryza sativa
AAAF66615.1	AF142596	Nicotiana tabacum	BAA19573.1	AB002109	Oryza sativa
CAA97692.1	273295	Catharanthus roseus	AAB58348.1	U29095	Triticum aestivum
AAAK11567.1	AF318491	Lycopersicon hirsutum	AAD00240.1	U73939	Nicotiana tabacum
AAAB47421.1	U59316	Lycopersicon esculentum	AAA96325.1	M94726	Triticum aestivum
AAAF76313.1	AF220603	Lycopersicon esculentum	CAA81443.1	Z26846	Mesembryanthemum crystalli
AAC27894.1	AF023164	Zea mays	AAB68962.1	L38855	Glycine max
AAAK11566.1	AF318490	Lycopersicon hirsutum	AAF27340.1	AF186020	Vicia faba
AAC27895.1	AF023165	Zea mays	CAA89202.1	Z49233	Chlamydomonas eugametos
AAAF76306.1	AF220602	Lycopersicon pimpinellifolium	CAA06503.1	AJ005373	Craterostigma plantagineum
AAB47424.1	U59317	Lycopersicon pimpinellifolium	SEQ ID NO.	1979	
AAF76307.1	AF220602	Lycopersicon pimpinellifolium	AAF13739.1	AF108435	Papaver somniferum
AAC48914.1	U02271	Lycopersicon pimpinellifolium	AAF13736.1	AF108432	Papaver somniferum
AAB47423.1	U59315	Lycopersicon pimpinellifolium	AAF13738.1	AF108434	Papaver somniferum
AAG25966.1	AF302082	Nicotiana tabacum	AAF13737.1	AF108433	Papaver somniferum
AAAF34428.1	AF172282	Oryza sativa	CAA39261.1	X55730	Glycine max
CAA73134.1	Y12531	Brassica oleracea	CAA57783.1	X82367	Medicago sativa
AAAG33377.1	AF290411	Oryza meyeriana	AAB41556.1	U13925	Medicago sativa subsp. sativa
BAA92954.1	AP001551	Oryza sativa	CAA57784.1	X82368	Medicago sativa
SEQ ID NO.	1978		CAA57782.1	X82366	Medicago sativa
BAA34675.1	AB011670	Triticum aestivum	AAB41555.1	U13924	Medicago sativa subsp. sativa
BAA83688.1	AB011967	Oryza sativa	BAA12084.1	D83718	Glycyrrhiza echinata
AAAF22219.1	AF141378	Zea mays	BAA13114.1	D86559	Glycyrrhiza glabra
BAA83689.1	AB011968	Oryza sativa	BAA13113.1	D86558	Glycyrrhiza glabra
CAA73068.1	Y12465	Sorghum bicolor	AAD22264.1	AF133841	Glycyrrhiza viscosa
CAA73067.1	Y12464	Sorghum bicolor	AA221751.1	L12042	Xerophyta viscosa
AAAB62693.1	AF004947	Oryza sativa	CAA40747.1	X57526	Bromus inermis
BAA96628.1	AP002482	Oryza sativa	CAA88322.1	Z48360	Hordeum vulgare
CAA71142.1	Y10036	Cucumis sativus	AAC49138.1	U21747	Hordeum vulgare
AAD23582.1	AF128443	Glycine max	AAG15839.2	AF055910	Avena fatua
CAA57898.1	X82548	Hordeum vulgare	AAB97617.1	U83687	Orobancha ramosa
BAA05649.1	D26602	Nicotiana tabacum	CAA88591.1	Z48672	Apium graveolens
AAC99329.1	AF062479	Oryza sativa	AAF13741.1	AF108437	Sesbania rostrata
CAA65244.1	X95997	Solanum tuberosum	AAG31150.1	AF308853	Papaver somniferum
AAB05457.1	U55768	Oryza sativa	BAA76417.1	AB024989	Lotus corniculatus
CAA46554.1	X65604	Hordeum vulgare	AAG31151.1	AF308854	Cicer arietinum
CAA07813.1	AJ007990	Hordeum vulgare	AAF13740.1	AF108436	Lotus corniculatus
CAA46556.1	X65606	Hordeum vulgare	SEQ ID NO.	1980	Papaver somniferum
AAD00239.1	U73938	Nicotiana tabacum			



CAB94692.1	AJ242742	Ipomoea batatas	CAA71492.1	Y10466	Spinacia oleracea
AAD37430.1	AF149280	Phaseolus vulgaris	AAF63027.1	AF244924	Spinacia oleracea
CAAG6037.1	X97351	Populus balsamifera subsp.	BAA77389.1	AB024439	Scutellaria baicalensis
trichocarpa			BAA77388.1	AB024438	Scutellaria baicalensis
BAA06335.1	D30653	Populus kitakamiensis	AAB02554.1	L37790	Stylosanthes humilis
AAA34108.1	J02979	Nicotiana tabacum	AAF63026.1	AF244923	Spinacia oleracea
BAA01992.1	D11396	Nicotiana tabacum			
CAA66034.1	X97348	Populus balsamifera subsp.	SEQ ID NO. 1981		
trichocarpa			AAD10204.1	AF030260	Vicia sativa
AAB47602.1	L07554	Linum usitatissimum	AAG17470.1	AF123609	Triticum aestivum
BAA11853.1	D83225	Populus nigra	AAG33645.1	AF092917	Vicia sativa
CAA50597.1	X71593	Lycopersicon esculentum	AAK31592.1	AY029178	Brassica rapa subsp. pekin
CAB67121.1	Y19023	Lycopersicon esculentum	CAB41474.1	AJ238402	Catharanthus roseus
BAA11852.1	D83224	Populus nigra	AAB94588.1	AF022459	Glycine max
CAA66035.1	X97349	Populus balsamifera subsp.	AAB94586.1	AF022457	Glycine max
trichocarpa			AAA32913.1	M32885	Persea americana
AAD37427.1	AF149277	Phaseolus vulgaris	CAA89260.1	Z49263	Pisum sativum
BAA01877.1	D11102	Populus kitakamiensis	BAA12159.1	D83968	Glycine max
CAA66036.1	X97350	Populus balsamifera subsp.	BAB40323.1	AB037244	Asparagus officinalis
trichocarpa			CAA70576.1	Y09424	Nepeta racemosa
CAAG62225.1	X90692	Medicago sativa	BAB40324.1	AB037245	Asparagus officinalis
AAB97734.1	AF014502	Glycine max	AAD37433.1	AF150881	Lycopersicon esculentum x
CAA62226.1	X90693	Medicago sativa	Lycopersicon peruvianum		
CAA62227.1	X90694	Medicago sativa	CAB56503.1	AJ238612	Catharanthus roseus
BAA06334.1	D30652	Populus kitakamiensis	CAA70575.1	Y09423	Nepeta racemosa
BAA07241.1	D38051	Populus kitakamiensis	AAB94589.1	AF022460	Glycine max
AAB41810.1	L36156	Medicago sativa	AAD56282.1	AF155332	Petunia x hybrida
AAB41811.1	L36157	Medicago sativa	AAG14963.1	AF214009	Brassica napus
BAA14144.1	D90116	Armoracia rusticana	AAG14961.1	AF214007	Brassica napus
AAC98519.1	AF007211	Glycine max	AAG14962.1	AF214008	Brassica napus
BAA02840.1	D13683	Populus kitakamiensis	CAA50648.1	X71657	Solanum melongena
BAA14143.1	D90115	Armoracia rusticana	AAC48987.1	U09610	Berberis stolonifera
BAA33129.1	N91372	Cucumis sativus	CAA57423.1	X81829	Zea mays
BAA08499.1	D49551	Oryza sativa	CAA72208.1	Y11404	Zea mays
AAA34101.1	L02124	Nicotiana tabacum	BAA13076.1	D86351	Glycine max
CAA76680.1	Y17192	Cucurbita pepo	CAB41490.1	AJ238439	Cicer arietinum
CAA40796.1	X57564	Armoracia rusticana	BAB40322.1	AB036772	Triticum aestivum
AAA33121.1	M32742	Cucumis sativus	CAA10067.1	AJ012581	Cicer arietinum
BAA82306.1	AB027752	Nicotiana tabacum	BAA84916.1	AB032833	Cicer arietinum
AAD43561.1	AF155124	Gossypium hirsutum	CAA04117.1	AJ000478	Helianthus tuberosus
AAB06183.1	M37636	Arachis hypogaea	CAA04116.1	AJ000477	Helianthus tuberosus

[illegible]

AAAF22256.1	AF161711	Pimpinella brachycarpa	CAA61946.1	X89828	Pisum sativum
BAA88222.1	AB028650	Nicotiana tabacum	CAA46649.1	X65742	Spinacia oleracea
CAA67575.1	X99134	Lycopersicon esculentum	BAA02729.1	D13512	Oryza sativa
CAA78387.1	Z13997	Petunia x hybrida	BAA08830.1	D50301	Oryza sativa
BAA81736.1	AB029165	Glycine max	BAA08845.1	D50307	Oryza sativa
CAA72217.1	Y11414	Oryza sativa	CAA37290.1	X53130	Oryza sativa
AAB41101.1	U72762	Nicotiana tabacum	CAA06308.1	AJ005041	Cicer arietinum
BAA88223.1	AB028651	Nicotiana tabacum	CAA61947.1	X89829	Pisum sativum
CAA72185.1	Y11350	Oryza sativa	CAC34412.1	Y18576	Flaveria trinervia
AAG13574.1	AC037425	Oryza sativa	BAA78593.1	AU066535	Chlamydomonas sp. HS-5
AAK19618.1	AF336285	Gossypium hirsutum	BAA76430.1	AB025002	Cicer arietinum
BAA23340.1	D88620	Oryza sativa			
CAA65525.1	X96749	Oryza sativa	SEQ ID NO. 1996		
CAA64615.1	X95297	Lycopersicon esculentum	CAA71238.1	Y10156	Brassica napus
AAK19615.1	AF336282	Gossypium hirsutum	CAA71237.1	Y10155	Brassica napus
CAA66952.1	X98308	Lycopersicon esculentum	CAB62165.1	AJ223307	Brassica napus
AAK19617.1	AF336284	Gossypium hirsutum	AAC49181.1	U39289	Brassica napus
AAA33500.1	M73028	Zea mays	AAC49182.1	U39319	Brassica napus
AAG36774.1	AF210616	Zea mays			
			SEQ ID NO. 1997		
SEQ ID NO. 1995			BAA12159.1	D83968	Glycine max
BAA77603.1	AB027002	Nicotiana paniculata	AAC32274.1	AF081575	Petunia x hybrida
BAA77604.1	AB027001	Nicotiana paniculata	AAA32913.1	M32885	Persea americana
CAA71408.1	Y10380	Solanum tuberosum	BAA13076.1	D86351	Glycine max
BAA02730.1	D13513	Oryza sativa	CAA64635.1	X95342	Nicotiana tabacum
AAA33642.1	M97476	Pisum sativum	CAA65580.1	X96784	Nicotiana tabacum
AAA33643.1	M97477	Pisum sativum	AAD56282.1	AF155332	Petunia x hybrida
AAAF74220.1	AF216582	Avena sativa	BAB12433.1	AB025030	Coptis japonica
CAA47293.1	X66814	Spinacia oleracea	AAG44132.1	AF218296	Pisum sativum
AAK19325.1	AF329674	Dunaliella salina	CAA50155.1	X70824	Solanum melongena
AAK19324.1	AF329673	Dunaliella salina	AAB17562.1	U72654	Eustoma grandiflorum
CAA49590.1	X69969	Chlamydomonas reinhardtii	AAF05621.1	AF191772	Papaver somniferum
AAC60574.1	S72951	Chloroplast Chlamydomonas	CAB56503.1	AJ238612	Catharanthus roseus
reinhardtii			CAA70575.1	Y09423	Nepeta racemosa
CAA09669.1	AJ011516	Scherffelia dubia	BAA74466.1	AB022733	Glycyrrhiza echinata
AAB70542.1	AF017362	Oryza sativa	CAA50648.1	X71657	Solanum melongena
AAG21429.1	AF308587	Fragaria x ananassa	BAA22423.1	AB001380	Glycyrrhiza echinata
AAB61592.1	AF003124	Mesembryanthemum crystallinum	BAB40324.1	AB037245	Asparagus officinalis
CAB77243.2	AJ133146	Persea americana	AAB94588.1	AF022459	Glycine max
CAA31366.1	X12872	Zea mays	AAG14961.1	AF214007	Brassica napus
AAA33435.1	M16220	Zea mays	BAB40323.1	AB037244	Asparagus officinalis

AAC39452.1	AF014800	Eschscholzia californica	AAF23556.1	AF110458	Barbarea vulgaris
AAG14962.1	AF214008	Brassica napus	AAF23555.1	AF110457	Arabis turrita
BAA84072.1	AB028152	Torenia hybrida	AAF23538.1	AF110440	Arabis griffithiana
AAC39453.1	AF014801	Eschscholzia californica	AAF23524.1	AF110426	Arabis alpina
AAD47832.1	AF166332	Nicotiana tabacum	AAF23543.1	AF110445	Arabis hirsuta
SEQ ID NO. 1999			AAF23525.1	AF110427	Arabis alpina
AAB01567.1	I47672	Picea glauca	AAF23527.1	AF110429	Arabis alpina
SEQ ID NO. 2000			AAF23535.1	AF110437	Arabis drummondii
BAA22976.1	D63457	Arabis gemmifera	AAF23553.1	AF110455	Arabis procurrens
BAA22973.1	D63454	Arabis gemmifera	AAF23544.1	AF110446	Arabis jacquinii
AAF23537.1	AF110439	Arabis glabra	AAF23526.1	AF110428	Arabis alpina
BAA22978.1	D63459	Arabis gemmifera	AAF23528.1	AF110430	Cardamine amara
BAA22974.1	D63455	Arabis gemmifera	AAF23552.1	AF110454	Arabis procurrens
AAF23540.1	AF110442	Arabis gemmifera	AAC79418.1	AF037560	Arabis hirsuta
AAF23551.1	AF110453	Arabis gemmifera	BAA34682.1	AB015504	Leavenworthia stylosa
petraea		Arabis gemmifera	BAA34685.1	AB015507	Arabis griffithiana
AAF23539.1	AF110441	Halimolobos perplexa var.	BAA34683.1	AB015505	Arabis suecica
lemhiensis			CAB72921.1	AJ251281	Arabis korshinskyi
BAA22975.1	D63456	Arabis gemmifera	petraea		Arabis lyrata subsp.
AAF23546.1	AF110448	Arabis lyallii	CAB72920.1	AJ251280	Arabis lyrata subsp.
AAF23548.1	AF110450	Arabis parishii	petraea		
AAF23550.1	AF110452	Arabis parishii	CAB72919.1	AJ251279	Arabis lyrata subsp.
petraea		Arabis parishii	petraea		
BAA22972.1	D63453	Arabis gemmifera	CAB72918.1	AJ251278	Arabis lyrata subsp.
BAA22971.1	D63452	Arabis gemmifera	petraea		
BAA22977.1	D63458	Arabis gemmifera	CAB72917.1	AJ251277	Arabis lyrata subsp.
AAF23549.1	AF110451	Arabis pauciflora	petraea		
AAF23545.1	AF110447	Arabis lignifera			
AAF23536.1	AF110438	Arabis fendleri	SEQ ID NO. 2001		
AAF23541.1	AF110443	Arabis hirsuta	AAG43286.1	AF140228	Oryza sativa
AAF23531.1	AF110433	Arabis blepharophylla	AAA33944.1	J03920	Glycine max
AAF23530.1	AF110432	Arabis blepharophylla	CAA48299.1	X68217	Pisum sativum
AAF23523.1	AF110425	Aubrieta deltoidea	CAA48300.1	X68218	Pisum sativum
AAF23529.1	AF110431	Arabis blepharophylla	CAA48297.1	X68215	Pisum sativum
AAF23547.1	AF110449	Arabis blepharophylla	SEQ ID NO. 2005		
lyrata		Arabis blepharophylla	BAA21923.1	AB006601	Petunia x hybrida
AAF23533.1	AF110435	Capsella rubella	BAA21922.1	AB006600	Petunia x hybrida
AAF23534.1	AF110436	Arabis drummondii	BAA21921.1	AB006599	Petunia x hybrida
AAF23532.1	AF110434	Brassica oleracea	BAA19110.1	AB000451	Petunia x hybrida

BAA21926.1	AB006604	Petunia x hybrida	CAA63543.1	X92967	Nicotiana tabacum
BAA21925.1	AB006603	Petunia x hybrida	CAA63542.1	X92966	Nicotiana tabacum
BAA21924.1	AB006602	Petunia x hybrida	CAA44632.1	X62820	Glycine max
BAA21920.1	AB006598	Petunia x hybrida	CAA44188.1	X62303	Glycine max
BAA19111.1	AB000452	Petunia x hybrida	CAB46641.1	AJ243451	Lycopersicon esculentum
BAA96071.1	AB035133	Petunia x hybrida	AAC50013.1	U50064	Zea mays
BAA21927.1	AB006605	Petunia x hybrida	CAA81232.1	Z26331	Glycine max
BAA96070.1	AB035132	Petunia x hybrida	CAB46642.1	AJ243452	Lycopersicon esculentum
BAA21919.1	AB006597	Petunia x hybrida	CAB71243.1	Y10161	Chenopodium rubrum
AAK01713.1	AF332876	Oryza sativa	AAA20237.1	U10077	Zea mays
AAC06243.1	AF053077	Nicotiana tabacum	CAA99990.1	Z75660	Sesbania rostrata
BAA05079.1	D26086	Petunia x hybrida	BAA96590.1	AP002481	Oryza sativa
BAA05078.1	D26085	Petunia x hybrida	BAA86628.1	AB024986	Oryza sativa
BAA05076.1	D26083	Petunia x hybrida	AAC61888.1	U24193	Lupinus luteus
BAA05077.1	D26084	Petunia x hybrida	AAD31789.1	AF126106	Lupinus luteus
BAA21928.1	AB006606	Petunia x hybrida	AAC61889.1	U24194	Lupinus luteus
BAA19114.1	AB000455	Petunia x hybrida	AAD31790.1	AF126107	Lupinus luteus
AAD26942.1	AF119050	Datisca glomerata	AAC24245.1	U44857	Lupinus luteus
BAA19112.1	AB000453	Petunia x hybrida	AAD31791.1	AF126108	Lupinus luteus
AAB53260.1	U76554	Brassica rapa	BAA09467.1	D50871	Glycine max
AAB53261.1	U76555	Brassica rapa	BAA09465.1	D50869	Glycine max
BAA19926.1	AB000456	Petunia x hybrida	CAA53728.1	X76122	Antirrhinum majus
SEQ ID NO. 2008			BAA20411.1	D86386	Catharanthus roseus
CAB61221.1	AJ250396	Antirrhinum majus	BAA09466.1	D50870	Glycine max
CAA71244.1	Y10162	Chenopodium rubrum	AAC41681.1	I34207	Petroselinum crispum
CAA09852.1	AJ011892	Nicotiana tabacum	CAB81558.1	Z37978	Nicotiana tabacum
CAA09853.1	AJ011893	Nicotiana tabacum	BAA11560.1	D82349	Adiantum capillus-veneris
CAB60837.1	AJ002589	Lycopersicon esculentum	CAB58998.1	AJ250315	Petunia x hybrida
CAB61222.1	AJ250397	Antirrhinum majus	SEQ ID NO. 2009		
CAB60838.1	AJ002590	Lycopersicon esculentum	CAA75386.1	Y15113	Morinda citrifolia
BAA33153.1	AB008188	Pisum sativum	CAA79855.1	Z21792	Lycopersicon esculentum
CAB60836.1	AJ002588	Lycopersicon esculentum	CAA79856.1	Z21793	Lycopersicon esculentum
CAB51788.1	AJ245415	Lycopersicon esculentum	SEQ ID NO. 2010		
CAA61334.1	X88864	Medicago sativa	CAA71878.1	Y10984	Brassica juncea
CAB40540.1	AJ132929	Medicago sativa	AAB71231.1	AF017984	Lycopersicon esculentum
CAA09854.1	AJ011894	Nicotiana tabacum	AAF98157.1	AF258320	Phaseolus vulgaris
CAB61223.1	AJ250398	Antirrhinum majus	SEQ ID NO. 2011		
CAB40541.1	AJ132930	Medicago sativa	SEQ ID NO. 2011		
CAA09769.1	AJ011776	Chenopodium rubrum	AAB72109.1	AF022217	Brassica rapa
CAA53729.1	X76123	Antirrhinum majus			

CAA37847.1	X53851	Daucus carota	SEQ ID NO. 2016		
AAD49336.1	AF166277	Nicotiana tabacum	BAA77204.1	AB026262	Cicer arietinum
BAA33062.1	AB017273	Cuscuta japonica	AAG43550.1	AF211532	Nicotiana tabacum
CAB36910.1	AJ000691	Quercus suber	BAA78746.1	AB023482	Oryza sativa
CAA08908.1	AJ009880	Castanea sativa			
AAA33975.1	M11395	Glycine max			
CAA25578.1	X01104	Glycine max	SEQ ID NO. 2017		
AAB03893.1	M11318	Glycine max	AAA33811.1	L02830	Solanum tuberosum
CAA41547.1	X58711	Medicago sativa	AAG43547.1	AF211529	Nicotiana tabacum
AAB63310.1	U46544	Helianthus annuus	CAB63264.1	AJ251808	Lotus japonicus
CAB08441.1	Z95153	Helianthus annuus	AAA92677.1	U13736	Pisum sativum
CAA42222.1	X59701	Helianthus annuus	AAF31152.1	AF078680	Olea europaea
CAA37848.1	X53852	Daucus carota	AAD10245.1	AF030033	Phaseolus vulgaris
AAC39360.1	U63631	Fragaria x ananassa	AAF31151.1	AF078679	Olea europaea
AAA33672.1	M33899	Pisum sativum	AAA19571.1	U10150	Brassica napus
AAB63311.1	U46545	Helianthus annuus	AAC49587.1	U49105	Triticum aestivum
AAA33974.1	M11317	Glycine max	AAC49586.1	U49104	Triticum aestivum
CAA63903.1	X94193	Pennisetum glaucum	AAC49585.1	U49103	Triticum aestivum
AAA61632.1	U08601	Papaver somniferum	AAC49584.1	U48693	Triticum aestivum
CAE5634.2	AJ237596	Helianthus annuus	AAC49580.1	U48689	Triticum aestivum
AAC78392.1	X83669	Oryza sativa	AAC49579.1	U48688	Triticum aestivum
AAA33910.1	M80939	Oryza sativa	AAC49578.1	U48242	Triticum aestivum
BAA02160.1	D12635	Oryza sativa	AAA85157.1	U20297	Solanum tuberosum
CAA43210.1	X60820	Oryza sativa	AAA85156.1	U20296	Solanum tuberosum
CAA37864.1	X53870	Chenopodium rubrum	AAA62351.1	U20295	Solanum tuberosum
AAA33909.1	M80938	Oryza sativa	AAA85155.1	U20294	Solanum tuberosum
AAC78393.1	U83670	Oryza sativa	AAA33900.1	L18914	Oryza sativa
AAB39856.1	U81385	Oryza sativa	AAA92681.1	U13882	Pisum sativum
AAD30454.1	AF123257	Lycopersicon esculentum	CAA78288.1	Z12828	Oryza sativa
AAA33671.1	M33900	Pisum sativum			
AAC78394.1	U83671	Oryza sativa	SEQ ID NO. 2019		
CAA63901.1	X94191	Pennisetum glaucum	CAA71003.1	Y99876	Nicotiana tabacum
CAA63902.1	X94192	Pennisetum glaucum	AAG43988.1	AF215823	Zea mays
AAD30452.1	AF123255	Lycopersicon esculentum	AAF73828.1	AF162665	Oryza sativa
CAA46641.1	X65725	Zea mays	BAB19052.1	AB044537	Oryza sativa
CAA39603.1	X56138	Lycopersicon esculentum	BAA96793.1	AB030939	Oryza sativa
CAA63570.1	X92983	Pseudotsuga menziesii	BAA96794.1	AB037421	Oryza sativa
AAD30453.1	AF123256	Lycopersicon esculentum	AAB41696.1	U69142	Spinacia oleracea
CAA63571.1	X92984	Pseudotsuga menziesii	AAA34025.1	M31480	Spinacia oleracea
CAA31785.1	X13431	Triticum aestivum	CAA41377.1	X58463	Beta vulgaris
CAA53286.1	X75616	Oryza sativa	CAA41376.1	X58462	Beta vulgaris

[illegible]

AAB72097.1	AF021257	Hordeum vulgare	BAA33062.1	AB017273	Cuscuta japonica
AAB72096.1	AF021256	Hordeum vulgare	AAA33671.1	M33900	Pisum sativum
SEQ ID NO. 2033			BAA02160.1	D12635	Oryza sativa
AAA34181.1	M98466	Lycopersicon esculentum	CAB08441.1	Z95153	Helianthus annuus
AAB339547.1	U63374	Lycopersicon esculentum	CAA42222.1	X59701	Helianthus annuus
AAB38497.1	U79772	Mercurialis annua	CAA08908.1	AJ009880	Castanea sativa
SEQ ID NO. 2034			CAA63901.1	X94191	Pennisetum glaucum
AAD15628.1	AF021807	Corylus avellana	AAC78394.1	U83671	Oryza sativa
AAF34133.1	AF161179	Malus x domestica	CAA46641.1	X65725	Zea mays
CAA41546.1	X58710	Medicago sativa	AAD09181.1	AF089842	Funaria hygrometrica
CAA41547.1	X58711	Medicago sativa	AAC01560.1	AF007762	Agrostis stolonifera var.
AAA33672.1	M33899	Pisum sativum	palustris		
AAB03893.1	M11318	Glycine max	SEQ ID NO. 2036		
AAB63310.1	U46544	Helianthus annuus	CAA05276.1	AJ002236	Lycopersicon pimpinellifolium
AAD30454.1	AF123257	Lycopersicon esculentum	AAC78591.1	AF053993	Lycopersicon esculentum
AAD30452.1	AF123255	Lycopersicon esculentum	AAC78596.1	AF053998	Lycopersicon esculentum
AAB63311.1	U46545	Helianthus annuus	CAA05279.1	AJ002237	Lycopersicon esculentum
AAD30453.1	AF123256	Lycopersicon esculentum	AAC78593.1	AF053995	Lycopersicon esculentum
CAA63370.1	X92983	Pseudotsuga menziesii	AAA65235.1	U15936	Lycopersicon pimpinellifolium
CAA63903.1	X94193	Pennisetum glaucum	CAA05274.1	AJ002236	Lycopersicon pimpinellifolium
CAA25578.1	X01104	Glycine max	AAC78592.1	AF053994	Lycopersicon esculentum
CAA39603.1	X56138	Lycopersicon esculentum	AAC78595.1	AF053997	Lycopersicon esculentum
CAA63571.1	X92984	Pseudotsuga menziesii	AAC78594.1	AF053996	Lycopersicon esculentum
AAA61632.1	U08601	Papaver somniferum	BAA96776.1	AP002521	Oryza sativa
CAB36910.1	AJ000691	Quercus suber	BAB08215.1	AP002539	Oryza sativa
CAB55634.2	AJ237596	Helianthus annuus	CAA05268.1	AJ002235	Lycopersicon hirsutum
AAA33910.1	M80939	Oryza sativa	AAD50430.1	AF166121	Hordeum vulgare
CAA37848.1	X53852	Daucus carota	CAB55409.1	AL117265	Oryza sativa
CAA37864.1	X53870	Chenopodium rubrum	AAC49123.1	U37133	Oryza sativa
AAA33975.1	M11395	Glycine max	AAC80225.1	U72723	Oryza longistaminata
AAB33956.1	U81385	Oryza sativa	SEQ ID NO. 2038		
AAA33909.1	M80938	Oryza sativa	AAD00708.1	U91857	Stylosanthes hamata
CAA43210.1	X60820	Oryza sativa	BAA97123.1	AB016265	Nicotiana sylvestris
CAA37847.1	X53851	Daucus carota	BAB03248.1	AB037183	Oryza sativa
CAA63902.1	X94192	Pennisetum glaucum	BAA97734.1	AB024575	Nicotiana tabacum
AAA33974.1	M11317	Glycine max	BAA97122.1	AB016264	Nicotiana sylvestris
AAC78392.1	U83669	Oryza sativa	CAB96900.1	AJ251250	Catharanthus roseus
AAC39360.1	U63631	Fragaria x ananassa	CAB96899.1	AJ251249	Catharanthus roseus
AAB72109.1	AF022217	Brassica rapa	AAC49740.1	U89256	Lycopersicon esculentum



AAC49741.1	U89257	Lycopersicon esculentum	AAA34173.1	M60166	Lycopersicon esculentum
BAA07321.1	D38123	Nicotiana tabacum	AAA34094.1	M80489	Nicotiana plumbaginifolia
AAC50047.1	U89255	Lycopersicon esculentum	AAA34052.1	M27888	Nicotiana plumbaginifolia
AAF05606.1	AF190770	Oryza sativa	CAC28221.1	AJ286746	Sesbania rostrata
AAC29516.1	U77655	Solanum tuberosum	CAA54045.1	X76535	Solanum tuberosum
BAA97124.1	AB016266	Nicotiana sylvestris	BAA06629.1	D31843	Oryza sativa
AAC62619.1	AF057373	Nicotiana tabacum	CAA64406.1	X94936	Phaseolus vulgaris
BAA87068.1	AB035270	Matricaria chamomilla	AAF98344.1	AF275745	Lycopersicon esculentum
AAB38748.1	U81157	Nicotiana tabacum	AAD55399.1	AF179442	Lycopersicon esculentum
AAD45623.1	AF084185	Brassica napus	CAA54046.1	X76536	Solanum tuberosum
SEQ ID NO. 2040			SEQ ID NO. 2046		
BAA90610.1	AP001129	Oryza sativa	AAA69541.1	U18557	Raphanus sativus
CAA43454.1	X61146	Nicotiana tabacum	CAA65983.1	X97318	Raphanus sativus
SEQ ID NO. 2043			AAA69540.1	U18556	Raphanus sativus
CAA04670.1	AJ001310	Solanum tuberosum	AAB03224.1	U59459	Brassica napus
			CAA65984.1	X97319	Raphanus sativus
SEQ ID NO. 2045			SEQ ID NO. 2048		
BAA89544.1	AP001072	Oryza sativa	BAA85400.1	AP000615	Oryza sativa
BAA88191.1	AP000836	Oryza sativa	CAB06083.1	Z83834	Hordeum vulgare
BAA90510.2	AP001111	Oryza sativa	CAA74909.1	Y14573	Hordeum vulgare
AAD11618.1	AF050496	Lycopersicon esculentum	CAA06487.1	AJ005341	Linum usitatissimum
AAA34138.1	M96324	Lycopersicon esculentum			
AAD11617.1	AF050495	Lycopersicon esculentum			
AAF73985.1	AF096871	Zea mays			
AAD31896.1	AF145478	Mesembryanthemum crystallinum			
AAG28436.1	AF195029	Glycine max			
CAA63790.1	X93592	Dunaliella bioculata			
AAG28435.1	AF195028	Glycine max			
CAA68234.1	X99972	Brassica oleracea			
AAB58910.1	U82966	Oryza sativa			
CAB69824.1	AJ271439	Prunus persica			
AAB60276.1	U09989	Zea mays			
BAA01058.1	D10207	Oryza sativa			
CAC29435.1	AJ310523	Vicia faba			
AAD20330.1	AF110268	Oryza sativa			
AAA34098.1	M80490	Nicotiana plumbaginifolia			
AAB84203.1	AF029257	Kosteletzkya virginica			
CAC28224.1	AJ286749	Sesbania rostrata			
AAD46188.1	AF156691	Nicotiana plumbaginifolia			
SEQ ID NO. 2050			SEQ ID NO. 2051		
AAD22970.1	AF124148	Glycine max	AAC04671.1	AF018174	Brassica napus
CAB50901.1	AJ238651	Medicago truncatula	AAC49357.1	U35830	Pisum sativum
			CAA45098.1	X63537	Pisum sativum

AAC19392.1	AF069314	Mesembryanthemum crystallinum	AAF74565.1	AF215851	Spinacia oleracea
CAA33082.1	X14959	Spinacia oleracea	AAF74566.1	AF215852	Nicotiana tabacum
AAC32111.1	AF051206	Picea mariana	AAF74568.1	AF215854	Zea mays
BAB20886.1	AB053294	Oryza sativa	SEQ ID NO. 2066		
CAA77847.1	Z11803	Nicotiana tabacum	CAA59049.1	X84308	Hordeum vulgare
CAA05081.1	AJ001903	Triticum turgidum subsp. durum	SEQ ID NO. 2067		
AAB53695.1	U59380	Brassica napus	AAF75824.1	AF101788	Pinus taeda
BAA13524.1	D87984	Fagopyrum esculentum	AAC32448.1	U76296	Spinacia oleracea
CAA94534.1	Z70677	Ricinus communis	AAF66243.1	AF243181	Lycopersicon esculentum
CAA56850.1	X80887	Chlamydomonas reinhardtii	BAA90481.1	AB035146	Ipomoea nil
CAA55399.1	X78822	Chlamydomonas reinhardtii	SEQ ID NO. 2068		
AAB51522.1	U92541	Oryza sativa	AAC34983.1	AF039598	Prunus persica
BAA05546.1	D26547	Oryza sativa	CAA38025.1	X54090	Gossypium hirsutum
AAF88067.1	AF286593	Triticum aestivum	AAD48017.1	AF165529	Rumex palustris
CAA41415.1	X58527	Nicotiana tabacum	CAA41188.1	X58230	Nicotiana tabacum
BAA04864.1	D21836	Oryza sativa	CAA74179.1	Y13865	Beta vulgaris
BAA25681.1	AB010434	Brassica rapa	CAA28639.1	X04966	Petunia x hybrida
AAG35777.1	AF273844	Brassica oleracea var.	CAA52750.1	X74732	Amaranthus hypochondriacus
alboglabra			CAA84525.1	Z35160	Solanum tuberosum
AAB53694.1	U59379	Brassica napus	CAA43907.1	X61915	Pinus thunbergii
AAD49232.1	AF159387	Lolium perenne	AAA34141.1	M17558	Lycopersicon esculentum
AAD49230.1	AF159385	Hordeum bulbosum	AAA33392.1	M12152	Lemna gibba
AAD49231.1	AF159386	Secale cereale	AAF89205.1	AF279248	Vigna radiata
AAD49233.1	AF159388	Phalaris coarulescens	CAA40365.1	X57082	Pisum sativum
AAD49234.1	AF159389	Phalaris coarulescens	AAC15992.1	AF061577	Oryza sativa
AAD56954.1	AF186240	Secale cereale	BAA00537.1	D00642	Oryza sativa
BAB39913.1	AP002912	Oryza sativa	AAB19040.1	U51632	Pinus palustris
CAA55398.1	X78821	Chlamydomonas reinhardtii	CAA31773.1	X13407	Pinus thunbergii
CAA56851.1	X80888	Chlamydomonas reinhardtii	AAA34142.1	M17559	Lycopersicon esculentum
CAA44209.1	X62335	Chlamydomonas reinhardtii	AAAB82142.1	AF022739	Pseudotsuga menziesii
CAA06735.1	AJ005840	Chlamydomonas reinhardtii	AAA60965.1	I23107	Oryza sativa
AAD45358.1	AF160870	Triticum aestivum	CAA48641.1	X58682	Ginkgo biloba
AAB52409.1	U76831	Brassica napus	AAA80591.1	U21111	Zea mays
CAA35826.1	X51462	Spinacia oleracea	AAA34147.1	M14443	Solanum tuberosum
CAA53900.1	X76269	Pisum sativum	AAA80593.1	U21113	Lycopersicon esculentum
AAC49358.1	U35831	Pisum sativum	AAA80589.1	U20983	Solanum tuberosum
CAA35827.1	X51463	Spinacia oleracea	BAA25391.1	AB012637	Nicotiana sylvestris
CAA06736.1	AJ005841	Oryza sativa			
SEQ ID NO. 2054					
AAF74567.1	AF215853	Solanum tuberosum			

BAA25396.1	AB012641	Nicotiana sylvestris	CAA43907.1	X61915	Pinus thunbergii
BAA25394.1	AB012639	Nicotiana sylvestris	AAD48017.1	AF165529	Rumex palustris
AAA80594.1	U21114	Solanum tuberosum	AAC15992.1	AF061577	Oryza sativa
BAA25389.1	AB012637	Nicotiana sylvestris	CAA39883.1	X56538	Pisum sativum
BAA25392.1	AB012638	Nicotiana sylvestris	AAA50172.1	U01964	Glycine max
AAA68425.1	M34396	Polystichum munitum	CAA32526.1	X14341	Plastid Spinacia oleracea
CAA57409.1	X81810	Picea abies	AAA34142.1	M17559	Lycopersicon esculentum
AAA50172.1	U01964	Glycine max	CAA10284.1	AJ131044	Cicer arietinum
AAA80592.1	U21112	Solanum tuberosum	AAC25775.1	AF072931	Medicago sativa
BAA25395.1	AB012640	Nicotiana sylvestris	AAF26741.1	AF220527	Euphorbia esula
BAA25388.1	AB012636	Nicotiana sylvestris	AAA33396.1	M29334	Lemma gibba
CAA41187.1	X58229	Nicotiana tabacum	BAA25393.1	AB012638	Nicotiana sylvestris
BAA25390.1	AB012637	Nicotiana sylvestris	AB61238.1	AF003129	Mesembryanthemum crystallinum
CAA32900.1	X14794	Zea mays	BAA25395.1	AB012640	Nicotiana sylvestris
AAA34148.1	M14444	Lycopersicon esculentum	AAA80589.1	U20983	Solanum tuberosum
CAA57408.1	X81809	Picea abies	AAA33124.1	M16057	Cucumis sativus
BAA25393.1	AB012638	Nicotiana sylvestris	CAA31419.1	X12981	Glycine max
BAA77273.1	AB026686	Physcomitrella patens	AAA80591.1	U21111	Solanum tuberosum
CAA47950.1	X67714	Pinus contorta	AAA80593.1	U21113	Solanum tuberosum
			AB61237.1	AF003128	Mesembryanthemum crystallinum
SEQ ID NO. 2069			CAA41187.1	X58229	Nicotiana tabacum
AAD27877.1	AF139465	Vigna radiata	BAA24493.1	AB006081	Fagus crenata
CAA49149.1	X69215	Pisum sativum	AAA34148.1	M14444	Lycopersicon esculentum
AAF20948.1	AF207690	Daucus carota	AAA60965.1	I23107	Ginkgo biloba
CAA43803.1	X61609	Brassica napus	AAA34147.1	M14443	Lycopersicon esculentum
CAA43804.1	X61610	Brassica napus			
CAA43802.1	X61608	Brassica napus			
AAA33392.1	M12152	Lemma gibba	SEQ ID NO. 2070		
CAA52750.1	X74732	Amaranthus hypochondriacus	AA86942.1	AF031241	Glycine max
CAA41188.1	X58230	Nicotiana tabacum	AAK21920.1	AF338252	Glycine max
CAA28639.1	X04966	Petunia x hybrida	CAA42660.1	X60058	Nicotiana tabacum
AAC34983.1	AF039598	Prunus persica	CAA42659.1	X60057	Nicotiana tabacum
CAA74179.1	Y13865	Beta vulgaris	AAC49900.1	U58209	Zea mays
AAA34141.1	M17558	Lycopersicon esculentum	AAC49899.1	U58208	Zea mays
CAA89823.1	Z49749	Pseudotsuga menziesii	AA63469.1	AF006825	Oryza sativa
CAA38025.1	X54090	Gossypium hirsutum	CAA89834.2	Z49764	Pseudotsuga menziesii
AAB19040.1	U51632	Pinus palustris	AAA92743.1	M59449	Zea mays
CAA84525.1	Z35160	Solanum tuberosum			
CAA32900.1	X14794	Zea mays	SEQ ID NO. 2071		
CAA40365.1	X57082	Pisum sativum	CAA32764.1	X14609	Cucumis sativus
BAA00537.1	D00642	Oryza sativa	CAA41434.1	X58542	Cucumis sativus
			BAA08410.1	D49432	Cucurbitasp.

BAA08411.1	D49433	Cucurbita sp.	BAA89008.1	AB027454	Petunia x hybrida
AAB00105.1	U01067	Cucurbita pepo	CAA54609.1	X77459	Manihot esculenta
SEQ ID NO. 2072			BAA36421.1	AB013596	Perilla frutescens
BAA09852.1	D63781	Glycine max	AAD55985.1	AF165148	Petunia x hybrida
CAA55293.1	X78547	Glycine max	CAA54613.1	X77463	Manihot esculenta
CAA55294.1	X78548	Glycine max	BAA12737.1	D85186	Gentiana triflora
AAA81890.1	U02495	Solanum tuberosum	CAA54558.1	X77369	Solanum melongena
AAA81892.1	U02497	Solanum tuberosum	BAA36411.1	AB012115	Vigna mungo
AAA81889.1	U02494	Solanum tuberosum	CAA81057.1	Z25802	Petunia x hybrida
AAA81891.1	U02496	Solanum tuberosum	AAD21086.1	AF127218	Forsythia x intermedia
AAA81893.1	U02498	Solanum tuberosum	CAA50376.1	X71059	Petunia x hybrida
BAA85201.1	AF000570	Oryza sativa	CAA50377.1	X71060	Petunia x hybrida
BAA84626.1	AF000492	Oryza sativa	SEQ ID NO. 2077		
BAA85202.1	AF000570	Oryza sativa	AAK28303.1	AF346431	Nicotiana tabacum
BAA84627.1	AF000492	Oryza sativa	AAB36653.1	U32644	Nicotiana tabacum
AAB02006.1	U57350	Nicotiana tabacum	AAB36652.1	U32643	Nicotiana tabacum
SEQ ID NO. 2076			AAK28304.1	AF346432	Nicotiana tabacum
AAB36652.1	U32643	Nicotiana tabacum	CAA59450.1	X85138	Lycopersicon esculentum
AAK28304.1	AF346432	Nicotiana tabacum	CAB56231.1	Y18871	Dorothaeanthus bellidifloris
AAK28303.1	AF346431	Nicotiana tabacum	BAA83484.1	AB031274	Scutellaria baicalensis
AAB36653.1	U32644	Nicotiana tabacum	AAB48444.1	U82367	Solanum tuberosum
CAB56231.1	Y18871	Dorothaeanthus bellidifloris	BAA36410.1	AB012114	Vigna mungo
CAA59450.1	X85138	Lycopersicon esculentum	CAA54610.1	X77460	Manihot esculenta
BAA83484.1	AB031274	Scutellaria baicalensis	AAD51778.1	AF116858	Phaseolus vulgaris
AAB48444.1	U82367	Solanum tuberosum	AAD04166.1	AF101972	Phaseolus lunatus
BAA36410.1	AB012114	Vigna mungo	BAA89009.1	AB027455	Petunia x hybrida
CAA54610.1	X77460	Manihot esculenta	AAB62270.1	AF006081	Solanum berthaultii
AAD04166.1	AF101972	Phaseolus lunatus	AAF61647.1	AF190634	Nicotiana tabacum
BAA89009.1	AB027455	Petunia x hybrida	CAA54612.1	X77462	Manihot esculenta
AAD51778.1	AF116858	Phaseolus vulgaris	BAA36412.1	AB012116	Vigna mungo
AAF61647.1	AF190634	Nicotiana tabacum	AAF98390.1	AF287143	Brassica napus
BAA93039.1	AB033758	Citrus unshiu	BAA36423.1	AB013598	Verbena x hybrida
BAA36412.1	AB012116	Vigna mungo	AAF17077.1	AF199453	Sorghum bicolor
BAA36423.1	AB013598	Verbena x hybrida	BAA93039.1	AB033758	Citrus unshiu
AAF17077.1	AF199453	Sorghum bicolor	BAA89008.1	AB027454	Petunia x hybrida
CAA54611.1	X77461	Manihot esculenta	CAA54558.1	X77369	Solanum melongena
CAA54612.1	X77462	Manihot esculenta	CAA54611.1	X77461	Manihot esculenta
AAF98390.1	AF287143	Brassica napus	CAA54609.1	X77459	Manihot esculenta
BAA19155.1	AB000623	Nicotiana tabacum	BAA12737.1	D85186	Gentiana triflora
			AAD21086.1	AF127218	Forsythia x intermedia

BAA36411.1	AB012115	Vigna mungo	CAA71489.1	Y10463	Spinacia oleracea
BAA19155.1	AB000623	Nicotiana tabacum	BAA01950.1	D11337	Vigna angularis
AAD55985.1	AF165148	Petunia x hybrida	BAA11853.1	D83225	Populus nigra
CAA54613.1	X77463	Manihot esculenta	CAA71491.1	Y10465	Spinacia oleracea
BAA36421.1	AB013596	Perilla frutescens	AAF63024.1	AF244921	Spinacia oleracea
BAA19659.1	AB002818	Perilla frutescens	AAD37429.2	AF149279	Phaseolus vulgaris
AAB81683.1	AF000372	Vitis vinifera	BAA92500.1	AP001383	Oryza sativa
BAB41025.1	AB047098	Vitis vinifera	BAA92967.1	AP001551	Oryza sativa
BAB41023.1	AB047096	Vitis vinifera	AAF63027.1	AF244924	Spinacia oleracea
SEQ ID NO. 2078			CAC21391.1	AJ401274	Zea mays
AAA53140.1	U08469	Glycine max	AAB06183.1	M37636	Arachis hypogaea
AAA19157.1	U07745	Lycopersicon esculentum	CAB92952.1	AJ251254	Pinus pinaster
AAF80468.1	AF163149	Glycine max	AAA34050.1	M74103	Nicotiana sylvestris
AAC02267.1	AF007100	Glycine max	BAA96643.1	AP002482	Oryza sativa
AAC23573.1	AF068249	Glycine max	CAC21393.1	AJ401276	Zea mays
AAF80469.1	AF163150	Glycine max	CAA71494.1	Y10468	Spinacia oleracea
AAC41659.1	L38260	Nicotiana tabacum	AAD43561.1	AF155124	Gossypium hirsutum
AAA85742.1	U34393	Glycine max	CAA76374.2	Y16776	Spinacia oleracea
AAC39330.1	AF029895	Triticum aestivum	AAB02926.1	U59284	Linum usitatissimum
AAA80214.1	U19183	Zea mays	AAA98491.1	L36981	Petroselinum crispum
CAC19876.1	AJ131866	Brassica napus	AAB48184.1	L24120	Linum usitatissimum
AAB42144.1	L25042	Medicago sativa	BAA94962.1	AB042103	Asparagus officinalis
CAC19875.1	AJ131865	Brassica napus	AAF63025.1	AF244922	Spinacia oleracea
AAC49275.1	U39321	Triticum aestivum	AAD11482.1	U51192	Glycine max
CAA54683.1	X77576	Brassica napus	CAA66036.1	X97350	Populus balsamifera subsp.
AAA19970.1	U10187	Triticum aestivum	trichocarpa		
AAC39332.1	AF029897	Triticum aestivum	BAA14144.1	D90116	Armoracia rusticana
AAC39331.1	AF029896	Triticum aestivum	AAC05277.1	AF049881	Linum usitatissimum
AAA81578.1	L48995	Glycine max	AAD11481.1	U51191	Glycine max
CAA71346.1	Y10301	Brassica napus	BAA07663.1	D42064	Nicotiana tabacum
AAA53141.1	U08846	Glycine max	CAA71490.1	Y10464	Spinacia oleracea
CAC16140.1	X77374	Brassica napus	BAA77387.1	AB024437	Scutellaria baicalensis
CAA71347.1	Y10302	Brassica napus	CAA80502.1	Z22920	Spirodela polyrrhiza
AAC41658.1	L39267	Ricinus communis	BAA82306.1	AB027752	Nicotiana tabacum
SEQ ID NO. 2079			AAF63026.1	AF244923	Spinacia oleracea
AAB67737.1	L77080	Stylosanthes humilis	AAD37376.1	AF145350	Glycine max
AAA32676.1	M37637	Arachis hypogaea	AAA65636.1	L13653	Lycopersicon esculentum
CAA64413.1	X94943	Lycopersicon esculentum	CAA40796.1	X57564	Armoracia rusticana
CAA59487.1	X85230	Triticum aestivum	BAA07664.1	D42065	Nicotiana tabacum
			AAB02554.1	L37790	Stylosanthes humilis

[illegible]

AAB53100.1	U68218	Brassica napus	BAA77282.1	AB026731	Oryza sativa
AAB94542.1	AF016305	Zea mays	AAC26053.1	AF074940	Glycine max
BAA36274.1	AB015204	Oryza sativa	AAB70837.1	AF019907	Vitis vinifera
AAF18998.1	AF212154	Allium cepa	BAA07108.1	D37870	Spinacia oleracea
AAB01234.1	U57088	Chlamydomonas reinhardtii	AAB30526.1	S70187	Glycine max
			AAD53185.1	AF181096	Vigna unguiculata
			AAD28177.1	AF109694	Brassica juncea
SEQ ID NO. 2085			BAA36283.1	D85751	Oryza sativa
AAG01147.1	AF283816	Pinus taeda	BAA37092.1	AB009592	Oryza sativa
CAA95999.1	Z71395	Nicotiana glauca	AAK27157.1	AF349449	Brassica juncea
AAB71420.1	U74631	Ricinus communis	CAA53925.1	X76293	Nicotiana tabacum
AAB71419.1	U74630	Ricinus communis	CAA54043.1	X76533	Nicotiana tabacum
AAD32207.1	AF134733	Prunus armeniaca	CAA53993.1	X76455	Nicotiana tabacum
CAA05161.1	AJ002057	Beta vulgaris	AAF26175.1	AF105199	Glycine max
AAA32948.1	L27348	Hordeum vulgare	CAB66332.1	AJ279690	Betula pendula
AAA32949.1	L27349	Hordeum vulgare	CAC13956.1	AJ400816	Mesembryanthemum crystallinum
AAF01470.1	AF190454	Zea mays	CAA06835.1	AJ006055	Zea mays
CAA86728.1	Z46772	Zea mays	CAA2921.1	X60373	Pisum sativum
CAA61939.1	X89813	Zea mays	CAA62482.1	X90996	Pisum sativum
AAD17490.1	AF052040	Berberis stolonifera	AA33962.1	I11632	Glycine max
AAF70919.1	AF019376	Brassica napus	CAA66924.1	X98274	Pisum sativum
CAA54975.1	X78057	Zea mays			
CAB54526.1	AJ000765	Chlamydomonas reinhardtii	SEQ ID NO. 2088		
BAA85118.1	AB018243	Solanum melongena	AAC72193.1	AF069909	Zea mays
AAK15502.1	AF325720	Pennisetum ciliare	AAC72192.1	AF069908	Zea mays
CAA57914.1	X82578	Parthenium argentatum	AAC72194.1	AF069910	Zea mays
BAA77025.1	AB026251	Lithospermum erythrorhizon	AAB01223.1	U56697	Pisum sativum
			AAC32149.1	AF051249	Picea mariana
SEQ ID NO. 2086			AAF43837.1	AF166114	Chloroplast Mesostigma viride
AAK07610.1	AF319771	Brassica napus	AAD22077.1	AF124755	Pinus banksiana
AAF68384.1	AF236368	Zea mays	CAA75778.1	Y15782	Capsicum annuum
AAF68387.1	AF236371	Zea mays	AAB88295.1	AF024512	Oryza sativa
AAC49690.1	U69154	Nicotiana tabacum			
AAF68385.1	AF236369	Zea mays	SEQ ID NO. 2089		
AAF68386.1	AF236370	Zea mays	CAC17753.1	AJ294543	Dendrobium 'Sonia'
			CAC17752.1	AJ294542	Dendrobium 'Sonia'
SEQ ID NO. 2087			CAA77151.1	Y18377	Zea mays
AAD28178.1	AF109695	Brassica juncea	AAC27500.1	AF044603	Zea mays
BAA05408.1	D26392	Cucumis sativus	BAB03420.1	AP002816	Oryza sativa
AAC41654.1	L41345	Lycopersicon esculentum			
AAA60979.1	U06461	Pisum sativum			
BAA77214.1	D85764	Oryza sativa			

CAA82993.1	Z30332	Spinacia oleracea	AAG34822.1	AF244679	Zea mays
CAA82994.1	Z30333	Mesembryanthemum crystallinum	CAA05355.1	AJ002381	Oryza sativa
SEQ ID NO. 2094			SEQ ID NO. 2098		
AAC49181.1	U39289	Brassica napus	BAA84780.1	AB018444	Oryza sativa
AAC49182.1	U39319	Brassica napus	BAA84779.1	AB018443	Oryza sativa
SEQ ID NO. 2095			SEQ ID NO. 2099		
CAA55039.1	X78203	Hyoscyamus muticus	CAA47926.1	X67696	Cucumis sativus
AAB65163.1	AF002692	Solanum commersonii	BAA11117.1	D70895	Cucurbita sp.
BAA01394.1	D10524	Nicotiana tabacum	CAA63598.1	X93015	Brassica napus
CAA96431.1	Z71749	Nicotiana plumbaginifolia	CAA53078.1	X75329	Mangifera indica
AAA33931.1	M84969	Silene vulgaris	CAA55006.1	X78116	Raphanus sativus
AAA33930.1	M84968	Silene vulgaris	AAD44539.1	AF113522	Zea mays
AAF61392.1	AF133894	Persea americana			
CAB38119.1	AJ010296	Zea mays	SEQ ID NO. 2101		
CAB38118.1	AJ010295	Zea mays	AAF67753.1	AF255651	Brassica rapa subsp. pekinensis
AAG34811.1	AF243376	Glycine max	AAC49980.2	AF008441	Brassica rapa
AAG34812.1	AF243377	Glycine max	CAA66924.1	X98274	Pisum sativum
AAG34814.1	AF243379	Glycine max	BAA36283.1	D85751	Oryza sativa
CAA09190.1	AJ010451	Alopecurus myosuroides	BAA37092.1	AB009592	Oryza sativa
CAA09193.1	AJ010454	Alopecurus myosuroides	BAA07108.1	D37870	Spinacia oleracea
CAA09191.1	AJ010452	Alopecurus myosuroides	CAC13956.1	AJ400816	Mesembryanthemum crystallinum
CAA09192.1	AJ010453	Alopecurus myosuroides	CAB66332.1	AJ279690	Betula pendula
AAD56395.1	AF184059	Triticum aestivum	CAA53925.1	X76293	Nicotiana tabacum
CAA39487.1	X56012	Triticum aestivum	CAA42921.1	X60373	Pisum sativum
AA68993.1	Y07721	Petunia x hybrida	AAK27157.1	AF349449	Brassica juncea
AAA33470.1	M16901	Zea mays	AAD28177.1	AF109694	Brassica juncea
AAA33469.1	M16902	Zea mays	CAA62482.1	X90996	Pisum sativum
AAA20585.1	U12679	Zea mays	AAF26175.1	AF105199	Glycine max
CAA56047.1	X79515	Zea mays	AAB70837.1	AF019907	Vitis vinifera
CAB66333.1	AJ279691	Betula pendula	AAA33962.1	L11632	Glycine max
AAC64007.1	AF062403	Oryza sativa	CAA54043.1	X76533	Nicotiana tabacum
CAA39480.1	X56004	Triticum aestivum	CAA06835.1	AJ006055	Zea mays
AAG34823.1	AF244680	Zea mays	CAA53993.1	X76455	Nicotiana tabacum
AAG34818.1	AF244675	Zea mays	AAB30526.1	S70187	Glycine max
AAG34820.1	AF244677	Zea mays	AAC26053.1	AF074940	Glycine max
AAG34817.1	AF244674	Zea mays	AAD53185.1	AF181096	Vigna unguiculata
AAG34821.1	AF244678	Zea mays	AAA60979.1	U06461	Pisum sativum
CAA05354.1	AJ002380	Oryza sativa	BAA05408.1	D26392	Cucumis sativus
AAG34816.1	AF244673	Zea mays	AAC41654.1	L41345	Lycopersicon esculentum



AAD28178.1	AF109695	Brassica juncea	AAF78516.1	AF195217	Pyrus pyrifolia
BAA77214.1	D85764	Oryza sativa	SEQ ID NO. 2111		
SEQ ID NO. 2104			BAA78575.1	AB028132	Oryza sativa
AAG22606.1	AF258809	Lycopersicon esculentum	BAA78572.1	AB028129	Oryza sativa
AAB41742.1	U82559	Lycopersicon esculentum	BAA78573.1	AB028130	Oryza sativa
AAG22605.1	AF258808	Lycopersicon esculentum	CAA66601.1	X97942	Nicotiana tabacum
AAG22607.1	AF258810	Lycopersicon esculentum	CAB89831.1	AJ242853	Solanum tuberosum
BAA23226.1	D88451	Zea mays	CAA08755.1	AJ009594	Nicotiana tabacum
AAG22608.1	AF259793	Lycopersicon esculentum	CAA66606.1	X97947	Nicotiana tabacum
AAB41741.1	U82558	Lycopersicon esculentum	CAA66604.1	X97945	Nicotiana tabacum
SEQ ID NO. 2106			CAA66605.1	X97946	Nicotiana tabacum
AAA74957.1	I31936	Brassica rapa	BAA78574.1	AB028131	Oryza sativa
CAA99757.1	Z75521	Lycopersicon esculentum	BAA78576.1	AB028133	Oryza sativa
AAB46718.1	U86018	Oryza sativa			
AAF78511.1	AF195209	Pyrus pyrifolia	SEQ ID NO. 2113		Lotus japonicus
SEQ ID NO. 2107			CAA98179.1	Z73951	Oryza sativa
CAA59409.1	X85038	Spinacia oleracea	BAA02904.1	D13758	
AAD50464.1	AF170026	Chlamydomonas reinhardtii	SEQ ID NO. 2114		Petunia x hybrida
SEQ ID NO. 2108			BAA89009.1	AB027455	Verbena x hybrida
CAA45701.1	X64349	Nicotiana tabacum	BAA36423.1	AB013598	Perilla frutescens
BAA96365.2	AB043960	Bruguiera gymnorhiza	BAA36421.1	AB013596	Perilla frutescens
CAA35601.1	X17578	Solanum tuberosum	BAA36422.1	AB013597	Citrus unshiu
CAA78043.1	Z11999	Lycopersicon esculentum	BAA93039.1	AB033758	Nicotiana tabacum
BAA02554.1	D13297	Pisum sativum	AAF61647.1	AF190634	Brassica napus
AAC04808.1	AF037457	Fritillaria agrestis	AAF98390.1	AF287143	Sorghum bicolor
CAA29062.1	X05548	Spinacia oleracea	AAF17077.1	AF199453	Scutellaria baicalensis
CAA40670.1	X57408	Triticum aestivum	BAA83484.1	AB031274	Forsythia x intermedia
AAD38521.1	AF139818	Brassica napus	AAD21086.1	AF127218	Gentiana triflora
AAD53562.1	AF110780	Volvox carteri f. nagariensis	BAA12737.1	D85186	Nicotiana tabacum
CAA36674.1	X52427	Lycopersicon esculentum	AAK28303.1	AF346431	Dorotheanthus bellidiformis
SEQ ID NO. 2109			CAA54612.1	X77462	Manihot esculenta
CAA55090.1	X78284	Medicago sativa	BAB41019.1	AB047092	Vitis vinifera
CAC12883.1	AJ295006	Nicotiana tabacum	BAB41020.1	AB047093	Vitis vinifera
BAA92964.1	AP001551	Oryza sativa	AAB36653.1	U32644	Nicotiana tabacum
AAB82139.1	AF022736	Oryza sativa	BAB41025.1	AB047098	Vitis vinifera
CAA64625.1	X95313	Chlamydomonas reinhardtii	BAB41023.1	AB047096	Vitis vinifera
			BAB41022.1	AB047095	Vitis vinifera
			BAB41021.1	AB047094	Vitis vinifera

BAA19659.1	AB002818	Perilla frutescens	CAC22329.1	AJ298303	Fagus sylvatica
BAB1026.1	AB047099	Vitis vinifera	AAB67852.1	L76377	Oryza sativa
BAB41024.1	AB047097	Vitis vinifera	CAB36911.1	AJ000692	Quercus suber
AAK28304.1	AF346432	Nicotiana tabacum	SEQ ID NO. 2120		
AAB36652.1	U32643	Nicotiana tabacum	AAB61593.1	AF003125	Mesembryanthemum crystalli
BAB41017.1	AB047090	Vitis labrusca x Vitis vinifera	AAA33665.1	M31713	Pisum sativum
BAA89008.1	AB027454	Petunia x hybrida	AAD02175.1	AF039662	Capsicum annuum
CAA59450.1	X85138	Lycopersicon esculentum	AAA34028.1	M35660	Spinacia oleracea
CAA54614.1	X77464	Manihot esculenta	CAA26281.1	X02432	Silene latifolia subsp. al
CAA54611.1	X77461	Manihot esculenta	CAA99756.1	Z75520	Lycopersicon esculentum
CAA54613.1	X77463	Manihot esculenta	AAA33459.1	M73829	Zea mays
SEQ ID NO. 2116			AAA33460.1	M73830	Zea mays
AAD44809.1	AF148648	Nicotiana tabacum	CAA52980.1	X75089	Triticum aestivum
AAD44808.1	AF147203	Spinacia oleracea	BAA06436.1	D30763	Oryza sativa
SEQ ID NO. 2118			AAA33462.1	M73828	Zea mays
AAD55090.1	AF178653	Vitis riparia	BAA32348.1	AB016810	Zea mays
CAA51432.1	X72928	Solanum commersonii	AAK15005.1	AF233452	Impatiens balsamina
CAA47601.1	X67121	Solanum commersonii	AAC49171.1	U29516	Chlamydomonas reinhardtii
CAC34055.1	AJ297410	Capsicum annuum	AAA33085.1	L10349	Chlamydomonas reinhardtii
CAA47047.1	X66416	Lycopersicon esculentum	CAA87068.1	Z46944	Citrus sinensis
AAB23375.1	S44889	Nicotiana tabacum	AAB65699.1	AF010320	Oryza sativa
AAB22459.2	S40046	Nicotiana tabacum	CAA73265.1	Y12734	Physcomitrella patens
AAG16625.1	AY007309	Solanum dulcamara	AAA33461.1	M73831	Zea mays
CAA46623.1	X65701	Nicotiana tabacum	BAA06456.1	D30794	Oryza sativa
CAA46622.1	X65700	Nicotiana tabacum	BAA90760.1	AB038037	Ipomoea nil
CAA51431.1	X72927	Solanum commersonii	BAA19865.1	D83660	Oryza sativa
CAA64620.1	X95308	Nicotiana tabacum	SEQ ID NO. 2121		
CAA51430.1	X72926	Solanum commersonii	AAD32141.1	AF123503	Nicotiana tabacum
AAC64171.1	AF093743	Lycopersicon esculentum	CAA42636.1	X60033	Glycine max
AAB61590.1	AF003007	Vitis vinifera	BAA96221.1	AP002094	Oryza sativa
BAA11180.1	D76437	Nicotiana sylvestris	SEQ ID NO. 2122		
AAA34087.1	M64081	Nicotiana tabacum	AAC63372.1	AF093751	Brassica oleracea
CAA47669.1	X67244	Solanum commersonii	AAB37228.1	U22105	Brassica napus
CAA71883.1	Y10992	Vitis vinifera	AAA73945.1	L33904	Brassica oleracea
AAF13707.1	AF199508	Fragaria x ananassa	AAA73946.1	L33905	Brassica oleracea
AAA34089.1	M29279	Nicotiana tabacum	AAA64310.1	U22174	Brassica napus
CAA3854.1	X61679	Nicotiana tabacum	AAA73947.1	L33906	Brassica oleracea
CAA04642.1	AJ001268	Hordeum vulgare	AAA73948.1	L33907	Brassica oleracea
CAC22330.1	AJ298304	Fagus sylvatica			

AAA32995.1	I29767	Brassica oleracea	CAA64221.1	X94449	Pimpinella brachycarpa
AAG29777.1	AF228333	Gossypium hirsutum	BAA93463.1	AB028075	Physcomitrella patens
AAF35186.1	AF195865	Gossypium hirsutum	AAF19980.1	AF211193	Oryza sativa
AAF35184.1	AF195863	Gossypium hirsutum	CAA65456.2	X96681	Oryza sativa
AAC00499.1	AF044204	Gossypium hirsutum	AAK31270.1	AC079890	Oryza sativa
AAD09107.1	AF101038	Brassica napus	AAD37700.1	AF145731	Oryza sativa
AAAT75599.1	U15153	Gossypium hirsutum	AAD37695.1	AF145726	Oryza sativa
AAB34774.1	S78173	Gossypium hirsutum	AAD37696.1	AF145727	Oryza sativa
AAK28533.1	AF329829	Gossypium hirsutum	CAA06717.1	AJ005820	Craterostigma plantagineum
AAF28385.1	AF151214	Corylus avellana	BAA93462.1	AB028074	Physcomitrella patens
AAA34032.1	M58635	Nicotiana glauca	BAA05622.1	D26573	Daucus carota
AAC49860.1	U72765	Phaseolus vulgaris	AAD37698.1	AF145729	Oryza sativa
AAF26449.1	AF221501	Prunus avium	BAA05625.1	D26576	Daucus carota
AAF35185.1	AF195864	Gossypium hirsutum	BAA21017.1	D26578	Daucus carota
AAF26450.1	AF221502	Malus x domestica	AAF01765.1	AF184278	Glycine max
CAA50660.1	X71667	Sorghum bicolor	AAF01764.2	AF184277	Glycine max
CAA05771.1	AJ002958	Cicer arietinum	BAA93464.1	AB028076	Physcomitrella patens
CAA65475.1	X96714	Prunus dulcis	BAA05624.1	D26575	Daucus carota
AAF26451.1	AF221503	Pyrus communis	BAA93466.1	AB028078	Physcomitrella patens
CAA65477.1	X96716	Prunus dulcis	CAB67118.1	Y17306	Lycopersicon esculentum
AAD46683.1	AF171094	Lilium longiflorum	BAA93468.1	AB028080	Physcomitrella patens
CAA50661.1	X71668	Sorghum bicolor	AAD37697.1	AF145728	Oryza sativa
CAA44267.1	X62395	Nicotiana tabacum	AAF73482.1	AF268422	Brassica rapa subsp. pekinensis
AA91050.1	L31938	Brassica rapa	BAA05623.1	D26574	Daucus carota
AAA33493.1	J04176	Zea mays	BAA93465.1	AB028077	Physcomitrella patens
CAB96874.1	AJ277164	Malus x domestica	SEQ ID NO. 2124		
CA85484.1	Z37115	Hordeum vulgare	AAA32913.1	M32885	Persea americana
AAG27707.1	AF302788	Triticum aestivum	AAA19701.1	L24438	Thlaspi arvense
CAA83459.1	Z31588	Gerbera hybrida	AAC39318.1	AF029858	Sorghum bicolor
AAF71695.1	AF198168	Aerides japonica	BAB40323.1	AB037244	Asparagus officinalis
AAA74624.1	U31766	Oryza sativa	AAB94589.1	AF022460	Glycine max
AAB70539.1	AF017359	Oryza sativa	CAA70575.1	Y09423	Nepeta racemosa
AAB06443.1	U66105	Zea mays	BAB40324.1	AB037245	Asparagus officinalis
CA85483.1	Z37114	Hordeum vulgare	BAA03635.1	D14990	Solanum melongena
CAA50662.1	X71669	Sorghum bicolor	AAF27282.1	AF122821	Capsicum annuum
			CAA50645.1	X71654	Solanum melongena
			AAB94584.1	AF022157	Glycine max
			CAA50312.1	X70981	Solanum melongena
			AAB94588.1	AF022459	Glycine max
			CAA70576.1	Y09424	Nepeta racemosa
SEQ ID NO. 2123					
CAA06728.1	AJ005833	Craterostigma plantagineum			
CAA64491.1	X95193	Pimpinella brachycarpa			
CAA63222.1	X92489	Glycine max			
CAA64152.1	X94375	Pimpinella brachycarpa			

AAAD47832.1	AF166332	Nicotiana tabacum	BAA05649.1	D26602	Nicotiana tabacum
CAB56503.1	AJ238612	Catharanthus roseus	AAD23582.1	AF128443	Glycine max
BAB40322.1	AB036772	Triticum aestivum	CAA89202.1	Z49233	Chlamydomonas eugametos
CAA83941.1	Z33875	Mentha x piperita	BAA83689.1	AB011968	Oryza sativa
AAD44150.1	AF124815	Mentha spicata	BAA90814.1	AP001168	Oryza sativa
AAAG44132.1	AF218296	Pisum sativum	AAC99329.1	AF062479	Oryza sativa
CAA64635.1	X95342	Nicotiana tabacum	AAA33443.1	I15390	Zea mays
AAD44151.1	AF124816	Mentha x piperita	AAC05270.1	AF048691	Oryza sativa
CAA65580.1	X96784	Nicotiana tabacum	BAA85396.1	AP000615	Oryza sativa
BAA12159.1	D83968	Glycine max	AAF19401.1	AF203479	Glycine max
BAA13076.1	D86351	Glycine max	CAA65244.1	X95997	Solanum tuberosum
AAD38930.1	AF135485	Glycine max	AAG46110.1	AC073166	Oryza sativa
CAA72196.1	Y11368	Zea mays			
CAA57425.1	X81831	Zea mays	SEQ ID NO. 2127		
AAD56282.1	AF155332	Petunia x hybrida	AAA84543.1	M55147	Chloroplast Pisum sativum
AAD44152.1	AF124817	Mentha x piperita	BAA85402.1	AP000615	Oryza sativa
CAA57423.1	X81829	Zea mays	AAA34076.1	M14418	Nicotiana tabacum
			AAA33780.1	L26923	Pinus sylvestris
			AAA86855.1	L27668	Chloroplast Chlamydomonas reinhardtii
SEQ ID NO. 2125					
CAA08995.1	AJ010091	Brassica napus	AAA33464.1	M18976	Zea mays
BAA05648.1	D26601	Nicotiana tabacum	CAA333455.1	X15408	Zea mays
CAA08997.1	AJ010093	Brassica napus	CAA36396.1	X52148	Pisum sativum
AAF34436.1	AF172282	Oryza sativa	AAA34075.1	M14417	Nicotiana tabacum
CAA04261.2	AJ000728	Lycopersicon esculentum	BAA94304.1	AB035312	Chlamydomonas sp. W80
CAC24705.1	AJ302651	Nicotiana tabacum	AAB82133.1	AF022730	Oryza sativa
AAF67262.1	AF165186	Nicotiana tabacum	AAB66887.1	AF010582	Oryza sativa
AAG40578.1	AF216314	Oryza sativa	CAA06030.1	AJ003783	Marsilea quadrifolia
AAA34002.1	M67449	Glycine max	AAG23800.1	AF260734	Cucurbita pepo
AAC83393.1	U83625	Zea mays	AAA33779.1	L07501	Pinus sylvestris
AAF23900.1	AF194413	Oryza sativa	AAD10215.1	I32560	Chloroplast Pinus sylvestris
CAC09580.1	AJ298992	Fagus sylvatica	AAA33352.1	L26924	Ginkgo biloba
AAF23901.2	AF194414	Oryza sativa	CAA04942.1	AJ001706	Pinus sylvestris
BAA06731.1	D31964	Nicotiana tabacum	AAD10214.1	I32561	Chloroplast Pinus sylvestris
CAA78961.1	Z17313	Malus x domestica	CAB39974.1	AJ133422	Nicotiana tabacum
CAA86286.1	Z38126	Malus x domestica	AAA87880.1	U45858	Zea mays
AAD08721.1	AF038570	Dunaliella tertiolecta	AAA87578.1	U45855	Zea mays
CAA73067.1	Y12464	Sorghum bicolor	CAA51676.1	X73151	Zea mays
AAG53979.1	AF325168	Nicotiana tabacum	AA859010.1	U96623	Selaginella lepidophylla
CAA73068.1	Y12465	Sorghum bicolor	CAA42901.1	X60343	Hordeum vulgare
CAA71142.1	Y10036	Cucumis sativus	AAA89207.1	I26922	Taxus baccata
CAA57898.1	X82548	Hordeum vulgare			

[illegible]

AAD37697.1	AF145728	Oryza sativa	CAC10514.1	AJ299019	Samanea saman
AAF01764.2	AF184277	Glycine max	CAC05488.1	AJ271446	Populus tremula x Populus tremuloides
BAA21017.1	D26578	Daucus carota	SEQ ID NO. 2134		
BAB18168.1	AB042766	Zinnia elegans	CAA55693.1	X79086	Zea mays
BAA93468.1	AB028080	Physcomitrella patens	CAA55691.1	X79085	Zea mays
BAA05623.1	D26574	Daucus carota	AAF97508.1	AF242298	Oryza sativa
AAD37699.1	AF145730	Oryza sativa	SEQ ID NO. 2135		
AAD38144.1	AF139497	Prunus armeniaca	AAG43509.1	AF210049	Petunia x hybrida
AAA63768.2	AF339748	Helianthus annuus	CAA44807.1	X63093	Lycopersicon esculentum
BAA93463.1	AB028075	Physcomitrella patens	SEQ ID NO. 2136		
CAA64491.1	X95193	Pimpinella brachycarpa	AAG41776.1	AF212990	Cucurbita maxima
CAA64221.1	X94449	Pimpinella brachycarpa	BAB12433.1	AB025030	Coptis japonica
CAA64152.1	X94375	Pimpinella brachycarpa	AAB17562.1	U72654	Eustoma grandiflorum
AAD37700.1	AF145731	Oryza sativa	CAA50647.1	X71656	Solanum melongena
AAD37695.1	AF145726	Oryza sativa	AAD56282.1	AF155332	Petunia x hybrida
CAA06728.1	AJ005833	Craterostigma plantagineum	AAB94587.1	AF022458	Glycine max
CAA62608.1	X91212	Lycopersicon esculentum	AAC39453.1	AF014801	Eschscholzia californica
CAA63222.1	X92489	Glycine max	AAC39452.1	AF014800	Eschscholzia californica
CAA65456.2	X96681	Oryza sativa	AAA32913.1	M32885	Persea americana
AAF19980.1	AF211193	Oryza sativa	CAA50155.1	X70824	Solanum melongena
SEQ ID NO. 2132			CAA50648.1	X71657	Solanum melongena
AAF33669.1	AF079871	Nicotiana tabacum	AAB94593.1	AF022464	Glycine max
AAF33670.1	AF079872	Nicotiana tabacum	AAB94588.1	AF022459	Glycine max
AAB53255.1	U65390	Nicotiana tabacum	BAA84071.1	AB028151	Antirrhinum majus
CAB62555.1	AJ249962	Daucus carota	AAF05621.1	AF191772	Papaver somniferum
CAA65254.1	X96390	Lycopersicon esculentum	CAA70575.1	Y09423	Nepeta racemosa
BAA96150.1	AP002092	Oryza sativa	AAC32274.1	AF081575	Petunia x hybrida
CAB54856.1	AJ132686	Zea mays	AAD37433.1	AF150881	Lycopersicon esculentum x
BAA96192.1	AP002093	Oryza sativa	Lycopersicon peruvianum		
AAD39492.1	AF145272	Samanea saman	BAA92894.1	AB006790	Petunia x hybrida
CAA56175.1	X79779	Solanum tuberosum	BAB40324.1	AB037245	Asparagus officinalis
CAA68912.1	Y07632	Zea mays	CAA70576.1	Y09424	Nepeta racemosa
CAA71598.1	Y10579	Vicia faba	AAB94589.1	AF022460	Glycine max
CAC05489.1	AJ271447	Populus tremula x Populus	BAB40323.1	AB037244	Asparagus officinalis
tremuloides			AAD47832.1	AF166332	Nicotiana tabacum
AAD16278.1	AF099095	Samanea saman	SEQ ID NO. 2138		
AAF81251.1	AF267755	Mesembryanthemum crystallinum			
BAA84085.1	AB032074	Nicotiana paniculata			
AAF36832.1	AF207745	Triticum aestivum			
CAA12645.1	AJ225805	Egeria densa			



[illegible]



[illegible]

AAB06594.1	U38651	Medicago truncatula	BAA96628.1	AP002482	Oryza sativa
CAB07812.1	Z93775	Vicia faba	CAA73068.1	Y12465	Sorghum bicolor
CAA47324.1	X66856	Nicotiana tabacum	CAA73067.1	Y12464	Sorghum bicolor
CAA70777.1	Y09590	Vitis vinifera	CAA65244.1	X95997	Solanum tuberosum
AA79761.1	L08196	Ricinus communis	CAA07813.1	AJ007990	Hordeum vulgare
AA79857.1	L08188	Ricinus communis	CAA46556.1	X65606	Hordeum vulgare
BAB19863.1	AB052884	Oryza sativa	CAA46554.1	X65604	Hordeum vulgare
CAB52689.1	AJ132224	Lycopersicon esculentum	AAB05457.1	U55768	Oryza sativa
CA09419.1	AJ010942	Lycopersicon esculentum	AAB62693.1	AF004947	Oryza sativa
CAB06079.1	Z83829	Picea abies	BAA83689.1	AB011968	Oryza sativa
BAB19862.1	AB052883	Oryza sativa	BAA83688.1	AB011967	Oryza sativa
CA08813.1	Y07520	Chlorella kessleri	AAF22219.1	AF141378	Zea mays
CA039036.1	X55349	Chlorella kessleri	BAA34675.1	AB011670	Triticum aestivum
CA053192.1	X75440	Chlorella kessleri			
CAB52688.1	AJ132223	Lycopersicon esculentum	SEQ ID NO. 2164		
AAD55054.1	AF173655	Beta vulgaris	AAB58348.1	U29095	Triticum aestivum
CAB52690.1	AJ132225	Lycopersicon esculentum	AAD00239.1	U73938	Nicotiana tabacum
AAG43998.1	AF215837	Apium graveolens var. dulce	AAA96325.1	M94726	Triticum aestivum
AAF74567.1	AF215853	Solanum tuberosum	CAA81443.1	Z26846	Mesembryanthemum crystallinum
AAF74565.1	AF215851	Spinacia oleracea	AAG60195.1	AC084763	Oryza sativa
AAF74566.1	AF215852	Nicotiana tabacum	BAA19573.1	AB002109	Oryza sativa
AAF74568.1	AF215854	Zea mays	BAA13608.1	D88399	Oryza sativa
			AAD00240.1	U73939	Nicotiana tabacum
SEQ ID NO. 2163			AAB68962.1	L38855	Glycine max
AAB68962.1	L38855	Glycine max	CAA06503.1	AJ005373	Craterostigma plantagineum
CAA06503.1	AJ005373	Craterostigma plantagineum	AAF27340.1	AF186020	Vicia faba
AAG60195.1	AC084763	Oryza sativa	AAC98509.1	AF100162	Chlamydomonas reinhardtii
BAA13608.1	D88399	Oryza sativa	BAA96628.1	AP002482	Oryza sativa
AAD00239.1	U73938	Nicotiana tabacum	CAA73067.1	Y12464	Sorghum bicolor
BAA19573.1	AB002109	Oryza sativa	CAA71142.1	Y10036	Cucumis sativus
AAB58348.1	U29095	Triticum aestivum	AAD23582.1	AF128443	Glycine max
AAD00240.1	U73939	Nicotiana tabacum	CAA73068.1	Y12465	Sorghum bicolor
CAA81443.1	Z26846	Mesembryanthemum crystallinum	BAA05649.1	D26602	Nicotiana tabacum
AAG96325.1	M94726	Triticum aestivum	CAA65244.1	X95997	Solanum tuberosum
AAF27340.1	AF186020	Vicia faba	CAA57898.1	X82548	Hordeum vulgare
AAC98509.1	AF100162	Chlamydomonas reinhardtii	AAC99329.1	AF062479	Oryza sativa
AAD23582.1	AF128443	Glycine max	CAA07813.1	AJ007990	Hordeum vulgare
BAA05649.1	D26602	Nicotiana tabacum	CAA46556.1	X65606	Hordeum vulgare
CAA71142.1	Y10036	Cucumis sativus	AAB05457.1	U55768	Oryza sativa
CAA57898.1	X82548	Hordeum vulgare	CAA46554.1	X65604	Hordeum vulgare
AAC99329.1	AF062479	Oryza sativa	AAF22219.1	AF141378	Zea mays

BAA83688.1	AB0111967	Oryza sativa	BAA88222.1	AB028650	Nicotiana tabacum
BAA83689.1	AB011968	Oryza sativa	BAA81736.1	AB029165	Glycine max
BAA34675.1	AB011670	Triticum aestivum	AAA33500.1	M73028	Zea mays
AAB62693.1	AF004947	Oryza sativa	AAG36774.1	AF210616	Zea mays
SEQ ID NO. 2165			BAA23339.1	D88619	Oryza sativa
CAA72271.1	Y11483	Brassica napus	CAA72217.1	Y11414	Oryza sativa
CAA72270.1	Y11482	Brassica napus	BAA81733.2	AB029162	Glycine max
AAB72097.1	AF021257	Hordeum vulgare	BAA88224.1	AB028652	Nicotiana tabacum
AAB72096.1	AF021256	Hordeum vulgare	CAA66952.1	X98308	Lycopersicon esculentum
SEQ ID NO. 2166			SEQ ID NO. 2169		
AAA86424.1	U44386	Lycopersicon esculentum	BAA95893.1	AP002071	Oryza sativa
AAF05766.1	AF192758	Glycine max	CAB51834.1	00069	Oryza sativa
SEQ ID NO. 2168			AAB09771.1	U67422	Zea mays
AAK19619.1	AF336286	Gossypium hirsutum	AAK11566.1	AF318490	Lycopersicon hirsutum
CAA64614.1	X95296	Lycopersicon esculentum	CAA97692.1	Z73295	Catharanthus roseus
CAA50224.1	X70879	Hordeum vulgare	AAK11674.1	AF339747	Lophopyrum elongatum
CAA50222.1	X70877	Hordeum vulgare	AAF43496.1	AF131222	Lophopyrum elongatum
CAA50221.1	X70876	Hordeum vulgare	AAF76313.1	AF220603	Lycopersicon esculentum
BAA23337.1	D88617	Oryza sativa	AAB47421.1	U59316	Lycopersicon esculentum
BAA23338.1	D88618	Oryza sativa	AAB47423.1	U59315	Lycopersicon pimpinellifolium
CAA72218.1	Y11415	Oryza sativa	AAC48914.1	U02271	Lycopersicon pimpinellifolium
CAA78386.1	Z13996	Petunia x hybrida	AAF76306.1	AF220602	Lycopersicon pimpinellifolium
AAK19616.1	AF336283	Gossypium hirsutum	AAK11567.1	AF318491	Lycopersicon hirsutum
CAB43399.1	AJ006292	Antirrhinum majus	AAK21965.1	AY028699	Brassica napus
CAA50225.1	X70880	Hordeum vulgare	AAG25966.1	AF302082	Nicotiana tabacum
AAF22256.1	AF161711	Pimpinella brachycarpa	AAK11569.1	AF318493	Lycopersicon hirsutum
AAK19611.1	AF336278	Gossypium hirsutum	AAF66615.1	AF142596	Nicotiana tabacum
AAK19617.1	AF336284	Gossypium hirsutum	AAG03090.1	AC073405	Oryza sativa
CAA72186.1	Y11351	Oryza sativa	BAA83373.1	AP000391	Oryza sativa
CAA67600.1	X99210	Lycopersicon esculentum	BAA84787.1	AP000559	Oryza sativa
AAK19615.1	AF336282	Gossypium hirsutum	CAA74662.1	Y14286	Brassica oleracea
AAK19618.1	AF336285	Gossypium hirsutum	CAA67145.1	X98520	Brassica oleracea
BAA81732.1	AB029161	Glycine max	CAA73133.1	Y12530	Brassica oleracea
CAA72185.1	Y11350	Oryza sativa	AAK11568.1	AF318492	Lycopersicon hirsutum
AAG13574.1	AC037425	Oryza sativa	BAA78764.1	AB023482	Oryza sativa
BAA81731.1	AB029160	Glycine max	BAA94509.1	AB041503	Populus nigra
BAA81730.1	AB029159	Glycine max	BAA94510.1	AB041504	Populus nigra
CAA78387.1	Z13997	Petunia x hybrida	SEQ ID NO. 2172		
			BAA22422.1	AB001379	Glycyrrhiza echinata

BAA74465.1	AB022732	Glycyrrhiza echinata	AAG34808.1	AF243373	Glycine max
CAB43505.1	AJ239051	Cicer arietinum	AAG34800.1	AF243365	Glycine max
CAB41490.1	AJ238439	Cicer arietinum	CAA71784.1	Y10820	Glycine max
CAA10067.1	AJ012581	Cicer arietinum	AAG34844.1	AF244701	Zea mays
BAA93634.1	AB025016	Lotus japonicus	AAA68430.1	J03679	Solanum tuberosum
CAA04117.1	AJ000478	Helianthus tuberosus	CAA04391.1	AJ000923	Carica papaya
CAA04116.1	AJ000477	Helianthus tuberosus	AAG34831.1	AF244688	Zea mays
AAD56282.1	AF155332	Petunia x hybrida	CAA09187.1	AJ010448	Alopecurus myosuroides
BAA12159.1	D83968	Glycine max	CAA09188.1	AJ010449	Alopecurus myosuroides
AAB94590.1	AF022461	Glycine max	AAG34802.1	AF243367	Glycine max
CAA65580.1	X96784	Nicotiana tabacum	AAG34805.1	AF243370	Glycine max
AAA32913.1	M32885	Persea americana	AAG34832.1	AF244689	Zea mays
AAG09208.1	AF175278	Pisum sativum	AAG34837.1	AF244694	Zea mays
CAB56742.1	AJ249800	Cicer arietinum	AAG34836.1	AF244693	Zea mays
AAC49188.2	U29333	Pisum sativum	AAG34849.1	AF244706	Zea mays
AAG44132.1	AF218296	Pisum sativum	CAC24549.1	AJ296343	Cichorium intybus x Cichorium
BAA13076.1	D86351	Glycine max	endivia		
AAC39454.1	AF014802	Eschscholzia californica	AAC32118.1	AF051214	Picea mariana
CAA64635.1	X95342	Nicotiana tabacum	AAG34795.1	AF243360	Glycine max
AAD38930.1	AF135485	Glycine max	AAG34841.1	AF244698	Zea mays
AAB17562.1	U72654	Eustoma grandiflorum	AAF29773.1	AF159229	Gossypium hirsutum
BAA92894.1	AB006790	Petunia x hybrida	SEQ ID NO. 2174		
AAC32274.1	AF081575	Petunia x hybrida	AAB67714.1	AF013161	Prunus serotina
BAA84072.1	AB028152	Torenia hybrida	CAA511194.1	X72617	Prunus serotina
CAA50155.1	X70824	Solanum melongena	AAB38536.1	U78814	Prunus serotina
BAB40324.1	AB037245	Asparagus officinalis	CAA69388.1	Y08211	Prunus dulcis
BAB40323.1	AB037244	Asparagus officinalis	AAB96764.1	AF040079	Prunus serotina
BAA74466.1	AB022733	Glycyrrhiza echinata	AAB96763.1	AF040078	Prunus serotina
SEQ ID NO. 2173			AAC61982.1	AF053886	Prunus serotina
AAF64450.1	AF239928	Euphorbia esula	AAC61981.1	AF053885	Prunus serotina
AAG34803.1	AF243368	Glycine max	AAC61980.1	AF053884	Prunus serotina
AAG34796.1	AF243361	Glycine max	AAD02266.1	AF043187	Prunus serotina
AAG34809.1	AF243374	Glycine max	AAD02265.1	AF043186	Prunus serotina
AAG34797.1	AF243362	Glycine max	SEQ ID NO. 2176		
AAG34807.1	AF243372	Glycine max	CAA58994.1	X84208	Sinapis alba
AAG34798.1	AF243363	Glycine max	CAA76116.1	Y16190	Sinapis alba
AAG34804.1	AF243369	Glycine max	SEQ ID NO. 2177		
AAG34801.1	AF243366	Glycine max	CAA68190.1	X99922	Brassica napus
AAG34810.1	AF243375	Glycine max			
AAC18566.1	AF048978	Glycine max			

SEQ ID NO. 2181			CAA66035.1	X97349		Populus balsamifera subsp.
AAD37375.1	AF145349	Glycine max	trichocarpa			
AAA32676.1	M37637	Arachis hypogaea	CAA76680.1	Y17192		Cucurbita pepo
AAD37429.2	AF149279	Phaseolus vulgaris	CAA66036.1	X97350		Populus balsamifera subsp.
BAA82307.1	AB027753	Nicotiana tabacum	trichocarpa			
CAA71494.1	Y10468	Spinacia oleracea	BAA08499.1	D49551		Oryza sativa
CAA64413.1	X94943	Lycopersicon esculentum	BAA92500.1	AF001383		Oryza sativa
AAB67737.1	L77080	Stylosanthes humilis	CAC21393.1	AJ401276		Zea mays
AAB47602.1	L07554	Linum usitatissimum				
BAA14143.1	D90115	Armoracia rusticana	SEQ ID NO. 2183			
CAA66037.1	X97351	Populus balsamifera subsp.	AAD03415.1	AF069494		Sinapis alba
trichocarpa			AAA85440.1	U32624		Sorghum bicolor
CAA62227.1	X90694	Medicago sativa	AAF27289.1	AF140613		Manihot esculenta
AAA65637.1	L13654	Lycopersicon esculentum	AAF27290.1	AF140614		Manihot esculenta
AAD11482.1	U51192	Glycine max	AAF66543.1	AF140609		Triglochin maritimum
AAF63027.1	AF244924	Spinacia oleracea	AAF66544.1	AF140610		Triglochin maritimum
CAA50597.1	X71593	Lycopersicon esculentum	BAA92894.1	AB006790		Petunia x hybrida
AAD37427.1	AF149277	Phaseolus vulgaris	AAD56282.1	AF155332		Petunia x hybrida
CAA62226.1	X90693	Medicago sativa	CAA50155.1	X70824		Solanum melongena
CAB67121.1	Y19023	Lycopersicon esculentum	AAA32913.1	M32885		Persea americana
BAA01877.1	D11102	Populus kitakamiensis	CAA64635.1	X95342		Nicotiana tabacum
AAD11481.1	U51191	Glycine max	CAA65580.1	X96784		Nicotiana tabacum
CAA80502.1	Z22920	Spirodela polyrrhiza	AAC32274.1	AF081575		Petunia x hybrida
AAB41810.1	I36156	Medicago sativa	CAB43505.1	AJ239051		Cicer arietinum
AAD37430.1	AF149280	Phaseolus vulgaris	CAA04117.1	AJ000478		Helianthus tuberosus
BAA03644.1	D14997	Oryza sativa	CAA04116.1	AJ000477		Helianthus tuberosus
CAA62225.1	X90692	Medicago sativa	AAB17562.1	U72654		Eustoma grandiflorum
CAB94692.1	AJ242742	Ipomoea batatas	AAG09208.1	AF175278		Pisum sativum
BAA01992.1	D11396	Nicotiana tabacum	BAA93634.1	AB025016		Lotus japonicus
AAB41811.1	I36157	Medicago sativa	AAG44132.1	AF218296		Pisum sativum
AAB97734.1	AF014502	Glycine max	AAC49188.2	U29333		Pisum sativum
CAA40796.1	X57564	Armoracia rusticana	AAB94587.1	AF022458		Glycine max
AAC98519.1	AF007211	Glycine max	AAB94590.1	AF022461		Glycine max
AAA34108.1	J02979	Nicotiana tabacum	BAA12159.1	D83968		Glycine max
BAA11853.1	D83225	Populus nigra	BAA84071.1	AB028151		Antirrhinum majus
CAA66034.1	X97348	Populus balsamifera subsp.	AAB94588.1	AF022459		Glycine max
trichocarpa			BAA74465.1	AB022732		Glycyrrhiza echinata
AAA65636.1	L13653	Lycopersicon esculentum	BAA84072.1	AB028152		Torenia hybrida
AAF63026.1	AF244923	Spinacia oleracea				
BAA06335.1	D30653	Populus kitakamiensis	SEQ ID NO. 2184			
			CAA62228.1	X90695		Medicago sativa

CAA09881.1	AJ011939	Trifolium repens	AAA65637.1	I13654	Lycopersicon esculentum
CAA71495.1	Y10469	Spinacia oleracea	CAA71488.1	Y10462	Spinacia oleracea
AAB41812.1	L36158	Medicago sativa	AAA32676.1	M37637	Arachis hypogaea
AAD11483.1	U51193	Glycine max	BAA77389.1	AB024439	Scutellaria baicalensis
AAE63024.1	AF244921	Spinacia oleracea	CAA40796.1	X57564	Armoracia rusticana
AAD11484.1	U51194	Glycine max			
AAB67737.1	L77080	Stylosanthes humilis	SEQ ID NO. 2186		
CAA62226.1	X90693	Medicago sativa	AG34803.1	AF243368	Glycine max
CAA62227.1	X90694	Medicago sativa	AAG34797.1	AF243362	Glycine max
AAC98519.1	AF007211	Glycine max	AAG34798.1	AF243363	Glycine max
BAA77387.1	AB024437	Scutellaria baicalensis	AAF64450.1	AF239928	Euphorbia esula
CAB67121.1	Y19023	Lycopersicon esculentum	AAG34796.1	AF243361	Glycine max
CAA50597.1	X71593	Lycopersicon esculentum	AAG34801.1	AF243366	Glycine max
CAB94692.1	AJ242742	Ipomoea batatas	AAG34804.1	AF243369	Glycine max
AA998491.1	L36981	Petroselinum crispum	AAG34807.1	AF243372	Glycine max
AAD11481.1	U51191	Glycine max	AAG34809.1	AF243374	Glycine max
BAA01950.1	D11337	Vigna angularis	AAG34810.1	AF243375	Glycine max
AAD11482.1	U51192	Glycine max	AAG34802.1	AF243367	Glycine max
CAA66037.1	X97351	Populus balsamifera subsp.	AAG34808.1	AF243373	Glycine max
trichocarpa			AAG34844.1	AF244701	Zea mays
AAB41810.1	L36156	Medicago sativa	CAA09188.1	AJ010449	Alopecurus myosuroides
AAD37427.1	AF149277	Phaseolus vulgaris	CAA09187.1	AJ010448	Alopecurus myosuroides
BAA07664.1	D42065	Nicotiana tabacum	AAA68430.1	J03679	Solanum tuberosum
CAC21393.1	AJ401276	Zea mays	AAG34837.1	AF2444694	Zea mays
BAA82306.1	AB027752	Nicotiana tabacum	AAG34800.1	AF243365	Glycine max
BAA07663.1	D42064	Nicotiana tabacum	AAG34831.1	AF2444688	Zea mays
BAA06335.1	D30653	Populus kitakamiensis	AAC32118.1	AF051214	Picea mariana
CAA62225.1	X90692	Medicago sativa	AAG34805.1	AF243370	Glycine max
AA34050.1	M74103	Nicotiana sylvestris	AAC18566.1	AF048978	Glycine max
AAD37430.1	AF149280	Phaseolus vulgaris	AAG34829.1	AF2444686	Zea mays
AAB41811.1	L36157	Medicago sativa	CAA04391.1	AJ0000923	Carica papaya
BAA14144.1	D90116	Armoracia rusticana	CAA71784.1	Y10820	Glycine max
BAA01877.1	D11102	Populus kitakamiensis	AAG34795.1	AF243360	Glycine max
CAA59485.1	X85228	Triticum aestivum	AAG34836.1	AF2444693	Zea mays
BAA14143.1	D90115	Armoracia rusticana	AAG34832.1	AF2444689	Zea mays
CAA66034.1	X97348	Populus balsamifera subsp.	AAG34833.1	AF2444690	Zea mays
trichocarpa			AAG34849.1	AF244706	Zea mays
CAA76376.1	Y16778	Spinacia oleracea	AAG34806.1	AF243371	Glycine max
AA34108.1	J02979	Nicotiana tabacum	CAA09189.1	AJ010450	Alopecurus myosuroides
BAA96643.1	AF002462	Oryza sativa			
AAA32973.1	M73234	Hordeum vulgare	SEQ ID NO. 2187		

AAD02848.1	AF086839	Populus tremula x Populus	AAG28490.1	AF196350	Lophopyrum elongatum
tremuloides					
BAA36555.1	AB011798	Citrus unshiu	SEQ ID NO. 2190		Mesembryanthemum crystalli
CAB66329.1	AJ279687	Betula pendula	AAF05112.1	AF158091	Lycopersicon esculentum
AAC77357.1	U79562	Pisum sativum	AAF19402.1	AF203480	Lycopersicon esculentum
CAB61887.1	AJ250003	Lycopersicon esculentum	AAF19403.1	AF203481	Kalanchoe fedtschenkoi
BAA36556.1	AB011799	Citrus unshiu	AAF06969.1	AF162661	Glycine max
BAB40808.1	AB058921	Nicotiana suaveolens x	AAF06970.1	AF162662	Brassica napus
Nicotiana tabacum			AAF19401.1	AF203479	Ipomoea batatas
AAB16804.1	U68560	Malus x domestica	AAF19404.1	AF203482	Daucus carota
BAB40809.1	AB058922	Nicotiana suaveolens x	BAA13440.1	D87707	Mesembryanthemum crystalli
Nicotiana tabacum			CAA39936.1	X56599	Solanum tuberosum
AAC32147.1	AF051247	Picea mariana	AAD17800.1	AF090835	Fragaria x ananassa
CAB56223.1	AJ133276	Hordeum vulgare	AAD28192.2	AF115406	Nicotiana tabacum
CAB56224.1	AJ133277	Hordeum vulgare	AAB88537.1	AF035944	Glycine max
AAC24568.2	AF055909	Zea mays	AAC25423.1	AF072908	Zea mays
			AAB80693.1	U69174	Cucurbita pepo
SEQ ID NO. 2188			BAA12715.1	D85039	Tortula ruralis
CAC12822.1	AJ299252	Nicotiana tabacum	CAA65500.1	X96723	Zea mays
AAC24587.1	AF071893	Prunus armeniaca	CAA57157.1	X81394	Medicago sativa
AAF23899.1	AF193803	Oryza sativa	BAA90814.1	AF001168	Oryza sativa
BAB16083.1	AB036883	Oryza sativa	AAA69507.1	U28376	Oryza sativa
AAF63205.1	AF245119	Mesembryanthemum crystallinum	AAB49984.1	U90262	Zea mays
CAB96900.1	AJ251250	Catharanthus roseus	AAB70706.1	U82087	Cucurbita pepo
CAB96899.1	AJ251249	Catharanthus roseus	CAA07481.1	AJ007366	Tortula ruralis
BAA78738.1	AB023482	Oryza sativa	AAC49405.1	U08140	Zea mays
AAF76898.1	AF274033	Atriplex hortensis	BAA85396.1	AF000615	Vigna radiata
BAA99376.1	AP002526	Oryza sativa	AAC05270.1	AF048691	Oryza sativa
			BAA12338.1	D84408	Oryza sativa
SEQ ID NO. 2189			CAA57156.1	X81393	Oryza sativa
AAF60173.1	AF236068	Elaeis guineensis	BAA81749.1	AB017515	Marchantia polymorpha
AAD23407.1	AF112887	Populus x canescens	BAA81751.1	AB017517	Marchantia polymorpha
AAG16973.1	AF183903	Petunia x hybrida	BAA81750.1	AB017516	Marchantia polymorpha
AAG16974.1	AF183904	Petunia x hybrida	BAA81748.1	AB017515	Marchantia polymorpha
CAAF78483.1	Z14110	Lilium longiflorum	AAB80692.1	U69173	Glycine max
CAA78482.1	Z14109	Brassica napus	BAA13232.1	D87042	Zea mays
CAA66310.1	X97725	Zea mays	AAA61682.1	L27484	Zea mays
CAA66311.1	X97726	Zea mays	AAG46110.1	AC073166	Oryza sativa
CAA56786.1	X80820	Zea mays	CAA89202.1	Z49233	Chlamydomonas eugametos
AAC49404.1	U58278	Triticum aestivum	BAA02698.1	D13436	Oryza sativa
AAG28460.1	AF195612	Lophopyrum elongatum	AAF23900.1	AF194413	Oryza sativa

AA21062.1	AF216527	Dunaliella tertiolecta	AAA19571.1	U10150	Brassica napus
CAA58750.1	X83869	Daucus carota	CAA78301.1	Z12839	Lilium longiflorum
AAA33443.1	L15390	Zea mays	BAA88540.1	AF000969	Oryza sativa
AAK26164.1	AY027885	Cucumis sativus	AAB36130.1	S81594	Vigna radiata
BAA12692.1	D84508	Zea mays	AAC36059.1	AF042840	Oryza sativa
AAB47181.1	S82324	Zea mays	AAA33900.1	L18914	Oryza sativa
BAA12691.1	D84507	Zea mays	AAA34237.1	L20691	Vigna radiata
AAG01179.1	AF289237	Zea mays	CAA78288.1	Z12828	Oryza sativa
BAA22410.1	D38452	Zea mays	AAA32938.1	M27303	Hordeum vulgare
SEQ ID NO. 2191			CAA78287.1	Z12827	Oryza sativa
BAA13032.1	D86180	Pisum sativum	AAC49587.1	U49105	Triticum aestivum
SEQ ID NO. 2192			AAC49586.1	U49104	Triticum aestivum
AAD01600.1	AF016713	Lycopersicon esculentum	AAC49583.1	U48692	Triticum aestivum
CAC07206.1	AF278966	Brassica napus	AAC49585.1	U49103	Triticum aestivum
AAC32034.1	AF023472	Hordeum vulgare	AAC49584.1	U48693	Triticum aestivum
AAF20002.1	AF213936	Prunus dulcis	AAC49582.1	U48691	Triticum aestivum
AAF07875.1	AF140606	Oryza sativa	AAC49580.1	U48689	Triticum aestivum
BAB19760.1	AF052788	Glycine max	AAC49579.1	U48688	Triticum aestivum
CAA93316.1	Z69370	Cucumis sativus	AAC49578.1	U48242	Triticum aestivum
BAB19757.1	AB052785	Glycine max	AAC36058.1	AF042839	Oryza sativa
BAB19756.1	AB052784	Glycine max	AAA85156.1	U20296	Solanum tuberosum
AAB69642.1	AF000392	Lotus japonicus	AAD10244.1	AF030032	Phaseolus vulgaris
AAD16016.1	AF080545	Nepenthes alata	CAA36644.1	X52398	Medicago sativa
AAD42860.1	AF154930	Prunus dulcis	AAA85155.1	U20294	Solanum tuberosum
SEQ ID NO. 2193			AAB68399.1	U79736	Helianthus annuus
CAA61980.1	X89890	Bidens pilosa	AAA62351.1	U20295	Solanum tuberosum
AAF73157.1	AF150059	Brassica napus	AAA34238.1	L20507	Vigna radiata
BAA87825.1	AP000815	Oryza sativa	AAA85157.1	U20297	Solanum tuberosum
CAA67054.1	X98404	Capsicum annuum	AAA33705.1	M80831	Petunia x hybrida
AA87347.1	M88307	Brassica juncea	CAA74307.1	Y13974	Zea mays
AAG27432.1	AF295637	Elaeis guineensis	CAA54583.1	X77397	Zea mays
CAA42423.1	X59751	Daucus carota	SEQ ID NO. 2194		
AAG11418.1	AF292108	Prunus avium	BAB32588.1	AB055807	Momordica charantia
AAA92681.1	U13882	Pisum sativum	AAA34180.1	J05094	Lycopersicon peruvianum
AAB46588.1	U83402	Capsicum annuum	AAA34198.1	M59427	Lycopersicon peruvianum
AA33706.1	M80836	Petunia x hybrida	CAB61327.1	AJ132473	Amaranthus hypochondriacus
AAF65511.1	AF108889	Capsicum annuum	AAA60745.1	J04099	Lycopersicon esculentum
CAA43143.1	X60738	Malus x domestica	CAA47461.1	X67076	Nicotiana tabacum
			CAA78265.1	Z12619	Nicotiana tabacum
			CAA47460.1	X67075	Nicotiana tabacum



AA34067.1	M74102	Nicotiana sylvestris	AAK30005.1	AY029067	Rosa hybrid cultivar
AA49603.1	U30861	Solanum tuberosum	AAG53979.1	AF325168	Nicotiana tabacum
BA02823.1	D13662	Nicotiana glauca X Nicotiana	AAG31141.1	AF305911	Oryza sativa
laugsdorffii			BAB18104.1	AB042714	Chlamydomonas reinhardtii
AA34199.1	K03290	Lycopersicon esculentum	BAB18105.1	AB042715	Chlamydomonas reinhardtii
AA34200.1	M13938	Lycopersicon esculentum	CAA73067.1	Y12464	Sorghum bicolor
AA72133.1	L06985	Solanum tuberosum	CAC09580.1	AJ298992	Fagus sylvatica
CAA78259.1	Z12611	Solanum tuberosum	CAA49592.1	X69971	Nicotiana tabacum
AA69781.1	L06606	Solanum tuberosum	AAF23902.1	AF194415	Oryza sativa
CAA48136.1	X67950	Solanum tuberosum	AAD52659.1	AF177392	Oryza sativa
CAA47907.1	X67675	Solanum tuberosum	AAK11734.1	AY027437	Arachis hypogaea
CAA57677.1	X82187	Zea mays	CAA58466.1	X83440	Petunia x hybrida
CAA55588.1	X78988	Zea mays	AAF19402.1	AF203480	Lycopersicon esculentum
CAA49593.1	X69972	Zea mays	CAA73068.1	Y12465	Sorghum bicolor
AA33816.1	M17108	Solanum tuberosum	AAF19403.1	AF203481	Lycopersicon esculentum
CAA57307.1	X81647	Cucurbita maxima	CAB61889.1	AJ251330	Oryza sativa
CAA57203.1	X81447	Cucurbita maxima	AAG40580.1	AF216316	Oryza sativa
			AAF61238.1	AF241166	Oryza sativa
SEQ ID NO. 2195			SEQ ID NO. 2196		
AA32599.1	AF080436	Oryza sativa	AAB32591.2	S74753	Solanum tuberosum
CAC09581.1	AJ298993	Fagus sylvatica			
CAC09568.1	AJ298980	Fagus sylvatica			
CAA08997.1	AJ010093	Brassica napus	SEQ ID NO. 2209		
CAC09569.1	AJ298981	Fagus sylvatica	CAA09881.1	AJ011939	Trifolium repens
AAF34436.1	AF172282	Oryza sativa	CAA62228.1	X90695	Medicago sativa
CAA08995.1	AJ010091	Brassica napus	CAA71495.1	Y10469	Spinacia oleracea
CAA08758.1	AJ009609	Brassica napus	AA41812.1	I36158	Medicago sativa
CAA08757.1	AJ009608	Brassica napus	AAF63024.1	AF244921	Spinacia oleracea
BAA05648.1	D26601	Nicotiana tabacum	AAD11483.1	U51193	Glycine max
AAF67262.1	AF165186	Nicotiana tabacum	CAA62226.1	X90693	Medicago sativa
CAA04261.2	AJ000728	Lycopersicon esculentum	CAA62227.1	X90694	Medicago sativa
AAD46406.1	AF096250	Lycopersicon esculentum	BAA77387.1	AB024437	Scutellaria baicalensis
AAD10056.1	AF110518	Lycopersicon esculentum	AAD11484.1	U51194	Glycine max
AAD10057.1	AF110519	Lycopersicon esculentum	BAA07664.1	D42065	Nicotiana tabacum
AA34002.1	M67449	Glycine max	BAA07663.1	D42064	Nicotiana tabacum
BAA06731.1	D31964	Nicotiana tabacum	AAD11481.1	U51191	Glycine max
CAA06334.1	AJ005077	Lycopersicon esculentum	AAD11482.1	U51192	Glycine max
BAB32405.1	AB055514	Nicotiana tabacum	AAD37427.1	AF149277	Phaseolus vulgaris
AAG40578.1	AF216314	Oryza sativa	AAB41810.1	I36156	Medicago sativa
CAC24705.1	AJ302651	Nicotiana tabacum	AAC98519.1	AF007211	Glycine max
AA833393.1	U83625	Zea mays	CAB94692.1	AJ242742	Ipomoea batatas

[illegible]

BA930309.1	AB033758	Citrus unshiu	AAK15844.1	AY016276	Paeonia szechuanica
AAF17077.1	AF199453	Sorghum bicolor	AAK15843.1	AY016275	Paeonia suffruticosa subsp.
AA848444.1	U82367	Solanum tuberosum	spontanea		
AA221086.1	AF127218	Forsythia x intermedia	AAK15841.1	AY016273	Paeonia delavayi
BA833484.1	AB031274	Scutellaria baicalensis	AAK15840.1	AY016272	Paeonia delavayi
CAA54614.1	X77464	Manihot esculenta	AAK15835.1	AY016267	Paeonia lutea
AD04166.1	AF101972	Phaseolus lunatus	AAK15834.1	AY016266	Paeonia lutea
AA86473.1	AF028237	Ipomoea purpurea	AAK15832.1	AY016264	Paeonia mairei
BA41018.1	AB047091	Vitis labrusca x Vitis vinifera	AAK15831.1	AY016263	Paeonia mairei
BA19659.1	AB002818	Perilla frutescens	AAK15828.1	AY016260	Paeonia japonica
BA36422.1	AB013597	Perilla frutescens	AAK15827.1	AY016259	Paeonia japonica
AA862270.1	AF006081	Solanum berthaultii	AAK15826.1	AY016258	Paeonia japonica
AA81683.1	AF000372	Vitis vinifera	AAK15825.1	AY016257	Paeonia obovata
BA41025.1	AB047098	Vitis vinifera	AAK15824.1	AY016256	Paeonia obovata
BA41023.1	AB047096	Vitis vinifera	AAK15822.1	AY016254	Paeonia obovata
BA41021.1	AB047094	Vitis vinifera	AAK15820.1	AY016250	Paeonia tenuifolia
BA41019.1	AB047092	Vitis vinifera	AAK15818.1	AY016248	Paeonia anomala
AA81682.1	AF000371	Vitis vinifera	AAK15837.1	AY016269	Paeonia lutea
			AAK15817.1	AY016247	Paeonia anomala
			AAK15830.1	AY016262	Paeonia mairei
			AAK15845.1	AY016277	Paeonia szechuanica
			AAK15839.1	AY016271	Paeonia delavayi
			AAK15836.1	AY016268	Paeonia lutea
			AAK15846.1	AY016278	Paeonia szechuanica
			AAK15833.1	AY016265	Paeonia lutea
			AAK15821.1	AY016251	Paeonia tenuifolia
SEQ ID NO. 2213			SEQ ID NO. 2214		
AA33122.1	M80571	Cucumis sativus	AAD10386.1	U72255	Oryza sativa
BA17755.1	AB042401	Cucurbita moschata	CAB85903.1	AJ251646	Pisum sativum
AAF64066.1	AF251795	Elaeis guineensis	AAA90953.1	U30323	Triticum aestivum
BA339689.1	AB049135	Cucurbita moschata	BAA89481.1	AB029462	Salix gilgiana
BA339688.1	AB049134	Cucurbita moschata	AAB82772.2	AF001523	Musa acuminata
BA17754.1	AB042400	Cucurbita moschata	CAA49513.1	X69887	Brassica napus
CAA41769.1	X59041	Platid Pisum sativum	AAF08679.1	AF004838	Musa acuminata
CAA56159.1	X79722	Phaseolus vulgaris	CAA82271.1	Z28697	Nicotiana tabacum
CAA88913.1	Z49091	Spinacia oleracea	AAD10384.1	U72253	Oryza sativa
CAB75874.1	AJ272082	Elaeis guineensis	CAA30261.1	X07280	Nicotiana plumbaginifolia
CAA54559.1	X77370	Spinacia oleracea	AA51643.1	M23120	Nicotiana plumbaginifolia
AAD38408.1	AF155815	Chloroplast Oryza sativa	AAA87456.1	U22147	Hevea brasiliensis
CAB44495.1	AJ242939	Platid Oryza sativa	AAA34078.1	M63634	Nicotiana plumbaginifolia
CAB45298.2	AJ242940	Platid Oryza sativa			
AAK15854.1	AY016286	Paeonia californica			
AAK15853.1	AY016285	Paeonia californica			
AAK15852.1	AY016284	Paeonia californica			
AAK15851.1	AY016283	Paeonia californica			
AAK15849.1	AY016281	Paeonia rockii			
AAK15848.1	AY016280	Paeonia rockii			
AAK15847.1	AY016279	Paeonia rockii			

AAAD10385.1	U72254	Oryza sativa	AAC49741.1	U89257	Lycopersicon esculentum
CAB38443.1	AJ133470	Hevea brasiliensis	BAB03248.1	AB037183	Oryza sativa
AAAB03501.1	U41323	Glycine max	AAF23899.1	AF193803	Oryza sativa
AAA32939.1	M62907	Hordeum vulgare	AAC29516.1	U77655	Solanum tuberosum
AAD33881.1	AF141654	Nicotiana tabacum	BAA97123.1	AB016265	Nicotiana sylvestris
AAA03617.1	M80604	Lycopersicon esculentum	BAA07322.1	D38124	Nicotiana tabacum
BAA77786.1	AB027431	Oryza sativa	BAA76734.1	AB024575	Nicotiana tabacum
BAA77787.1	AB027432	Oryza sativa	AAD45623.1	AF084185	Brassica napus
CAB91554.1	AJ277900	Vitis vinifera	AAG43549.1	AF211531	Nicotiana tabacum
AAC14399.1	AF030771	Hordeum vulgare	AAG43548.1	AF211530	Nicotiana tabacum
CAA03908.1	AJ000081	Citrus sinensis	AAK01089.1	AF298231	Hordeum vulgare
AAG24921.1	AF311749	Hevea brasiliensis	AAG59618.1	AF239616	Hordeum vulgare
AAA33946.1	M37753	Glycine max			
AAA63542.1	M59443	Nicotiana tabacum	SEQ ID NO. 2216		
AAD28732.1	AF112965	Triticum aestivum	BAA33203.1	AB001885	Oryza sativa
AAD10381.1	U72250	Oryza sativa	BAA33201.1	AB001883	Oryza sativa
CAA57255.1	X81560	Nicotiana tabacum	BAA33204.1	AB001886	Oryza sativa
AAD33880.1	AF141653	Nicotiana tabacum	BAA33202.1	AB001884	Oryza sativa
AAB86541.1	AF030166	Oryza sativa	AAC99310.1	AF052585	Malus x domestica
AAA63539.1	M60402	Nicotiana tabacum	AAC35496.1	AF052690	Raphanus sativus
AAA34053.1	M60464	Nicotiana tabacum	AAG27547.1	AF269128	Brassica nigra
AAD10380.1	U72249	Oryza sativa	AAG27546.1	AF269126	Brassica nigra
AAA63540.1	M60403	Nicotiana tabacum	AAC99309.1	AF052584	Malus x domestica
			AAC27695.1	AF016010	Brassica napus
SEQ ID NO. 2215			AAC27696.1	AF016011	Brassica napus
BAA97122.1	AB016264	Nicotiana sylvestris	AAC27694.1	AF016009	Brassica napus
BAA07321.1	D38123	Nicotiana tabacum	BAA33206.1	AB001888	Oryza sativa
AAC50047.1	U89255	Lycopersicon esculentum	AAD22518.1	AF001136	Pinus radiata
BAA07324.1	D38126	Nicotiana tabacum	AAG24863.1	AF300700	Ipomoea nil
AAC62619.1	AF057373	Nicotiana tabacum	BAA33200.1	AB001882	Oryza sativa
CAB96900.1	AJ251250	Catharanthus roseus			
CAB96899.1	AJ251249	Catharanthus roseus	SEQ ID NO. 2227		
BAA87068.1	AB035270	Matricaria chamomilla	AAA74447.1	U30896	Vigna unguiculata
AAC49740.1	U89256	Lycopersicon esculentum			
AAB38748.1	U81157	Nicotiana tabacum	SEQ ID NO. 2232		
AB016266	AB016266	Nicotiana sylvestris	CAA09457.1	AJ011010	Cicer arietinum
BAA07323.1	D38125	Nicotiana tabacum	CAA06309.1	AJ005042	Cicer arietinum
AAG43545.1	AF211527	Nicotiana tabacum	CAA59162.1	X84684	Brassica oleracea
AAD00708.1	U91857	Stylosanthes hamata	CAA07236.1	AJ006771	Cicer arietinum
AAF05606.1	AF190770	Oryza sativa	AAC25984.1	AF020390	Lycopersicon esculentum
AAD09248.1	U91982	Stylosanthes hamata	AAB61470.1	AF004812	Mangifera indica

CAA10175.1	AJ012798	Lycopersicon esculentum	AAF66615.1	AF142596	Nicotiana tabacum
CAA5425.1	X77319	Asparagus officinalis	AAK11566.1	AF318490	Lycopersicon hirsutum
CAA10173.1	AJ012796	Lycopersicon esculentum	AAK11567.1	AF318491	Lycopersicon hirsutum
AAF70822.1	AF154421	Lycopersicon esculentum	CAB51836.1	AJ243961	Oryza sativa
AAF70821.1	AF154420	Lycopersicon esculentum	BAA92836.1	AB032473	Brassica oleracea
AAF67342.1	AF229795	Vigna radiata	SEQ ID NO. 2235		
CAA10174.1	AJ012797	Lycopersicon esculentum	CAB90633.1	AJ277743	Fagus sylvatica
AAF21626.1	AF023847	Lycopersicon esculentum	CAC10358.1	AJ277086	Nicotiana tabacum
BAB21492.1	AB046543	Pyrus pyrifolia	CAC10359.1	AJ277087	Nicotiana tabacum
CAA10128.1	AJ012687	Cicer arietinum	CAC09575.1	AJ298987	Fagus sylvatica
AAF67341.1	AF229794	Vigna radiata	AAD17804.1	AF092431	Lotus japonicus
AAC77377.1	AF064786	Carica papaya	AAC36697.1	AF075579	Mesembryanthemum crystallinum
CAA10064.1	AJ012578	Carica papaya	CAA72341.1	Y11607	Medicago sativa
AAC28739.1	AF079874	Carica papaya	AAC36698.1	AF075580	Mesembryanthemum crystallinum
AAG12249.1	AF184080	Prunus armeniaca	AAD17805.1	AF092432	Lotus japonicus
CAA06310.1	AJ005043	Cicer arietinum	AAG43835.1	AF213455	Zea mays
AAD45349.1	AF159124	Vitis vinifera	AAC36700.1	AF075582	Mesembryanthemum crystallinum
SEQ ID NO. 2233			AAC36699.1	AF075581	Mesembryanthemum crystallinum
AAC61805.1	U28007	Lycopersicon esculentum	AAC26828.1	AF075603	Oryza sativa
AAF91337.1	AF249318	Glycine max	AAB93832.1	U81960	Zea mays
AAF91336.1	AF249317	Glycine max	CAB90634.1	AJ277744	Fagus sylvatica
AAG16628.1	AY007545	Brassica napus	AAD11430.1	AF097667	Mesembryanthemum crystallinum
AAC27894.1	AF023164	Zea mays	AAC35951.1	AF079355	Mesembryanthemum crystallinum
BAA94509.1	AB041503	Populus nigra	CAC09576.1	AJ298988	Fagus sylvatica
AAK21965.1	AY028699	Brassica napus	SEQ ID NO. 2237		
AAC27895.1	AF023165	Zea mays	BAA83352.1	AP000391	Oryza sativa
BAA94510.1	AB041504	Populus nigra	BAA90508.1	AP001111	Oryza sativa
AAG03090.1	AC073405	Oryza sativa	BAA90507.1	AP001111	Oryza sativa
BAA78764.1	AB023482	Oryza sativa	BAA94511.1	AB041505	Populus nigra
AAG25966.1	AF302082	Nicotiana tabacum	CAA94437.1	Z70524	Spirodela polyrrhiza
AAF43496.1	AF131222	Lophopyrum elongatum	SEQ ID NO. 2240		
AAK11674.1	AF3339747	Lophopyrum elongatum	CAA63101.1	X92204	Petunia x hybrida
AAB09771.1	U67422	Zea mays	CAA63102.2	X92205	Petunia x hybrida
CAA97692.1	Z73295	Catharanthus roseus	BAA84803.1	AP000559	Oryza sativa
AAB47421.1	U59316	Lycopersicon esculentum	BAB03447.1	AP002817	Oryza sativa
AAF76313.1	AF220603	Lycopersicon esculentum	BAA92400.1	AP001366	Oryza sativa
CAB51834.1	00069	Oryza sativa	SEQ ID NO. 2241		
AAB47423.1	U59315	Lycopersicon pimpinellifolium			
AAF76306.1	AF220602	Lycopersicon pimpinellifolium			
AAC48914.1	U02271	Lycopersicon pimpinellifolium			

CAA78386.1	Z13996	Petunia x hybrida	CAA40189.1	AJ133638	Avena sativa
CAB43399.1	AJ006292	Antirrhinum majus	BAA81736.1	AB029165	Glycine max
CAA67600.1	X99210	Lycopersicon esculentum	AAK19615.1	AF336282	Gossypium hirsutum
AAF22256.1	AF161711	Pimpinella brachycarpa	AAK19617.1	AF336284	Gossypium hirsutum
CAA64614.1	X95296	Lycopersicon esculentum	BAA81733.2	AB029162	Glycine max
CAA78387.1	Z13997	Petunia x hybrida	CAA67575.1	X99134	Lycopersicon esculentum
BAA88222.1	AB028650	Nicotiana tabacum	CAA78388.1	Z13998	Petunia x hybrida
BAA88221.1	AB028649	Nicotiana tabacum	BAA23339.1	D88619	Oryza sativa
BAA88224.1	AB028652	Nicotiana tabacum	CAA72186.1	Y11351	Oryza sativa
AAB41101.1	U72762	Nicotiana tabacum	CAA72187.1	Y11352	Oryza sativa
CAA67575.1	X99134	Lycopersicon esculentum	CAA72218.1	Y11415	Oryza sativa
BAA88223.1	AB028651	Nicotiana tabacum	AAK19619.1	AF336286	Gossypium hirsutum
CAA66952.1	X98308	Lycopersicon esculentum	CAA65525.1	X96749	Oryza sativa
AAA33500.1	M73028	Zea mays			
AAG36774.1	AF210616	Zea mays			
SEQ ID NO. 2242					
CAC19439.1	AJ237661	Oryza sativa	CAA33903.1	X15894	Sinapis alba
BAB40790.1	AB058642	Lilium hybrid division I	CAA34459.1	X16436	Sinapis alba
CAA71992.1	Y11105	Pisum sativum	AAB87573.1	AF034631	Panax ginseng
AAK08983.1	AY026332	Oryza sativa	BAA25391.1	AB012637	Nicotiana sylvestris
BAA81731.1	AB029160	Glycine max	AAA34147.1	M14443	Lycopersicon esculentum
BAA81730.1	AB029159	Glycine max	AAA80589.1	U20983	Solanum tuberosum
BAA81732.1	AB029161	Glycine max	CAA32526.1	X14341	Plastid Spinacia oleracea
BAA88222.1	AB028650	Nicotiana tabacum	AAF26741.1	AF220527	Euphorbia esula
AAF22256.1	AF161711	Pimpinella brachycarpa	BAA25390.1	AB012637	Nicotiana sylvestris
AAK19618.1	AF336285	Gossypium hirsutum	AAA80591.1	U21111	Solanum tuberosum
AAK19611.1	AF336278	Gossypium hirsutum	AAA33396.1	M29334	Nicotiana sylvestris
BAA88224.1	AB028652	Nicotiana tabacum	AAA80594.1	U21114	Lemna gibba
CAA78387.1	Z13997	Petunia x hybrida	BAA25392.1	AB012638	Solanum tuberosum
BAA96421.1	AB044084	Triticum aestivum	AAA50310.1	L36064	Nicotiana sylvestris
CAA67600.1	X99210	Lycopersicon esculentum	AAB61236.1	AF003127	Prunus persica
CAA67000.1	X98355	Oryza sativa	BAA25388.1	AB012636	Mesembryanthemum crystallinum
CAA61021.1	X87690	Hordeum vulgare	AAA34148.1	M14444	Nicotiana sylvestris
AAG22863.1	AY008692	Hordeum vulgare	BAA25394.1	AB012639	Lycopersicon esculentum
AAD31395.1	AF114162	Lolium temulentum	CAA99993.1	Z75663	Nicotiana sylvestris
BAA88221.1	AB028649	Nicotiana tabacum	AAB61237.1	AF003128	Apium graveolens
BAA88223.1	AB028651	Nicotiana tabacum	BAA25396.1	AB012641	Mesembryanthemum crystallinum
AAB41101.1	U72762	Nicotiana tabacum	AAA80592.1	U21112	Nicotiana sylvestris
CAA66952.1	X98308	Lycopersicon esculentum	AAA18529.1	L07119	Solanum tuberosum
CAA64614.1	X95296	Lycopersicon esculentum	AAB61238.1	AF003129	Chloroplast Gossypium hirsutum
					Mesembryanthemum crystallinum

BAA03104.1	D14002	Lactuca sativa	SEQ ID NO. 2250	CAB42052.1	AJ242045	Lycopersicon esculentum
BAA25395.1	AB012640	Nicotiana sylvestris		AAD32651.1	AF136942	Hordeum vulgare
AAA080688.1	U39475	Glycine max		BAB17824.1	AB023819	Oryza sativa
AAA50172.1	U01964	Glycine max		AAD32650.1	AF136941	Hordeum vulgare
CAA41187.1	X58229	Nicotiana tabacum		BAA74583.1	AB011266	Hordeum vulgare
BAA25393.1	AB012638	Nicotiana sylvestris		BAA74586.1	AB011269	Hordeum vulgare
CAA39376.1	X55892	Zea mays		BAA74587.1	AB0119525	Hordeum vulgare
AAC25775.1	AF072931	Medicago sativa		BAB17826.1	AB046401	Oryza sativa
CAA32900.1	X14794	Zea mays		BAB17823.1	AB023818	Oryza sativa
AAA34055.1	M21397	Nicotiana plumbaginifolia		BAB17825.1	AB046401	Oryza sativa
CAA10284.1	AJ131044	Cicer arietinum		BAA74588.2	AB021746	Oryza sativa
BAA24493.1	AB006081	Fagus crenata		BAA74580.1	AB010086	Hordeum vulgare
CAA31419.1	X12981	Glycine max		BAA74585.1	AB011268	Hordeum vulgare
CAA32109.1	X13909	Oryza sativa		BAA74584.1	AB011267	Hordeum vulgare
AAB18209.1	U73218	Triticum aestivum				
AAF89207.1	AF279250	Vigna radiata	SEQ ID NO. 2251	AAB96830.1	U64823	Nicotiana sylvestris
AAA34056.1	M21398	Nicotiana plumbaginifolia		AAB48944.1	U31932	Nicotiana sylvestris
AAF89206.1	AF279249	Vigna radiata		AAD25160.1	AF014808	Lycopersicon esculentum
				CAA70778.1	Y09591	Vicia faba
SEQ ID NO. 2245				AAD25162.1	AF014810	Lycopersicon esculentum
AAB03108.1	U55032	Brassica napus		AAD25161.1	AF014809	Lycopersicon esculentum
BAB20972.1	AB045894	Nepenthes alata		AAF76897.1	AF274032	Atriplex hortensis
BAB20969.1	AB045891	Nepenthes alata		CAA70969.1	Y09826	Solanum tuberosum
CAA39602.1	X56136	Hordeum vulgare		AAD16014.1	AF080543	Nepenthes alata
BAA06875.1	D32144	Oryza sativa		CAA70968.1	Y09825	Solanum tuberosum
BAA06876.1	D32165	Oryza sativa		AAD16015.1	AF080544	Nepenthes alata
BAA76870.1	AB025359	Helianthus annuus		AAF15946.1	AF061436	Vicia faba
BAB20970.1	AB045892	Nepenthes alata		AAF15944.1	AF061434	Vicia faba
AAB03843.1	U61396	Vigna unguiculata		AAD16013.1	AF080542	Nepenthes alata
BAA96578.1	AP002480	Oryza sativa				
CAA70340.1	Y09123	Centaurea calcitrapa		SEQ ID NO. 2254		
BAB20971.1	AB045893	Nepenthes alata		BAA85398.1	AP000615	Oryza sativa
BAA19607.1	AB002695	Cucurbita pepo		AAG43998.1	AF215837	Apium graveolens var. dulce
BAA02242.1	D12777	Oryza sativa		AAF74566.1	AF215852	Nicotiana tabacum
BAA96446.1	AB021787	Pyrus pyrifolia		AAF74567.1	AF215853	Solanum tuberosum
BAB20973.1	AB045895	Nepenthes alata		AAF74568.1	AF215854	Zea mays
BAA76427.1	AB024999	Cicer arietinum		AAF74565.1	AF215851	Spinacia oleracea
BAA78908.1	AB028888	Oryza sativa		CAA53192.1	X75440	Chlorella kessleri
AAB03109.1	U55033	Brassica napus		CAA39036.1	X55349	Chlorella kessleri
BAA22813.1	D26015	Nicotiana tabacum				

CAA68813.1	Y07520	Chlorella kessleri	CAA64789.1	X95542	Cryptomeria japonica
CAB06079.1	Z83829	Picea abies	CAA64793.1	X95546	Metasequoia glyptostroboides
CAB52689.1	AJ132224	Lycopersicon esculentum	CAA64792.1	X95545	Metasequoia glyptostroboides
CAA09419.1	AJ010942	Lycopersicon esculentum	CAA64790.1	X95543	Cryptomeria japonica
CAA47324.1	X66856	Nicotiana tabacum	SEQ ID NO. 2256		
BAB19863.1	AB052884	Oryza sativa	AAA33945.1	J03919	Glycine max
AAD55054.1	AF173655	Beta vulgaris	CAA48297.1	X68215	Pisum sativum
CAB07812.1	Z93775	Vicia faba	CAA48298.1	X68216	Pisum sativum
AAB06594.1	U38651	Medicago truncatula	AAD50278.1	AF169830	Glycine max
BAB19864.1	AB052885	Oryza sativa	AAA33944.1	J03920	Glycine max
AAA79761.1	I08196	Ricinus communis	CAA48300.1	X68218	Pisum sativum
CAB52688.1	AJ132223	Lycopersicon esculentum	CAA48299.1	X68217	Pisum sativum
CAB52690.1	AJ132225	Lycopersicon esculentum	CAB61882.1	AJ249996	Lycopersicon esculentum
CAA04511.1	AJ001061	Vitis vinifera	SEQ ID NO. 2257		
CAA70777.1	Y09590	Vitis vinifera	CAA09852.1	AJ011892	Nicotiana tabacum
BAB19862.1	AB052883	Oryza sativa	CAA71244.1	Y10162	Chenopodium rubrum
AAB82147.1	AF022874	Lycopersicon esculentum	CAA09854.1	AJ011894	Nicotiana tabacum
SEQ ID NO. 2255			CAA61334.1	X88864	Medicago sativa
AAA32989.1	J05233	Brassica napus	CAB40540.1	AJ132929	Medicago sativa
AAK07609.1	AF319771	Brassica napus	CAB51788.1	AJ245415	Lycopersicon esculentum
CAA42478.1	X59808	Raphanus sativus	CAB60836.1	AJ002588	Lycopersicon esculentum
CAA41984.1	X59294	Brassica napus	BAA33153.1	AB009188	Pisum sativum
AAA32988.1	M16860	Brassica napus	CAB60837.1	AJ002589	Lycopersicon esculentum
CAA32692.1	X14555	Brassica napus	CAB61222.1	AJ250397	Lycopersicon esculentum
CAA41985.1	X59295	Brassica napus	CAA09853.1	AJ011893	Lycopersicon esculentum
CAA40980.1	X57850	Brassica napus	CAB61221.1	AJ250396	Antirrhinum majus
CAA57633.1	X82121	Amaranthus hypochondriacus	CAB61223.1	AJ250398	Antirrhinum majus
CAA42472.1	X59802	Raphanus sativus	CAB60838.1	AJ002590	Lycopersicon esculentum
AAC61881.1	U64443	Coffea arabica	CAB40541.1	AJ132930	Medicago sativa
AAC61983.1	AF054895	Coffea arabica	CAA09769.1	AJ011776	Chenopodium rubrum
CAA76573.1	Y16976	Coffea arabica	BAA86629.1	AB024987	Oryza sativa
AAK15087.1	AF240004	Sesamum indicum	CAB46642.1	AJ243452	Lycopersicon esculentum
CAA42473.1	X59803	Raphanus sativus	CAA57555.1	X82035	Oryza sativa
AAD32713.1	AF152003	Fagopyrum esculentum	CAA63541.1	X92965	Nicotiana tabacum
CAA35631.1	X17637	Avena sativa	CAA63542.1	X92966	Nicotiana tabacum
CAA42475.1	X59805	Raphanus sativus	CAA63543.1	X92967	Nicotiana tabacum
CAA54152.1	X76737	Avena sativa	CAB46643.1	AJ243453	Lycopersicon esculentum
AAA33374.1	M28832	Helianthus annuus	CAB46641.1	AJ243451	Lycopersicon esculentum
CAA42477.1	X59807	Raphanus sativus	CAA57556.1	X82036	Oryza sativa
AAF73008.1	AF262999	Ricinus communis			



D50869	BAA09465.1	Glycine max	SEQ ID NO.	2258	484
U50064	AAC50013.1	Zea mays			
U10076	AAA20236.1	Zea mays			
AP002481	BAA96590.1	Oryza sativa			
AB024986	BAA86628.1	Oryza sativa			
AJ133722	CAB77269.1	Pisum sativum			
U10077	AAA20237.1	Zea mays			
X68741	CAA48675.1	Medicago sativa			
X78504	CAB55272.1	Medicago sativa			
AJ243454	CAB46644.1	Lycopersicon esculentum			
X62819	CAA44631.1	Daucus carota			
D50871	BAA09467.1	Glycine max			
D89636	BAA20426.1	Nicotiana tabacum			
X92964	CAA63540.1	Nicotiana tabacum			
D50870	BAA09466.1	Glycine max			
D86385	BAA20410.1	Catharanthus roseus			
AJ243455	CAB46645.1	Lycopersicon esculentum			
Y10161	CAA71243.1	Chenopodium rubrum			
D82349	BAA11560.1	Adiantum capillus-veneris			
U15777	AAA86687.1	Lupinus albus			
U20771	AAA87729.1	Lupinus albus			
Y12072	CAA72793.1	Gossypium arboreum			
AB053486	BAB40665.1	Humulus lupulus			
AB053487	BAB40666.1	Humulus lupulus			
X82543	CAA57893.1	Parthenium argentatum			
AF019892	CAB78557.1	Helianthus annuus			
X82542	CAA57892.1	Parthenium argentatum			
U36376	AAC49452.1	Artemisia annua			
X84695	CAA59170.1	Capsicum annuum			
AF048747	CAD73051.1	Lycopersicon esculentum			
AF112881	AAD17204.1	Artemisia annua			
D85317	BAA19856.1	Oryza sativa			
AB021747	BAA36276.1	Oryza sativa			
AF136602	AAD32648.1	Artemisia annua			
AB021979	BAA36347.1	Oryza sativa			
AF149257	AAD37789.1	Artemisia annua			
AF164026	AAD45122.1	Xanthoceras sorbifolium			
U97330	AAB933951.1	Nicotiana tabacum			
AF005201	AAB933984.1	Parthenium argentatum			
BAA05648.1	D26601	Nicotiana tabacum	SEQ ID NO.	2260	
CAA08997.1	AJ010093	Brassica napus			
CAA08995.1	AJ010091	Brassica napus			
AAF34436.1	AF172282	Oryza sativa			
CAA08758.1	AJ099609	Brassica napus			
CAA08757.1	AJ009608	Brassica napus			
AAC83393.1	U83625	Zea mays			
AAG533979.1	AF325168	Nicotiana tabacum			
AAG40578.1	AF216314	Oryza sativa			
CAA04261.2	AJ000728	Lycopersicon esculentum			
AAF67262.1	AF165186	Nicotiana tabacum			
BAB32405.1	AB055514	Nicotiana tabacum			
AF19403.1	AF203481	Lycopersicon esculentum			
AAF19402.1	AF203480	Lycopersicon esculentum			
CAC24705.1	AJ302651	Nicotiana tabacum			
BAA06731.1	D31964	Nicotiana tabacum			
AAG31141.1	AF305911	Oryza sativa			
AAF19401.1	AF203479	Glycine max			
AAD46406.1	AF096250	Lycopersicon esculentum			
BAA05649.1	D26602	Nicotiana tabacum			
AAD23582.1	AF128443	Glycine max			
CAA06334.1	AJ005077	Lycopersicon esculentum			
AAD10057.1	AF110519	Lycopersicon esculentum			
AAC78558.1	AF030879	Solanum tuberosum			
AAD10056.1	AF110518	Lycopersicon esculentum			
AAG31142.1	AF305912	Hordeum vulgare			
AAC24961.1	AF009337	Tradescantia virginiana			
AAA61682.1	L27484	Zea mays			
AAC25423.1	AF072908	Nicotiana tabacum			
CAA71142.1	Y10036	Cucumis sativus			
BAA83689.1	AB011968	Oryza sativa			
CAA46554.1	X65604	Hordeum vulgare			
CAA46556.1	X65606	Hordeum vulgare			
CAA65500.1	X96723	Medicago sativa			
AAF05112.1	AF158091	Mesembryanthemum crystallinum			
AAD17800.1	AF090835	Mesembryanthemum crystallinum			
CAA07813.1	AJ007990	Hordeum vulgare			
			SEQ ID NO.	2262	

BAA90508.1	AP001111	Oryza sativa	AAA33842.1	M62755	Solanum tuberosum
BAA90507.1	AP001111	Oryza sativa	AAB18638.1	U50846	Nicotiana tabacum
CAA94437.1	Z70524	Spirodela polyrrhiza	AAF91310.1	AF239687	Rubus idaeus
BAA83352.1	AP000391	Oryza sativa	AAC24503.1	AF041049	Populus tremuloides
AAD10836.1	U52079	Solanum tuberosum	AAF37732.1	AF052221	Lolium perenne
			AAA92669.1	U12013	Pinus taeda
SEQ ID NO. 2266			AAB42382.1	U39404	Pinus taeda
AAD17487.1	AF049347	Berberis stolonifera	AAB42383.1	U39405	Pinus taeda
AAC39358.1	AF005655	Eschscholzia californica	AAF91308.1	AF239685	Rubus idaeus
AAB20352.1	S65550	Eschscholzia californica	AAC24504.1	AF041050	Populus tremuloides
AAC61839.1	AF025430	Papaver somniferum	AAA92668.1	U12012	Pinus taeda
			CAC36095.1	X69955	Glycine max
SEQ ID NO. 2267			AAG43823.1	AF212317	Capsicum annuum
AAC12934.1	AF053354	Phaseolus vulgaris	BAA08366.2	D49367	Lithospermum erythrorhizon
AAB70884.1	U67861	Pelargonium x hortorum	CAA49575.1	X69954	Glycine max
BAA33378.1	AB006807	Cucumis sativus	CAB97359.1	AJ278455	Juglans nigra
AAC48977.1	U07953	Pelargonium x hortorum	AAF73995.2	AF144502	Pinus armandii
			AAF73994.2	AF144501	Pinus armandii
SEQ ID NO. 2268			AAF74018.2	AF144525	Tsuga canadensis
BAA85400.1	AF000615	Oryza sativa	AAF74010.2	AF144517	Abies holophylla
CAB06083.1	Z83834	Hordeum vulgare	AAF74020.2	AF144527	Pseudolarix amabilis
CAA74909.1	Y14573	Hordeum vulgare	AAF74016.2	AF144523	Nothotsuga longibracteata
CAA06487.1	AJ005341	Linum usitatissimum	AAF73997.2	AF144504	Picea smithiana
			AAF74013.2	AF144520	Abies beshanzuensis
SEQ ID NO. 2269			AAF74008.2	AF144515	Abies firma
CAA64327.1	X94624	Brassica napus	AAF74022.2	AF144529	Cedrus atlantica
CAA96523.1	Z72153	Brassica napus	AAF74005.2	AF144512	Larix gmelini
CAC19877.1	AJ401089	Brassica napus	AAF74021.2	AF144528	Pseudolarix amabilis
CAA06820.1	AJ006025	Cicer arietinum	AAF74003.2	AF144510	Pseudotsuga sinensis
AAC39365.1	AF008183	Populus x generosa	AAF74019.2	AF144526	Tsuga canadensis
CAA31697.1	X13325	Petroselinum crispum			
CAA31696.1	X13324	Petroselinum crispum	SEQ ID NO. 2275		
AAC39366.1	AF008184	Populus x generosa	BAA77358.1	AB020023	Nicotiana tabacum
AAF37734.1	AF052223	Lolium perenne	AAC49528.1	U56834	Petroselinum crispum
AAF91309.1	AF239686	Rubus idaeus	AAD16139.1	AF096299	Nicotiana tabacum
AAF37733.1	AF052222	Lolium perenne	AAD27591.1	AF121354	Petroselinum crispum
CAA36850.1	X52623	Oryza sativa	AAC49529.1	U58540	Petroselinum crispum
BAA07828.1	D43773	Nicotiana tabacum	AAC37515.1	L44134	Cucumis sativus
BAA03365.1	D49366	Lithospermum erythrorhizon	AAC49527.1	U48831	Petroselinum crispum
AB18637.1	U50845	Nicotiana tabacum	CAA88331.1	Z48431	Avena fatua
AAD40664.1	AF150686	Solanum tuberosum	CAA88326.1	Z48429	Avena fatua

AAD16138.1	AF096298	Nicotiana tabacum	BAA84072.1	AB028152	Torenia hybrida
AAF61864.1	AF193771	Nicotiana tabacum	BAA74466.1	AB022733	Glycyrrhiza echinata
BAA87069.1	AB035271	Matricaria chamomilla	BAA22423.1	AB001380	Glycyrrhiza echinata
AAF61863.1	AF193770	Nicotiana tabacum	BAA92894.1	AB006790	Petunia x hybrida
SEQ ID NO. 2276			AAC32274.1	AF081575	Petunia x hybrida
BAA87043.1	AB035183	Ipomoea batatas	CAB56743.1	AJ249801	Cicer arietinum
CAB11466.1	Z98758	Dianthus caryophyllus	BAA84071.1	AB028151	Antirrhinum majus
CAB06429.1	Z84385	Dianthus caryophyllus	SEQ ID NO. 2279		
CAB06427.1	Z84383	Dianthus caryophyllus	AAD16139.1	AF096299	Nicotiana tabacum
CAB06430.1	Z84386	Dianthus caryophyllus	AAC37515.1	L4134	Cucumis sativus
CAB06538.1	Z84571	Dianthus caryophyllus	CAA88326.1	Z48429	Avena fatua
CAB06428.1	Z84384	Dianthus caryophyllus	AAC49527.1	U48831	Petroselinum crispum
SEQ ID NO. 2277			AAD16138.1	AF096298	Nicotiana tabacum
CAA67291.1	X98739	Pisum sativum	AAC49529.1	U58540	Petroselinum crispum
CAA67290.1	X98738	Pisum sativum	CAA88331.1	Z48431	Avena fatua
SEQ ID NO. 2278			BAA77358.1	AB020023	Nicotiana tabacum
BAA22422.1	AB001379	Glycyrrhiza echinata	AAC49528.1	U56834	Petroselinum crispum
BAA74465.1	AB022732	Glycyrrhiza echinata	CAB66338.1	AJ279697	Betula pendula
BAA93634.1	AB025016	Lotus japonicus	AAD27591.1	AF121354	Petroselinum crispum
CAB43505.1	AJ239051	Cicer arietinum	AAF61864.1	AF193771	Nicotiana tabacum
CAB41490.1	AJ238439	Cicer arietinum	AAF61863.1	AF193770	Nicotiana tabacum
CAA10067.1	AJ012581	Cicer arietinum	SEQ ID NO. 2280		
CAA04117.1	AJ000478	Helianthus tuberosus	BAB19757.1	AB052785	Glycine max
CAA04116.1	AJ000477	Helianthus tuberosus	BAB19756.1	AB052784	Glycine max
AAB94590.1	AF022461	Glycine max	BAB19760.1	AB052788	Glycine max
CAB56742.1	AJ249800	Cicer arietinum	AAC32034.1	AF023472	Hordeum vulgare
AAD56282.1	AF155332	Petunia x hybrida	AAD01600.1	AF016713	Lycopersicon esculentum
AAG09208.1	AF175278	Pisum sativum	CAA93316.1	Z69370	Cucumis sativus
AAC49188.2	U29333	Pisum sativum	AAF20002.1	AF213936	Prunus dulcis
BAA12159.1	D83968	Glycine max	AAF07875.1	AF140606	Oryza sativa
AAC39454.1	AF014802	Eschscholzia californica	CAC07206.1	AJ278966	Brassica napus
CAA65580.1	X96784	Nicotiana tabacum	AAB69642.1	AF000392	Lotus japonicus
BAA13076.1	D86351	Glycine max	AAD16016.1	AF080545	Nepenthes alata
AAA32913.1	M32885	Persea americana	AAD42860.1	AF154930	Prunus dulcis
AAG44132.1	AF218296	Pisum sativum	SEQ ID NO. 2282		
CAA64635.1	X95342	Nicotiana tabacum	CAA56851.1	X80888	Chlamydomonas reinhardtii
AAB94587.1	AF022458	Glycine max	CAA55398.1	X78821	Chlamydomonas reinhardtii
AAD38930.1	AF135485	Glycine max	CAA44209.1	X62335	Chlamydomonas reinhardtii

[illegible]

AAA33667.1	L07500	Pisum sativum	BAA03763.1	D16247	Nicotiana sylvestris
SEQ ID NO. 2294			AAF40306.1	AF156667	Vigna radiata
CAAF1992.1	Y11105	Pisum sativum	CAA68193.1	X99937	Spinacia oleracea
BAB40790.1	AB058642	Lilium hybrid division I	AAD20980.1	AF079782	Zea mays
AAK08983.1	AY026332	Oryza sativa	BAA95705.1	AB042644	Oryza sativa
CAA64615.1	X95297	Lycopersicon esculentum	BAA95704.1	AB042643	Oryza sativa
BAA81730.1	AB029159	Glycine max	SEQ ID NO. 2298		
CAA67600.1	X99210	Lycopersicon esculentum	CAA44216.1	X62343	Nicotiana tabacum
BAA81731.1	AB029160	Glycine max	BAA03099.1	D13991	Aralia cordata
AAF22256.1	AF161711	Pimpinella brachycarpa	CAA79622.1	Z19568	Populus deltoides
AAK19615.1	AF336282	Gossypium hirsutum	CAC07423.1	AJ295837	Populus balsamifera subsp.
CAA78388.1	Z13998	Petunia x hybrida	trichocarpa		
BAA88221.1	AB028649	Nicotiana tabacum	AAF43140.1	AF217957	Populus tremuloides
BAA88224.1	AB028652	Nicotiana tabacum	CAA44217.1	X62344	Nicotiana tabacum
BAA81732.1	AB029161	Glycine max	CAA79625.1	Z19573	Medicago sativa
CAA64614.1	X95296	Lycopersicon esculentum	AAC35845.1	AF083332	Medicago sativa
AAK19617.1	AF336284	Gossypium hirsutum	AAC07987.1	AF038561	Eucalyptus globulus
AAK19611.1	AF336278	Gossypium hirsutum	CAA46585.1	X65631	Eucalyptus gunnii
BAA23337.1	D88617	Oryza sativa	AAG15553.1	AF294793	Eucalyptus saligna
CAA78339.1	Z13997	Petunia x hybrida	CAA53211.1	X75480	Eucalyptus gunnii
CAC19439.1	AJ237661	Oryza sativa	AAB70908.1	AF010290	Lolium perenne
AAK19619.1	AF336286	Gossypium hirsutum	CAA74070.1	Y13733	Zea mays
CAB40189.1	AJ133638	Avena sativa	CAA06687.1	AJ005702	Zea mays
BAA96421.1	AB044084	Triticum aestivum	CAA13177.1	AJ231135	Saccharum officinarum
BAA88223.1	AB028651	Nicotiana tabacum	BAA19487.1	D86590	Zinnia elegans
ABA41101.1	U72762	Nicotiana tabacum	CAA51226.1	X72675	Picea abies
CAA61021.1	X87690	Hordeum vulgare	CAA05097.1	AJ001926	Picea abies
AAK22863.1	AY008692	Hordeum vulgare	CAA05096.1	AJ001925	Picea abies
AAK31395.1	AF114162	Lolium temulentum	CAA05095.1	AJ001924	Picea abies
BAA88222.1	AB028650	Nicotiana tabacum	AAB38774.1	U62394	Pinus radiata
CAA50221.1	X70876	Hordeum vulgare	AAC31166.1	AF060491	Pinus radiata
CAA50222.1	X70877	Hordeum vulgare	CAA86073.1	Z37992	Pinus taeda
CAA50224.1	X70879	Hordeum vulgare	CAA86072.1	Z37991	Pinus taeda
CAAF2218.1	Y11415	Oryza sativa	BAA04046.1	D16624	Eucalyptus botryoides
AAK28526.1	AF198499	Nicotiana tabacum	AAD10327.1	U63534	Fragaria x ananassa
BAA81736.1	AB029165	Glycine max	AAK28509.1	AF320110	Fragaria x ananassa
CAA78386.1	Z13996	Petunia x hybrida	AAB38503.1	U79770	Mesembryanthemum crystallinum
SEQ ID NO. 2296			AAC35846.1	AF083333	Medicago sativa
AAF75791.1	AF271892	Pisum sativum	AAA74882.1	I36823	Stylosanthes humilis
			AAF23409.1	AF207552	Brassica napus

[illegible]

CAB46350.1	Y18311	Solanum tuberosum	CAB46228.1	Y18055	Arachis hypogaea
SEQ ID NO. 2303			AAF21062.1	AF216527	Dunaliella tertiolecta
AAG28503.1	AF196966	Citrus sinensis	CAA89202.1	Z49233	Chlamydomonas eugametos
AAFI18584.1	AF118132	Spinacia oleracea	AAF23900.1	AF194413	Oryza sativa
AAF18585.1	AF118133	Nicotiana tabacum	AAF23901.2	AF194414	Oryza sativa
AAF14186.1	AF106068	Solanum tuberosum	AAC78558.1	AF030879	Solanum tuberosum
AAG35735.1	AF208543	Lycopersicon esculentum	CAA58750.1	X83869	Daucus carota
CAAC3966.1	X94302	Solanum tuberosum	AAB47181.1	S82324	Zea mays
			BAA22410.1	D38452	Zea mays
			BAA12691.1	D84507	Zea mays
			BAA12692.1	D84508	Zea mays
SEQ ID NO. 2304			AAG01179.1	AF289237	Zea mays
AAB88537.1	AF035944	Fragaria x ananassa	AAC24961.1	AF009337	Tradescantia virginiana
BAA81750.1	AB017516	Marchantia polymorpha	BAA90814.1	AF001168	Oryza sativa
BAA81751.1	AB017517	Marchantia polymorpha	AAC32116.1	AF051211	Picea mariana
BAA81749.1	AB017515	Marchantia polymorpha	AAF06970.1	AF162662	Kalanchoe fedtschenkoi
BAA81748.1	AB017515	Marchantia polymorpha	AAF06969.1	AF162661	Kalanchoe fedtschenkoi
AAD17800.1	AF090835	Mesembryanthemum crystallinum			
BAA12715.1	D85039	Zea mays	SEQ ID NO. 2305		
AAB70706.1	U82087	Tortula ruralis	AAB05871.2	U63784	Catharanthus roseus
AAB49984.1	U90262	Cucurbita pepo	CAB65911.1	AJ249831	Lemna minor
AAC49405.1	U08140	Vigna radiata	AAF18999.1	AF212155	Allium cepa
CAA57157.1	X81394	Oryza sativa	AAC26895.1	AF069951	Enteromorpha intestinalis
AAA69507.1	U28376	Zea mays	AAC49896.1	AF027727	Chlamydomonas reinhardtii
CAA07481.1	AJ007366	Zea mays	AAD02069.1	AF036939	Chlamydomonas reinhardtii
BAA13232.1	D87042	Zea mays			
BAA12338.1	D84408	Zea mays	SEQ ID NO. 2313		
AAB80693.1	U69174	Glycine max	CAA73067.1	Y12464	Sorghum bicolor
AAC25423.1	AF072908	Nicotiana tabacum	CAA73068.1	Y12465	Sorghum bicolor
AAD28192.2	AF115406	Solanum tuberosum	AAB62693.1	AF004947	Oryza sativa
BAA13440.1	D87707	Ipomoea batatas	AAF22219.1	AF141378	Zea mays
CAA65500.1	X96723	Medicago sativa	BAA83688.1	AB011967	Oryza sativa
AAA61682.1	L27484	Zea mays	BAA34675.1	AB011670	Triticum aestivum
AAA33443.1	L15390	Zea mays	BAA83689.1	AB011968	Oryza sativa
BAA85396.1	AF000615	Oryza sativa	BAA96628.1	AF002482	Oryza sativa
AAC05270.1	AF048691	Oryza sativa	BAA05649.1	D26602	Nicotiana tabacum
CAA39936.1	X56599	Daucus carota	AAD23582.1	AF128443	Glycine max
CAA57156.1	X81393	Oryza sativa	CAA71142.1	Y10036	Cucumis sativus
AAB80692.1	U69173	Glycine max	CAA57898.1	X82548	Hordeum vulgare
BAA02698.1	D13436	Oryza sativa	AAC99329.1	AF062479	Oryza sativa
AAG46110.1	AC073166	Oryza sativa	CAA65244.1	X95997	Solanum tuberosum
AAK26164.1	AY027885	Cucumis sativus			

AAB05457.1	U55768	Oryza sativa	AAC13252.1	AF022012	Lycopersicon esculentum
CAA07813.1	AJ007990	Hordeum vulgare	AAC13262.1	AF022022	Lycopersicon esculentum
CAA46556.1	X65606	Hordeum vulgare	AAC13253.1	AF022013	Lycopersicon esculentum
CAA46554.1	X65604	Hordeum vulgare	SEQ ID NO. 2315		
CAB89202.1	Z49233	Chlamydomonas eugametos	BAB19880.1	AB052887	Oryza sativa
AAD00239.1	U73938	Nicotiana tabacum	AAF12877.1	AF205377	Chlamydomonas reinhardtii
AAB68962.1	L38855	Glycine max	AAF27916.1	AF220199	Pinus taeda
AAF21062.1	AF216527	Dunaliella tertiolecta	BAB17626.1	AB033537	Oryza sativa
AAB58348.1	U29095	Triticum aestivum	SEQ ID NO. 2316		
AAD00240.1	U73939	Nicotiana tabacum	AAD00708.1	U91857	Stylosanthes hamata
BAA13608.1	D88399	Oryza sativa	AAC49741.1	U89257	Lycopersicon esculentum
AAG60195.1	AC084763	Oryza sativa	BAB03248.1	AB037183	Oryza sativa
CAA39936.1	X56599	Daucus carota	BAA97123.1	AB016265	Nicotiana sylvestris
BAA19573.1	AB002109	Oryza sativa	AAC29516.1	U77655	Solanum tuberosum
CAA06503.1	AJ005373	Craterostigma plantagineum	BAA76734.1	AB024575	Nicotiana tabacum
BAA13440.1	D87707	Ipomoea batatas	AAB38748.1	U81157	Nicotiana tabacum
AAB88537.1	AF035944	Fragaria x ananassa	BAA97124.1	AB016266	Nicotiana sylvestris
SEQ ID NO. 2314			SEQ ID NO. 2322		
AAD32146.1	AF123508	Nicotiana tabacum	AAA33376.1	I36129	Helianthus annuus
AAD32147.1	AF123509	Nicotiana tabacum	BAA07108.1	D37870	Spinacia oleracea
BAA85821.1	AB026822	Cucumis sativus	BAA04864.1	D21836	Oryza sativa
AAD32145.1	AF123507	Nicotiana tabacum	BAA05546.1	D26547	Oryza sativa
AAD32144.1	AF123506	Nicotiana tabacum	AAB51522.1	U92541	Oryza sativa
CAA48297.1	X68215	Pisum sativum	BAA36283.1	D85751	Oryza sativa
AAD32142.1	AF123504	Nicotiana tabacum	BAA37092.1	AB009592	Oryza sativa
BAA85822.1	AB026823	Cucumis sativus	CAA06835.1	AJ006055	Zea mays
CAA48298.1	X68216	Pisum sativum	SEQ ID NO. 2326		
AAD32143.1	AF123505	Nicotiana tabacum	AAA83439.1	U16123	Zea mays
AAC13260.1	AF022020	Lycopersicon esculentum	AAA50305.1	I29099	Solanum tuberosum
AAC13258.1	AF022018	Lycopersicon esculentum	AAB48484.1	U87849	Capsicum annuum
BAA85820.1	AB026821	Cucumis sativus	BAA01954.1	D11350	Lycopersicon esculentum
CAA48300.1	X68218	Pisum sativum	CAA47636.1	X67163	Daucus carota
AAC13261.1	AF022021	Lycopersicon esculentum	SEQ ID NO. 2327		
AAC13255.1	AF022015	Lycopersicon esculentum	AAD27878.1	AF139466	Vigna radiata
AAC13257.1	AF022017	Lycopersicon esculentum	AAC14566.1	AF058796	Oryza sativa
BAA78739.1	AB023482	Oryza sativa	CAA90681.1	Z50801	Zea mays
AAC13259.1	AF022019	Lycopersicon esculentum			
BAA95840.1	AF002070	Oryza sativa			
CAB61882.1	AJ249996	Lycopersicon esculentum			
AAC13254.1	AF022014	Lycopersicon esculentum			



AAA34140.1	M17633	Lycopersicon esculentum	AAB31705.1	S72358	Chloroplast Nicotiana
CAA45523.1	X64198	Nicotiana tabacum	sylvestris		
AAA34186.1	J03558	Lycopersicon esculentum	BAA07667.1	D42070	Nicotiana sylvestris
CAA41405.1	X58515	Pinus sylvestris	BAA78581.1	AU066497	Chlamydomonas sp. HS-5
CAA41404.1	X58514	Pinus sylvestris			
AAF23819.1	AF218305	Hordeum vulgare	SEQ ID NO. 2329		
AAC67558.1	AF094776	Oryza sativa	CAA09881.1	AJ011939	Trifolium repens
CAA06961.1	AJ006296	Hordeum vulgare	CAA62228.1	X90695	Medicago sativa
AAG28464.1	AF195794	Chlamydomonas reinhardtii	AAB41812.1	L36158	Medicago sativa
AAF44702.1	AF241524	Asarina barclaiana	CAA71495.1	Y10469	Spinacia oleracea
CAA78900.1	Z16408	Pinus sylvestris	BAA77387.1	AB024437	Scutellaria baicalensis
AAA64414.1	U23188	Zea mays	CAA62226.1	X90693	Medicago sativa
CAA44777.1	X63052	Hordeum vulgare	CAB94692.1	AJ242742	Ipomoea batatas
CAA65042.1	X95727	Brassica juncea	AAF63024.1	AF244921	Spinacia oleracea
AAA64415.1	U23189	Zea mays	CAA62227.1	X90694	Medicago sativa
CAA43590.1	X61287	Lycopersicon esculentum	AAD11483.1	U51193	Glycine max
AAA50172.1	U01964	Glycine max	AAC49818.1	AF014467	Oryza sativa
CAA34459.1	X16436	Sinapis alba	CAA46916.1	X66125	Oryza sativa
AAD27877.1	AF139465	Vigna radiata	CAC21393.1	AJ401276	Zea mays
CAA33903.1	X15894	Sinapis alba	CAB67121.1	Y19023	Lycopersicon esculentum
BAA25390.1	AB012637	Nicotiana sylvestris	AAB41811.1	L36157	Medicago sativa
BAA00536.1	D00641	Oryza sativa	CAA50597.1	X71593	Lycopersicon esculentum
CAA99993.1	Z75663	Apium graveolens	AAC98519.1	AF007211	Glycine max
CAA39883.1	X56538	Pisum sativum	CAA62225.1	X90692	Medicago sativa
AAC79711.1	AF093617	Acetabularia acetabulum	CAA66037.1	X97351	Populus balsamifera subsp.
CAA32109.1	X13909	Oryza sativa	trichocarpa		
CAA32108.1	X13908	Oryza sativa	AAA20473.1	U12315	Cenchrus ciliaris
AAA68425.1	M34396	Polystichum munitum	AAA98491.1	L36981	Petroselinum crispum
AAA80594.1	U21114	Solanum tuberosum	CAA71488.1	Y10462	Spinacia oleracea
BAA77273.1	AB026686	Physcomitrella patens	CAA71490.1	Y10464	Spinacia oleracea
CAA10284.1	AJ131044	Cicer arietinum	BAA03911.1	D16442	Oryza sativa
AAF89207.1	AF279250	Vigna radiata	BAA07663.1	D42064	Nicotiana tabacum
CAA49149.1	X69215	Pisum sativum	AAC49821.1	AF014470	Oryza sativa
BAA32346.1	AB013728	Cryptomeria japonica	CAA80502.1	Z22920	Spirodela polyrrhiza
CAA43804.1	X61610	Brassica napus	AAD11484.1	U51194	Glycine max
AAB70556.1	AF017998	Tetraselmis sp. RG-15	AAD37430.1	AF149280	Phaseolus vulgaris
			BAA01950.1	D11337	Vigna angularis
			CAA59485.1	X85228	Triticum aestivum
			BAA07664.1	D42065	Nicotiana tabacum
			AAD37427.1	AF149277	Phaseolus vulgaris
			CAA39486.1	X56011	Triticum aestivum
SEQ ID NO. 2328					
AAB31704.1	S72356	Chloroplast Nicotiana			
sylvestris					

AAD11482.1	U51192	Glycine max	BAA76430.1	AB025002	Cicer arietinum
BAA82306.1	AB027752	Nicotiana tabacum	BAA78593.1	AU066535	Chlamydomonas sp. HS-5
BAA01877.1	D11102	Populus kitakamiensis	CAC34412.1	Y18576	Flaveria trinervia
BAA06335.1	D30653	Populus kitakamiensis			
AAD37376.1	AF145350	Glycine max	SEQ ID NO. 2333		
CAA66034.1	X97348	Populus balsamifera subsp.	CAA66952.1	X98308	Lycopersicon esculentum
trichocarpa			CAA78387.1	Z13997	Petunia x hybrida
AAB41810.1	L36156	Medicago sativa	CAA78386.1	Z13996	Petunia x hybrida
AAC49819.1	AF014468	Oryza sativa	CAA67575.1	X99134	Lycopersicon esculentum
AAD11481.1	U51191	Glycine max	CAB43399.1	AJ006292	Antirrhinum majus
BAA96643.1	AP002482	Oryza sativa	BAA88222.1	AB028650	Nicotiana tabacum
			BAA88224.1	AB028652	Nicotiana tabacum
			BAA88221.1	AB028649	Nicotiana tabacum
SEQ ID NO. 2330			AAB41101.1	U72762	Nicotiana tabacum
CAB77243.2	AJ133146	Persea americana	BAA88223.1	AB028651	Nicotiana tabacum
BAA08845.1	D50307	Oryza sativa	CAA64614.1	X95296	Lycopersicon esculentum
BAA08830.1	D50301	Oryza sativa	AAG36774.1	AF210616	Zea mays
CAA06308.1	AJ005041	Cicer arietinum	AAA33500.1	M73028	Zea mays
CAAG1947.1	X89829	Pisum sativum	CAA67600.1	X99210	Lycopersicon esculentum
AAG21429.1	AF308587	Fragaria x ananassa	AAF22256.1	AF161711	Pimpinella brachycarpa
CAA37290.1	X53130	Oryza sativa			
BAA02729.1	D13512	Oryza sativa	SEQ ID NO. 2334		
AAB61592.1	AF003124	Mesembryanthemum crystallinum	AAB49984.1	U90262	Cucurbita pepo
CAA46649.1	X65742	Spinacia oleracea	CAA07481.1	AJ007366	Zea mays
CAA31366.1	X12872	Zea mays	AAB70706.1	U82087	Tortula ruralis
AAA33435.1	M16220	Zea mays	BAA85396.1	AF000615	Oryza sativa
CAA61946.1	X89828	Pisum sativum	CAA57156.1	X81393	Oryza sativa
AAK19324.1	AF329673	Dunaliella salina	AAC05270.1	AF048691	Oryza sativa
BAA77604.1	AB027001	Nicotiana paniculata	AAC49405.1	U08140	Vigna radiata
BAA77603.1	AB027002	Nicotiana paniculata	BAA81749.1	AB017515	Marchantia polymorpha
CAA71408.1	Y10380	Solanum tuberosum	BAA81750.1	AB017516	Marchantia polymorpha
AAA33642.1	M97476	Pisum sativum	BAA81748.1	AB017515	Marchantia polymorpha
BAA02730.1	D13513	Oryza sativa	BAA13232.1	D87042	Zea mays
AAA33643.1	M97477	Pisum sativum	AAA33443.1	I15390	Zea mays
AAF74220.1	AF216582	Avena sativa	BAA81751.1	AB017517	Marchantia polymorpha
CAA09669.1	AJ011516	Scherffelia dubia	BAA12338.1	D84408	Zea mays
CAA47293.1	X66814	Spinacia oleracea	AAB80692.1	U69173	Glycine max
AAK19325.1	AF329674	Dunaliella salina	AAC25423.1	AF072908	Nicotiana tabacum
AAC60574.1	S72951	Chloroplast Chlamydomonas	AAB80693.1	U69174	Glycine max
reinhardtii			CAA65500.1	X96723	Medicago sativa
CAA49590.1	X69969	Chlamydomonas reinhardtii	AAD17800.1	AF090835	Mesembryanthemum crystallinum
AAB70542.1	AF017362	Oryza sativa			

BAA12715.1	D85039	Zea mays	CAA55516.1	X78900	Beta vulgaris
AAA1682.1	I27484	Zea mays	CAA65541.1	X96766	Pisum sativum
CAA57157.1	X81394	Oryza sativa	AAC21562.1	AF068260	Ipomoea batatas
AAA69507.1	U28376	Zea mays	CAB52196.1	AJ252316	Ipomoea batatas
AAD28192.2	AF115406	Solanum tuberosum	CAA79980.1	Z21969	Triticum aestivum
BAA13440.1	D87707	Ipomoea batatas	CAA43490.1	X61187	Solanum tuberosum
CAA39936.1	X56599	Daucus carota	AAK27719.1	AF356003	Cicer arietinum
AAG46110.1	AC073166	Oryza sativa	CAB55495.1	AJ249256	Ipomoea batatas
BAA02698.1	D13436	Oryza sativa	AAB91468.1	AF032473	Citrullus lanatus
AAK26164.1	AY027885	Cucumis sativus	CAA47626.1	X67151	Hordeum vulgare
AAB88537.1	AF035944	Fragaria x ananassa	BAA23490.1	D50317	Oryza sativa
AAF21062.1	AF216527	Dunaliella tertiolecta	AAC49943.1	U85497	Lycopersicon esculentum
CAA89202.1	Z49233	Chlamydomonas eugametos	AAC49729.1	U66876	Hordeum vulgare
AAF23900.1	AF194413	Oryza sativa	CAB55496.1	AJ249257	Ipomoea batatas
AAF23901.2	AF194414	Oryza sativa	CAA32533.1	X14350	Triticum aestivum
AAC78558.1	AF030879	Solanum tuberosum	AAK27727.1	AY028314	Oryza sativa
AAC32116.1	AF051211	Picea mariana	AAK27685.1	AF347698	Brassica rapa subsp. pekinensis
CAB46228.1	Y18055	Arachis hypogaea	CAA86227.1	Z38111	Zea mays
CAA58750.1	X83869	Daucus carota	AAB94012.1	AF010283	Sorghum bicolor
BAA12691.1	D84507	Zea mays	AAB24191.2	S48563	Zea mays
AAB47181.1	S82324	Zea mays	AAB38781.1	U66041	Oryza sativa
BAA22410.1	D38452	Zea mays	CAA69978.1	Y08728	Pisum sativum
BAA12692.1	D84508	Zea mays	CAB51610.1	AJ245392	Ipomoea batatas
AAG01179.1	AF289237	Zea mays	CAA65540.1	X96765	Pisum sativum
AAC24961.1	AF009337	Tradescantia virginiana	CAB89863.1	AJ271162	Brassica napus
BAA90814.1	AP001168	Oryza sativa	CAA65539.1	X96764	Pisum sativum
AAC49008.1	U24188	Lilium longiflorum	CAA54259.1	X76940	Vicia faba
AAD52098.1	U70923	Nicotiana tabacum	CAA54260.1	X76941	Vicia faba
			CAB01911.1	Z79635	Ipomoea batatas
SEQ ID NO. 2337		Citrus unshiu	AAB91466.1	AF032471	Citrullus lanatus
AAD56042.1	AF184598	Lycopersicon esculentum	AAK27721.1	AF356005	Cicer arietinum
AAC49941.1	U88089	Citrullus lanatus			
AAB91467.1	AF032472	Solanum tuberosum	SEQ ID NO. 2339		
CAA52917.1	X74982	Cucumis melo	CAA55641.1	X79008	Nicotiana tabacum
AAB91463.1	AF030383	Perilla frutescens	CAA55642.1	X79009	Nicotiana tabacum
AAF66436.1	AF249917	Cucumis melo	CAA43513.1	X61205	Nicotiana plumbaginifolia
AAB91464.1	AF030384	Lycopersicon hirsutum	CAA55738.1	X79137	Nicotiana tabacum
AAD56405.1	AF184345	Lycopersicon esculentum	CAA55739.1	X79138	Nicotiana tabacum
AAB40723.1	U81033	Lycopersicon esculentum	CAA55742.1	X79141	Nicotiana tabacum
AAB40724.1	U81034	Lycopersicon esculentum	CAA55737.1	X79136	Nicotiana tabacum
AAC49942.1	U85496	Lycopersicon esculentum	CAA55736.1	X79135	Nicotiana tabacum

CAA55640.1	X79005	Nicotiana tabacum	AAA20186.1	L10633	Zea mays
CAA55639.1	X79004	Nicotiana tabacum	CAA49736.1	X70184	Lupinus albus
AAA82736.1	U17979	Zea mays	AAA19709.1	L10636	Zea mays
AAB67607.1	U73459	Zea mays	CAA37060.1	X52878	Zea mays
AAB64289.1	AF007580	Zea mays	AAD10492.1	U76896	Triticum aestivum
BAA02152.1	D12627	Oryza sativa	AAB03267.1	U47660	Lupinus albus
BAB21260.1	AB046416	Oryza sativa	CAA48929.1	X69185	Anemia phyllitidis
CAA55741.1	X79140	Nicotiana tabacum	CAA38613.1	X54844	Pisum sativum
BAB21259.1	AB046415	Oryza sativa	AAA99439.1	L24547	Volvox carteri
BAB21258.1	AB046414	Oryza sativa	CAA31334.1	X12855	Volvox carteri
AAF19805.1	AF180356	Brassica oleracea	AAA34009.1	M21296	Glycine max
CAA43514.1	X61206	Nicotiana plumbaginifolia	AAA33102.1	K03281	Chlamydomonas reinhardtii
CAA55740.1	X79139	Nicotiana tabacum	AAA33101.1	M10064	Chlamydomonas reinhardtii
CAA76677.1	Y17186	Pisum sativum	AAB60936.1	AF001379	Chlamydomonas incerta
AAD20980.1	AF079782	Zea mays	AAA34010.1	M21297	Glycine max
			AAB64308.1	U63927	Daucus carota
			AAA19707.1	L10635	Zea mays
SEQ ID NO. 2342			CAA52718.1	X74654	Zea mays
AAD10489.1	U76746	Triticum aestivum	AAA33804.1	M33371	Polytomella agilis
AAD10490.1	U76895	Triticum aestivum	AAA33803.1	M33373	Polytomella agilis
AAK09229.1	AC084320	Oryza sativa	AAB03892.1	M33372	Polytomella agilis
BAA02505.1	D13224	Oryza sativa	CAA38614.1	X54845	Pisum sativum
AAD20178.1	AF059287	Eleusine indica	BAA82639.1	D63138	Zinnia elegans
CAA83847.1	Z33382	Solanum tuberosum	CAA38615.1	X54846	Pisum sativum
AAD20180.1	AF059289	Eleusine indica			
BAA06381.1	D30716	Oryza sativa	SEQ ID NO. 2345		
BAA06382.1	D30717	Oryza sativa	BAA21926.1	AB006604	Petunia x hybrida
AAA19708.1	L10634	Zea mays	BAA21924.1	AB006602	Petunia x hybrida
CAA55022.1	X78143	Oryza sativa	BAA19112.1	AB000453	Petunia x hybrida
CAA70891.1	Y09741	Hordeum vulgare			
CAA67056.1	X98406	Cicer arietinum	SEQ ID NO. 2346		
AAD10487.1	U76744	Triticum aestivum	AAK19619.1	AF336286	Gossypium hirsutum
CAA55912.1	X79367	Oryza sativa	CAA64614.1	X95296	Lycopersicon esculentum
CAA83853.1	Z33402	Solanum tuberosum	CAA50224.1	X70879	Hordeum vulgare
BAA82637.1	D63136	Zinnia elegans	CAA50222.1	X70877	Hordeum vulgare
AAD20181.1	AF059290	Eleusine indica	CAA50221.1	X70876	Hordeum vulgare
BAA82638.1	D63137	Zinnia elegans	BAA23337.1	D88617	Oryza sativa
AAD10488.1	U76745	Triticum aestivum	BAA23338.1	D88618	Oryza sativa
AAD20179.1	AF059288	Eleusine indica	CAA72218.1	Y11415	Oryza sativa
CAA52720.1	X74656	Zea mays	CAA50225.1	X70880	Hordeum vulgare
CAA52719.1	X74655	Zea mays	CAA78386.1	Z13996	Petunia x hybrida
CAA37061.1	X52879	Zea mays			

BAA81732.1	AB029161	Glycine max	CAA10608.1	AJ132228	Ricinus communis
AAK19616.1	AF336283	Gossypium hirsutum	SEQ ID NO. 2348		
AAK19611.1	AF336278	Gossypium hirsutum	AAF36491.1	AF129479	Hordeum vulgare
AAK19617.1	AF336284	Gossypium hirsutum	BAB32443.1	AB055630	Phragmites australis
AAK19615.1	AF336282	Gossypium hirsutum	BAB32444.1	AB055631	Phragmites australis
CAB43399.1	AJ006292	Antirrhinum majus	BAB32445.1	AB055632	Phragmites australis
CAA72185.1	Y11350	Oryza sativa	BAB32442.1	AB055629	Phragmites australis
AAF22256.1	AF161711	Pimpinella brachycarpa	BAB32447.1	AF129485	Oryza sativa
AAG13574.1	AC037425	Oryza sativa	AAF36497.1	AF129484	Hordeum vulgare
BAA81731.1	AB029160	Glycine max	AAF36496.1	AF129480	Hordeum vulgare
BAA81730.1	AB029159	Glycine max	AAF36492.1	AF129480	Hordeum vulgare
CAA72186.1	Y11351	Oryza sativa	CAC15061.1	AJ300161	Hordeum vulgare
CAA67600.1	X99210	Lycopersicon esculentum	SEQ ID NO. 2349		
CAA75509.1	Y15219	Oryza sativa subsp. indica	AAF40430.1	AF234652	Mesembryanthemum crystallinum
CAA78387.1	Z13997	Petunia x hybrida	AAC04324.1	U73937	Nicotiana tabacum
BAA81736.1	AB029165	Glycine max	BAA19553.1	D64036	Oryza sativa
AAK19618.1	AF336285	Gossypium hirsutum	AAA33479.1	M60526	Zea mays
CAA72217.1	Y11414	Oryza sativa	AAG01534.1	AF289467	Nicotiana tabacum
AAA33500.1	M73028	Zea mays	CAA66233.1	X97637	Antirrhinum majus
AAG36774.1	AF210616	Zea mays	CAA76700.1	Y17225	Lycopersicon esculentum
BAA8222.1	AB028650	Nicotiana tabacum	CAC15504.1	AJ297917	Lycopersicon esculentum
BAA81733.2	AB029162	Glycine max	AAD28617.1	AF129087	Medicago sativa
BAA23339.1	D88619	Oryza sativa	AAC41680.1	L34206	Petroselinum crispum
BAA8224.1	AB028652	Nicotiana tabacum	CAC15503.1	AJ297916	Lycopersicon esculentum
BAA8221.1	AB028649	Nicotiana tabacum	BAA33152.1	AB008187	Pisum sativum
AAB41101.1	U72762	Nicotiana tabacum	CAA50038.1	X70707	Medicago sativa
SEQ ID NO. 2347			BAB18271.1	AB035141	Chlamydomonas reinhardtii
CAA70968.1	Y09825	Solanum tuberosum	CAA76701.1	Y17226	Lycopersicon esculentum
AAF15946.1	AF061436	Vicia faba	CAA71242.1	Y10160	Chenopodium rubrum
CAA70969.1	Y09826	Solanum tuberosum	AAB411548.1	L07042	Medicago sativa
AAB96830.1	U64823	Nicotiana sylvestris	CAA73323.1	Y12785	Petroselinum crispum
CAA07563.1	AJ007574	Ricinus communis	CAA47099.1	X66469	Medicago sativa
AAB48944.1	U31932	Nicotiana sylvestris	CAA58761.1	X83880	Nicotiana tabacum
AAD16015.1	AF080544	Nepenthes alata	BAA21673.1	AB006033	Allium cepa
CAA70778.1	Y09591	Vicia faba	BAA09600.1	D61377	Nicotiana tabacum
AAF15944.1	AF061434	Vicia faba	CAA50036.1	X70703	Pisum sativum
AAF15945.1	AF061435	Vicia faba	AAF81419.1	AF247135	Capsicum annuum
AAF76897.1	AF274032	Atriplex hortensis	CAA37790.1	AF149424	Ipomoea batatas
AAD16014.1	AF080543	Nepenthes alata	CAA57719.1	X82268	Medicago sativa
AAD25161.1	AF014809	Lycopersicon esculentum	CAA73997.1	Y13646	Petunia x hybrida

[illegible]

AAF80450.1	AF161719	Triticum aestivum	CAA58761.1	X83880	Nicotiana tabacum
AAK31596.1	AY029172	Helianthus annuus	CAA50036.1	X70703	Pisum sativum
AAF22842.1	AF209910	Prunus dulcis	CAC13967.1	AJ250311	Oryza sativa
AAE72113.1	U79961	Zea mays	AAF23902.1	AF194415	Oryza sativa
BAA92985.1	AF001550	Oryza sativa	AAD52659.1	AF177392	Oryza sativa
SEQ ID NO. 2357			AAF81420.1	AF247136	Capsicum annuum
AAA86532.1	U31544	Pisum sativum	AAK01710.1	AF332873	Oryza sativa
CAA06338.1	AJ005081	Cyamopsis tetragonoloba	AAG40579.1	AF216315	Oryza sativa
CAA06339.1	AJ005082	Cyamopsis tetragonoloba	BAA09600.1	D61377	Nicotiana tabacum
CAB61752.1	AJ275318	Cicer arietinum	AB58396.1	U94192	Nicotiana tabacum
CAC14890.1	AJ295156	Phragmites australis	CAA57721.1	X82270	Medicago sativa
SEQ ID NO. 2358			AAD37790.1	AF149424	Ipomoea batatas
CAA48474.1	X68411	Medicago sativa	CAA56314.1	X79993	Avena sativa
CAA54803.1	X77763	Nicotiana tabacum	AAF73236.1	AF153061	Pisum sativum
BAA92214.1	AP001278	Oryza sativa	CAA49592.1	X69971	Nicotiana tabacum
BAB40983.1	AB059621	Oryza sativa	BAB18271.1	AB035141	Chlamydomonas reinhardtii
CAA48472.1	X68409	Medicago sativa	CAC15504.1	AJ297917	Lycopersicon esculentum
CAA48473.1	X68410	Medicago sativa	AAF73257.1	AF154329	Pisum sativum
CAA58594.1	X83619	Petunia x hybrida	CAA57719.1	X82268	Medicago sativa
CAC08564.1	AJ295939	Petunia x hybrida	AAG40580.1	AF216316	Oryza sativa
CAA58595.1	X83620	Medicago sativa	CAA58466.1	X83440	Petunia x hybrida
CAA69899.1	Y08607	Petunia x hybrida	CAA58760.1	X83879	Nicotiana tabacum
CAA11860.1	AJ224163	Nicotiana tabacum	SEQ ID NO. 2361		
CAA11862.1	AJ224165	Nicotiana tabacum	AB97617.1	U83687	Apium graveolens
CAA11861.1	AJ224164	Petunia x hybrida	BAA01853.1	D11080	Malus x domestica
CAA67554.1	X99100	Trifolium repens	AAC97607.1	AF057134	Malus x domestica
CAA73214.1	Y12674	Brassica napus	SEQ ID NO. 2362		
CAA05329.1	AJ002315	Nicotiana tabacum	AAD21872.1	AF078082	Phaseolus vulgaris
BAA92966.1	AP001551	Oryza sativa	CAA73134.1	Y12531	Brassica oleracea
CAA05328.1	AJ002314	Nicotiana tabacum	CAA67145.1	X98520	Brassica oleracea
CAA73848.1	Y13437	Oryza sativa	CAA73133.1	Y12530	Brassica oleracea
CAA10288.1	AJ131048	Cicer arietinum	AB93834.1	U82481	Zea mays
CAA72330.1	Y11591	Ricinus communis	BAA23676.1	AB000970	Brassica rapa
CAA72291.1	Y11527	Oryza sativa	AAC23542.1	U20948	Ipomoea trifida
AAC24574.1	AF061509	Zea mays	CAB41879.1	Y18260	Brassica oleracea
CAA47099.1	X66469	Medicago sativa	CAA74662.1	Y14286	Brassica oleracea
AAB41548.1	I07042	Medicago sativa	CAB89179.1	AJ245479	Brassica napus subsp. napus
AAF65766.1	AF242308	Euphorbia esula	AAA33008.1	M97667	Brassica napus
AAF23903.1	AF194416	Oryza sativa	AAA62232.1	U00443	Brassica napus

CAA74661.1	Y14285	Brassica oleracea	CAA53076.1	X75327	Pisum sativum
AAA33000.1	M76647	Brassica oleracea	AAB33843.1	S77096	Brassica napus
CAA79355.1	Z18921	Brassica oleracea	AAG43027.1	AF3233586	Oryza sativa
CAB41878.1	Y18259	Brassica oleracea	AAC49268.1	U12196	Sorghum bicolor
BAA07576.1	D38563	Brassica rapa	AAC49267.1	U12195	Sorghum bicolor
BAA06285.1	D30049	Brassica rapa			
BAA21132.1	D88193	Brassica rapa	SEQ ID NO. 2367		
BAA07577.2	D38564	Brassica rapa	AAB67737.1	L77080	Stylosanthes humilis
BAA92836.1	AB032473	Brassica oleracea	AAA32676.1	M37637	Arachis hypogaea
BAB21001.1	AB054061	Brassica rapa	CAA64413.1	X94943	Lycopersicon esculentum
BAA92837.1	AB032474	Brassica oleracea	CAA71494.1	Y10468	Spinacia oleracea
AAD52097.1	AF088885	Nicotiana tabacum	BAA82307.1	AB027753	Nicotiana tabacum
AAK21965.1	AY028699	Brassica napus	BAA11853.1	D83225	Populus nigra
AAA33915.1	L27821	Oryza sativa	AAC05277.1	AF049881	Linum usitatissimum
BAA94529.2	AP001800	Oryza sativa	CAA80502.1	Z22920	Spirodela polyrrhiza
AAF34428.1	AF172282	Oryza sativa	BAA08499.1	D49551	Oryza sativa
AAG03090.1	AC073405	Oryza sativa	CAA66034.1	X97348	Populus balsamifera subsp.
BAA94516.1	AP001800	Oryza sativa	trichocarpa		
			AAD37430.1	AF149280	Phaseolus vulgaris
SEQ ID NO. 2364			CAB94692.1	AJ242742	Ipomoea batatas
AAC03055.1	AF045770	Oryza sativa	AAD37429.2	AF149279	Phaseolus vulgaris
AAA34025.1	M31480	Spinacia oleracea	AAF63027.1	AF244924	Spinacia oleracea
AAB41696.1	U69142	Spinacia oleracea	CAA66037.1	X97351	Populus balsamifera subsp.
BAA21098.1	AB001348	Oryza sativa	trichocarpa		
BAA96794.1	AB037421	Oryza sativa	CAA40796.1	X57564	Armoracia rusticana
BAB18543.1	AB043539	Avicennia marina	CAA66035.1	X97349	Populus balsamifera subsp.
CAA41376.1	X58462	Beta vulgaris	trichocarpa		
CAA41377.1	X58463	Beta vulgaris	BAA06334.1	D30652	Populus kitakamiensis
AAG43988.1	AF215823	Zea mays	AAD11481.1	U51191	Glycine max
BAB19052.1	AB044537	Oryza sativa	BAA77389.1	AB024439	Scutellaria baicalensis
CAA71003.1	Y09876	Nicotiana tabacum	CAB67121.1	Y19023	Lycopersicon esculentum
AAF73828.1	AF162665	Oryza sativa	CAA50597.1	X71593	Lycopersicon esculentum
AAB70010.1	AF017150	Amaranthus hypochondriacus	AAD11482.1	U51192	Glycine max
CAA49425.1	X69770	Atriplex hortensis	CAA71489.1	Y10463	Spinacia oleracea
AAB58165.1	AF000132	Amaranthus hypochondriacus	BAA07241.1	D38051	Populus kitakamiensis
BAA96793.1	AB030939	Oryza sativa	CAA59487.1	X85230	Triticum aestivum
BAB18544.1	AB043540	Avicennia marina	AAA65637.1	L13654	Lycopersicon esculentum
BAA05466.1	D26448	Hordeum vulgare	AAG02215.1	AF291667	Pinus sylvestris
AAF08296.1	AF196292	Apium graveolens	CAA76374.2	Y16776	Spinacia oleracea
AAB47571.1	U87848	Nicotiana plumbaginifolia	BAA11852.1	D83224	Populus nigra
CAA53075.1	X75326	Zea mays	AAB41811.1	L36157	Medicago sativa



AAC98519.1	AF007211	Glycine max	SEQ ID NO. 2372	Oryza sativa
CAA66036.1	X97350	Populus balsamifera subsp. trichocarpa	AAC77926.1	Pisum sativum
BAA01992.1	D11396	Nicotiana tabacum	AAD46189.1	Lilium hybrid division I
CAC221393.1	AJ401276	Zea mays		Gossypium hirsutum
CAA39486.1	X56011	Triticum aestivum	SEQ ID NO. 2373	Petunia x hybrida
BAA92500.1	AF001383	Oryza sativa	AAK08983.1	Nicotiana tabacum
AAB06183.1	M37636	Arachis hypogaea	CAA71992.1	Gossypium hirsutum
AAD43561.1	AF155124	Gossypium hirsutum	BAB40790.1	Petunia x hybrida
BAA14143.1	D90115	Amoracia rusticana	AAK19618.1	Nicotiana tabacum
AAA34108.1	J02979	Nicotiana tabacum	CAA78387.1	Gossypium hirsutum
AAA34108.1	J02979	Nicotiana tabacum	BAA88221.1	Glycine max
BAA94962.1	AB042103	Asparagus officinalis	BAA88224.1	Glycine max
AAA34050.1	M74103	Nicotiana sylvestris	AAK19617.1	Glycine max
			AAK19615.1	Nicotiana tabacum
			BAA81733.2	Gossypium hirsutum
			BAA81732.1	Glycine max
			BAA81730.1	Glycine max
			BAA88223.1	Nicotiana tabacum
			AAK19617.1	Nicotiana tabacum
			AAK19615.1	Glycine max
			BAA81736.1	Glycine max
			BAA81731.1	Glycine max
			CAA72218.1	Oryza sativa
			CAA67000.1	Oryza sativa
			AAK19611.1	Gossypium hirsutum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	Lycopersicon esculentum
			CAA67575.1	Lycopersicon esculentum
			CAA64614.1	Lycopersicon esculentum
			AAK19611.1	

AAK09326.1	AF320613	<i>Zea mays</i>	BAA76387.1	D67038	<i>Pyrus pyrifolia</i>
SEQ ID NO. 2375			CAA67216.1	X98627	<i>Malus x domestica</i>
AAFI4244.1	AF110228	<i>Spinacia oleracea</i>	CAA68538.1	Y00478	<i>Lycopersicon esculentum</i>
AAFI4242.1	AF110226	<i>Nicotiana tabacum</i>	AAA33644.1	M98357	<i>Pisum sativum</i>
AAFI4245.1	AF110229	<i>Spinacia oleracea</i>	CAA71140.1	Y10034	<i>Rumex palustris</i>
AAFI4246.1	AF110230	<i>Spinacia oleracea</i>	AAA99793.1	U54566	<i>Nicotiana glutinosa</i>
SEQ ID NO. 2379			CAA60576.1	X87097	<i>Pyrus communis</i>
CAA57285.1	X81629	<i>Brassica oleracea</i>	AAB71421.1	L29405	<i>Helianthus annuus</i>
AAA32981.1	L27664	<i>Brassica napus</i>	AAC48922.1	U06047	<i>Vigna radiata</i>
CAA57284.1	X81628	<i>Brassica oleracea</i>	CAA67119.1	X98493	<i>Nicotiana tabacum</i>
AAF65472.1	AF252628	<i>Brassica juncea</i>	CAA58232.1	X83229	<i>Nicotiana tabacum</i>
AAC98808.1	U68215	<i>Carica papaya</i>	SEQ ID NO. 2381		
AAA33697.1	L21978	<i>Petunia x hybrida</i>	AAF98390.1	AF287143	<i>Brassica napus</i>
AAF64528.1	AF254125	<i>Carica papaya</i>	BAA93039.1	AB033758	<i>Citrus unshiu</i>
AAB70883.1	U19856	<i>Pelargonium x hortorum</i>	BAA89009.1	AB027455	<i>Petunia x hybrida</i>
BAA21541.1	AB003514	<i>Actinidia deliciosa</i>	AAF61647.1	AF190634	<i>Nicotiana tabacum</i>
AAC48977.1	U07953	<i>Pelargonium x hortorum</i>	BAA36421.1	AB013596	<i>Perilla frutescens</i>
CAA71738.1	Y10749	<i>Betula pendula</i>	BAA36423.1	AB013598	<i>Verbena x hybrida</i>
AAAF37381.1	L21976	<i>Petunia x hybrida</i>	AAA59054.1	L34847	<i>Zea mays</i>
CAA86468.1	Z46349	<i>Nicotiana tabacum</i>	BAA36422.1	AB013597	<i>Perilla frutescens</i>
BAA94601.1	AB033504	<i>Populus euramericana</i>	AAF17077.1	AF199453	<i>Sorghum bicolor</i>
BAA34924.1	AB013101	<i>Lycopersicon esculentum</i>	AAB36652.1	U32643	<i>Nicotiana tabacum</i>
BAA83466.1	AB012857	<i>Nicotiana tabacum</i>	AAK28304.1	AF346432	<i>Nicotiana tabacum</i>
AAF36484.1	AF129074	<i>Prunus persica</i>	AAB36653.1	U32644	<i>Nicotiana tabacum</i>
AAB70884.1	U67861	<i>Pelargonium x hortorum</i>	BAA12737.1	D85186	<i>Gentiana triflora</i>
CAA64799.1	X95553	<i>Cucumis melo</i>	AAK28303.1	AF346431	<i>Nicotiana tabacum</i>
CAA90904.1	Z54199	<i>Lycopersicon esculentum</i>	BAA83484.1	AB031274	<i>Scutellaria baicalensis</i>
CAA41212.1	X58273	<i>Lycopersicon esculentum</i>	BAA19659.1	AB002818	<i>Perilla frutescens</i>
AAA33698.1	L21979	<i>Petunia x hybrida</i>	AAD21086.1	AF127218	<i>Forsythia x intermedia</i>
CAA04895.1	AJ001646	<i>Malus x domestica</i>	CAA59450.1	X85138	<i>Lycopersicon esculentum</i>
CAA82646.1	Z29529	<i>Nicotiana tabacum</i>	CAB56231.1	Y18871	<i>Dortheanthus bellidifloris</i>
CAA54449.1	X77232	<i>Prunus persica</i>	AAB48444.1	U82367	<i>Solanum tuberosum</i>
AAF36483.1	AF129073	<i>Prunus persica</i>	BAB41020.1	AB047093	<i>Vitis vinifera</i>
AAC67233.1	AF033582	<i>Cucumis sativus</i>	BAB41026.1	AB047099	<i>Vitis vinifera</i>
AAC33524.1	AF026793	<i>Prunus armeniaca</i>	BAB41024.1	AB047097	<i>Vitis vinifera</i>
BAA90550.1	AB031027	<i>Prunus mume</i>	BAB41022.1	AB047095	<i>Vitis vinifera</i>
CAA74328.1	Y14005	<i>Malus x domestica</i>	BAB41017.1	AB047090	<i>Vitis labrusca x Vitis vinifera</i>
AAC36461.1	AF030859	<i>Malus x domestica</i>	BAB41019.1	AB047092	<i>Vitis vinifera</i>
AAA99792.1	U54565	<i>Nicotiana glutinosa</i>	BAB41021.1	AB047094	<i>Vitis vinifera</i>
			BAB41023.1	AB047096	<i>Vitis vinifera</i>

BAB41025.1	AB047098	Vitis vinifera	BAA05623.1	D26574	Daucus carota
BAA89008.1	AB027454	Petunia x hybrida	AAD37697.1	AF145728	Oryza sativa
AAB81683.1	AF000372	Vitis vinifera	AAF01764.2	AF184277	Glycine max
AAB81682.1	AF000371	Vitis vinifera	BAA21017.1	D26578	Daucus carota
BAB41018.1	AB047091	Vitis labrusca x Vitis vinifera	AAF73482.1	AF268422	Brassica rapa subsp. pekinensis
CAA31855.1	X13500	Zea mays	BAA93460.1	AB028072	Physcomitrella patens
SEQ ID NO. 2385			SEQ ID NO. 2387		
AAB31704.1	S72356	Chloroplast Nicotiana	BAA97745.1	AB037887	Lupinus albus
sylvestris			BAA82130.1	AB023385	Lupinus albus
AAB31705.1	S72358	Chloroplast Nicotiana	CAA06921.1	AJ006224	Ipomoea batatas
sylvestris			AAF19822.1	AF200826	Ipomoea batatas
BAA07667.1	D42070	Nicotiana sylvestris	BAA922365.1	AB039746	Spirodela punctata
BAA78581.1	AU066497	Chlamydomonas sp. HS-5	CAA04644.1	AJ001270	Phaseolus vulgaris
SEQ ID NO. 2386			AAF19820.1	AF200824	Glycine max
AAD37696.1	AF145727	Oryza sativa	AAF19821.1	AF200825	Ipomoea batatas
BAA93463.1	AB028075	Physcomitrella patens	AAD20634.1	AF126255	Anchusa officinalis
CAA63222.1	X92489	Glycine max	CAA07280.1	AJ006870	Ipomoea batatas
CAA64221.1	X94449	Pimpinella brachycarpa	BAA97038.1	AB029086	Tagetes patula
AAK31270.1	AC079890	Oryza sativa	BAA82133.1	AB023388	Lycopersicon esculentum
AAF19980.1	AF211193	Oryza sativa	BAA82131.1	AB023386	Glycine max
CAA65456.2	X96681	Oryza sativa	BAA82132.1	AB023387	Oryza sativa
CAA64152.1	X94375	Pimpinella brachycarpa	SEQ ID NO. 2389		
CAA64491.1	X95193	Pimpinella brachycarpa	BAA07395.1	D38220	Brassica napus
AAD37695.1	AF145726	Oryza sativa	BAA07394.1	D38219	Brassica napus
AAD37700.1	AF145731	Oryza sativa	AAG30576.1	AF314093	Ricinus communis
CAA06728.1	AJ005833	Craterostigma plantagineum	CAA32217.1	X14059	Nicotiana tabacum
CAA06717.1	AJ005820	Craterostigma plantagineum	CAA32218.1	X14060	Lycopersicon esculentum
BAA05622.1	D26573	Daucus carota	AAA33712.1	L11563	Petunia x hybrida
BAA93462.1	AB028074	Physcomitrella patens	CAA32216.1	X14058	Nicotiana tabacum
AAD37698.1	AF145729	Oryza sativa	CAA56696.1	X80670	Lotus japonicus
BAA93465.1	AB028077	Physcomitrella patens	AAB52786.1	U95317	Solanum tuberosum
BAA05624.1	D26575	Daucus carota	AAB18985.1	U76701	Solanum tuberosum
BAA93468.1	AB028080	Physcomitrella patens	AAA95940.1	U01029	Phaseolus vulgaris
BAA05625.1	D26576	Daucus carota	AAA34033.1	M32600	Spinacia oleracea
BAA93466.1	AB028078	Physcomitrella patens	CAA38031.1	X54097	Betula pendula
BAA93464.1	AB028076	Physcomitrella patens	BAA13047.1	D86226	Spinacia oleracea
BAA93467.1	AB028079	Physcomitrella patens	AAA33114.1	M33154	Cucurbita maxima
BAA93461.1	AB028073	Physcomitrella patens	AAD19790.1	AF055369	Glycine max
AAF01765.1	AF184278	Glycine max	CAA58909.1	X84103	Cichorium intybus

AAA96813.1	U13987	Glycine max	AAG13663.1	AF263457	Zea mays
CAA37672.1	X53603	Phaseolus vulgaris	AAC98090.1	AF067400	Zea mays
AAA96727.1	L23854	Glycine max	BAA90816.1	AF001168	Oryza sativa
AAA62316.1	U20450	Zea mays	AAC98091.1	AF067401	Oryza sativa
AAD38068.1	AF153448	Zea mays	SEQ ID NO. 2398		
CAA40975.1	X57844	Hordeum vulgare	BAA81862.1	AB026295	Oryza sativa
CAA40976.1	X57845	Hordeum vulgare	AAB39995.1	U82432	Dianthus carophyllus
CAA42739.1	X60173	Hordeum vulgare	AAD56580.1	AF184273	Daucus carota
AAB93560.1	AF022780	Glycine max	AAD56581.1	AF184274	Daucus carota
AAF17595.1	AF203033	Chlamydomonas reinhardtii	CAA50498.1	X71360	Malus sp.
CAA45497.1	X64136	Volvox carteri	AAD26205.1	AF117269	Malus x domestica
AAC49460.1	U39931	Chlorella vulgaris	AAB82287.1	AF026058	Matthiola incana
AAC49459.1	U39930	Chlorella vulgaris	BAA20143.1	AB003779	Perilla frutescens
CAA29497.1	X06134	Nicotiana tabacum	AAB66560.1	AF015885	Callistephus chinensis
AAA18377.1	U08029	Spinacia oleracea	BAB21477.1	AB044091	Torenia fournieri
AAB39553.1	U64308	Agrostemma githago	CAA53580.1	X75966	Vitis vinifera
AAA03202.1	M27821	Zea mays	BAA75305.1	AB023786	Ipomoea batatas
AAA33483.1	M77792	Zea mays	AAB84049.1	AF028602	Ipomoea purpurea
AAB39555.1	U64310	Agrostemma githago	BAA75306.1	AB023787	Ipomoea batatas
AAB39554.1	U64309	Agrostemma githago	CAA73094.1	Y12489	Forsythia x intermedia
CAA33819.1	X15820	Oryza sativa	CAA69252.1	Y07955	Oryza sativa
CAA33817.1	X15819	Oryza sativa	SEQ ID NO. 2399		
AAA33998.1	L23853	Glycine max	CAC12822.1	AJ299252	Nicotiana tabacum
CAA58908.1	X84102	Cichorium intybus	AAF63205.1	AF245119	Mesembryanthemum crystallinum
CAA40090.1	X56771	Chlorella vulgaris	AAC24587.1	AF071893	Prunus armeniaca
CAA45776.1	X64446	Zea mays	BAB16083.1	AB036883	Oryza sativa
AAD17694.1	AF077372	Zea mays	BAB03248.1	AB037183	Oryza sativa
AAA96242.1	L40147	Avena strigosa	AAF76898.1	AF274033	Atriplex hortensis
AAB20155.1	S61885	Nicotiana plumbaginifolia	CAB96900.1	AJ251250	Catharanthus roseus
AAA96245.1	L40151	Hordeum pusillum	CAB96899.1	AJ251249	Catharanthus roseus
AAA96247.1	L40153	Hordeum stenostachys	BAA07321.1	D38123	Nicotiana tabacum
SEQ ID NO. 2390			AAG43545.1	AF211527	Nicotiana tabacum
AAG36871.1	AF239818	Zea mays	BAA99376.1	AF002526	Oryza sativa
AAG36870.1	AF239817	Zea mays	AAF23899.1	AF193803	Oryza sativa
AAG36869.1	AF239816	Zea mays	BAA78738.1	AB023482	Oryza sativa
SEQ ID NO. 2395			AAC62619.1	AF057373	Nicotiana tabacum
AAC49600.1	U30304	Solanum brevicens	AAG43549.1	AF211531	Nicotiana tabacum
SEQ ID NO. 2397			AAG43548.1	AF211530	Nicotiana tabacum
			AAG32659.1	AF253971	Picea abies

SEQ ID NO.	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2433	2434	2435	2436	2437	2438	2439	2440	2441	2442	2443	2444	2445	2446	2447	2448	2449	2450	2451	2452	2453	2454	2455	2456	2457	2458	2459	2460	2461	2462	2463	2464	2465	2466	2467	2468	2469	2470	2471	2472	2473	2474	2475	2476	2477	2478	2479	2480	2481	2482	2483	2484	2485	2486	2487	2488	2489	2490	2491	2492	2493	2494	2495	2496	2497	2498	2499	2500	2501	2502	2503	2504	2505	2506	2507	2508	2509	2510	2511	2512	2513	2514	2515	2516	2517	2518	2519	2520	2521	2522	2523	2524	2525	2526	2527	2528	2529	2530	2531	2532	2533	2534	2535	2536	2537	2538	2539	2540	2541	2542	2543	2544	2545	2546	2547	2548	2549	2550	2551	2552	2553	2554	2555	2556	2557	2558	2559	2560	2561	2562	2563	2564	2565	2566	2567	2568	2569	2570	2571	2572	2573	2574	2575	2576	2577	2578	2579	2580	2581	2582	2583	2584	2585	2586	2587	2588	2589	2590	2591	2592	2593	2594	2595	2596	2597	2598	2599	2600	2601	2602	2603	2604	2605	2606	2607	2608	2609	2610	2611	2612	2613	2614	2615	2616	2617	2618	2619	2620	2621	2622	2623	2624	2625	2626	2627	2628	2629	2630	2631	2632	2633	2634	2635	2636	2637	2638	2639	2640	2641	2642	2643	2644	2645	2646	2647	2648	2649	2650	2651	2652	2653	2654	2655	2656	2657	2658	2659	2660	2661	2662	2663	2664	2665	2666	2667	2668	2669	2670	2671	2672	2673	2674	2675	2676	2677	2678	2679	2680	2681	2682	2683	2684	2685	2686	2687	2688	2689	2690	2691	2692	2693	2694	2695	2696	2697	2698	2699	2700	2701	2702	2703	2704	2705	2706	2707	2708	2709	2710	2711	2712	2713	2714	2715	2716	2717	2718	2719	2720	2721	2722	2723	2724	2725	2726	2727	2728	2729	2730	2731	2732	2733	2734	2735	2736	2737	2738	2739	2740	2741	2742	2743	2744	2745	2746	2747	2748	2749	2750	2751	2752	2753	2754	2755	2756	2757	2758	2759	2760	2761	2762	2763	2764	2765	2766	2767	2768	2769	2770	2771	2772	2773	2774	2775	2776	2777	2778	2779	2780	2781	2782	2783	2784	2785	2786	2787	2788	2789	2790	2791	2792	2793	2794	2795	2796	2797	2798	2799	2800	2801	2802	2803	2804	2805	2806	280
------------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	-----

BAA74465.1	AB022732	Glycyrrhiza echinata	AAB65161.1	AF002666	Solanum commersonii
CAA70576.1	Y09424	Nepeta racemosa	CAB97352.1	AJ249144	Hordeum vulgare
AAC49188.2	U29333	Pisum sativum	CAA67969.1	X99655	Betula pendula
AAG09208.1	AF175278	Pisum sativum	CAA67967.1	X99653	Betula pendula
BAA84071.1	AB028151	Antirrhinum majus	AAG09136.1	AF150932	Physcomitrella patens
CAA89260.1	Z49263	Pisum sativum	AAG09135.1	AF150931	Physcomitrella patens
BAA22422.1	AB001379	Glycyrrhiza echinata	AAC83170.1	U78948	Malus x domestica
AAF34538.1	AF195817	Beta vulgaris	BAA25246.1	D89671	Ceratopteris richardii
AAF34531.1	AF195810	Trifolium pratense	AAF13261.1	AF198175	Dendrobium grex Madame Tho:
AAD38929.1	AF135484	Glycine max	CAC35027.1	AJ291298	Pisum sativum
AAF34525.1	AF195804	Lens culinaris	CAC37031.1	AJ279089	Pisum sativum
BAA93634.1	AB025016	Lotus japonicus	AAD39037.1	AF068726	Nicotiana sylvestris
AAF34530.1	AF195809	Vigna radiata	AAB08875.1	U67451	Brassica oleracea
BAA84072.1	AB028152	Torenia hybrida	AAG30923.1	AF306349	Eucalyptus globulus
AAB94591.1	AF022462	Glycine max	AAG27459.1	AF305696	Eucalyptus globulus
AAF34529.1	AF195808	Vigna radiata	AAG24909.1	AF305076	Eucalyptus globulus
AAF45143.1	AF195819	Glycine max	AAB08876.1	U67452	Brassica oleracea
AAF34532.1	AF195811	Trifolium pratense	AAD39036.1	AF068725	Nicotiana sylvestris
AAF45142.1	AF195818	Glycine max	CAA67968.1	X99654	Betula pendula
AAF34528.1	AF195807	Vigna radiata	AAD20329.1	AF109403	Sinapis alba
AAF34527.1	AF195806	Vigna radiata			
SEQ ID NO. 2404			SEQ ID NO. 2405		
AAG09919.1	AF112149	Zea mays	AAG34803.1	AF243368	Glycine max
AAB51377.1	U91964	Medicago sativa	AAF64450.1	AF239928	Euphorbia esula
BAA94342.1	AB041020	Oryza sativa	AAG34798.1	AF243363	Glycine max
AAF66997.2	AF139664	Oryza sativa	AAG34801.1	AF243366	Glycine max
CAB97354.1	AJ249146	Hordeum vulgare	AAG34797.1	AF243362	Glycine max
AAD10625.1	AF035378	Lolium temulentum	AAG34796.1	AF243361	Glycine max
AAG43200.1	AF112150	Zea mays	AAG34807.1	AF243372	Glycine max
BAA33457.1	AB007504	Triticum aestivum	AAG34804.1	AF243369	Glycine max
AAB00081.1	L46400	Zea mays	AAG34810.1	AF243375	Glycine max
AAD10626.1	AF035379	Lolium temulentum	AAG34809.1	AF243374	Glycine max
AAF19047.1	AF058697	Oryza sativa	AAG34805.1	AF243370	Glycine max
BAA81883.1	AB003325	Oryza sativa	AAC18566.1	AF048978	Glycine max
AAF19721.1	AF176782	Petunia x hybrida	AAG34808.1	AF243373	Glycine max
AAF19048.1	AF058698	Oryza sativa	AAG34800.1	AF243365	Glycine max
AAD39035.1	AF068724	Nicotiana tabacum	AAG34829.1	AF244686	zea mays
CAA04321.1	AJ000759	Malus x domestica	AAG34802.1	AF243367	Glycine max
AAF04972.1	AF091458	Oryza sativa	AAG34837.1	AF244694	Zea mays
CAB56800.1	AJ011675	Oryza sativa	CAA09187.1	AJ010448	Alopecurus myosuroides
			CAA09188.1	AJ010449	Alopecurus myosuroides

AAG34849.1	AF244706	Zea mays	BAA88981.1	AB025778	Citrus unshiu
AAG34844.1	AF244701	Zea mays	CAA49428.1	X69773	Vicia faba
AAG34806.1	AF243371	Glycine max	CAB38022.1	AJ132000	Craterostigma plantagineum
CAA71784.1	Y10820	Glycine max	CAA09593.1	AJ011319	Lycopersicon esculentum
AAA68430.1	J03679	Solanum tuberosum	CAA09910.1	AJ012080	Pisum sativum
CAA04391.1	AJ000923	Carica papaya	CAA65639.1	X96938	Tulipa gesneriana
AAG34836.1	AF244693	Zea mays	CAA65640.1	X96939	Tulipa gesneriana
AAG34831.1	AF244688	Zea mays	CAB40794.1	AJ131943	Medicago truncatula
AAG34847.1	AF244704	Zea mays	AAC17867.1	AF049487	Medicago sativa
AAC32118.1	AF051214	Picea mariana	AAC39323.1	AF030231	Glycine max
AAF29773.1	AF159229	Gossypium hirsutum	CAA76057.1	Y16091	Daucus carota
AAG41204.1	AF321437	Suaeda maritima	BAA89049.1	AB029401	Citrus unshiu
CAC24549.1	AJ296343	Cichorium intybus x Cichorium endivia	CAA63122.1	X92378	Alnus glutinosa
			CAA76056.1	Y16090	Daucus carota
			CAA53081.1	X75332	Daucus carota
			AAC28107.1	AF079851	Pisum sativum
SEQ ID NO. 2407			CAB40795.1	AJ131964	Medicago truncatula
AAG43509.1	AF210049	Petunia x hybrida	AAA34196.1	L19762	Lycopersicon esculentum
AAC15460.1	AF060569	Lavatera thuringiaca	BAA01108.1	D10266	Vigna radiata
			BAA88905.1	AB022092	Citrus unshiu
SEQ ID NO. 2409			CAA09681.1	AJ011535	Lycopersicon esculentum
BAB20583.1	AB042270	Zea mays	AAA97571.1	U24087	Solanum tuberosum
AAK13126.1	AC083945	Oryza sativa	AAD28641.1	U73588	Gossypium hirsutum
CAC09578.1	AJ298990	Fagus sylvatica	AAA97572.1	U24088	Solanum tuberosum
AAA85479.1	U41103	Lycopersicon esculentum	CAA04512.1	AJ001071	Pisum sativum
AAB39386.1	U47279	Lycopersicon esculentum	BAB20799.1	AB045710	Pyrus pyrifolia
AAB97160.1	AF022727	Nicotiana tabacum	CAA57881.1	X82504	Chenopodium rubrum
			AAF85966.1	AF263384	Saccharum officinarum
SEQ ID NO. 2410			CAA26229.1	X02382	Zea mays
AAD01541.1	AF004810	Glycine max	CAA26247.1	X02400	Zea mays
AAB01552.1	I47607	Picea glauca	CAA46017.1	X64770	Oryza sativa
AAD09208.1	U38246	Glycine soja	CAA78747.1	Z15028	Oryza sativa
AAD09209.1	U38247	Glycine soja	CAA04543.1	AJ001117	Triticum aestivum
			CAA46701.1	X65871	Hordeum vulgare
SEQ ID NO. 2413			CAC32462.1	AJ311496	Pisum sativum
BAA03763.1	D16247	Nicotiana sylvestris	CAA75793.1	Y15802	Hordeum vulgare
AAF40306.1	AF156667	Vigna radiata	AAA33515.1	L33244	Zea mays
AAF75791.1	AF271892	Pisum sativum	CAA41774.1	X59046	Oryza sativa
CAA68193.1	X99937	Spinacia oleracea	AAC41682.1	I03366	Oryza sativa
			CAA49551.1	X69931	Hordeum vulgare
SEQ ID NO. 2415			CAA03935.1	AJ000153	Triticum aestivum
BAA88904.1	AB022091	Citrus unshiu			

CAB38021.1	AJ131999	Craterostigma plantagineum	AAF17077.1	AF199453	Sorghum bicolor
CAA57499.1	X81974	Beta vulgaris	CAA59450.1	X85138	Lycopersicon esculentum
CAA47264.1	X66728	Hordeum vulgare	BAB41017.1	AB047090	Vitis labrusca x Vitis vinifera
			BAB41026.1	AB047099	Vitis vinifera
SEQ ID NO. 2416			BAB41024.1	AB047097	Vitis vinifera
CAA80358.1	Z22645	Solanum tuberosum	BAB41022.1	AB047095	Vitis vinifera
CAA79676.1	Z21486	Solanum tuberosum	BAB41020.1	AB047093	Vitis vinifera
CAA57428.1	X81834	Nicotiana tabacum	BAA89008.1	AB027454	Petunia x hybrida
CAA49162.1	X69321	Daucus carota	BAB41018.1	AB047091	Vitis labrusca x Vitis vinifera
CAA57389.1	X81792	Chenopodium rubrum	CAB56231.1	Y18871	Dorotheanthus bellidifolium
AAC17166.1	AF063246	Pisum sativum	AAB81683.1	AF000372	Vitis vinifera
CAA59677.1	X85327	Pisum sativum	BAB41019.1	AB047092	Vitis vinifera
AAD02263.1	AF043346	Zea mays	BAB41025.1	AB047098	Vitis vinifera
CAA84526.1	Z35162	Vicia faba	BAB41023.1	AB047096	Vitis vinifera
AAC96065.1	AF030420	Triticum aestivum	BAB41021.1	AB047094	Vitis vinifera
CAA53099.1	X75353	Daucus carota	AAB81682.1	AF000371	Vitis vinifera
AAB68679.1	U92438	Phaseolus vulgaris	BAA19659.1	AB002818	Perilla frutescens
CAA89992.1	Z49831	Vicia faba	BAA90787.1	AB038248	Ipomoea batatas
CAA53097.1	X75351	Daucus carota	AAD04166.1	AF101972	Phaseolus lunatus
CAA77267.1	Y18707	Daucus carota	AAB86473.1	AF028237	Ipomoea purpurea
CAA53098.1	X75352	Daucus carota			
CAA77266.1	Y18706	Daucus carota	SEQ ID NO. 2420		
AAC96066.1	AF030421	Triticum aestivum	CAA64614.1	X95296	Lycopersicon esculentum
AAG36943.1	AF274299	Brassica oleracea	AAF22256.1	AF161711	Pimpinella brachycarpa
			CAA78386.1	Z13996	Petunia x hybrida
SEQ ID NO. 2417			CAA67600.1	X99210	Lycopersicon esculentum
AAF61647.1	AF190634	Nicotiana tabacum	CAB43399.1	AJ006292	Antirrhinum majus
BAA89009.1	AB027455	Petunia x hybrida	CAA78387.1	Z13997	Petunia x hybrida
AAA59054.1	I34847	Zea mays	BAA88222.1	AB028650	Nicotiana tabacum
BAA93039.1	AB033758	Citrus unshiu	BAA88224.1	AB028652	Nicotiana tabacum
BAA36423.1	AB013598	Verbena x hybrida	BAA88221.1	AB028649	Nicotiana tabacum
BAA36421.1	AB013596	Perilla frutescens	CAA66952.1	X98308	Lycopersicon esculentum
AAF98390.1	AF287143	Brassica napus	AAG08962.1	AF122054	Solanum tuberosum
BAA36422.1	AB013597	Perilla frutescens	BAA88223.1	AB028651	Nicotiana tabacum
BAA83484.1	AB031274	Scutellaria baicalensis	AAB41101.1	U72762	Nicotiana tabacum
AAB36652.1	U32643	Nicotiana tabacum	AAF66731.1	AF146706	Petunia x hybrida
AAK28304.1	AF346432	Nicotiana tabacum	AAF66727.1	AF146702	Petunia x hybrida
AAD21086.1	AF127218	Forsythia x intermedia	AAF66729.1	AF146704	Petunia integrifolia
AAB36653.1	U32644	Nicotiana tabacum	AAF66728.1	AF146703	Petunia integrifolia
BAA12737.1	D85186	Gentiana triflora	AAF66732.1	AF146707	Petunia x hybrida
AAK28303.1	AF346431	Nicotiana tabacum	AAF66730.1	AF146705	Petunia x hybrida



AAF66734.1	AF146709	Petunia axillaris	AAA74017.1	U30475	Glycine max
AAF66733.1	AF146708	Petunia axillaris			
SEQ ID NO. 2421			SEQ ID NO. 2422		
AAF01764.2	AF184277	Glycine max	AAD17230.1	AF117339	Nicotiana tabacum
BAB18171.1	AB042769	Zinnia elegans	CAA09935.1	AJ012165	Capsicum annuum
BAA21017.1	D26578	Daucus carota	BAA33755.2	AB017480	Nicotiana tabacum
AAD37697.1	AF145728	Oryza sativa	AAK15322.1	AF332134	Chloroplast Medicago sativa
BAA05625.1	D26576	Daucus carota	CAA06853.1	AJ006095	Cicer arietinum
AAF01765.1	AF184278	Glycine max	BAA57906.1	AB001684	Chlorella vulgaris
BAA05623.1	D26574	Daucus carota			
BAA93465.1	AB028077	Physcomitrella patens	SEQ ID NO. 2423		
CAA64417.1	X94947	Lycopersicon esculentum	CAA55739.1	X79138	Nicotiana tabacum
BAA93461.1	AB028073	Physcomitrella patens	CAA55742.1	X79141	Nicotiana tabacum
BAA93464.1	AB028076	Physcomitrella patens	CAA55641.1	X79008	Nicotiana tabacum
BAA93466.1	AB028078	Physcomitrella patens	CAA55642.1	X79009	Nicotiana tabacum
BAA05624.1	D26575	Daucus carota	CAA55737.1	X79136	Nicotiana tabacum
BAA05622.1	D26573	Daucus carota	CAA55741.1	X79140	Nicotiana tabacum
BAA93467.1	AB028079	Physcomitrella patens	SEQ ID NO. 2431		
AAD37698.1	AF145729	Oryza sativa	AAB18669.1	U11716	Pisum sativum
BAA93460.1	AB028072	Physcomitrella patens	AAA33662.1	M18250	Pisum sativum
BAB18164.1	AB042762	Zinnia elegans	AAD25355.1	AF115574	Pisum sativum
BAA93468.1	AB028080	Physcomitrella patens			
AAD37699.1	AF145730	Oryza sativa	SEQ ID NO. 2442		
AAD38144.1	AF139497	Prunus armeniaca	AAC33475.1	AF082531	Pimpinella brachycarpa
AAA63768.2	AF339748	Helianthus annuus	AAF19968.1	AF207699	Elaeis guineensis
CAA62608.1	X91212	Lycopersicon esculentum	AAK21252.1	AF335239	Petunia x hybrida
BAA93463.1	AB028075	Physcomitrella patens	AAK21251.1	AF335238	Petunia x hybrida
CAA06717.1	AJ005820	Craterostigma plantagineum	CAA53782.1	X76188	Nicotiana tabacum
BAB18170.1	AB042768	Zinnia elegans	BAA81886.1	AB003328	Oryza sativa
CAA64221.1	X94449	Pimpinella brachycarpa	AAD38369.1	AF141965	Oryza sativa
CAA64491.1	X95193	Pimpinella brachycarpa	AAK21257.1	AF335244	Petunia x hybrida
CAA64152.1	X94375	Pimpinella brachycarpa	AAB41526.1	U25696	Sinapis alba
AAD37695.1	AF145726	Oryza sativa	AAK21253.1	AF335240	Petunia x hybrida
AAD37700.1	AF145731	Oryza sativa	AAG43199.1	AF112148	Zea mays
CAA06728.1	AJ005833	Craterostigma plantagineum	AAK21254.1	AF335241	Petunia x hybrida
CAA65456.2	X96681	Oryza sativa	AAB50187.1	U49734	Sorghum bicolor
AAK31270.1	AC079890	Oryza sativa	BAA85630.1	AB022665	Gnetum parvifolium
AAF19980.1	AF211193	Oryza sativa	CAA04322.1	AJ000760	Malus x domestica
AAD37696.1	AF145727	Oryza sativa	AAB58907.1	U76726	Pinus radiata
CAA63222.1	X92489	Glycine max	AAF22138.1	AF129875	Capsicum annuum

AAB64250.1	U78782	Oryza sativa	AAF63024.1	AF244921	Spinacia oleracea
AAD01266.1	AF006210	Pinus resinosa	CAA80502.1	Z22920	Spirodela polyrrhiza
CAB56800.1	AJ011675	Oryza sativa	AAD11481.1	U51191	Glycine max
AAK21249.1	AF335236	Petunia x hybrida	AAD11482.1	U51192	Glycine max
AAC97158.1	U69483	Picea mariana	CAA59487.1	X85230	Triticum aestivum
AAC97157.1	U69482	Picea mariana	CAC21393.1	AJ401276	Zea mays
AAC97146.1	U46582	Picea mariana	AAB97734.1	AF014502	Glycine max
AAC49817.1	U78892	Oryza sativa	AA71495.1	Y10469	Spinacia oleracea
AAB00078.1	L46397	Zea mays	CAAB48986.1	U16727	Medicago truncatula
AAD09342.1	AF023615	Pinus radiata	AAA98491.1	L36981	Petroselinum crispum
AAF04972.1	AF091458	Oryza sativa	AAA65637.1	L13654	Lycopersicon esculentum
AAF77579.1	AF072534	Capsicum annuum	AAA65636.1	L13653	Lycopersicon esculentum
CAB97353.1	AJ249145	Hordeum vulgare	AAF63027.1	AF244924	Spinacia oleracea
AAB00079.1	L46398	Zea mays	BAA92500.1	AP001383	Oryza sativa
AAD51423.1	U78950	Malus x domestica	CAA76374.2	Y16776	Spinacia oleracea
BAA33458.1	AB007505	Triticum aestivum	CAA62226.1	X90693	Medicago sativa
AAF21900.1	AF109153	Oryza sativa	CAA40796.1	X57564	Armoracia rusticana
			CAA71490.1	Y10464	Spinacia oleracea
SEQ ID NO. 2444			AAC49820.1	AF014469	Oryza sativa
AAD22975.1	AF126551	Solanum tuberosum subsp. tuberosum	BAA82306.1	AB027752	Nicotiana tabacum
CAA48638.1	X68678	Zea mays	CAA62597.1	X91172	Raphanus sativus
AAF65770.1	AF242312	Euphorbia esula	BAA77388.1	AB024438	Scutellaria baicalensis
AAC05639.1	AF052206	Chlamydomonas reinhardtii	CAA62225.1	X90692	Medicago sativa
AAG03106.1	AC073405	Oryza sativa	BAA92497.1	AP001383	Oryza sativa
BAA84791.1	AP000559	Oryza sativa	AAF65464.2	AF247700	Oryza sativa
			BAA92422.1	AP001366	Oryza sativa
SEQ ID NO. 2445			BAA01950.1	D11337	Vigna angularis
AAB71833.1	AF008568	Chlamydomonas reinhardtii	AAD37427.1	AF149277	Phaseolus vulgaris
AAA33858.1	M62757	Petroselinum crispum	AAB41812.1	L36158	Medicago sativa
AAA73483.1	U27348	Populus deltoides	BAA07664.1	D42065	Nicotiana tabacum
BAA21726.1	AB006187	Nicotiana tabacum	BAA96643.1	AP002482	Oryza sativa
CAAS9508.1	X85252	Cicer arietinum	CAA71491.1	Y10465	Spinacia oleracea
BAA08531.1	D49655	Hordeum vulgare	BAA94962.1	AB042103	Asparagus officinalis
			BAA03911.1	D16442	Oryza sativa
SEQ ID NO. 2446			AAA32676.1	M37637	Arachis hypogaea
CAA76376.1	Y16778	Spinacia oleracea	CAA09881.1	AJ011939	Trifolium repens
AAD11483.1	U51193	Glycine max	CAA71488.1	Y10462	Spinacia oleracea
AAD11484.1	U51194	Glycine max	AAB02926.1	U59284	Linum usitatissimum
BAA77387.1	AB024437	Scutellaria baicalensis	AAC49819.1	AF014468	Oryza sativa
BAA03644.1	D14997	Oryza sativa	CAA62615.1	X91232	Mercurialis annua
			AAC49821.1	AF014470	Oryza sativa

AAB67737.1	L77080	Stylosanthes humilis	BAA83472.1	AB004648	Oryza sativa
CAA71496.1	Y10470	Spinacia oleracea	CAA56844.1	X80876	Oryza sativa
SEQ ID NO. 2447			AAD28476.1	AF133838	Sandersonia aurantiaca
AAB71887.1	AF020791	Hordeum vulgare	EAA83473.1	AB004819	Oryza sativa
BAA05101.1	D26105	Hordeum vulgare	AAK27968.1	AF242372	Ipomoea batatas
BAA05102.1	D26106	Cucumis sativus	CAA84378.1	Z34895	Vicia sativa
BAB20760.1	AB037113	Cucumis sativus	AAC35211.1	U12637	Hemerocallis hybrid cultiv.
BAA22284.1	AB007120	Oryza sativa	AAD28477.1	AF133839	Sandersonia aurantiaca
CAA06705.1	AJ005802	Solanum tuberosum	BAA11170.1	D76415	Oryza sativa
AAK16728.1	AF332962	Chlamydomonas reinhardtii	AAD20453.1	AF099203	Oryza sativa
AAK16729.1	AF332963	Polytomella sp. 'Pringsheim	CAB38314.1	AJ131995	Carica papaya
198.80'			AAD53012.1	AF089849	Brassica napus
AAC84139.1	AF101426	Cichorium intybus	AAB37233.1	U34747	Phalaenopsis sp. SM9108
SEQ ID NO. 2448			SEQ ID NO. 2454		
AAA16209.1	M95747	Triticum aestivum	CAB55395.1	AL117264	Oryza sativa
AAA74724.1	M95746	Triticum aestivum	BAA93021.1	AP001552	Oryza sativa
			BAA92501.1	AP001383	Oryza sativa
			AAA17740.1	U08285	Nicotiana tabacum
SEQ ID NO. 2449			SEQ ID NO. 2455		
CAB17076.1	Z99954	Phaseolus vulgaris	AAF87216.1	AF231351	Nicotiana tabacum
BAA88898.1	AB020961	Zea mays	CAA67782.1	X99405	Nicotiana tabacum
CAA05894.1	AJ003137	Lycopersicon esculentum	AAB69317.1	AF012861	Petroselinum crispum
AAD48496.1	AF172856	Lycopersicon esculentum	CAB52708.1	AJ010712	Solanum tuberosum
CAB53515.1	AJ245924	Solanum tuberosum	CAB52685.1	AJ132346	Dunaliella bioculata
AAB88263.1	AF019147	Zea mays	CAA04994.1	AJ001772	Nicotiana tabacum
CAB17074.1	Z99952	Phaseolus vulgaris	CAA58775.1	X83923	Solanum tuberosum
CAA12118.1	AJ224766	Phaseolus vulgaris	CAA03941.1	AJ000184	Spinacia oleracea
AAB68374.1	U52970	Phaseolus vulgaris	CAA03939.1	AJ000182	Spinacia oleracea
AAA79915.1	U17135	Dianthus caryophyllus	CAA03940.1	AJ000183	Spinacia oleracea
CAA53377.1	X75749	Vicia sativa	AAB41552.1	U18238	Medicago sativa subsp. sativa
CAB16317.1	Z99173	Nicotiana tabacum	AAD11426.1	AF097663	Mesembryanthemum crystallinum
AAC49455.1	U41902	Pseudotsuga menziesii	AAB69319.1	AF012863	Petroselinum crispum
CAA57538.1	X82011	Cicer arietinum	CAA52442.1	X74421	Solanum tuberosum
AAB41816.1	U44947	Pisum sativum	AAB69318.1	AF012862	Petroselinum crispum
AAB70820.2	AF019145	Zea mays	BAA97662.1	AB029454	Triticum aestivum
AAB88262.1	AF019146	Zea mays	BAA97663.1	AB029455	Triticum aestivum
AAC62396.1	AF050756	Ricinus communis	CAA04993.1	AJ001770	Nicotiana tabacum
CAB09699.1	Z97023	Hordeum vulgare	CAA04992.1	AJ001769	Nicotiana tabacum
CAB09697.1	Z97021	Hordeum vulgare	BAA97664.1	AB029456	Triticum aestivum
AAD10337.1	U94591	Hordeum vulgare			

AAG23802.1	AF260736	Cucurbita pepo	CAA52787.1	X74783	Lithospermum erythrorhizon
CAB66330.1	AJ279688	Betula pendula	AAD09278.1	U97683	Glycine max
BAB2155.1	AB011441	Triticum aestivum	AAG43469.1	AF196964	Bixa orellana
CAA06200.1	AJ004900	Glycine max	BAA09705.1	D63389	Cucumis sativus
SEQ ID NO. 2456			AAB47161.1	S82272	Gossypium barbadense
CAA48611.1	X68652	Raphanus sativus	reductase, .	This	/gene="3-hydroxy-3-methylglutaryl coenzyme
CAA48610.1	X68651	Raphanus sativus	AAA33359.1	M74799	Hevea brasiliensis
AAC05089.1	AF038046	Gossypium hirsutum	AAC37432.1	L34825	Solanum tuberosum
AAA33108.1	M96068	Catharanthus roseus	AAC37434.1	L34827	Solanum tuberosum
AAB52551.1	U51985	Solanum tuberosum	AAC37431.1	L34823	Solanum tuberosum
AAB87727.1	U60452	Nicotiana tabacum	AAC37433.1	L34826	Solanum tuberosum
CAA70440.1	Y09238	Zea mays	AAC37435.1	L34828	Solanum tuberosum
CAA45181.1	X63649	Nicotiana sylvestris	AAC37436.1	L34829	Solanum tuberosum
AAD28179.1	AF110383	Capsicum annuum	SEQ ID NO. 2459		Plastid Oryza sativa
AAB52552.1	U51986	Solanum tuberosum	CAA33932.1	X15901	
BAA93631.1	AB022690	Solanum tuberosum	SEQ ID NO. 2460		Solanum tuberosum
AAB62581.1	U68072	Lycopersicon esculentum	CAA85362.1	Z36894	Zea mays
AAB69726.1	U72145	Camptotheca acuminata	AAB88618.1	AF034947	Oryza sativa
AAB53748.1	U95816	Oryza sativa	AAC78101.1	AF093629	Populus tremula x Populus
BAB20771.1	AB041031	Solanum tuberosum	AAD46520.1	AF149116	
AAB69727.1	U72146	Camptotheca acuminata	tremuloides		
AAD47596.1	AF142473	Artemisia annua	AAF27918.1	AF220202	Malus x domestica
AAA34169.1	M63642	Lycopersicon esculentum	CAA12415.1	AJ225172	Solanum tuberosum
AAA68966.1	U14625	Artemisia annua	AAC50012.1	AF009675	Hordeum vulgare var. distichum
AAA33358.1	M74798	Hevea brasiliensis	AAB82136.1	AF022733	Oryza sativa
AAA68965.1	U14624	Artemisia annua	SEQ ID NO. 2462		Nicotiana tabacum
AAD08820.1	U43961	Oryza sativa	BAA83711.1	AB014484	Medicago sativa
AAA33360.1	M74800	Hevea brasiliensis	AAF37579.1	AF235958	Zea mays
CAA92821.1	Z68504	Oryza sativa	CAA58117.1	X82943	Lycopersicon esculentum
AAC05088.1	AF038045	Gossypium hirsutum	CAA47868.1	X67599	Lycopersicon peruvianum
AAC15475.1	AF034760	Tagetes erecta	CAA47869.1	X67600	Lycopersicon peruvianum
AAC15476.1	AF034761	Tagetes erecta	CAA47870.1	X67601	Lycopersicon peruvianum
CAA38469.1	X54659	Hevea brasiliensis	AAF74563.1	AF208544	Lycopersicon peruvianum
CAA38467.1	X54657	Hevea brasiliensis	CAA87080.1	Z46956	Glycine max
AAD38873.1	AF110382	Oryza sativa	CAA87076.1	Z46952	Glycine max
AAA33040.1	L10390	Camptotheca acuminata	CAA39034.1	X55347	Lycopersicon peruvianum
AAD03789.1	U43711	Morus alba	BAA83710.1	AB014483	Nicotiana tabacum
AAC72378.1	AF096838	Solanum tuberosum			
AAB04043.1	L40938	Lycopersicon esculentum			
CAA38468.1	X54658	Hevea brasiliensis			

CAA87077.1	Z46953	Glycine max	SEQ ID NO. 2474	Zea mays
CAA09301.1	AJ010644	Pisum sativum	AAG13663.1	Pisum sativum
CAA87079.1	Z46955	Glycine max	BAB39155.1	Oryza sativa
CAA87075.1	Z46951	Glycine max	BAA90816.1	Zea mays
CAA09300.1	AJ010643	Pisum sativum	AAC98090.1	Pisum sativum
			BAB39156.1	Oryza sativa
			AAC98091.1	Oryza sativa
SEQ ID NO. 2463				
CAA50218.1	X70868	Cucurbita sp.	SEQ ID NO. 2475	Pisum sativum
CAA50217.1	X70867	Cucurbita sp.	CAA83655.1	Solanum tuberosum
CAA78100.1	Z12114	Zea mays	AAB02720.1	
AAA33450.1	L21007	Zea mays		
AAA33452.1	L21006	Zea mays		
AAA33451.1	L21008	Zea mays		
CAA77645.1	Z11546	Zea mays		
CAA78101.1	Z12115	Zea mays		
CAA81689.1	Z27165	Brassica napus	SEQ ID NO. 2479	Oryza sativa
AAB39827.1	U46136	Solanum tuberosum	AAB97366.1	
BAA92724.1	AF001389	Oryza sativa		
AAA66365.1	U21139	Chloroplast Pisum sativum	SEQ ID NO. 2485	Cucumis sativus
AAA32980.1	M35600	Brassica napus	BAA21089.1	Pisum sativum
AAA32979.1	M35599	Brassica napus	CAA44786.1	Daucus carota
CAA93139.1	Z68903	Secale cereale	AAF20949.1	Vigna radiata
CAA81736.1	Z27222	Brassica napus	AAF89208.1	Pinus mugo
AAC68501.1	AF030515	Canavalia lineata	AAC60560.2	Triticum aestivum
BAB16318.1	AB049590	Avicennia marina	CAA54042.1	Marchantia paleacea
AAB39828.1	U46137	Solanum tuberosum	BAA31693.1	Avena sativa
CAA89836.1	Z49766	Pseudotsuga menziesii	CAA34913.1	Lycopersicon esculentum
CAA09989.1	AJ012318	Glycine max	AAF82475.1	Pinus strobus
			AAB86734.1	Chlamydomonas reinhardtii
SEQ ID NO. 2467			AAB04951.1	Chloroplast Vigna radiata
BAA85440.1	AP000616	Oryza sativa	AAD20020.1	Lycopersicon esculentum
CAB53493.1	AJ245900	Oryza sativa	AAF82471.1	Pinus mugo
			AAC60561.2	Lycopersicon esculentum
SEQ ID NO. 2468			AAF82474.1	Pinus taeda
AAD22518.1	AF001136	Pinus radiata	AAB86728.1	Lycopersicon esculentum
BAA33205.1	AB001887	Oryza sativa	AAF82473.1	Lycopersicon esculentum
AAC35496.1	AF052690	Raphanus sativus	AAF82472.1	Pinus strobus
BAA33204.1	AB001886	Oryza sativa	AAB86733.1	Oryza sativa
BAA33200.1	AB001882	Oryza sativa	AAC78100.1	Medicago truncatula
BAA33206.1	AB001888	Oryza sativa	AAB05205.1	Medicago truncatula
BAA33202.1	AB001884	Oryza sativa	AAB05206.1	Cucumis sativus
			BAA83744.1	

[illegible]

CAA65244.1	X95997	Solanum tuberosum	BAA94516.1	AP001800	Oryza sativa
CAA57898.1	X82548	Hordeum vulgare	SEQ ID NO. 2509		
BAA13608.1	D88399	Oryza sativa	AAB48305.1	U79733	Beta procumbens
CAA08995.1	AJ010091	Brassica napus			
AAF19401.1	AF203479	Glycine max	SEQ ID NO. 2510		Oryza sativa
BAA05648.1	D26601	Nicotiana tabacum	CAA77988.1	Z11931	Oryza sativa
AAD23582.1	AF128443	Glycine max	CAA62918.1	X91808	Eleusine indica
AAD00239.1	U73938	Nicotiana tabacum	AAC05719.1	AF008122	Zea mays
AAG60195.1	AC084763	Oryza sativa	CAA44863.1	X63178	Hordeum vulgare
			CAA67942.1	X99623	Zea mays
SEQ ID NO. 2506			AAA16225.1	U05258	Hordeum vulgare
AAD50305.1	AF175385	Chlamydomonas reinhardtii	CAA44862.1	X63177	Zea mays
AAG17879.1	AF293406	Phaseolus coccineus	CAB77671.1	AJ133709	Miscanthus sinensis
CAA54255.1	X76932	Spinacia oleracea	CAA66075.1	X97446	Avena sativa
			CAB77672.1	AJ133710	Miscanthus sinensis
SEQ ID NO. 2508			CAA47635.1	X67162	Prunus dulcis
CAA73134.1	Y12531	Brassica oleracea	BAA03955.1	D16504	Chlorella vulgaris
AAB93834.1	U82481	Zea mays	AAA79910.1	U12589	Pisum sativum
CAA67145.1	X98520	Brassica oleracea	CAA48927.1	X69183	Anemia phyllitidis
CAA73133.1	Y12530	Brassica oleracea	CAB66336.1	AJ279695	Betula pendula
CAA74661.1	Y14285	Brassica oleracea	AAG02564.1	AY007250	Daucus carota
AAA62232.1	U00443	Brassica napus	CAA10663.1	AJ132399	Hordeum vulgare
BAA92836.1	AB032473	Brassica oleracea	CAA06618.1	AJ005598	Eleusine indica
CAB41878.1	Y18259	Brassica oleracea	AAC05717.1	AF008120	Eleusine indica
AAC23542.1	U20948	Ipomoea trifida	BAB19779.1	AB052822	Nicotiana tabacum
BAA23676.1	AB000970	Brassica rapa	CAA33734.1	X15704	Zea mays
CAB41879.1	Y18260	Brassica oleracea	CAA33733.1	X15704	Zea mays
AAA33000.1	M76647	Brassica oleracea	AAA99438.1	L24546	Volvox carteri
AAA33008.1	M97667	Brassica napus	CAA31326.1	X12846	Volvox carteri
CAB89179.1	AJ245479	Brassica napus subsp. napus	CAA69724.1	Y08490	Hordeum vulgare
CAA74662.1	Y14286	Brassica oleracea	CAA06619.1	AJ005599	Eleusine indica
BAA06285.1	D30049	Brassica rapa	AAA33095.1	M11447	Chlamydomonas reinhardtii
BAA21132.1	D88193	Brassica rapa	AAC05718.1	AF008121	Eleusine indica
BAA07577.2	D38564	Brassica rapa	AAB86648.1	AF032877	Chloromonas sp. ANT3
CAA79355.1	Z18921	Brassica oleracea	AAB86649.1	AF032876	Chloromonas sp. ANT1
BAA07576.1	D38563	Brassica rapa	AAD10486.1	U76558	Triticum aestivum
BAB21001.1	AB054061	Brassica rapa	AAG16905.1	AF182523	Oryza sativa
BAA92837.1	AF032474	Brassica oleracea	AAA33098.1	M11448	Chlamydomonas reinhardtii
AAD21872.1	AF078082	Phaseolus vulgaris	CAA62916.1	X91806	Oryza sativa
AAF34428.1	AF172282	Oryza sativa	CAA62917.1	X91807	Oryza sativa
AAD52097.1	AF088885	Nicotiana tabacum			

AAB08791.1	U40042	Hordeum vulgare	BAA96421.1	AB044084	Triticum aestivum
CAA44861.1	X63176	Zea mays	CAB40189.1	AJ133638	Avena sativa
AAA33518.1	M60171	Zea mays	CAA67575.1	X99134	Lycopersicon esculentum
AAB84298.1	AF030548	Oryza sativa	CAA78387.1	Z13997	Petunia x hybrida
BAA92148.1	AB038515	Chlorella ellipsoidea	CAA66952.1	X98308	Lycopersicon esculentum
AAB36609.1	U37794	Eucalyptus globulus subsp. bicosata	CAA78388.1	Z13998	Petunia x hybrida
CAA48928.1	X59184	Anemia phyllitidis	CAA72218.1	Y11415	Oryza sativa
AAD11425.1	AF097662	Mesembryanthemum crystallinum	BAA81736.1	AB029165	Glycine max
CAB76917.1	AJ276012	Hordeum vulgare	BAA81733.2	AB029162	Glycine max
CAA52158.1	X73980	Zea mays	BAA88224.1	AB028652	Nicotiana tabacum
BAA82638.1	D63137	Zinnia elegans	BAA23341.1	D88621	Oryza sativa
CAA38614.1	X54845	Pisum sativum	CAA50223.1	X70878	Hordeum vulgare
AAB64308.1	U63927	Daucus carota	BAA88222.1	AB028650	Nicotiana tabacum
AAA20186.1	I10633	Zea mays	CAA50226.1	X70881	Hordeum vulgare
SEQ ID NO. 2511			CAA72217.1	Y11414	Oryza sativa
AAC32114.1	AF051209	Picea mariana	BAA88221.1	AB028649	Nicotiana tabacum
SEQ ID NO. 2514			AAB41101.1	U72762	Nicotiana tabacum
BAA84780.1	AB018444	Oryza sativa	BAA88223.1	AB028651	Nicotiana tabacum
BAA84779.1	AB018443	Oryza sativa	BAB40790.1	AB058642	Lilium hybrid division I
SEQ ID NO. 2515			AAG28526.1	AF198499	Nicotiana tabacum
BAA85438.1	AF0000616	Oryza sativa	AAG28525.1	AF198498	Nicotiana tabacum
AAG43550.1	AF211532	Nicotiana tabacum	CAA72187.1	Y11352	Oryza sativa
BAA90357.1	AF001080	Oryza sativa	CAA78386.1	Z13996	Petunia x hybrida
SEQ ID NO. 2516			BAA81730.1	AB029159	Glycine max
AAF67053.1	AF190304	Adiantum raddianum	BAA81731.1	AB029160	Glycine max
AAF67052.1	AF190303	Adiantum raddianum	SEQ ID NO. 2518		
AAF67051.1	AF190302	Secale cereale	CAA62476.1	X90990	Solanum tuberosum
AAF67050.1	AF190301	Secale cereale	AAF66637.1	AF143505	Lycopersicon esculentum
AAG08959.1	AF122051	Solanum tuberosum	CAA66616.1	X97980	Solanum berthaultii
AAG08960.1	AF122052	Solanum tuberosum	BAA96593.1	AP002481	Oryza sativa
AAG08961.1	AF122053	Solanum tuberosum	AAA50304.1	M92989	Pisum sativum
AAF34434.1	AF172282	Oryza sativa	CAA82993.1	Z30332	Spinacia oleracea
CAA67000.1	X98355	Oryza sativa	CAA82994.1	Z30333	Mesembryanthemum crystallinum
AAG22863.1	AF008692	Hordeum vulgare	CAA82992.1	Z30331	Mesembryanthemum crystallinum
CAA61021.1	X87690	Hordeum vulgare	CAB82852.1	Z30329	Mesembryanthemum crystallinum
AAD31395.1	AF114162	Lolium temulentum	CAA50374.1	X71057	Nicotiana tabacum



AAB93859.1	U89678	Lycopersicon esculentum	AAC04837.1	AF032976	Oryza sativa
AAD50586.1	AF089100	Salvia columbariae	AAD43972.1	AF141879	Oryza sativa
AAD50587.1	AF089101	Salvia columbariae	AAG00427.1	AF250935	Hordeum vulgare
AAB93861.1	U89680	Lycopersicon esculentum	AAG00426.1	AF250934	Hordeum vulgare
AAB93860.1	U89679	Lycopersicon esculentum	BAA86880.1	AB028454	Barbula unguiculata
AAD50588.1	AF089102	Salvia columbariae	AAC25777.1	AF072694	Oryza sativa
AAD50589.1	AF089103	Salvia columbariae	BAA78563.1	AB024338	Atriplex lentiformis
AAB93862.1	U89681	Lycopersicon esculentum	AAA34270.1	M63223	Triticum aestivum
AAB93863.1	U89682	Lycopersicon esculentum	AAC04834.1	AF032973	Oryza sativa
SEQ ID NO. 2521			AAA34268.1	M21962	Triticum aestivum
CAA33924.1	X15901	Plastid Oryza sativa	AAG00428.1	AF250936	Hordeum vulgare
SEQ ID NO. 2522			AAA20245.1	U01963	Hordeum vulgare
BAA01181.1	D10335	Oryza sativa	AAA34271.1	M63224	Triticum aestivum
BAA01180.1	D10334	Oryza sativa	AAG00429.1	AF250937	Hordeum vulgare
BAA94761.1	AB041773	Oryza sativa	AAC99473.1	AF039201	Pinus caribaea
AAB68604.1	U82330	Prunus armeniaca	CAA71052.1	Y09917	Triticum aestivum
AAF23372.1	AF187063	Oryza sativa	AAA33030.1	M93041	Mesembryanthemum crystallinum
AAF23371.1	AF187062	Oryza sativa	AAC05146.1	AF049065	Pinus radiata
AAD41679.1	AF086603	Ceratopteris richardii	CAB65371.1	AJ250834	Pisum sativum
BAA85443.1	AP000616	Oryza sativa	CAB65370.1	AJ250833	Pisum sativum
SEQ ID NO. 2523			CAA71050.1	Y09915	Triticum aestivum
CAB65369.1	AJ250832	Pisum sativum	CAC34417.1	AJ311624	Pisum sativum
AAF03355.1	AF132671	Nicotiana plumbaginifolia	AAA86365.1	U21743	Brassica napus
AAC78470.1	AF067731	Solanum tuberosum	SEQ ID NO. 2524		
BAB39965.1	AP003018	Oryza sativa	CAA90681.1	Z50801	Zea mays
BAB39980.1	AP003020	Oryza sativa	AAC14566.1	AF058796	Oryza sativa
AAC04835.1	AF032974	Oryza sativa	AAD27878.1	AF139466	Vigna radiata
BAA25197.1	AB012138	Lycopersicon esculentum	CAA45523.1	X64198	Nicotiana tabacum
AAC04833.1	AF032972	Oryza sativa	AAA34140.1	M17633	Lycopersicon esculentum
AAC04832.1	AF032971	Oryza sativa	AAF23819.1	AF218305	Hordeum vulgare
CAB55394.1	ALI17264	Oryza sativa	AAA34186.1	J03558	Lycopersicon esculentum
AAB97470.1	AF042489	Oryza sativa	CAA41404.1	X58514	Pinus sylvestris
CAB55558.1	AJ237942	Triticum aestivum	CAA41405.1	X58515	Pinus sylvestris
AAG00425.1	AF250933	Hordeum vulgare	AAC67558.1	AF094776	Oryza sativa
CAA63659.1	X93171	Hordeum vulgare	CAA65042.1	X95727	Brassica juncea
CAB55559.1	AJ237943	Triticum aestivum	AAF44702.1	AF241524	Asarina barclaiana
AAD43973.1	AF141880	Oryza sativa	AAA64415.1	U23189	Zea mays
AAD43971.1	AF141878	Oryza sativa	AAA64414.1	U23188	Zea mays
			AAG28464.1	AF195794	Chlamydomonas reinhardtii
			CAA44777.1	X63052	Hordeum vulgare

[illegible]

AAA91022.1	U27081	Linum usitatissimum	CAA10175.1	AJ012798	Lycopersicon esculentum
AAG09954.1	AF175399	Glycine max	AAC77377.1	AF064786	Carica papaya
AAD25973.1	AF093646	Linum usitatissimum	CAA54525.1	X77319	Asparagus officinalis
CAC35327.1	AJ310152	Linum usitatissimum	AAC25984.1	AF020390	Lycopersicon esculentum
AAD25976.1	AF093649	Linum usitatissimum	CAA10173.1	AJ012796	Lycopersicon esculentum
AAG01051.1	AF175394	Glycine max	AAF70822.1	AF154421	Lycopersicon esculentum
CAC35336.1	AJ310161	Linum usitatissimum	CAA07236.1	AJ006771	Cicer arietinum
CAC35332.1	AJ310157	Linum usitatissimum	AAG12249.1	AF184080	Prunus armeniaca
CAC35328.1	AJ310153	Linum usitatissimum	CAA10064.1	AJ012578	Carica papaya
CAC35325.1	AJ310150	Linum usitatissimum	CAA06310.1	AJ005043	Cicer arietinum
AAK28810.1	AF310964	Linum usitatissimum	AAC28739.1	AF079874	Carica papaya
CAC35330.1	AJ310155	Linum usitatissimum	AAD45349.1	AF159124	Vitis vinifera
AAK28812.1	AF310968	Linum usitatissimum	SEQ ID NO. 2537		
CAC35326.1	AJ310151	Linum usitatissimum	AAD54821.1	AF137379	Chloroplast Nephroselmis
CAC35339.1	AJ310164	Linum usitatissimum	olivacea		
CAC35321.1	AJ310150	Linum usitatissimum	AAF43860.1	AF166114	Chloroplast Mesostigma viride
CAC35337.1	AJ310162	Linum usitatissimum	AAA18546.1	M94204	Nicotiana tabacum
CAC35329.1	AJ310154	Linum usitatissimum	CAA74893.1	Y14561	Pisum sativum
CAC35334.1	AJ310159	Linum usitatissimum	AAK08141.1	AF234537	Pelargonium graveolens
CAC35338.1	AJ310163	Linum usitatissimum	AAF15312.1	AF145053	Oryza sativa
CAC35333.1	AJ310158	Linum usitatissimum	AAG32661.1	AF264877	Zea mays
AAK28806.1	AF310960	Linum usitatissimum	CAA75382.1	Y15108	Glycine max
AAK28811.1	AF310966	Linum usitatissimum	SEQ ID NO. 2539		
AAK28809.1	AF310962	Linum usitatissimum	BAA07280.1	D38091	Triticum aestivum
AAK28803.1	AF310958	Linum usitatissimum	BAA07278.1	D38089	Triticum aestivum
AAK28804.1	AF310959	Linum usitatissimum	CAA64356.1	X94693	Triticum aestivum
AAK28808.1	AF310961	Linum usitatissimum	AAB66346.1	AF013803	Pinus taeda
AAK28805.1	AF310960	Linum usitatissimum	CAA48030.1	X67819	Picea abies
SEQ ID NO. 2536			AAA34249.1	M31922	Volvox carteri
AAF67342.1	AF229795	Vigna radiata	AAA34247.1	M31921	Volvox carteri
AAF67341.1	AF229794	Vigna radiata	AAA98453.1	U16726	Chlamydomonas reinhardtii
BAB21492.1	AB046543	Pyrus pyrifolia	CAA07234.1	AJ006768	Cicer arietinum
CAA10128.1	AJ012687	Cicer arietinum	AAA98451.1	U16725	Chlamydomonas reinhardtii
CAA10174.1	AJ012797	Lycopersicon esculentum	AAA98447.1	U16724	Chlamydomonas reinhardtii
AAF21626.1	AF023847	Lycopersicon esculentum	AAF65769.1	AF242311	Euphorbia esula
CAA09457.1	AJ011010	Cicer arietinum	AAB04687.1	U08225	Zea mays
CAA59162.1	X84684	Brassica oleracea	CAA37828.1	X53831	Petroselinum crispum
CAA06309.1	AJ005042	Cicer arietinum	BAA85117.1	AB018242	Solanum melongena
AAF70821.1	AF154420	Lycopersicon esculentum	BAA07276.1	D38087	Triticum aestivum
AAB61470.1	AF004812	Mangifera indica			

BAA07279.1	D38090	Triticum aestivum	AAF63027.1	AF244924	Spinacia oleracea
BAA07277.1	D38088	Triticum aestivum	AAF63026.1	AF244923	Spinacia oleracea
AAA86947.1	U10041	Pisum sativum	BAA94962.1	AB042103	Asparagus officinalis
CAA64423.1	X94973	Triticum aestivum	BAA92500.1	AP001383	Oryza sativa
CAB53509.1	AJ245999	Brassica napus	AAF63025.1	AF244922	Spinacia oleracea
CAA65069.1	X95763	Allium cepa	CAA62615.1	X91232	Mercurialis annua
AAF07182.1	AF193345	Oryza sativa	BAA92422.1	AP001366	Oryza sativa
BAA96096.1	AB003781	Lilium longiflorum	BAA92497.1	AP001383	Oryza sativa
BAA96097.1	AB003782	Lilium longiflorum	CAB65334.1	AJ250121	Picea abies
CAB40356.1	AJ010974	Lilium longiflorum	CAA66037.1	X97351	Populus balsamifera subsp.
SEQ ID NO. 2541			trichocarpa		
AAD26942.1	AF119050	Datisca glomerata	AAD43561.1	AF155124	Gossypium hirsutum
BAA05079.1	D26086	Petunia x hybrida	BAA82306.1	AB027752	Nicotiana tabacum
AAC06243.1	AF053077	Nicotiana tabacum	BAA06335.1	D30653	Populus kitakamiensis
BAA05077.1	D26084	Petunia x hybrida	CAA62226.1	X90693	Medicago sativa
BAA05076.1	D26083	Petunia x hybrida	CAB94692.1	AJ242742	Ipomoea batatas
AAB53260.1	U76554	Petunia x hybrida	AAD37430.1	AF149280	Phaseolus vulgaris
BAA05078.1	D26085	Brassica rapa	CAA62227.1	X90694	Medicago sativa
AAB53261.1	U76555	Petunia x hybrida	BAA07241.1	D38051	Populus kitakamiensis
AAK01713.1	AF332876	Brassica rapa	BAA77389.1	AB024439	Scutellaria baicalensis
BAA21920.1	AB006598	Oryza sativa	BAA14143.1	D90115	Armoracia rusticana
BAA21922.1	AB006600	Petunia x hybrida	BAA06334.1	D30652	Populus kitakamiensis
BAA19112.1	AB000453	Petunia x hybrida	CAA71492.1	Y10466	Spinacia oleracea
BAA21927.1	AB006605	Petunia x hybrida	AAB02554.1	L37790	Stylosanthes humilis
BAA96071.1	AB035133	Petunia x hybrida	AAD37427.1	AF149277	Phaseolus vulgaris
BAA96070.1	AB035132	Petunia x hybrida	CAA66034.1	X97348	Populus balsamifera subsp.
BAA21919.1	AB006597	Petunia x hybrida	trichocarpa		
BAA19114.1	AB000455	Petunia x hybrida	AAB97734.1	AF014502	Glycine max
BAA21921.1	AB006599	Petunia x hybrida	AAC05277.1	AF049881	Linum usitatissimum
BAA21928.1	AB006606	Petunia x hybrida	AAC49819.1	AF014468	Oryza sativa
BAA21925.1	AB006603	Petunia x hybrida	AAC98519.1	AF007211	Glycine max
BAA19111.1	AB000452	Petunia x hybrida	BAA11853.1	D83225	Populus nigra
BAA19926.1	AB000456	Petunia x hybrida	CAA59487.1	X85230	Triticum aestivum
BAA21924.1	AB006602	Petunia x hybrida	AAB41811.1	L36157	Medicago sativa
BAA21923.1	AB006601	Petunia x hybrida	BAA11852.1	D83224	Populus nigra
BAA21926.1	AB006604	Petunia x hybrida	CAA59485.1	X85228	Triticum aestivum
BAA19110.1	AB000451	Petunia x hybrida	CAA66036.1	X97350	Populus balsamifera subsp.
BAA19113.1	AB000454	Petunia x hybrida	trichocarpa		
SEQ ID NO. 2545			CAA62225.1	X90692	Medicago sativa
			AAB41810.1	L36156	Medicago sativa

CAB55395.1	AL117264	Oryza sativa
SEQ ID NO. 2550		
BAB41080.1	AB052729	Pisum sativum
AAA34054.1	M96432	Nicotiana tabacum
AAA34085.1	M93436	Nicotiana tabacum
SEQ ID NO. 2551		
CAA10494.1	AJ131733	Pseudotsuga menziesii
AAA64427.1	I29077	Pisum sativum
AAA34125.1	L23762	Lycopersicon esculentum
AAB88617.1	AF034946	Zea mays
AAD51109.1	AF176040	Mesembryanthemum crystallinum
CAA51821.1	X73419	Lycopersicon esculentum
AAC12662.1	AF032468	Zea mays
CAA05772.1	AJ002959	Zea mays
BAA90392.1	AP001081	Oryza sativa
BAB40310.1	AB026055	Nicotiana tabacum
AAF73016.1	AF262934	Avicennia marina
BAB40311.1	AB026056	Nicotiana tabacum
AAA34310.1	M62720	Triticum aestivum
AAB02168.1	U15971	Oryza sativa
AAD42941.1	AF091621	Catharanthus roseus
AAA86089.1	U17250	Brassica oleracea
CAA58111.1	X82938	Lycopersicon esculentum
AAB63513.1	AF008910	Prunus armeniaca
BAA21006.1	D17786	Oryza sativa
AAF22280.1	AF165420	Mesembryanthemum crystallinum
AAC32141.1	AF051240	Picea mariana
SEQ ID NO. 2552		
AAG43405.1	AF172931	Picea abies
AAB37230.1	U34743	Phalaenopsis sp. SM9108
CAB51059.1	Y17898	Zea mays
AAK19610.1	AF336277	Gossypium hirsutum
AAD38144.1	AF139497	Prunus armeniaca
AAAB63768.2	AF339748	Helianthus annuus
CAA64491.1	X95193	Pimpinella brachycarpa
CBA64221.1	X94449	Pimpinella brachycarpa
CAA64152.1	X94375	Pimpinella brachycarpa
BAA93462.1	AB028074	Physcomitrella patens

[illegible]

AAG32468.1	AF308589	Ceratopteris richardii	CAB08441.1	Z95153	Helianthus annuus
CAA72193.1	Y11348	Medicago sativa	CAA42222.1	X59701	Helianthus annuus
AAG32467.1	AF308588	Ceratopteris richardii	BAA33062.1	AB017273	Cuscuta japonica
CAA06492.1	AJ005347	Cicer arietinum	AAB63310.1	U46544	Helianthus annuus
AAA73894.1	L41393	Malus x domestica	AAF34133.1	AF161179	Malus x domestica
			AAA33671.1	M33900	Pisum sativum
SEQ ID NO. 2557			AAB72109.1	AF022217	Brassica rapa
AAC79430.1	AF067961	Malus x domestica	AAB63311.1	U46545	Helianthus annuus
AAF01765.1	AF184278	Glycine max	CAA41546.1	X58710	Medicago sativa
AAD37698.1	AF145729	Oryza sativa	AAD49336.1	AF166277	Nicotiana tabacum
AAD37695.1	AF145726	Oryza sativa	AAC39360.1	U63631	Fragaria x ananassa
BAA93466.1	AB028078	Physcomitrella patens	CAA37848.1	X53852	Daucus carota
CAA64491.1	X95193	Pimpinella brachycarpa	AAA61632.1	U08601	Papaver somniferum
CAA64152.1	X94375	Pimpinella brachycarpa	AAC39360.1	X53852	Papaver somniferum
BAA93467.1	AB028079	Physcomitrella patens	CAA63903.1	X94193	Pennisetum glaucum
AAK31270.1	AC079890	Oryza sativa	CAA37864.1	X53870	Chenopodium rubrum
AAF19980.1	AF211193	Oryza sativa	CAB36910.1	AJ000691	Quercus suber
CAA06728.1	AJ005833	Craterostigma plantagineum	AAA33910.1	M80939	Oryza sativa
CAA65456.2	X96681	Oryza sativa	CAA08908.1	AJ009880	Castanea sativa
BAA05625.1	D26576	Daucus carota	AAA33909.1	M80938	Oryza sativa
BAA93462.1	AB028074	Physcomitrella patens	CAA43210.1	X60820	Oryza sativa
AAD37700.1	AF145731	Oryza sativa	AAC78392.1	U83669	Oryza sativa
CAB67118.1	Y17306	Lycopersicon esculentum	CAA63902.1	X94192	Pennisetum glaucum
BAA93464.1	AB028076	Physcomitrella patens	BAA02160.1	D12635	Oryza sativa
BAA21017.1	D26578	Daucus carota	CAA63901.1	X94191	Pennisetum glaucum
CAA64221.1	X94449	Pimpinella brachycarpa	CAA46641.1	X65725	Zea mays
BAA93463.1	AB028075	Physcomitrella patens	AAB39856.1	U81385	Oryza sativa
			CAA63570.1	X92983	Pseudotsuga menziesii
SEQ ID NO. 2558			AAC78394.1	U83671	Oryza sativa
AAB03893.1	M11318	Glycine max	CAA63571.1	X92984	Pseudotsuga menziesii
CAA41547.1	X58711	Medicago sativa	AAC78393.1	U83670	Oryza sativa
AAD30454.1	AF123257	Lycopersicon esculentum	CAA31785.1	X13431	Triticum aestivum
CAA25578.1	X01104	Glycine max	SEQ ID NO. 2559		
AAA33975.1	M11395	Glycine max	AAD37427.1	AF149277	Phaseolus vulgaris
AAD30452.1	AF123255	Lycopersicon esculentum	BAA94962.1	AB042103	Asparagus officinalis
AAA33672.1	M33899	Pisum sativum	BAA77388.1	AB024438	Scutellaria baicalensis
CAA39603.1	X56138	Lycopersicon esculentum	BAA92500.1	AF001383	Oryza sativa
AAD30453.1	AF123256	Lycopersicon esculentum	CAA66037.1	X97351	Populus balsamifera subsp.
AAA33974.1	M11317	Glycine max	trichocarpa		
CAA37847.1	X53851	Daucus carota	BAA82306.1	AB027752	Nicotiana tabacum
CAB55634.2	AJ237596	Helianthus annuus	BAA92497.1	AP001383	Oryza sativa

BAA92422.1	AP001366	Oryza sativa	CAA62597.1	X91172	Raphanus sativus
AAC98519.1	AF007211	Glycine max	CAA71492.1	Y10466	Spinacia oleracea
BAA11853.1	D83225	Populus nigra	SEQ ID NO. 2560		
CAA62227.1	X90694	Medicago sativa	BAA03763.1	D16247	Nicotiana sylvestris
AAF63027.1	AF244924	Spinacia oleracea	AAF75791.1	AF271892	Pisum sativum
AAC49819.1	AF014468	Oryza sativa	AAF40306.1	AF156667	Vigna radiata
CAA62226.1	X90693	Medicago sativa	CAA68193.1	X99937	Spinacia oleracea
AAF63025.1	AF244922	Spinacia oleracea	AAD20980.1	AF079782	Zea mays
BAA77389.1	AB024439	Scutellaria baicalensis	BAA95705.1	AB042644	Oryza sativa
AAB48184.1	L24120	Linum usitatissimum	BAA95704.1	AB042643	Oryza sativa
CAA62615.1	X91232	Mercurialis annua	SEQ ID NO. 2561		
AAB06183.1	M37636	Arachis hypogaea	AAF36491.1	AF129479	Hordeum vulgare
AAD43561.1	AF155124	Gossypium hirsutum	BAB32442.1	AB055629	Phragmites australis
AAB02554.1	L37790	Stylosanthes humilis	BAB32445.1	AB055632	Phragmites australis
CAB94692.1	AJ242742	Ipomoea batatas	BAB32443.1	AB055630	Phragmites australis
AAF63026.1	AF244923	Spinacia oleracea	BAB32444.1	AB055631	Phragmites australis
CAA40796.1	X57564	Armoracia rusticana	AAF36497.1	AF129485	Oryza sativa
CAA71491.1	Y10465	Spinacia oleracea	AAF36496.1	AF129484	Hordeum vulgare
CAB55334.1	AJ250121	Picea abies	CAC15061.1	AJ300161	Hordeum vulgare
CAA59487.1	X85230	Triticum aestivum	AAF36492.1	AF129480	Hordeum vulgare
AAA34050.1	M74103	Nicotiana sylvestris	SEQ ID NO. 2564		
AAC49821.1	AF014470	Oryza sativa	BAA92965.1	AP001551	Oryza sativa
BAA03911.1	D16442	Oryza sativa	SEQ ID NO. 2569		
CAA66034.1	X97348	Populus balsamifera subsp.	AAD21872.1	AF078082	Phaseolus vulgaris
trichocarpa			AAC23542.1	U20948	Ipomoea trifida
BAA06335.1	D30653	Populus kitakamiensis	CAA73134.1	Y12531	Brassica oleracea
AAB97734.1	AF014502	Glycine max	CAB41879.1	Y18260	Brassica oleracea
CAA71493.1	Y10467	Spinacia oleracea	CAA74661.1	Y14285	Brassica oleracea
AAB41810.1	L36156	Medicago sativa	CAB41878.1	Y18259	Brassica oleracea
AAB97853.1	AF043234	Striga asiatica	AAB93834.1	U82481	Zea mays
BAA92967.1	AP001551	Oryza sativa	CAA73133.1	Y12530	Brassica oleracea
AAB47602.1	L07554	Linum usitatissimum	CAA67145.1	X98520	Brassica oleracea
BAA06334.1	D30652	Populus kitakamiensis	AAA33000.1	M76647	Brassica oleracea
AAC49818.1	AF014467	Oryza sativa	CAA74662.1	Y14286	Brassica oleracea
BAA11852.1	D83224	Populus nigra	BAA23676.1	AB000970	Brassica rapa
CAA66035.1	X97349	Populus balsamifera subsp.	BAA92836.1	AB032473	Brassica oleracea
trichocarpa			CAB89179.1	AJ245479	Brassica napus subsp. napus
CAA62225.1	X90692	Medicago sativa			
BAA14144.1	D90116	Armoracia rusticana			
BAA07241.1	D38051	Populus kitakamiensis			
CAA46916.1	X66125	Oryza sativa			



AAA33008.1	M97667	Brassica napus	BAA92500.1	AP001383	Oryza sativa
CAA79355.1	Z18921	Brassica oleracea	CAA62228.1	X90695	Medicago sativa
BAA21132.1	D88193	Brassica rapa	CAA40796.1	X57564	Armoracia rusticana
AAA62232.1	U00443	Brassica napus	AAD43561.1	AF155124	Gossypium hirsutum
BAA06285.1	D30049	Brassica rapa	CAA62615.1	X91232	Mercurialis annua
BAA92837.1	AB032474	Brassica oleracea	AAA65637.1	L13654	Lycopersicon esculentum
BAA07576.1	D38563	Brassica rapa	BAA14143.1	D90115	Armoracia rusticana
BAA07577.2	D38564	Brassica rapa	BAA01877.1	D11102	Populus kitakamiensis
BAB21001.1	AB054061	Brassica rapa	AAF63025.1	AF244922	Spinacia oleracea
AAD52097.1	AF088885	Nicotiana tabacum	CAB94692.1	AJ242742	Ipomoea batatas
AAK21965.1	AY028699	Brassica napus	CAA76374.2	Y16776	Spinacia oleracea
AAA33915.1	L27821	Oryza sativa	AAB47602.1	L07554	Linum usitatissimum
BAA94509.1	AB041503	Populus nigra	AAB97734.1	AF014502	Glycine max
CAB51836.1	AJ243961	Oryza sativa	AAF63026.1	AF244923	Spinacia oleracea
AAG16628.1	AY007545	Brassica napus	CAB65334.1	AJ250121	Picea abies
BAA94510.1	AB041504	Populus nigra	AAA65636.1	L13653	Lycopersicon esculentum
AAG03090.1	AC073405	Oryza sativa	CAA66037.1	X97351	Populus balsamifera subsp.
			trichocarpa		
SEQ ID NO. 2570			BAA11853.1	D83225	Populus nigra
AAD11483.1	U51193	Glycine max	BAA01950.1	D11337	Vigna angularis
AAD11484.1	U51194	Glycine max	CAA80502.1	Z22920	Spirodela polyrrhiza
CAA76376.1	Y16778	Spinacia oleracea	AAA98491.1	L36981	Petroselinum crispum
CAC21393.1	AJ401276	Zea mays	CAA66034.1	X97348	Populus balsamifera subsp.
AAF63027.1	AF244924	Spinacia oleracea	trichocarpa		
AAA32676.1	N37637	Arachis hypogaea	CAC21391.1	AJ401274	Zea mays
CAA71495.1	Y10469	Spinacia oleracea	CAA71490.1	Y10464	Spinacia oleracea
BAA77387.1	AB024437	Scutellaria baicalensis			
BAA03644.1	D14997	Oryza sativa	SEQ ID NO. 2575		
BAA94962.1	AB042103	Asparagus officinalis	AAD17487.1	AF049347	Berberis stolonifera
CAA09881.1	AJ011939	Trifolium repens	AAB20352.1	S65550	Eschscholzia californica
CAA64413.1	X94943	Lycopersicon esculentum	AAC39358.1	AF005655	Eschscholzia californica
AAF63024.1	AF244921	Spinacia oleracea	AAC61839.1	AF025430	Papaver somniferum
BAA07664.1	D42065	Nicotiana tabacum			
BAA07663.1	D42064	Nicotiana tabacum	SEQ ID NO. 2577		
AAD11482.1	U51192	Glycine max	BAA76896.1	AB022687	Lycopersicon esculentum
BAA92497.1	AF001383	Oryza sativa	AAF97517.1	AF250047	Zea mays
BAA92422.1	AF001366	Oryza sativa	BAA76895.1	AB022686	Lycopersicon esculentum
AAD11481.1	U51191	Glycine max			
AAB48986.1	U16727	Medicago truncatula	SEQ ID NO. 2578		
AAB67737.1	L77080	Stylosanthes humilis	AAD21872.1	AF078082	Phaseolus vulgaris
AAB41812.1	L36158	Medicago sativa	AAB93834.1	U82481	Zea mays

CAA73134.1	Y12531	Brassica oleracea	CAB89179.1	AJ245479	Brassica napus subsp. napus
AAC23542.1	U20948	Ipomoea trifida	CAA74661.1	Y14285	Brassica oleracea
CAA67145.1	X98520	Brassica oleracea	BAA23676.1	AB000970	Brassica rapa
CAA73133.1	Y12530	Brassica oleracea	BAA06285.1	D30049	Brassica rapa
BAA23676.1	AB000970	Brassica rapa	BAA21132.1	D88193	Brassica rapa
CAB41879.1	Y18260	Brassica oleracea	AAA62232.1	U00443	Brassica napus
CAB41878.1	Y18259	Brassica oleracea	CAA79355.1	Z18921	Brassica oleracea
CAA74662.1	Y14286	Brassica oleracea	CAA74662.1	Y14286	Brassica oleracea
CAA74661.1	Y14285	Brassica oleracea	BAA92837.1	AB032474	Brassica oleracea
BAA06285.1	D30049	Brassica rapa	BAA07577.2	D38564	Brassica rapa
BAA21132.1	D88193	Brassica rapa	BAA07576.1	D38563	Brassica rapa
BAA92836.1	AB032473	Brassica oleracea	BAB21001.1	AB054061	Brassica rapa
CAA79355.1	Z18921	Brassica oleracea	AAD52097.1	AF088885	Nicotiana tabacum
AAA33000.1	M76647	Brassica oleracea	AAK21965.1	AY028699	Brassica napus
AAA62232.1	U00443	Brassica napus	AG03090.1	AC073405	Oryza sativa
AAA33008.1	M97667	Brassica napus	AAA33915.1	I27821	Oryza sativa
CAB89179.1	AJ245479	Brassica napus subsp. napus	AAG16628.1	AY007545	Brassica napus
AAD52097.1	AF088885	Nicotiana tabacum	BAA94510.1	AB041504	Populus nigra
BAA92837.1	AB032474	Brassica oleracea	BAA94509.1	AB041503	Populus nigra
BAB21001.1	AB054061	Brassica rapa	CAA79324.1	Z18884	Brassica oleracea
BAA07576.1	D38563	Brassica rapa			
BAA07577.2	D38564	Brassica rapa	SEQ ID NO.	2580	
CAA79324.1	Z18884	Brassica oleracea	AAB60276.1	U09989	Zea mays
AAK21965.1	AY028699	Brassica napus	AAB41898.1	U84891	Mesembryanthemum crystallinum
CAB51836.1	AJ243961	Oryza sativa	BAA08134.1	D45189	Zostera marina
AAA33915.1	I27821	Oryza sativa	AAG28435.1	AF195028	Glycine max
BAA92954.1	AF001551	Oryza sativa	BAA06629.1	D31843	Oryza sativa
AAF66615.1	AF142596	Nicotiana tabacum	AAD46188.1	AF156691	Nicotiana plumbaginifolia
			AAB84202.2	AF029256	Kosteletzkyia virginica
			CAB69823.1	AJ271438	Prunus persica
			CAC29436.1	AJ310524	Vicia faba
			CAA54045.1	X76535	Solanum tuberosum
			CAA47275.1	X66737	Nicotiana plumbaginifolia
			AAB17186.1	U72148	Lycopersicon esculentum
			AAB35314.2	S79323	Vicia faba
			BAA37150.1	AB022442	Vicia faba
			AAA34098.1	M80490	Nicotiana plumbaginifolia
			CAB69824.1	AJ271439	Prunus persica
			AAD46186.1	AF156679	Nicotiana plumbaginifolia
			AAA34094.1	M80489	Nicotiana plumbaginifolia
			BAA01058.1	D10207	Oryza sativa
</					

AAK31799.1	AY029190	Lilium longiflorum	BAA86059.1	AB014456	Pyrus pyrifolia
AAA34173.1	M60166	Lycopersicon esculentum	AAC49926.1	AF000975	Medicago sativa
CAC29435.1	AJ310523	Vicia faba	AAD38189.1	AF154917	Ocimum basilicum
AAF98344.1	AF275745	Lycopersicon esculentum	AAA18532.1	L14063	Zea mays
AAD55399.1	AF179442	Lycopersicon esculentum	AAC49928.1	U97125	Medicago sativa
CAA59800.1	X85805	Zea mays	AAC49927.1	AF000976	Medicago sativa
CAA54046.1	X76536	Solanum tuberosum	AAD38190.1	AF154918	Ocimum basilicum
AAA34052.1	M27888	Nicotiana glauca	AAD29842.1	AF064694	Thalictrum tuberosum
CAA63790.1	X93592	Dunaliella bioculata	AAD29844.1	AF064696	Thalictrum tuberosum
AAB49042.1	U54690	Dunaliella acidophila	AAD29841.1	AF064693	Thalictrum tuberosum
CAA59799.1	X85804	Phaseolus vulgaris	AAC49856.1	U69554	Pisum sativum
BAA90510.2	AP001111	Oryza sativa	AAG43822.1	AF212316	Capsicum annuum
AAA34138.1	M96324	Lycopersicon esculentum	CAA52461.1	X74452	Nicotiana tabacum
AAD11617.1	AF050495	Lycopersicon esculentum	AAD29845.1	AF064697	Thalictrum tuberosum
CAA52107.1	X73901	Dunaliella bioculata	CAA52462.1	X74453	Nicotiana tabacum
AAD11618.1	AF050496	Lycopersicon esculentum	BAA08559.1	D49711	Populus kitakamiensis
AAD31896.1	AF145478	Mesembryanthemum crystallinum	AAB61731.1	U13171	Populus tremuloides
AAG28436.1	AF195029	Glycine max	CAA44006.1	X62096	Populus tremuloides
CAA68234.1	X99972	Brassica oleracea	AAC17455.1	U83789	Capsicum annuum
AAB58910.1	U82966	Oryza sativa	AAD29843.1	AF064695	Thalictrum tuberosum
AAA34099.1	M80491	Nicotiana glauca	AAB68049.1	U50522	Populus tremuloides
AAA20600.1	U08984	Zea mays	AAC01533.1	U86760	Clarkia breweri
AAA20601.1	U08985	Zea mays	AAF60951.1	M73431	Populus x generosa
AAG01028.1	AF289025	Cucumis sativus	AAF63200.1	AF237777	Populus tomentosa
SEQ ID NO. 2581			BAA08558.1	D49710	Populus kitakamiensis
AAF70507.1	AF259801	Lycopersicon esculentum	CAA52814.1	X74814	Eucalyptus gunnii
AAC27714.1	AF076954	Zea mays	AAB71141.1	AF006009	Clarkia breweri
CAA78262.1	Z12616	Triticum aestivum	CAA54616.1	X77467	Hordeum vulgare
AAA34295.1	M95818	Triticum aestivum	AAB46623.1	M63853	Medicago sativa
AAA34296.1	M95819	Triticum aestivum	AAC78475.1	AF081214	Capsicum chinense
AAC27715.1	AF076955	Zea mays	CAA58218.1	X83217	Prunus dulcis
SEQ ID NO. 2582			AAA86718.1	U19911	Prunus dulcis
AAC49708.1	U39301	Pinus taeda	CAA13175.1	AJ231133	Saccharum officinarum
AAB09044.1	U70873	Pinus radiata	AAD10485.1	U76384	Triticum aestivum
AAD24001.1	AF119225	Pinus radiata	AAD48913.1	AF139533	Liquidambar styraciflua
AAB71213.1	U82011	Pinus armeniacae	AAC18623.1	AF010291	Lolium perenne
BAB08005.1	D29812	Coptis japonica	AAF44672.1	AF239740	Vitis vinifera
BAB08004.1	D29811	Coptis japonica	AAD50439.1	AF168776	Eucalyptus globulus
CAA11131.1	AJ223151	Prunus dulcis	AAF28353.1	AF220491	Fragaria x ananassa
			AAB03364.1	M73235	Zea mays
			AAA80579.1	U16794	Chrysosplenium americanum

SEQ ID NO. 2590	Lycopersicon esculentum	BAB17300.1	AB042260	Zea mays
AAC78591.1	Lycopersicon esculentum	BAB20582.1	AB042269	Zea mays
AAC78596.1	Lycopersicon esculentum	AAF32350.1	AF219972	Mesembryanthemum crystallin
AAC78593.1	Lycopersicon esculentum	BAA75253.1	AB004882	Zea mays
AAC78595.1	Lycopersicon esculentum	BAA85112.1	AB031011	Zea mays
AAC78597.1	Lycopersicon esculentum	SEQ ID NO. 2596		
AAC78594.1	Lycopersicon esculentum	AAD03693.1	AF084554	Brassica napus
CAA05276.1	Lycopersicon pimpinellifolium	CAA10372.1	AJ131455	Platid Solanum demissum
AAC78594.1	Lycopersicon pimpinellifolium	CAA50750.1	X71952	Capsicum annuum
CAA05279.1	Lycopersicon esculentum	SEQ ID NO. 2597		
CAA05268.1	Lycopersicon hirsutum	AAG28600.1	AF247134	Limnanthes douglasii
CAA05274.1	Lycopersicon pimpinellifolium	AAC49186.1	U37088	Simmondsia chinensis
AAA65235.1	Lycopersicon pimpinellifolium	AAA96054.1	U50771	Brassica napus
BAB08215.1	Oryza sativa	AAB72178.1	AF009563	Brassica napus
BAA96776.1	Oryza sativa	AAK11266.1	AF333040	Dunaliella salina
AAD50430.1	Hordeum vulgare	CAC17746.1	AJ291728	Zea mays
CAB55409.1	Oryza sativa	AAC25110.1	AF054498	Brassica napus
SEQ ID NO. 2592	Lycopersicon pennellii	AAC25109.1	AF054497	Brassica napus
AAB61598.1	Nicotiana tabacum	AAC25112.1	AF054500	Brassica oleracea
SEQ ID NO. 2593	Vigna aconitifolia	AAC25111.1	AF054499	Brassica rapa
AAK14408.1		SEQ ID NO. 2598		
AAC37400.1		BAA96751.1	AF002521	Oryza sativa
SEQ ID NO. 2594	Pisum sativum	AAF74345.1	AF150627	Cucurbita moschata
AAC16330.1	Nicotiana tabacum	CAA80364.1	Z22647	Cucurbita maxima
BAB41076.1	Pisum sativum	CAA78979.1	Z17331	Cucurbita maxima
AAC16331.1	Oryza sativa	CAB71030.1	AJ271666	Cicer arietinum
BAA31260.1		CAB44031.1	AJ010265	Glycine max
SEQ ID NO. 2595		BAA09704.1	D63388	Cucumis sativus
BAB41137.1	Zea mays	SEQ ID NO. 2600		
BAB20580.1	Zea mays	BAA21876.1	AB006071	Arabidopsis lyrata subsp.
BAB20579.1	Zea mays	BAA21875.1	AB006070	Arabidopsis lyrata subsp.
BAB20581.1	Zea mays	BAA21877.1	AB006072	Arabidopsis lyrata subsp.
BAA82873.1	Zea mays	kawasakiana		
BAA85113.1	Zea mays	CAA92207.1	Z68123	Vitis vinifera
AAK14395.1	Dianthus caryophyllus	AAG25709.1	AF309514	Malus x domestica
AAD55945.1	Chlamydomonas reinhardtii	BAA01948.1	D11335	Vigna angularis
AAD55941.1	Chlamydomonas reinhardtii	CAA77656.1	Z11563	Nicotiana tabacum

BAA77676.1	AB007126	Glycine max	BAB41022.1	AB047095	Vitis vinifera
BAA21743.2	AB006188	Oryza sativa	AAD21086.1	AF127218	Forsythia x intermedia
BAA77605.1	AB026998	Oryza sativa	BAB41020.1	AB047093	Vitis vinifera
S66038	AAB28479.1	Beta vulgaris	BAA19659.1	AB002818	Perilla frutescens
BAA77677.1	AB007127	Glycine max	BAB41018.1	AB047091	Vitis labrusca x Vitis vinifera
X88802	CAA61280.1	Vigna unguiculata	AAB81683.1	AF000372	Vitis vinifera
AB000097	BAA25015.1	Glycine max	CAA54610.1	X77460	Manihot esculenta
AJ279692	CAB66334.1	Betula pendula			
SEQ ID NO. 2606			SEQ ID NO. 2613		
CAA56125.1	X79677	Cuphea lanceolata	CAA12358.1	AJ225027	Cicer arietinum
			AAG13986.1	AF298827	Prunus avium
			CAA63960.1	X94296	Hordeum vulgare
SEQ ID NO. 2612			SEQ ID NO. 2614		
CAA54609.1	X77459	Manihot esculenta	AAA87182.1	U20808	Vigna radiata
X77461		Manihot esculenta			
CAA54613.1	X77463	Manihot esculenta			
CAA54612.1	X77462	Manihot esculenta			
U32644	AAB36653.1	Nicotiana tabacum	SEQ ID NO. 2615		
U32643	AAB36652.1	Nicotiana tabacum	AAB70538.1	AF017358	Oryza sativa
AF346431	AAK28303.1	Nicotiana tabacum	CAA65680.1	X96979	Hordeum vulgare
Y18871	CAB56231.1	Dortheanthus bellidiformis	AAF26451.1	AF221503	Pyrus communis
AF346432	AAK28304.1	Nicotiana tabacum	AA70046.1	U29176	Oryza sativa
X85138	CAA59450.1	Lycopersicon esculentum	AAF28385.1	AF151214	Nicotiana glauca
AF199453	AAF17077.1	Sorghum bicolor	BAA23548.1	AB007843	Picea abies
AB031274	BAA83484.1	Scutellaria baicalensis	AAK01293.1	AF331710	Avicennia marina
AF190634	AAF61647.1	Nicotiana tabacum	BAA96206.1	AP002094	Oryza sativa
AB027454	BAA89008.1	Petunia x hybrida	AAA86694.1	U18127	Hordeum vulgare
AB033758	BAA93039.1	Citrus unshiu	CAA41946.1	X59253	Hordeum vulgare
AB013598	BAA36423.1	Verbena x hybrida	CAA44267.1	X62395	Nicotiana tabacum
AB027455	AB027455	Petunia x hybrida	CAA48621.1	X68654	Hordeum vulgare
U82367	AAB48444.1	Solanum tuberosum	AAG27707.1	AF302788	Triticum aestivum
AF101972	AAD04166.1	Phaseolus lunatus	CAA85484.1	Z37115	Hordeum vulgare
AF165148	AAD55985.1	Petunia x hybrida	AAC63372.1	AF093751	Brassica oleracea
X77464	CAA54614.1	Manihot esculenta	AA73945.1	I33904	Brassica oleracea
AB047096	BAB41023.1	Vitis vinifera	AAB05812.1	U63993	Hordeum vulgare
AB047098	BAB41025.1	Vitis vinifera	AA70540.1	AF017360	Oryza sativa
AB047094	BAB41021.1	Vitis vinifera	CAA91436.1	Z66529	Hordeum vulgare
AB047092	BAB41019.1	Vitis vinifera	CAA91435.1	Z66528	Hordeum vulgare
AB047099	BAB41026.1	Vitis vinifera	AAK20395.1	AF334185	Triticum aestivum
AB047097	BAB41024.1	Vitis vinifera	AAB80805.1	U90342	Pinus radiata
D85186	AAA12737.1	Gentiana triflora	CAA50661.1	X71668	Sorghum bicolor
			CAA50660.1	X71667	Sorghum bicolor

AAC49860.1	U72765	Phaseolus vulgaris	AAD10495.1	U86763	Triticum aestivum
AAF71695.1	AF198168	Aerides japonica	AAK26848.1	AF342809	Zea mays
CAA69949.1	Y08691	Oryza sativa	SEQ ID NO. 2620		
AAB18815.1	U77295	Oryza sativa	CAA53076.1	X75327	Pisum sativum
AAA74624.1	U31766	Oryza sativa	AAB47571.1	U87848	Nicotiana plumbaginifolia
AAB70541.1	AF017361	Oryza sativa	AAF08296.1	AF196292	Apium graveolens
AAF26450.1	AF221502	Malus x domestica	CAA53075.1	X75326	Zea mays
AAF14232.1	AF109195	Hordeum vulgare	BAB18543.1	AB043539	Avicennia marina
AAF23459.1	AF208833	Capsicum annuum	AAAB58165.1	AF000132	Amaranthus hypochondriacus
AAB70539.1	AF017359	Oryza sativa	BAB18544.1	AB043540	Avicennia marina
AAA73947.1	L33906	Brassica oleracea	BAA21098.1	AB001348	Oryza sativa
AAA33493.1	J04176	Zea mays	AAB70010.1	AF017150	Amaranthus hypochondriacus
CAA65475.1	X96714	Prunus dulcis	AAA34025.1	M31480	Spinacia oleracea
CAA48623.1	X68656	Hordeum vulgare	AAB41696.1	U69142	Spinacia oleracea
CAA80809.1	Z23271	Oryza sativa	CAA41376.1	X58462	Beta vulgaris
CAA50662.1	X71669	Sorghum bicolor	CAA41377.1	X58463	Beta vulgaris
AAB06443.1	U66105	Zea mays	CAA49425.1	X69770	Atriplex hortensis
SEQ ID NO. 2617			CAA71003.1	Y09876	Nicotiana tabacum
AAB51393.1	U92651	Brassica oleracea var. botrytis	AAF73828.1	AF162665	Oryza sativa
AAD39372.1	AF118381	Brassica napus	BAB19052.1	AB044537	Oryza sativa
BAB12722.1	AB048248	Pyrus communis	AAG43988.1	AF215823	Zea mays
CAC01618.1	AJ251652	Medicago truncatula	BAA96794.1	AB037421	Oryza sativa
AAF82790.1	AF275315	Lotus japonicus	BAA96793.1	AB030939	Oryza sativa
AAC04846.1	AF020793	Medicago sativa	BAA05466.1	D26448	Hordeum vulgare
CAA69353.1	Y08161	Nicotiana tabacum	AAC49268.1	U12196	Sorghum bicolor
AAC09245.1	AF037061	Zea mays	AAC03055.1	AF045770	Oryza sativa
AAD10494.1	U86762	Triticum aestivum	AAB33843.1	S77096	Brassica napus
AAB17284.1	U43291	Mesembryanthemum crystallinum	AAG43027.1	AF323586	Oryza sativa
AAK26767.1	AF326500	Zea mays	AAC49267.1	U12195	Sorghum bicolor
CAA64952.1	X95650	Tulipa gesneriana	SEQ ID NO. 2622		
CAA06335.1	AJ005078	Picea abies	AAF74981.1	AF082891	Chloroplast Solanum tuberosum
AAB51394.1	U92652	Brassica oleracea var. botrytis	AAD31520.2	AF144102	Solanum tuberosum
AAB04557.1	U62778	Gossypium hirsutum	CAB57356.1	Y17185	Fragaria vesca
CAA65185.1	X95951	Helianthus annuus	AAF74982.1	AF082892	Chloroplast Solanum tuberosum
CAA65184.1	X95950	Helianthus annuus	AAD34548.1	AF141602	Glycine max
AAC39480.1	AF047173	Vernicia fordii	AAC19395.1	AF069317	Mesembryanthemum crystallinum
CAA65187.1	X95953	Helianthus annuus	AAB61348.1	AF007786	Zea mays
AAK26769.1	AF326502	Zea mays	AAB61347.1	AF007785	Zea mays
CAA65186.1	X95952	Helianthus annuus	AAD16143.1	AF097180	Nicotiana tabacum
AAK26768.1	AF326501	Zea mays			

AAG38873.1	AF076495	Oryza sativa	SEQ ID NO. 2626	Nicotiana tabacum
BAA95820.1	AF002069	Oryza sativa	AAF33669.1	Nicotiana tabacum
BAA95830.1	AF002069	Oryza sativa	AAF33670.1	Nicotiana tabacum
AAF74980.1	AF082890	Chloroplast Solanum tuberosum	AAB53255.1	Nicotiana tabacum
AAF64422.1	AF206626	Cucumis melo	CAA68912.1	Zea mays
			CAA65254.1	Lycopersicon esculentum
SEQ ID NO. 2624			CAA71598.1	Vicia faba
BAB03427.1	AF002816	Oryza sativa	EAA84085.1	Nicotiana paniculata
BAA03949.1	D16499	Oryza sativa	CAB54856.1	Zea mays
CAA45772.1	X64434	Mesembryanthemum crystallinum	CAAL2645.1	Egeria densa
BAB07934.1	AF002836	Oryza sativa	AAD39492.1	Samanea saman
BAB20887.1	AB053295	Oryza sativa	AAF36832.1	Triticum aestivum
BAA24950.1	AB005808	Aloe arborescens	CAC05489.1	Populus tremula x Populus
BAA74735.1	AB016804	Aloe arborescens	tremuloideis	
AAF73006.1	AF262997	Ricinus communis	AAD16278.1	Samanea saman
CAA39690.1	X56233	Populus balsamifera subsp.	CAC10514.1	Samanea saman
trichocarpa			CAA56175.1	Solanum tuberosum
AAA67087.1	I34836	Vitis vinifera	BAA96192.1	Oryza sativa
AAB08874.1	U67426	Vitis vinifera	BAA96150.1	Oryza sativa
AAB58727.1	AF001269	Lycopersicon esculentum	AAF81251.1	Mesembryanthemum crystallinum
AAA34174.1	I27509	Lycopersicon esculentum	CAB62555.1	Daucus carota
AAB58728.1	AF001270	Lycopersicon esculentum	CAC05488.1	Populus tremula x Populus
CAA40421.1	X57142	Flaveria trinervia	tremuloideis	
CAA54986.1	X78069	Flaveria pringlei	SEQ ID NO. 2628	
CAA12157.1	AJ224847	Zea mays	CAA58994.1	Sinapis alba
CAA56354.1	X80051	Phaseolus vulgaris	CAA76116.1	Sinapis alba
AAA19575.1	J03825	Phaseolus vulgaris		
CAB66003.1	AJ132257	Apium graveolens	SEQ ID NO. 2632	
AAD10504.1	U39958	Zea mays	AAB72115.1	Pisum sativum
AAA33487.1	J05130	Zea mays	AAA88792.1	Glycine max
AAB41026.1	M59415	Flaveria linearis	AAA70363.1	Triticum aestivum
CAA80559.1	Z23023	Solanum tuberosum	SEQ ID NO. 2633	
CAA80547.1	Z23002	Solanum tuberosum	CAA49854.1	Antirrhinum majus
AAA19014.1	U01162	Amaranthus hypochondriacus	CAA38634.1	Nicotiana tabacum
AAD11429.1	AF097666	Mesembryanthemum crystallinum	AAK26769.1	Zea mays
AAB19243.1	M59416	Flaveria trinervia	AAK26768.1	Zea mays
AAA83963.1	I35306	Lycopersicon esculentum	AAK26770.1	Zea mays
AAG23801.1	AF260735	Cucurbita pepo	BAA31452.1	Raphanus sativus
BAA76435.1	AB025007	Cicer arietinum		
AAG23798.1	AF260732	Cucurbita pepo		
AAB17593.1	U44922	Flaveria bidentis		

AAD31849.1	AF133533	Mesembryanthemum crystallinum	CAA72186.1	Y11351	Oryza sativa
AAD31848.1	AF133532	Mesembryanthemum crystallinum	CAA67600.1	X99210	Lycopersicon esculentum
BAA12711.1	D84669	Raphanus sativus	BAA88222.1	AB028650	Nicotiana tabacum
AAF82790.1	AF275315	Lotus japonicus	CAA72217.1	Y11414	Oryza sativa
AAC09245.1	AF037061	Zea mays	BAA23339.1	D88619	Oryza sativa
AAK26767.1	AF326500	Zea mays	CAA75509.1	Y15219	Oryza sativa subsp. indica
CAC01618.1	AF251652	Medicago truncatula	CAA65525.1	X96749	Oryza sativa
AAB17284.1	U43291	Mesembryanthemum crystallinum	AAB41101.1	U72762	Nicotiana tabacum
AAD31847.1	AF133531	Mesembryanthemum crystallinum	CAA72185.1	Y11350	Oryza sativa
SEQ ID NO. 2635			SEQ ID NO. 2642		
BAA77836.1	AB027456	Citrus unshiu	AAB41741.1	U82558	Lycopersicon esculentum
SEQ ID NO. 2636			SEQ ID NO. 2643		
AAK19619.1	AF336286	Gossypium hirsutum	AAB41742.1	U82559	Lycopersicon esculentum
CAA64614.1	X95296	Lycopersicon esculentum	AAB41741.1	U82558	Lycopersicon esculentum
CAA50221.1	X70876	Hordeum vulgare			
CAA50224.1	X70879	Hordeum vulgare	SEQ ID NO. 2644		
CAA50222.1	X70877	Hordeum vulgare	CAA73134.1	Y12531	Brassica oleracea
BAA23337.1	D88617	Oryza sativa	AAB93834.1	U82481	Zea mays
BAA23338.1	D88618	Oryza sativa	CAA67145.1	X98520	Brassica oleracea
CAA72218.1	Y11415	Oryza sativa	CAA74661.1	Y14285	Brassica oleracea
AAK19611.1	AF336278	Gossypium hirsutum	CAA73133.1	Y12530	Brassica oleracea
CAA78386.1	Z13996	Petunia x hybrida	AAA62232.1	U00443	Brassica napus
CAA50225.1	X70880	Hordeum vulgare	CAB89179.1	AJ245479	Brassica napus subsp. napus
AAK19618.1	AF336285	Gossypium hirsutum	AAA33008.1	M97667	Brassica napus
AAK19616.1	AF336283	Gossypium hirsutum	BAA92836.1	AB032473	Brassica oleracea
AAK19615.1	AF336282	Gossypium hirsutum	BAA23676.1	AB000970	Brassica rapa
AAF22256.1	AF161711	Pimpinella brachycarpa	AAC23542.1	U20948	Ipomoea trifida
AAK19617.1	AF336284	Gossypium hirsutum	AAA33000.1	M76647	Brassica oleracea
CAA78387.1	Z13997	Petunia x hybrida	BAA21132.1	D88193	Brassica rapa
CAB43399.1	AJ006292	Antirrhinum majus	BAA06285.1	D30049	Brassica rapa
BAA81732.1	AB029161	Glycine max	CAB41879.1	Y18260	Brassica oleracea
BAA81731.1	AB029160	Glycine max	BAA07577.2	D38564	Brassica rapa
BAA81730.1	AB029159	Glycine max	CAA74662.1	Y14286	Brassica oleracea
BAA88224.1	AB028652	Nicotiana tabacum	BAB21001.1	AB054061	Brassica rapa
BAA88221.1	AB028649	Nicotiana tabacum	BAA92837.1	AB032474	Brassica oleracea
AAA33500.1	M73028	Zea mays	CAB41878.1	Y18259	Brassica oleracea
AAG36774.1	AF210616	Zea mays	CAA79355.1	Z18921	Brassica oleracea
BAA81736.1	AB029165	Glycine max	BAA07576.1	D38563	Brassica rapa
BAA81733.2	AB029162	Glycine max	AAF34428.1	AF172282	Oryza sativa



AAD21872.1	AF078082	Phaseolus vulgaris	AAB47996.1	U87982	Sorghum bicolor
AAD52097.1	AF088885	Nicotiana tabacum	BAB19052.1	AB044537	Oryza sativa
BAA94516.1	AF001800	Oryza sativa	AAF73828.1	AF162665	Oryza sativa
BAA94517.1	AF001800	Oryza sativa	BAA21098.1	AB001348	Oryza sativa
AAA33915.1	I27821	Oryza sativa	AAG43988.1	AF215823	Zea mays
BAA94529.2	AF001800	Oryza sativa	CAA41377.1	X58463	Beta vulgaris
SEQ ID NO. 2645			CAA41376.1	X58462	Beta vulgaris
CAA05713.1	AJ002741	Helianthus annuus	AAA34025.1	M31480	Spinacia oleracea
CAA09421.1	AJ010944	Helianthus annuus	AAB41696.1	U69142	Spinacia oleracea
AAF01697.1	AF181459	Hordeum vulgare	BAA96793.1	AB030939	Oryza sativa
AAD02260.1	AF043094	Hordeum vulgare	CAA71003.1	Y09876	Nicotiana tabacum
CAA55194.1	X78431	Triticum turgidum subsp. durum	AAB70010.1	AF017150	Amaranthus hypochondriacus
CAA33363.1	X15289	Hordeum vulgare	BAB18544.1	AB043540	Avicennia marina
AAD02254.1	AF043088	Hordeum vulgare	BAB18543.1	AB043539	Avicennia marina
AAF01699.1	AF181461	Hordeum vulgare	AAB58165.1	AF000132	Amaranthus hypochondriacus
AAD02252.1	AF043086	Hordeum vulgare	CAA49425.1	X69770	Oryza sativa
AAD50291.1	AF172263	Prunus dulcis	BAA05466.1	D26448	Atriplex hortensis
AAB71225.1	AF004807	Glycine max	AAC49268.1	U12196	Hordeum vulgare
CAA33364.1	X15290	Zea mays	CAA53075.1	X75326	Sorghum bicolor
AAF01690.1	AF181452	Hordeum vulgare	AAC03055.1	AF045770	Zea mays
AAD02253.1	AF043087	Hordeum vulgare	CAA53076.1	X75327	Oryza sativa
AAF01689.1	AF181451	Hordeum vulgare	AAB47571.1	U87848	Pisum sativum
CAA33362.1	X15288	Hordeum vulgare	AAF08296.1	AF196292	Nicotiana plumbaginifolia
AAD02257.1	AF043091	Hordeum vulgare	AAC49267.1	U12195	Apium graveolens
AAF01694.1	AF181456	Hordeum vulgare	SEQ ID NO. 2649		Sorghum bicolor
AAF60172.1	AF236067	Elaeis guineensis	CAB56570.1	AJ011623	Antirrhinum majus
CAA50499.1	X71362	Hordeum vulgare	CAB56568.1	AJ011621	Antirrhinum majus
AAC05922.1	AF031248	Lophopyrum elongatum	CAB56569.1	AJ011622	Antirrhinum majus
CAA66970.1	X98326	Hordeum vulgare	CAA63113.1	X92369	Antirrhinum majus
CAA63339.1	X92647	Helianthus annuus	AAB51071.1	U89496	Zea mays
AAA19693.1	U11696	Sorghum bicolor	CAA63061.1	X92079	Antirrhinum majus
AAF37268.1	AF220407	Vitis riparia	SEQ ID NO. 2651		
AAB05927.1	U63831	Sorghum bicolor	AAG13527.1	AC068924	Oryza sativa
CAA55192.1	X78429	Triticum turgidum subsp. durum	CAA55326.1	X78589	Chlamydomonas reinhardtii
AAD38400.1	AF155129	Hordeum vulgare	AAB37756.1	L46702	Solanum tuberosum
AAF01691.1	AF181453	Hordeum vulgare	AAC49393.1	U52078	Nicotiana tabacum
SEQ ID NO. 2647			AAG13460.1	AF223412	Zea mays
AAB33843.1	S77096	Brassica napus	BAB40709.1	AB003037	Nicotiana tabacum
AAG43027.1	AF323586	Oryza sativa			

BAB03437.1	AP002817	Oryza sativa	AD10244.1	AF030032	Phaseolus vulgaris
BAB19066.1	AP002744	Oryza sativa	AAA33705.1	M80831	Petunia x hybrida
BAB40710.1	AB003038	Nicotiana tabacum	AAA16320.1	L14071	Bryonia dioica
AAF7897.1	AF210816	Oryza sativa subsp. japonica	CAA61980.1	X98990	Bidens pilosa
BAB40706.1	AB053095	Nicotiana tabacum	AAA33900.1	L18914	Oryza sativa
BAB40705.1	AB053094	Nicotiana tabacum	CAA78288.1	Z12828	Oryza sativa
AB053092	AB053092	Nicotiana tabacum	CAA74307.1	Y13974	Zea mays
AB053093	AB053093	Nicotiana tabacum	AAC49583.1	U48692	Triticum aestivum
AB053091	AB053091	Nicotiana tabacum	AAC49582.1	U48691	Triticum aestivum
AB053096	AB053096	Nicotiana tabacum	AAA85157.1	U20297	Solanum tuberosum
AB053090	AB053090	Nicotiana tabacum	AAA85156.1	U20296	Solanum tuberosum
BAB40701.1	AB053089	Nicotiana tabacum	AAA62351.1	U20295	Solanum tuberosum
BAB40700.1	AB053089	Nicotiana tabacum	AAA85155.1	U20294	Solanum tuberosum
SEQ ID NO. 2653			CAA46150.1	X65016	Oryza sativa
AAA19571.1	U10150	Brassica napus	AD10246.1	AF030034	Phaseolus vulgaris
AAA87347.1	M88307	Brassica juncea	AAF73157.1	AF150059	Brassica napus
AAA92681.1	U13882	Pisum sativum	CAA54583.1	X77397	Zea mays
AAA33706.1	M80836	Petunia x hybrida	SEQ ID NO. 2654		
CAA43143.1	X60738	Malus x domestica	AAC32120.1	AF051216	Picea mariana
CAA78301.1	Z12839	Lilium longiflorum	AAC32164.1	AF051745	Picea mariana
CAA42423.1	X59751	Daucus carota	AAC32163.1	AF051744	Picea mariana
AAG27432.1	AF295637	Elaeis guineensis	AAC32162.1	AF051743	Picea mariana
AAG11418.1	AF292108	Prunus avium	SEQ ID NO. 2656		
AAA34237.1	I20691	Vigna radiata	CAA71494.1	Y10468	Spinacia oleracea
AAC49587.1	U49105	Triticum aestivum	CAA64413.1	X94943	Lycopersicon esculentum
AAC49586.1	U49104	Triticum aestivum	AAC32676.1	M37637	Arachis hypogaea
AAC49585.1	U49103	Triticum aestivum	BAA82307.1	AB027753	Nicotiana tabacum
AAC49584.1	U48693	Triticum aestivum	AD37429.2	AF149279	Phaseolus vulgaris
AAC49580.1	U48689	Triticum aestivum	AAB67737.1	L77080	Stylosanthes humilis
AAC49579.1	U48688	Triticum aestivum	AD37375.1	AF145349	Glycine max
AAC49578.1	U48242	Triticum aestivum	CAA62226.1	X90693	Medicago sativa
AAB36130.1	S81594	Vigna radiata	AAA65637.1	L13654	Lycopersicon esculentum
CAA78287.1	Z12827	Oryza sativa	AD37427.1	AF149277	Phaseolus vulgaris
AAB46588.1	U83402	Capsicum annuum	CAA40796.1	X57564	Armoracia rusticana
AAA32938.1	M27303	Hordeum vulgare	CAA66037.1	X97351	Populus balsamifera subsp.
BAA88540.1	AF000969	Oryza sativa	trichocarpa		
AAF65511.1	AF108889	Capsicum annuum	AB41811.1	L36157	Medicago sativa
AAC36059.1	AF042840	Oryza sativa	CAA62227.1	X90694	Medicago sativa
AAA34238.1	I20507	Vigna radiata	BAA08499.1	D49551	Oryza sativa
CAA36644.1	X52398	Medicago sativa			
AAB68399.1	U79736	Helianthus annuus			



AAC32139.1	AF051238	Picea mariana	AAG12476.1	AC037197	Oryza sativa
CAA09188.1	AJ010449	Alopecurus myosuroides	SEQ ID NO. 2666		
AAG34834.1	AF244691	Zea mays	BAB08188.1	AF002539	Oryza sativa
CAA09187.1	AJ010448	Alopecurus myosuroides	CAA70815.1	Y09602	Hordeum vulgare
AAG34833.1	AF244690	Zea mays	CAB59202.1	X78878	Hordeum vulgare
AAG34798.1	AF244363	Glycine max	CAA55478.1	X78877	Hordeum vulgare
CAA09189.1	AJ010450	Alopecurus myosuroides	AAD22150.1	AF061282	Sorghum bicolor
AAG34841.1	AF244698	Zea mays	AAD22151.1	AF061282	Sorghum bicolor
AAG34797.1	AF244362	Glycine max	CAB58992.1	X78876	Hordeum vulgare
AAG34840.1	AF244697	Zea mays	AAD22164.1	AF061282	Sorghum bicolor
AAG34809.1	AF244374	Glycine max	BAA04510.1	D17586	Oryza sativa
CAA04391.1	AJ0000923	Carica papaya	CAA70816.1	Y09603	Hordeum vulgare
AAG34843.1	AF244700	Zea mays	AAF44708.1	AF242849	Lycopersicon esculentum
AAG34807.1	AF244372	Glycine max	AAD01264.1	AF006079	Solanum berthaultii
AAF64450.1	AF239928	Euphorbia esula	AAA32940.1	J03897	Hordeum vulgare
AAG34801.1	AF244366	Glycine max	AAF64227.1	AF248647	Lycopersicon pennellii
AAG34796.1	AF244361	Glycine max	AAD01265.1	AF006080	Solanum berthaultii
AAC18566.1	AF048978	Glycine max	AAD01263.1	AF006078	Solanum berthaultii
AAG34803.1	AF244368	Glycine max	AAD42963.2	AF141384	Matricaria chamomilla
SEQ ID NO. 2663			BAA01757.1	D10985	Oryza sativa
AAG60665.1	AF314150	Thalictrum flavum subsp. glaucum	CAA70817.1	Y09604	Hordeum vulgare
AAA33362.1	M96072	Petroselinum crispum	BAA04511.1	D17587	Oryza sativa
AAA33861.1	M96071	Petroselinum crispum	CAB71127.1	AJ271659	Cicer arietinum
AAA33863.1	M95685	Petroselinum crispum	BAA94235.1	AP001633	Oryza sativa
AAC61844.1	AF025435	Papaver somniferum	BAB19126.1	AP002839	Oryza sativa
AAA33860.1	M96070	Petroselinum crispum	AAA92064.1	U49741	Vigna radiata
AAC61842.1	AF025433	Papaver somniferum	AAA92062.1	U49382	Vigna radiata
AAA62346.1	U08597	Papaver somniferum	CAA92216.1	Z68130	Pisum sativum
AAA62347.1	U08598	Papaver somniferum	SEQ ID NO. 2667		
AAC61843.1	AF025434	Papaver somniferum	AAC09419.1	M68929	Mitochondrion Marchantia polymorpha
AAC61841.1	AF025432	Papaver somniferum	SEQ ID NO. 2668		
AAC61840.1	AF025431	Papaver somniferum	AAF61647.1	AF190634	Nicotiana tabacum
AAA97535.1	U16804	Papaver somniferum	BAA89009.1	AB027455	Petunia x hybrida
AAB39709.1	U73657	Camptotheca acuminata	AAF17077.1	AF199453	Sorghum bicolor
AAA33859.1	M96069	Petroselinum crispum	BAA93039.1	AB033758	Citrus unshiu
AAB39708.1	U73656	Camptotheca acuminata	BAA36423.1	AB013598	Verbena x hybrida
AAA33109.1	M25151	Catharanthus roseus	AAF98390.1	AF287143	Brassica napus
CAA47898.1	X67662	Catharanthus roseus			
AAA62348.1	U08599	Papaver somniferum			

BAA36421.1	AB013596	Perilla frutescens	BAA03439.1	D14589	Eustoma grandiflorum
BAA36422.1	AB013597	Perilla frutescens	AAG49315.1	AF315465	Pelargonium x hortorum
BAA12737.1	D85186	Gentiana triflora	AAC39452.1	AF014800	Eschscholzia californica
BAB41024.1	AB047097	Vitis vinifera	CAA50648.1	X71657	Solanum melongena
BAB41026.1	AB047099	Vitis vinifera	AAC39453.1	AF014801	Eschscholzia californica
BAB41020.1	AB047093	Vitis vinifera	BAA12735.1	D85184	Gentiana triflora
BAB41022.1	AB047095	Vitis vinifera	AAF05621.1	AF191772	Papaver somniferum
AAD21086.1	AF127218	Forsythia x intermedia	SEQ ID NO. 2672		
BAB41025.1	AB047098	Vitis vinifera	AAC48922.1	U06047	Vigna radiata
BAB41023.1	AB047096	Vitis vinifera			
BAB41021.1	AB047094	Vitis vinifera	SEQ ID NO. 2673		
BAB41019.1	AB047092	Vitis vinifera	BAA93453.1	AB026495	Petunia x hybrida
BAB41018.1	AB047091	Vitis labrusca x Vitis vinifera	BAA74428.1	AB010708	Gentiana triflora
AAB81683.1	AF000372	Vitis vinifera	BAA96577.1	AP002480	Oryza sativa
AAB81682.1	AF000371	Vitis vinifera	BAA93452.1	AB026494	Gentiana triflora
BAB41017.1	AB047090	Vitis labrusca x Vitis vinifera	BAA93475.1	AB029340	Perilla frutescens
BAA19659.1	AB002818	Perilla frutescens	AAG13130.1	AF193789	Fragaria x ananassa
AAB48444.1	U82367	Solanum tuberosum	SEQ ID NO. 2674		
AAB36652.1	U32643	Nicotiana tabacum	AAF19807.1	AF180356	Brassica oleracea
AAK28304.1	AF346432	Nicotiana tabacum	BAA92986.1	AP001550	Oryza sativa
AAB36653.1	U32644	Nicotiana tabacum	AAF19403.1	AF203481	Lycopersicon esculentum
AAK28303.1	AF346431	Nicotiana tabacum	AAF19402.1	AF203480	Lycopersicon esculentum
BAA90787.1	AB038248	Ipomoea batatas	BAA05648.1	D26601	Nicotiana tabacum
CAA54612.1	X77462	Manihot esculenta	AAF23900.1	AF194413	Oryza sativa
BAA89008.1	AB027454	Petunia x hybrida	AAF23901.2	AF194414	Oryza sativa
CAA54614.1	X77464	Manihot esculenta	CAA89202.1	Z49233	Chlamydomonas eugametos
SEQ ID NO. 2669			BAA13440.1	D87707	Ipomoea batatas
AAD56282.1	AF155332	Petunia x hybrida	AAF21062.1	AF216527	Dunaliella tertiolecta
BAB20076.1	AB012925	Torenia hybrida	BAA85396.1	AP000615	Oryza sativa
CAA80266.1	Z22545	Petunia x hybrida	AAC05270.1	AF048691	Oryza sativa
BAA03438.1	D14588	Petunia x hybrida	AAC04324.1	U73937	Nicotiana tabacum
AAC32274.1	AF081575	Petunia x hybrida	CAA73067.1	Y12464	Sorghum bicolor
CAA09850.1	AF081575	Catharanthus roseus	CAA57156.1	X81393	Oryza sativa
AAG49299.1	AF313489	Callistephus chinensis	AAG36872.1	AF239819	Zea mays
AAG49300.1	AF313490	Lycianthes rantonnei	AAD17800.1	AF090835	Mesembryanthemum crystallinum
CAA50155.1	X70824	Solanum melongena	CAA43659.1	X61387	Zea mays
BAA03440.1	D14590	Campanula medium	AAF76187.1	AF271237	Zea mays
CAA80265.1	Z22544	Petunia x hybrida	BAB21591.1	AB036788	Oryza sativa
AAB17562.1	U72654	Eustoma grandiflorum	BAB21589.1	AB036786	Oryza sativa
AAG49301.1	AF313491	Matthiola incana			

CAA72362.1	Y11649	Zea mays	AAG34848.1	AF244705	Zea mays
CAA72290.1	Y11526	Zea mays	AAG34839.1	AF244696	Zea mays
CAA65244.1	X95997	Solanum tuberosum	AAG34846.1	AF244703	Zea mays
AAG46110.1	AC073166	Oryza sativa	AAG34838.1	AF244695	Zea mays
AAB80693.1	U69174	Glycine max	AAG34845.1	AF244702	Zea mays
CAA39936.1	X56599	Daucus carota	AAG34835.1	AF244692	Zea mays
CAA07481.1	AJ007366	Zea mays	AAC32139.1	AF051238	Picea mariana
BAA12338.1	D84408	Zea mays	AAG34833.1	AF244690	Zea mays
BAA13232.1	D87042	Zea mays	CAA09188.1	AJ010449	Alopecurus myosuroides
AAD28192.2	AF115406	Solanum tuberosum	CAA09189.1	AJ010450	Alopecurus myosuroides
AAC99329.1	AF062479	Oryza sativa	AAG34843.1	AF244700	Zea mays
AAB80692.1	U69173	Glycine max	CAA09187.1	AJ010448	Alopecurus myosuroides
CAA57157.1	X81394	Oryza sativa	AAG34834.1	AF244691	Zea mays
BAA02698.1	D13436	Oryza sativa	AAG34841.1	AF244698	Zea mays
BAA05649.1	D26602	Nicotiana tabacum	AAG34840.1	AF244697	Zea mays
AAF40430.1	AF234652	Mesembryanthemum crystallinum	AAC16555.1	AF064201	Gossypium hirsutum
AAB05457.1	U55768	Oryza sativa	AAG34797.1	AF243362	Glycine max
AAA33443.1	L15390	Zea mays	AAC18566.1	AF048978	Glycine max
			AAG34809.1	AF243374	Glycine max
			AAG34800.1	AF243365	Glycine max
			AAG34844.1	AF244701	Zea mays
			CAA71784.1	Y10820	Glycine max
			AAG34810.1	AF243375	Glycine max
			AAG34798.1	AF243363	Glycine max
			CAC24549.1	AJ296343	Cichorium intybus x Cichorium
			endivia		
			AAF22647.1	AF193439	Lycopersicon esculentum
			AAG34805.1	AF243370	Glycine max
			AAG34807.1	AF243372	Glycine max
			SEQ ID NO. 2677		
			AAF75791.1	AF271892	Pisum sativum
			BAA03763.1	D16247	Nicotiana sylvestris
			AAF40306.1	AF156667	Vigna radiata
			CAA68193.1	X99937	Spinacia oleracea
			AAD20980.1	AF079782	Zea mays
			BAA95705.1	AB042644	Oryza sativa
			BAA95704.1	AB042643	Oryza sativa
			SEQ ID NO. 2678		
			AAF17470.1	AF123609	Triticum aestivum
			SEQ ID NO. 2679		
			AAF159229		
			AAF29773.1	AF118925	Gossypium hirsutum
			AAF22518.1	AF118925	Papaver somniferum
			AAF22517.1	AF118924	Papaver somniferum
			AAF22519.1	AF118926	Papaver somniferum
			AAG34795.1	AF243360	Glycine max
			AAG34850.1	AF244707	Zea mays
			AAG34842.1	AF244699	Zea mays
			AAD10129.1	AF004358	Aegilops tauschii
			AAG34830.1	AF244687	Zea mays
			AAC32118.1	AF051214	Picea mariana

AAK31592.1	AY029178	Brassica rapa subsp. pekinensis	AAC39358.1	AF005655	Eschscholzia californica
AAG33645.1	AF092917	Vicia sativa	AAAD17487.1	AF049347	Berberis stolonifera
AAD10204.1	AF030260	Vicia sativa	SEQ ID NO. 2688		
CAB41474.1	AJ238402	Catharanthus roseus	BAA13524.1	D87984	Fagopyrum esculentum
AAB94586.1	AF022457	Glycine max	BAB20886.1	AB053294	Oryza sativa
CAA89260.1	Z49263	Pisum sativum	AAF88067.1	AF286593	Triticum aestivum
AAD56282.1	AF155332	Petunia x hybrida	CAA05081.1	AJ001903	Triticum turgidum subsp. d
CAA70575.1	Y09423	Nepeta racemosa	CAA41415.1	X58527	Nicotiana tabacum
CAA50155.1	X70824	Solanum melongena	AAB53694.1	U59379	Brassica napus
AAA32913.1	M32885	Persea americana	BAA25681.1	AB010434	Brassica rapa
BAA22423.1	AB001380	Glycyrrhiza echinata	BAA04864.1	D21836	Oryza sativa
AAB94588.1	AF022459	Glycine max	AAB51522.1	U92541	Oryza sativa
BAA74466.1	AB022733	Glycyrrhiza echinata	BAA05546.1	D26547	Oryza sativa
AAB94592.1	AF022463	Glycine max	AAC32111.1	AF051206	Picea mariana
BAA84072.1	AB028152	Torenia hybrida	AAG35777.1	AF273844	Brassica oleracea var.
BAA12159.1	D83968	Glycine max	alboglabra		
AAA17732.1	L19074	Catharanthus roseus	AAB53695.1	U59380	Brassica napus
SEQ ID NO. 2683			CAA94534.1	Z70677	Ricinus communis
CAA84230.1	Z34465	Zea mays	CAA77847.1	Z11803	Nicotiana tabacum
AAD55979.1	AF159296	Lycopersicon esculentum	BAB39913.1	AP002912	Oryza sativa
AAD55980.1	AF159297	Zea mays	AAD49230.1	AF159385	Hordeum bulbosum
SEQ ID NO. 2684			AAD49231.1	AF159386	Secale cereale
CAB45652.1	AJ243308	Pisum sativum	AAD49234.1	AF159389	Phalaris coerulescens
CAA28471.1	X04782	Glycine max	AAD49233.1	AF159388	Phalaris coerulescens
BAB12437.1	AB027468	Adiantum capillus-veneris	AAD33596.1	AF133127	Hevea brasiliensis
SEQ ID NO. 2685			AAD49232.1	AF159387	Lolium perenne
AAF40306.1	AF156667	Vigna radiata	AAD56954.1	AF186240	Secale cereale
BAA03763.1	D16247	Nicotiana sylvestris	CAA56850.1	X80887	Chlamydomonas reinhardtii
AAF75791.1	AF271892	Pisum sativum	CAA55399.1	X78822	Chlamydomonas reinhardtii
CAA68193.1	X99937	Spinacia oleracea	AAC19392.1	AF069314	Mesembryanthemum crystallinum
AAD20980.1	AF079782	Zea mays	CAA53900.1	X76269	Pisum sativum
BAA95705.1	AB042644	Oryza sativa	AAC04671.1	AF018174	Brassica napus
BAA95704.1	AB042643	Oryza sativa	AAC49358.1	U35831	Pisum sativum
AAG48833.1	AC084218	Oryza sativa	AAB52409.1	U76831	Brassica napus
SEQ ID NO. 2687			AAD45358.1	AF160870	Brassica napus
AAC61839.1	AF025430	Papaver somniferum	CAA33082.1	X14959	Spinacia oleracea
AAB20352.1	S65550	Eschscholzia californica	CAA35827.1	X51463	Spinacia oleracea
			CAA35826.1	X51462	Spinacia oleracea
			CAA45098.1	X63537	Pisum sativum
			CAA06736.1	AJ005841	Oryza sativa

AAC49357.1	U35830	Pisum sativum	AAA63452.1	M55191	Solanum tuberosum
CAA56851.1	X80888	Chlamydomonas reinhardtii	BAA04611.1	D17765	Oryza sativa
CAA55398.1	X78821	Chlamydomonas reinhardtii	SEQ ID NO. 2692		
CAA44209.1	X62335	Chlamydomonas reinhardtii	CAA54612.1	X77462	Manihot esculenta
CAA06735.1	AJ005840	Triticum aestivum	CAA54609.1	X77459	Manihot esculenta
AAB03681.1	U43609	Chlamydomonas reinhardtii	CAA54611.1	X77461	Manihot esculenta
			CAA54613.1	X77463	Manihot esculenta
SEQ ID NO. 2689			CAB56231.1	Y18871	Dorotheranthus bellidifolium
AAF64227.1	AF248647	Lycopersicon pennellii	AAB36653.1	U32644	Nicotiana tabacum
AAD01264.1	AF006079	Solanum berthaultii	AAK28303.1	AF346431	Nicotiana tabacum
AAD01263.1	AF006078	Solanum berthaultii	AAF61647.1	AF190634	Nicotiana tabacum
AAD01265.1	AF006080	Solanum berthaultii	AAB36652.1	U32643	Nicotiana tabacum
CAA70816.1	Y09603	Hordeum vulgare	AAK28304.1	AF346432	Nicotiana tabacum
BAA04510.1	D17586	Oryza sativa	AAF17077.1	AF199453	Sorghum bicolor
AAF44708.1	AF242849	Lycopersicon esculentum	BAA89009.1	AB027455	Petunia x hybrida
AAA32940.1	J03897	Hordeum vulgare	CAA59450.1	X85138	Lycopersicon esculentum
CAB59202.1	X78878	Hordeum vulgare	BAA83484.1	AB031274	Scutellaria baicalensis
CAA55478.1	X78877	Hordeum vulgare	AAF98390.1	AF287143	Brassica napus
BAB08188.1	AF002539	Oryza sativa	BAA36423.1	AB013598	Verbena x hybrida
CAA70815.1	Y09602	Hordeum vulgare	AAD04166.1	AF101972	Phaseolus lunatus
AAD22150.1	AF061282	Sorghum bicolor	BAB41021.1	AB047094	Vitis vinifera
AAD42963.2	AF141384	Matricaria chamomilla	BAB41023.1	AB047096	Vitis vinifera
CAA70817.1	Y09604	Hordeum vulgare	BAB41025.1	AB047098	Vitis vinifera
BAA04511.1	D17587	Oryza sativa	BAB41019.1	AB047092	Vitis vinifera
BAA01757.1	D10985	Oryza sativa	AAD21086.1	AF127218	Forsythia x intermedia
AAD22151.1	AF061282	Sorghum bicolor	BAB41017.1	AB047090	Vitis labrusca x Vitis vinifera
CAB58992.1	X78876	Hordeum vulgare	BAB41026.1	AB047099	Vitis vinifera
BAA94235.1	AF001633	Oryza sativa	BAB41024.1	AB047097	Vitis vinifera
CAB71127.1	AF271659	Cicer arietinum	BAB41022.1	AB047095	Vitis vinifera
BAB19126.1	AF002839	Oryza sativa	AAB81682.1	AF000371	Vitis vinifera
AAD22164.1	AF061282	Sorghum bicolor	BAB41020.1	AB047093	Vitis vinifera
AAA92062.1	U49382	Vigna radiata	AAB81683.1	AF000372	Vitis vinifera
AAA92064.1	U49741	Vigna radiata	BAB41018.1	AB047091	Vitis labrusca x Vitis vinifera
CAA92216.1	Z68130	Pisum sativum	BAA93039.1	AB033758	Citrus unshiu
SEQ ID NO. 2691			SEQ ID NO. 2693		
AAC67587.1	AF095521	Citrus x paradisi	CAA09881.1	AJ011939	Trifolium repens
CAA83682.1	Z32849	Ricinus communis	CAA62228.1	X90695	Medicago sativa
AAA63451.1	M55190	Solanum tuberosum	AAB41812.1	L36158	Medicago sativa
CAA83683.1	Z32850	Ricinus communis	CAA71495.1	Y10469	Spinacia oleracea
AAC67586.1	AF095520	Citrus x paradisi			



AAD11482.1	U51192	Glycine max	CAA46916.1	X66125	Oryza sativa
AAD11481.1	U51191	Glycine max	AAA32676.1	M37637	Arachis hypogaea
AAD11483.1	U51193	Glycine max	SEQ ID NO. 2694		
BAA77387.1	AB024437	Scutellaria baicalensis	CAA88254.1	Z48221	Phaseolus vulgaris
AAD11484.1	U51194	Glycine max	CAA40686.1	X57438	Brassica napus
CAA62226.1	X90693	Medicago sativa	CAA05491.1	AJ002485	Medicago sativa
AAC98519.1	AF007211	Glycine max	CAA05493.1	AJ002487	Medicago sativa
CAC21393.1	AJ401276	Zea mays	CAA56766.1	X80788	Medicago sativa subsp. x v.
AAA65637.1	L13654	Lycopersicon esculentum	CAB07803.1	Z93768	Nicotiana tabacum
BAA07664.1	D42065	Nicotiana tabacum	CAA05492.1	AJ002486	Medicago sativa
AAA98491.1	L36981	Petroselinum crispum	BAA92244.1	AB038648	Vicia faba
AAD37427.1	AF149277	Phaseolus vulgaris	AAA33545.1	M60215	Zea mays
CAB67121.1	Y19023	Lycopersicon esculentum	AAA74625.1	U31773	Oryza sativa
AAA65636.1	L13653	Lycopersicon esculentum	CAA07470.1	AJ007332	Catharanthus roseus
BAA03644.1	D14997	Oryza sativa	AAD38856.1	AF156101	Chlamydomonas reinhardtii
CAA50597.1	X71593	Lycopersicon esculentum	CAB07804.1	Z93769	Nicotiana tabacum
AAB41811.1	L36157	Medicago sativa	CAA45119.1	X63558	Brassica oleracea
AAF63024.1	AF244921	Spinacia oleracea	CAA82263.1	Z28627	Acetabularia cliftonii
BAA07663.1	D42064	Nicotiana tabacum	CAA05494.1	AJ002488	Medicago sativa
BAA01950.1	D11337	Vigna angularis	CAA82264.1	Z28632	Acetabularia cliftonii
AAF65464.2	AF247700	Oryza sativa	CAB07805.1	Z93770	Nicotiana tabacum
BAA08499.1	D49551	Oryza sativa	AAD48068.1	AF173881	Oryza sativa subsp. indica
CAA71496.1	Y10470	Spinacia oleracea	CAB46506.1	AJ007496	Nicotiana tabacum
CAB94692.1	AJ242742	Ipomoea batatas	CAA81395.1	Z26654	Acetabularia cliftonii
AAG02215.1	AF291667	Pinus sylvestris	AAD22116.1	AF134552	Oryza sativa subsp. indica
AAD37376.1	AF145350	Glycine max	BAA92698.1	AB039917	Vicia faba
CAA62227.1	X90694	Medicago sativa	BAA92697.1	AB039916	Vicia faba
CAA71488.1	Y10462	Spinacia oleracea	CAB07807.1	Z93772	Nicotiana tabacum
CAA71492.1	Y10466	Spinacia oleracea	BAA92699.1	AB039918	Vicia faba
BAA01877.1	D11102	Populus kitakamiensis	CAA49849.1	X70399	Medicago sativa
CAA76374.2	Y16776	Spinacia oleracea	AAD41126.1	AF159061	Oryza sativa subsp. indica
AAB06183.1	M37636	Arachis hypogaea	CAA40687.1	X57439	Brassica napus
AAD43561.1	AF155124	Gossypium hirsutum	CAC11129.1	AJ298829	Fagus sylvatica
AAC49819.1	AF014468	Oryza sativa	CAA81126.1	Z26041	Helianthus annuus
CAA05897.1	AJ003141	Hordeum vulgare	AAD09953.1	AF107464	Revea brasiliensis
AAB67737.1	L77080	Stylosanthes humilis	AAF86353.1	AF283668	Oryza sativa subsp. indica
BAA03911.1	D16442	Oryza sativa	AAC72838.1	AF097182	Oryza sativa
CAA62225.1	X90692	Medicago sativa	CAA07471.1	AJ007333	Catharanthus roseus
CAA74203.1	Y13905	Zea mays	AAA91806.1	U49113	Oryza sativa
CAA71490.1	Y10464	Spinacia oleracea	CAB07806.1	Z93771	Nicotiana tabacum
AAA34108.1	J02979	Nicotiana tabacum			

CAR87385.1	Z47076	Malus x domestica	AAD27591.1	AF121354	Petroselinum crispum
CAC11128.1	AJ298828	Fagus sylvatica	BAA87069.1	AB035271	Matricaria chamomilla
CAR87387.1	Z47078	Malus x domestica	SEQ ID NO. 2698		
CAR87386.1	Z47077	Malus x domestica	CAA06223.1	AJ004923	Lycopersicon esculentum
BAA92333.1	AB038786	Vicia faba	SEQ ID NO. 2699		
BAA92334.1	AB038787	Vicia faba	CAA59472.1	X85206	Catharanthus roseus
BAA92337.1	AB038790	Vicia faba	BAB16431.1	AB041519	Nicotiana tabacum
BAA92338.1	AB038791	Vicia faba	AAF78903.1	AF248055	Glycine max
BAA92336.1	AB038789	Vicia faba	AAC60566.1	S68113	Brassica napus
SEQ ID NO. 2695			AAC49369.1	U34333	Phaseolus vulgaris
AAA33945.1	J03919	Glycine max	AAD01800.1	AF026382	Fragaria x ananassa
CAA48297.1	X68215	Pisum sativum	BAA13150.1	D86629	Nicotiana tabacum
AAA33944.1	J03920	Glycine max	BAB16428.1	AB041516	Nicotiana tabacum
CAA48298.1	X68216	Pisum sativum	BAA95941.1	AB035125	Nicotiana tabacum
CAA48299.1	X68217	Pisum sativum	BAA13155.1	D86721	Nicotiana tabacum
CAA48300.1	X68218	Pisum sativum	AAB18205.1	U73214	Triticum aestivum
AAD50278.1	AF169830	Glycine max	CAA57810.1	X82413	Asparagus officinalis
SEQ ID NO. 2696			AAA33132.1	I20755	Cuscuta reflexa
AAC37515.1	L44134	Cucumis sativus	CAA42959.1	X60432	Zea mays
AAD16139.1	AF096299	Nicotiana tabacum	CAA43666.1	X61395	Lycopersicon esculentum
BAA77383.1	AB020590	Nicotiana tabacum	CAA40361.1	X57076	Lycopersicon esculentum
BAA86031.1	AB026890	Nicotiana tabacum	SEQ ID NO. 2701		
AAC31956.1	AF080595	Pimpinella brachycarpa	CAA52149.1	X73961	Cucumis sativus
AAD55974.1	AF121353	Petroselinum crispum	AAC03416.1	U92815	Citrullus lanatus
AAC49527.1	U48831	Petroselinum crispum	CAA47345.1	X66874	Phaseolus vulgaris
BAA82107.1	AB022693	Nicotiana tabacum	AAC60559.2	S59747	Mitochondrion Solanum tuberosum
CAA88326.1	Z48429	Avena fatua	AAA33637.1	L03299	Pisum sativum
AAD16138.1	AF096298	Nicotiana tabacum	AAB96660.1	AF039084	Spinacia oleracea
AAF23898.1	AF193802	Oryza sativa	AAB91473.1	AF035458	Spinacia oleracea
AAC49529.1	U58540	Petroselinum crispum	AAB91472.1	AF035457	Spinacia oleracea
AAG35658.1	AF204925	Petroselinum crispum	CAA65356.1	X96502	Chlamydomonas reinhardtii
BAA77358.1	AB020023	Nicotiana tabacum	AAB96659.1	AF039083	Spinacia oleracea
BAB16432.1	AB041520	Nicotiana tabacum	AAB91471.1	AF035456	Spinacia oleracea
CAA88331.1	Z48431	Avena fatua	AAA18570.1	M99565	Spinacia oleracea
CAB66338.1	AJ279697	Betula pendula	CAB72128.1	AJ249329	Cucumis sativus
AAC49528.1	U56834	Petroselinum crispum	AAA34139.1	L08830	Lycopersicon esculentum
AAG35659.1	AF204926	Petroselinum crispum	CAA67867.1	X99515	Pisum sativum
AAF61864.1	AF193771	Nicotiana tabacum	CAA30018.1	X06932	Petunia x hybrida
AAF61863.1	AF193770	Nicotiana tabacum			

AAB99745.1	AF005993	Triticum aestivum
AAB88134.1	AF034618	Spinacia oleracea
CAA44620.1	X62799	Glycine max
CAA37971.1	X54030	Lycopersicon esculentum
AAB88009.1	AF035414	Brassica napus
CAB72130.1	AJ249331	Cucumis sativus
AAF34134.1	AF161180	Malus x domestica
CAB72129.1	AJ249330	Cucumis sativus
CAA47948.1	X67711	Oryza sativa
AAB88133.1	AF034617	Spinacia oleracea
AAB88132.1	AF034616	Spinacia oleracea
AAB97316.1	AF033852	Spinacia oleracea
CAA43711.1	X61491	Spinacia oleracea

What is claimed is:

1. A method of identifying a stress condition to which a plant cell has been exposed, the method comprising:

5 a) contacting nucleic acid molecules representative of expressed polynucleotides in the plant cell with an array of probes representative of the plant cell genome; and

b) detecting a profile of expressed polynucleotides in the plant cell characteristic of a stress response, thereby identifying the stress condition to which the plant cell was exposed.

10

2. The method of claim 1, wherein the stress condition is an abiotic stress condition.

3. The method of claim 2, wherein the abiotic stress is a cold stress condition,  
15 an osmotic stress condition, a saline stress condition, or a combination thereof.

4. The method of claim 1, wherein the profile is characteristic of exposure to a single stress condition.

20 5. The method of claim 1, wherein the profile is characteristic of a cold stress response, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:1-155, 157-229, 230-232, 234-557, 559-572, 574-605, 607-634, 636-634, 636-786, 788-812, and 814-1261.

25 6. The method of claim 1, wherein the profile is characteristic of a cold stress response, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:1-1261.

30 7. The method of claim 1, wherein the profile is characteristic of an osmotic stress response, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:2428-2585.

8. The method of claim 1, wherein the profile is characteristic of a saline stress response, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:2227-2427.

5           9. The method of claim 2, wherein the profile is characteristic of exposure to at least two abiotic stress conditions.

10           10. The method of claim 9, wherein the abiotic stress conditions are cold and osmotic stress conditions, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:1699-1725, 1727-1865, 1867-1917, 1919-1927, and 1929-1969.

15           11. The method of claim 9, wherein the abiotic stress conditions are cold and osmotic stress conditions, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:1699-1969.

20           12. The method of claim 9, wherein the abiotic stress conditions are cold and saline stress conditions, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:1970-2226.

          13. The method of claim 9, wherein the abiotic stress conditions are osmotic and saline stress conditions, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:2586-2703.

25           14. The method of claim 9, wherein the abiotic stress conditions are cold, osmotic and saline stress conditions, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:1262, 1264-1386, 1387-1390, 1392-1404, 1406-1444, 1446-1483, 1485-1588, 1590-1608, 1610-1633, and 1634-1698.

30           15. The method of claim 9, wherein the abiotic stress conditions are cold, osmotic and saline stress conditions, and wherein the expressed polynucleotides comprise one or a plurality of SEQ ID NOS:1262-1698.

16. The method of claim 1, wherein the nucleic acid molecules representative of expressed polynucleotides in the plant cell are RNA molecules or cDNA molecules.

5

17. The method of claim 1, wherein the array of probes representative of the plant cell genome is immobilized on a microchip.

18. A method for determining whether a test plant has been exposed to an abiotic stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in cells of the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

wherein the probe comprises at least 15 nucleotides of a plant stress-regulated gene, provided said gene does not comprise a nucleotide sequence of a polynucleotide as set forth in any of SEQ ID NOS:156, 229, 233, 558, 573, 606, 635, 787, 813, 1263, 1386, 1391, 1405, 1445, 1484, 1589, 1609, 1634, 1726, 1866, 1918 or 1928, or a nucleotide sequence complementary thereto,

whereby  
detecting selective hybridization of at least one nucleic acid probe, or  
detecting a change in a level of selective hybridization as compared to a level of selective hybridization obtained using nucleic acid molecules representative of expressed polynucleotides in cells of a plant known not have been exposed to an abiotic stress,

indicates that the test plant has been exposed to an abiotic stress, and  
whereby an absence of selective hybridization of at least one nucleic acid probe indicates that the test plant has not been exposed to an abiotic stress.

19. The method of claim 18, wherein the abiotic stress is cold stress, and wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232, 234-557, 559-572, 574-605, 607-634, 636-786, 788-812, 814-1261 or a nucleotide sequence complementary thereto.

20. The method of claim 18, wherein the abiotic stress is saline stress, and wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:2226-2427 or a nucleotide sequence complementary thereto.

21. The method of claim 18, wherein the abiotic stress is osmotic stress, and wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in two or more of SEQ ID NOS:2428-2585 or a nucleotide sequence complementary thereto.

22. A method for determining whether a test plant has been exposed to a cold stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in cells of the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232, 234-557, 559-572, 574-605, 607-634, 636-786, 788-812, 814-1261, or a nucleotide sequence complementary thereto,

whereby

detecting selective hybridization of at least one nucleic acid probe, or detecting a change in a level of selective hybridization as compared to a level of selective hybridization obtained using nucleic acid molecules representative of expressed polynucleotides in cells of a plant known not have been exposed to a cold stress,

indicates that the test plant has been exposed to a cold stress, and

whereby an absence of selective hybridization of at least one nucleic acid probe indicates that the test plant has not been exposed to a cold stress.

23. A method for determining whether a test plant has been exposed to a saline stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in cells of the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:2226-2427, or a nucleotide sequence complementary thereto,

whereby

detecting selective hybridization of at least one nucleic acid probe, or detecting a change in a level of selective hybridization as compared to a level of selective hybridization obtained using nucleic acid molecules representative of expressed polynucleotides in cells of a plant known not have been exposed to a saline stress,

indicates that the test plant has been exposed to a saline stress, and whereby an absence of selective hybridization of at least one nucleic acid probe indicates that the test plant has not been exposed to a saline stress.

24. A method for determining whether a test plant has been exposed to an osmotic stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in cells of the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in two or more of SEQ ID NOS:2428-2585, or a nucleotide sequence complementary thereto,



whereby

detecting selective hybridization of at least one nucleic acid probe, or  
detecting a change in a level of selective hybridization as compared to  
a level of selective hybridization obtained using nucleic acid molecules  
5 representative of expressed polynucleotides in cells of a plant known not have  
been exposed to an osmotic stress,

indicates that the test plant has been exposed to an osmotic stress, and  
whereby an absence of selective hybridization of at least one nucleic acid  
probe indicates that the test plant has not been exposed to an osmotic stress.

10

25. A method for determining whether a test plant has been exposed to a  
combination of abiotic stress conditions, the method comprising contacting nucleic  
acid molecules representative of expressed polynucleotides in cells of the test plant  
with at least one nucleic acid probe under conditions suitable for selective  
15 hybridization to a complementary nucleotide sequence,

whereby

detecting selective hybridization of at least one nucleic acid probe, or  
detecting a change in a level of selective hybridization as compared to  
a level of selective hybridization obtained using nucleic acid molecules  
20 representative of expressed polynucleotides in cells of a plant known not have  
been exposed to a combination of stress conditions,

indicates that the test plant has been exposed to a combination of  
abiotic stress conditions, and

whereby an absence of selective hybridization of at least one nucleic acid  
25 probe indicates that the test plant has not been exposed to a combination of abiotic  
stress conditions.

26. The method of claim 25, wherein the combination of abiotic stress  
conditions is a combination of a cold stress and an osmotic stress, and wherein the  
30 probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of  
SEQ ID NOS:1699-1969, or a nucleotide sequence complementary thereto.

27. The method of claim 25, wherein the combination of abiotic stress conditions is a combination of a cold stress and a saline stress, and wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1970-2226, or a nucleotide sequence complementary thereto.

5

28. The method of claim 25, wherein the combination of abiotic stress conditions is a combination of an osmotic stress and a saline stress, and wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:2586-2703, or a nucleotide sequence complementary thereto.

10

29. The method of claim 25, wherein the combination of abiotic stress conditions is a combination of a cold stress, a saline stress and an osmotic stress, and wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1262-1698, or a nucleotide sequence complementary

15 thereto.

30. A method for determining whether a test plant has been exposed to a cold stress and an osmotic stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in cells of the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

20

wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1699-1969, or a nucleotide sequence complementary thereto,

25

whereby

detecting selective hybridization of at least one nucleic acid probe, or

detecting a change in a level of selective hybridization as compared to

a level of selective hybridization obtained using nucleic acid molecules

representative of expressed polynucleotides in cells of a plant known not have

30

been exposed to a cold stress and an osmotic stress,

indicates that the test plant has been exposed to a cold stress and an osmotic

stress, and

whereby an absence of selective hybridization of at least one nucleic acid probe indicates that the test plant has not been exposed to a cold stress and an osmotic stress.

5           31. A method for determining whether a test plant has been exposed to a cold stress and a saline stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in cells of the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

10           wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1970-2226, or a nucleotide sequence complementary thereto,

          whereby

          detecting selective hybridization of at least one nucleic acid probe, or  
15           detecting a change in a level of selective hybridization as compared to a level of selective hybridization obtained using nucleic acid molecules representative of expressed polynucleotides in cells of a plant known not have been exposed to a cold stress and a saline stress,

          indicates that the test plant has been exposed to a cold stress and a  
20           saline stress, and

          whereby an absence of selective hybridization of at least one nucleic acid probe indicates that the test plant has not been exposed to a cold stress and a saline stress.

25           32. A method for determining whether a test plant has been exposed to an osmotic stress and a saline stress, the method comprising contacting nucleic acid molecules representative of expressed polynucleotides in the test plant with at least one nucleic acid probe under conditions suitable for selective hybridization to a complementary nucleotide sequence,

30           wherein the probe comprises at least 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:2586-2703, or a nucleotide sequence complementary thereto,

whereby

detecting selective hybridization of at least one nucleic acid probe, or

detecting a change in a level of selective hybridization as compared to

a level of selective hybridization obtained using nucleic acid molecules

5 representative of expressed polynucleotides in cells of a plant known not have  
been exposed to an osmotic stress and a saline stress,

indicates that the test plant has been exposed to an osmotic stress and a  
saline stress, and

whereby an absence of selective hybridization of at least one nucleic acid

10 probe indicates that the test plant has not been exposed to an osmotic stress and a  
saline stress.

33. A method for determining whether a test plant has been exposed to a cold  
stress, a saline stress and an osmotic stress, the method comprising contacting nucleic

15 acid molecules representative of expressed polynucleotides in cells of the test plant  
with a plurality of nucleic acid probes under conditions suitable for selective  
hybridization to a complementary nucleotide sequence,

wherein the probe comprises at least 15 nucleotides of a nucleotide sequence  
as set forth in any of SEQ ID NOS:1262-1698, or a nucleotide sequence

20 complementary thereto,

whereby

detecting selective hybridization of at least one nucleic acid probe, or

detecting a change in a level of selective hybridization as compared to

a level of selective hybridization obtained using nucleic acid molecules

25 representative of expressed polynucleotides in cells of a plant known not have  
been exposed to a cold stress, a saline stress, and an osmotic stress,

indicates that the test plant has been exposed to a cold stress, a saline  
stress and an osmotic stress, and

whereby an absence of selective hybridization of at least one nucleic acid

30 probe indicates that the test plant has not been exposed to a cold stress, a saline stress  
and an osmotic stress.

34. A method for determining whether a test plant has been exposed to a cold stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS:1-155, 157-229, 230-232, 234-557, 559-572, 574-605, 607-634, 636-634, 636-786, 788-812,  
5 and 814-1261 in cells of the test plant,

wherein

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress, or

10 detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress,

indicates the test plant has been exposed to a cold stress, or

wherein

15 detecting a level of expression that is less than at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress, or

detecting a level of expression that is at least two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known  
20 to be exposed to a cold stress,

indicates the test plant has not been exposed to a cold stress.

35. A method for determining whether a test plant has been exposed to a saline stress, the method comprising detecting a level of expression of at least one  
25 polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS:2226-2427 in cells of the test plant,

wherein

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a saline stress, or

5            detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a saline stress,

indicates the test plant has been exposed to a saline stress, or

wherein

10           detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a saline stress, or

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a saline stress,

15           indicates the test plant has not been exposed to a saline stress.

36. A method for determining whether a test plant has been exposed to an osmotic stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS:2428-2585 in cells of the test plant,

wherein

25           detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to an osmotic stress, or

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to an osmotic stress,

indicates the test plant has been exposed to a osmotic stress, or

30

wherein

detecting a level of expression that is less than about two-fold different from level of expression of the at least one polynucleotide in cells of a plant not exposed to an osmotic stress, or

- 5            detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to an osmotic stress,  
             indicates the test plant has not been exposed to a osmotic stress.

- 10           37. A method for determining whether a test plant has been exposed to a cold stress and an osmotic stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS:1699-1969 in cells of the test plant,

             wherein

- 15           detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress and an osmotic stress, or

- detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant  
20           known to be exposed to a cold stress and an osmotic stress,

- indicates the test plant has been exposed to a cold stress and an osmotic stress, or

             wherein

- detecting a level of expression that is less than about two-fold different  
25           from as a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress and an osmotic stress, or

- detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress and an osmotic stress,

- 30           indicates the test plant has not been exposed to a cold stress and an osmotic stress.

555

38. A method for determining whether a test plant has been exposed to a cold stress and a saline stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS:1970-2226 in cells of the test plant,
- 5        wherein
- detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress and a saline stress, or
- detecting a level of expression that is less than about two-fold different
- 10        from as a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress and a saline stress,
- indicates the test plant has been exposed to a cold stress and a saline stress, or
- wherein
- 15        detecting a level of expression that is less than about two-fold different from as a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress and a saline stress, or
- detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant
- 20        known to be exposed to a cold stress and a saline stress,
- indicates the test plant has not been exposed to a cold stress and a saline stress.
39. A method for determining whether a test plant has been exposed to a
- 25        saline stress and an osmotic stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS:2586-2703 in cells of the test plant,
- wherein
- detecting a level of expression that is at least about two-fold different
- 30        from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a saline stress and an osmotic stress, or



detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a saline stress and an osmotic stress,

5 indicates the test plant has been exposed to a saline stress and an osmotic stress, or wherein

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a saline stress and an osmotic stress, or

10 detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to saline stress and an osmotic stress,

indicates the test plant has not been exposed to a saline stress and an osmotic stress.

15

40. A method for determining whether a test plant has been exposed to a cold stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth SEQ ID NOS:1-155, 157-229, 230-232, 234-557, 559-572, 574-605, 607-634, 636-634, 636-786, 788-812, and 814-1261 in cells of the test plant,

20 wherein

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress, or

25 detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress,

indicates the test plant has been exposed to a cold stress, or wherein

30 detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress, or

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress,  
indicates the test plant has not been exposed to a cold stress.

5

41. A method for determining whether a test plant has been exposed to a cold stress, a saline stress and an osmotic stress, the method comprising detecting a level of expression of at least one polynucleotide comprising a nucleotide sequence as set forth in SEQ ID NOS:1262-1698 in cells of the test plant,

10

wherein

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress, a saline stress and an osmotic stress, or

15

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress, a saline stress and an osmotic stress,

indicates the test plant has been exposed to a cold stress, a saline stress and an osmotic stress, or

wherein

20

detecting a level of expression that is less than about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant not exposed to a cold stress, a saline stress and an osmotic stress, or

25

detecting a level of expression that is at least about two-fold different from a level of expression of the at least one polynucleotide in cells of a plant known to be exposed to a cold stress, a saline stress and an osmotic stress,

indicates the test plant has not been exposed to a cold stress, a saline stress and an osmotic stress.

42. A method of producing a transgenic plant comprising plant cells that exhibit altered responsiveness to at least one stress condition, the method comprising introducing a polynucleotide portion of a plant stress-regulated gene into a plant cell genome, wherein the polynucleotide portion of the stress-regulated gene does not  
5 comprise a nucleotide sequence as set forth in any of SEQ ID NOS:156, 229, 233, 558, 573, 606, 635, 787, 813, 1263, 1386, 1391, 1405, 1445, 1484, 1589, 1609, 1634, 1726, 1866, 1918 or 1928, whereby the polynucleotide portion of the plant stress-regulated gene modulates a response of the plant cells to at least one stress condition, thereby producing a transgenic plant comprising plant cells that exhibit altered  
10 responsiveness to the stress condition.

43. The method of claim 42, wherein the stress condition is cold stress, and wherein the polynucleotide portion of a plant stress-regulated gene comprises a nucleotide sequence as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232,  
15 234-557, 559-572, 574-605, 607-634, 636-786, 788-812, 814-1261, 2704-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, and 3313-3955.

44. The method of claim 42, wherein the stress condition is saline stress, and  
20 wherein the polynucleotide portion of a plant stress-regulated gene comprises a nucleotide sequence as set forth in any of SEQ ID NOS:2226-2427 and 4910-5107.

45. The method of claim 42, wherein the stress condition is osmotic stress, and wherein the polynucleotide portion of a plant stress-regulated gene comprises a  
25 nucleotide sequence as set forth in any of SEQ ID NOS:2428-2585 and 5108-5263.

46. A method of producing a transgenic plant comprising plant cells that exhibit altered responsiveness to a combination of at least two stress conditions, the method comprising introducing a polynucleotide portion of a plant stress-regulated gene into a plant cell genome, whereby the polynucleotide portion of the plant stress-regulated gene modulates a response of the plant cells to a combination of at least two stress conditions, thereby producing a transgenic plant comprising plant cells that exhibit altered responsiveness to the stress conditions.

47. The method of claim 46, wherein the combination of at least two stress conditions is a combination of cold stress and osmotic stress, and wherein the polynucleotide portion of the plant stress-regulate gene comprises a nucleotide sequences as set forth in any of SEQ ID NOS:1669-1969 and 4389-4654.

48. The method of claim 46, wherein the combination of at least two stress conditions is a combination of cold stress and osmotic stress, and wherein the polynucleotide portion of the plant stress-regulate gene comprises a nucleotide sequences as set forth in any of SEQ ID NOS:1699-1725, 1727-1865, 1867-1917, 1919-1927, 1929-1969, 4389-4414, 4416-4552, 4554-4602, 4604-4612, and 4613-4654.

49. The method of claim 46, wherein the combination of at least two stress conditions is a combination of cold stress and saline stress, and wherein the polynucleotide portion of the plant stress-regulate gene comprises a nucleotide sequences as set forth in any of SEQ ID NOS:1970-2226 and 4655-4909.

50. The method of claim 46, wherein the combination of at least two stress conditions is a combination of osmotic stress and saline stress, and wherein the polynucleotide portion of the plant stress-regulate gene comprises a nucleotide sequences as set forth in any of SEQ ID NOS:2586-2703 and 5264-5379.

51. The method of claim 46, wherein the combination of at least two stress conditions is a combination of cold stress, osmotic stress and saline stress, and wherein the polynucleotide portion of the plant stress-regulate gene comprises a nucleotide sequences as set forth in any of SEQ ID NOS:1262-1698 and 3956-4388.
- 5
52. The method of claim 46, wherein the combination of at least two stress conditions is a combination of cold stress, osmotic stress and saline stress, and wherein the polynucleotide portion of the plant stress-regulate gene comprises a nucleotide sequences as set forth in any of SEQ ID NOS:1262, 1264-1386, 1387-1390,
- 10 1392-1404, 1406-1444, 1446-1483, 1485-1588, 1590-1608, 1610-1633, 1634-1698, 3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, and 4326-4388.
53. The method of any of claim 42 to 52, wherein the polynucleotide portion
- 15 of the plant stress-regulated gene encodes a stress-regulated polypeptide or functional peptide portion thereof.
54. The method of claim 53, wherein the stress-regulated polypeptide or functional peptide portion thereof increases the stress tolerance of the transgenic
- 20 plant.
55. The method of claim 53, wherein the stress-regulated polypeptide or functional peptide portion thereof decreases the stress tolerance of the transgenic
- 25 plant.
56. The method of claim 53, wherein the polynucleotide portion of the plant stress-regulated gene is operatively linked to a heterologous promoter.
57. The method of any of claim 42 to 52, wherein the polynucleotide portion
- 30 of the plant stress-regulated gene comprises a stress-regulated regulatory element.

561

58. The method of claim 57, wherein, upon introducing the stress-regulated regulatory element into the plant cell, the regulatory element integrates into the plant cell genome in a site-specific manner.

5 59. The method of claim 58, wherein, upon integrating into the plant cell genome, the regulatory element is operatively linked to a heterologous nucleotide sequence, which can be expressed in response to a stress condition specific for the regulatory element.

10 60. The method of claim 57, wherein the plant stress-regulated regulatory element is a mutant regulatory element, which is not responsive to the stress condition, whereby upon integrating into the plant cell genome, the mutant regulatory element disrupts an endogenous stress-regulated regulatory element of a plant stress-regulated gene, thereby altering the responsiveness of the plant stress-regulated gene  
15 to the stress condition.

61. The method of any of claim 42 to 60, wherein the stress is an abiotic stress.

62. The method of claim 61, wherein the abiotic stress is selected from the  
20 group consisting of an abnormal level of cold, osmotic pressure, salinity, and a combination thereof.

63. The method of claim 57, wherein the stress-regulated regulatory element is operatively linked to a polynucleotide encoding a detectable marker.  
25

64. A transgenic plant produced by the method of any of claims 42 to 63.

65. A plant cell from the transgenic plant of claim 64, wherein said plant cell exhibits altered responsiveness to the stress condition or stress conditions.  
30

66. A seed produced by the transgenic plant of claim 64.

67. A cDNA or genomic DNA library prepared from the transgenic plant of claim 64, or from a plant cell from said transgenic plant, wherein said plant cell exhibits altered responsiveness to the stress condition.

- 5           68. A method for monitoring a population of plants for exposure to a stress condition or combination of stress conditions, the method comprising:
- a) introducing into the population of a plants a sentinel plant, wherein said sentinel plant is a transgenic plant of claim 64, which comprises plant cells containing a stress-regulated regulatory element is operatively linked to a
- 10           polynucleotide encoding a detectable marker; and
- b) examining the sentinel plant for expression of the detectable marker, which is indicative of exposure of the population of plants to a stress condition or combination of stress conditions,
- thereby monitoring the population of plants for exposure to a stress condition
- 15           or combination of stress conditions.

69. The method of claim 68, wherein said stress condition or combination of stress conditions is an abiotic stress condition or combination of abiotic stress conditions.

20

70. The method of claim 68 or 69, wherein said stress condition or combination of stress conditions is cold stress, osmotic stress, saline stress, and a combination thereof.

25           71. The method of any of claims 68 to 70, wherein the stress condition is a cold stress condition, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:2704-3955.

72. The method of any of claims 68 to 70, wherein the stress condition is a cold stress condition, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:2704-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511,  
5 and 3313-3955.

73. The method of any of claims 68 to 70, wherein the stress condition is a saline stress condition, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:4910-5107.

10

74. The method of any of claims 68 to 70, wherein the stress condition is an osmotic stress condition, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:5108-5263.

15 75. The method of any of claims 68 to 70, wherein the combination of stress conditions is cold stress and osmotic stress, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:4389-4654.

20 76. The method of any of claim 68 to 70, wherein the combination of stress conditions is a cold stress and an osmotic stress, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:4389-4414, 4416-4552, 4554-4602, 4604-4612, and 4613-4654.

25 77. The method of any of claims 68 to 70, wherein the combination of stress condition is a cold stress and a saline stress, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:4655-5909.

30 78. The method of any of claims 68 to 70, wherein the combination of stress conditions is an osmotic stress and a saline stress, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:5264-5379.



79. The method of any of claims 68 to 70, wherein the combination of stress conditions is a cold stress, an osmotic stress, and a saline stress, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:3956-4388.

5

80. The method of any of claims 68 to 70, wherein the combination of stress conditions is a cold stress, an osmotic stress, and a saline stress, and wherein the regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, and 4326-4388.

10

81. The method of any of claims 68 to 80, wherein the detectable marker is visibly detectable.

15

82. The method of any of claims 68 to 80, wherein said detectable marker comprises a luminescent detectable marker.

83. The method of any of claims 68 to 80, wherein said detectable marker comprises a fluorescent detectable marker.

20

84. The method of claim 83, wherein said fluorescent detectable marker comprises a green fluorescent protein, a yellow fluorescent protein, a cyan fluorescent protein, a red fluorescent protein, or an enhanced or modified form thereof.

25

85. A method of selecting a plant having an altered resistance to an abiotic stress condition or a combination of abiotic stress conditions, the method comprising:

a) contacting nucleic acid molecules representative of expressed polynucleotides in a plant cell of a plant to be examined for having an altered resistance to an abiotic stress with a nucleic acid probes that selectively hybridizes under stringent conditions to a plant stress-regulated gene comprising a nucleotide sequence as set forth in any of SEQ ID NO:1-5379;

30

- b) detecting a level of selective hybridization of the nucleic acid probes to a nucleic acid molecule representative of an expressed polynucleotide in the plant cell, wherein the level of selective hybridization corresponds to the level of the expressed polynucleotide in the plant cell, which is indicative of resistance of the plant to an abiotic stress; and
- 5 c) selecting a plant having a level of expression of a polynucleotide indicative of altered resistance to an abiotic stress condition.

86. The method of claim 85, wherein the abiotic stress condition is cold stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1-1261 and 2704-3955.

10

87. The method of claim 85, wherein the abiotic stress condition is cold stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232, 234-557, 559-572, 574-605, 607-634, 636-786, 788-812, 814-1261, 2704-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, and 3313-3955.

15

88. The method of claim 85, wherein the abiotic stress condition is saline stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:2226-2427 and 4910-5107.

20

89. The method of claim 85, wherein the abiotic stress condition is osmotic stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:2428-2585 and 5108-5263.

25

90. The method of claim 85, wherein the combination of abiotic stress conditions is a combination of cold stress and osmotic stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1669-1969 and 4389-4654.

30

91. The method of claim 85, wherein the combination of abiotic stress conditions is a combination of cold stress and osmotic stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in any of SEQ ID NOS:1699-1725, 1727-1865, 1867-1917, 1919-1927,  
5 1929-1969, 4389-4414, 4416-4552, 4554-4602, 4604-4612, and 4613-4654.

92. The method of claim 85, wherein the combination of abiotic stress conditions is a combination of cold stress and saline stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set forth in  
10 any of SEQ ID NOS:1970-2226 and 4655-4909.

93. The method of claim 85, wherein the combination of abiotic stress conditions is a combination of osmotic stress and saline stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide sequence as set  
15 forth in any of SEQ ID NOS:2586-2703 and 5264-5379.

94. The method of claim 85, wherein the combination of abiotic stress conditions is a combination of cold stress, osmotic stress and saline stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide  
20 sequence as set forth in any of SEQ ID NOS:1262-1698 and 3956-4388.

95. The method of claim 85, wherein the combination of abiotic stress conditions is a combination of cold stress, osmotic stress and saline stress, and wherein the nucleic acid probe comprises at least about 15 nucleotides of a nucleotide  
25 sequence as set forth in any of SEQ ID NOS:1262, 1264-1386, 1387-1390, 1392-1404, 1406-1444, 1446-1483, 1485-1588, 1590-1608, 1610-1633, 1634-1698, 3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, and 4326-4388.

96. A method of modulating the responsiveness of a plant cell to a stress condition, the method comprising introducing a polynucleotide portion of a plant stress-regulated gene into the plant cell, wherein said gene comprises a nucleotide sequence of a polynucleotide as set forth in any of SEQ ID NOS:1-155, 157-228,  
5 230-232, 234-557, 559-572, 574-605, 607-634, 636-786, 788-812, 814-1262, 1264-1386, 1387-1390, 1392-1404, 1406-1444, 1446-1483, 1485-1588, 1590-1608, 1610-1633, 1634-1725, 1727-1865, 1867-1917, 1919-1927, 1929-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, 3313-3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279,  
10 4281-4299, 4301-4324, 4326-4414, 4416-4552, 4554-4602, and 4604-5379, thereby modulating the responsiveness of the plant cell to a stress condition.

97. The method of claim 96, wherein the responsiveness of the plant cell is increased upon exposure to the stress condition.

15

98. The method of claim 97, wherein increased responsiveness of the plant cell increases the stress tolerance of the plant cell to the stress condition.

99. The method of claim 96, wherein the responsiveness of the plant cell is  
20 decreased upon exposure to the stress condition.

100. The method of claim 99, wherein decreased responsiveness of the plant cell increases the stress tolerance of the plant cell to the stress condition.

25 101. The method of claim 96, wherein the polynucleotide portion of the plant stress-regulated gene integrates into the genome of the plant cell, thereby modulating the responsiveness of the plant cell to the stress condition.

102. The method of claim 96, wherein the polynucleotide portion of the plant  
30 stress-regulated gene encodes a stress-regulated polypeptide or functional peptide portion thereof.

103. The method of claim 102, wherein the stress-regulated polypeptide or functional peptide portion thereof increases the responsiveness of the plant cell to the stress condition.

5           104. The method of claim 102, wherein the polynucleotide portion of the plant stress-regulated gene is operatively linked to a heterologous promoter.

10           105. The method of claim 102, wherein the polynucleotide portion of the plant stress-regulated gene contains a mutation, whereby upon integrating into the plant cell genome, the polynucleotide disrupts an endogenous plant stress-regulated gene, thereby modulating the responsiveness of said plant cell to the stress condition.

15           106. The method of claim 105, wherein the endogenous plant stress-regulated gene encodes a maladaptive stress-regulated polypeptide, and wherein said plant cell exhibits increased tolerance to the stress condition.

107. The method of claim 96, wherein the polynucleotide portion of the plant stress-regulated gene comprises a stress-regulated gene regulatory element.

20           108. The method of claim 107, wherein, the regulatory element is operatively linked to a heterologous nucleotide sequence, which, upon expression from the regulatory element in response to a stress condition, modulates the responsiveness of the plant cell to the stress condition.

25           109. The method of claim 108, wherein the heterologous nucleotide sequence encodes a stress-inducible transcription factor.

110. The method of claim 109, wherein the transcription factor is DREB1A.

111. The method of claim 108, wherein the heterologous nucleotide sequence encodes a polynucleotide specific for a plant stress-regulated gene, said polynucleotide selected from the group consisting of an antisense molecule, a ribozyme, and a triplexing agent, which, upon expression in the plant cell, reduces or inhibits expression of a stress-regulated polypeptide encoded by the gene, thereby modulating the responsiveness of the plant cell to a stress condition.

112. The method of claim 108, wherein the heterologous nucleotide sequence encodes a recombinant polypeptide comprising a zinc finger domain and a transcription effector domain.

113. The method of claim 112, wherein the transcription effector domain is a transcription activator domain.

114. The method of claim 96, wherein the stress condition is cold stress, osmotic stress, saline stress, or a combination thereof.

115. A method of expressing a heterologous nucleotide sequence in a plant cell, the method comprising introducing into the plant cell a plant stress-regulated regulatory element operatively linked to the heterologous nucleotide sequence, wherein said regulatory element comprises a nucleotide sequence as set forth in any of SEQ ID NOS:2704-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, 3313-3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, 4326-4414, 4416-4552, 4554-4602, and 4604-5379, whereby, upon exposure of the plant cell to stress condition, the heterologous nucleotide sequence is expressed in the plant cell.

116. The method of claim 117, wherein the heterologous nucleotide sequence encodes a selectable marker.

117. The method of claim 117, wherein the heterologous nucleotide sequence encodes a polypeptide that improves the nutritional value of the plant cell.

118. The method of claim 117, wherein the heterologous nucleotide sequence encodes a polypeptide that improves the ornamental value of the plant cell.

5           119. A method of modulating the activity of a biological pathway in a plant cell involving a plant stress-regulated polypeptide, the method comprising introducing a polynucleotide portion of a plant stress-regulated gene into the plant cell, wherein the plant stress-regulated gene comprises a nucleotide sequence as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232, 234-557, 559-572, 574-605, 607-634,  
10 636-786, 788-812, 814-1262, 1264-1386, 1387-1390, 1392-1404, 1406-1444, 1446-1483, 1485-1588, 1590-1608, 1610-1633, 1634-1725, 1727-1865, 1867-1917, 1919-1927, 1929-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, 3313-3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, 4326-4414, 4416-4552,  
15 4554-4602, and 4604-5379, thereby modulating the activity of the biological pathway.

120. A plant cell obtained by any of claims 96 to 121.

20           121. A plant comprising the plant cell of claim 122.

122. A method of identifying a polynucleotide that modulates a stress response in a plant cell, the methods comprising:

- a) contacting an array of probes representative of a plant cell genome and nucleic acid molecules expressed in plant cell exposed to the stress;
- 25           b) detecting a nucleic acid molecule that is expressed at a level different from a level of expression in the absence of the stress;
- c) introducing the nucleic acid molecule of step b) into a plant cell; and
- 30           d) detecting a modulated response of the plant cell of step c) to a stress, thereby identifying a polynucleotide that modulates a stress response in a plant cell.

571

123. The method of claim 124, wherein the stress is an abiotic stress.

124. The method of claim 125, wherein the abiotic stress is selected from the group consisting of an abnormal level of cold, osmotic pressure, and salinity.

5

125. The method of claim 124, wherein expression of the nucleic acid molecule increases the tolerance of the plant cell to the stress.

126. The method of claim 124, wherein, in step b), the nucleic acid molecule is expressed at a level that is less than the level of expression in the absence of the stress.

127. A transgenic plant, which contains a transgene comprising a polynucleotide portion of plant stress-regulated gene, wherein the gene comprises a nucleotide sequence as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232, 234-557, 559-572, 574-605, 607-634, 636-786, 788-812, 814-1262, 1264-1386, 1387-1390, 1392-1404, 1406-1444, 1446-1483, 1485-1588, 1590-1608, 1610-1633, 1634-1725, 1727-1865, 1867-1917, 1919-1927, 1929-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, 3313-3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, 4326-4414, 4416-4552, 4554-4602, and 4604-5379.

128. The transgenic plant of claim 129, wherein the transgenic plant exhibits altered responsiveness to a stress condition as compared to a corresponding wild-type plant.

25

129. The transgenic plant of claim 130, wherein the transgene disrupts an endogenous stress-regulated gene in the plant, thereby reducing or inhibiting expression of the gene in response to a stress condition.

30

130. The transgenic plant of claim 130, wherein the plant exhibits increased tolerance to a stress condition.



131. The transgenic plant of claim 130, wherein the plant exhibits decreased tolerance to a stress condition.

5        132. The transgenic plant of any of claims 129 to 133, wherein the transgene comprises a coding sequence of a plant stress-regulated gene.

133. The transgenic plant of claim 134, wherein the coding sequence is operatively linked to a heterologous regulatory element.

10

134. The transgenic plant of claim 135, wherein the regulatory element is a constitutively active regulatory element.

135. The transgenic plant of claim 135, wherein the regulatory element is an regulated regulatory element.

15

136. The transgenic plant of claim 135, wherein the regulatory element is a tissue specific or phase specific regulatory element.

20        137. The transgenic plant of any of claims 129 to 131, wherein the transgene comprises a plant stress-regulated regulatory element operatively linked to a heterologous nucleotide sequence.

138. The transgenic plant of claim 139, wherein the transgenic plant expresses a polypeptide encoded by the heterologous nucleotide sequence.

25

139. The transgenic plant of claim 140, wherein the polypeptide improves the nutritional value or ornamental value of the plant.

30        140. The transgenic plant of any of claims 129 to 141, wherein the plant comprises multiple transgenes.

141. The transgenic plant of claim 142, wherein the multiple transgenes comprise multiple copies of the same transgene or comprise two or more different transgenes.

5           142. A plant stress-regulated gene regulatory element, wherein the gene comprises a nucleotide sequence as set forth in any of SEQ ID NOS:1-155, 157-228, 230-232, 234-557, 559-572, 574-605, 607-634, 636-786, 788-812, 814-1262, 1264-1386, 1387-1390, 1392-1404, 1406-1444, 1446-1483, 1485-1588, 1590-1608, 1610-1633, 1634-1725, 1727-1865, 1867-1917, 1919-1927, 1929-2855, 2857-2928,  
10           2930-2932, 2934-3256, 3258-3271, 3273-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, 3313-3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279, 4281-4299, 4301-4324, 4326-4414, 4416-4552, 4554-4602, and 4604-5379.

            143. The plant stress-regulated gene regulatory element of claim 144,  
15           comprising a nucleotide sequence as set forth in any of SEQ ID NOS: 2704-2855, 2857-2928, 2930-2932, 2934-3256, 3258-3304, 3306-3323, 3325-3333, 3335-3485, 3487-3511, 3513-3956, 3958-4078, 4080-4097, 4099-4136, 4138-4175, 4177-4279,, 4281-4299, 4301-4324, 4326-4414, 4416-4552, 4554-4602, 4604-4612, and 4614-5379, or a nucleotide sequence substantially similar thereto.

20

            144. A method of identifying an agent that modulates the activity of the plant stress-regulated regulatory element of claim 144 or claim 145, the method comprising:

- a) contacting the regulatory element with an agent suspected of having the ability to modulate the activity of the regulatory element; and
- 25           b) detecting a change in the activity of the regulatory element, thereby identifying an agent that modulates the activity of the plant stress-regulated regulatory element.

            145. The method of claim 146, wherein the regulatory element can be  
30           operatively linked to a heterologous nucleotide sequence.

574

146. The method of claim 147, wherein the heterologous nucleotide sequence encodes a reporter molecule.

147. The method of any of claims 146 to 148, which is *in vitro* in a plant cell-  
5 free system, in a plant cell in culture, or in a plant *in situ*.

148. The method of claim 149, wherein the plant is a transgenic plant, into which the plant stress-regulated regulatory element has been introduced.

10 149. The method of any of claims 146 to 150, wherein the agent is a stress mimic.

150. A method of modulating a stress-regulated response in a plant cell, the method comprising expressing in the plant cell a recombinant polypeptide that  
15 interacts specifically with a plant stress-regulated regulatory element of claim 144 or claim 145, thereby modulating a stress-regulated response in the plant.

151. The method of claim 152, wherein the recombinant polypeptide comprises a zinc finger domain, which specifically interacts with the stress-regulated  
20 regulatory element, and a transcription effector domain, which effects expression of the regulatory element.

152. The method of claim 153, wherein the effector domain is a transcription activation domain.

25 153. The method of claim 153, wherein the effector domain is a transcription repressor domain.

575

154. A method for identifying a polynucleotide involved in a stress response of a plant, the method comprising:

a) contacting nucleic acid molecules representative of expressed polynucleotides in plant cells of a plant exposed to a stress condition or combination of stress conditions with an array of probes representative of the plant cell genome; and

b) detecting a nucleic acid molecule that exhibits at least a two-fold change in the level of expression as compared to the level of the nucleic acid molecule in a corresponding plant cell of a plant that was not exposed to the stress condition, thereby identifying a polynucleotide involved in a stress response of the plant.

155. The method of claim 156, comprising identifying a plurality of polynucleotides involved in the stress response in the plant.

156. The method of claim 156 or 157, further comprising isolating the polynucleotide or plurality of polynucleotides.

157. A computer readable medium having stored thereon computer executable instructions for performing a method comprising:

a) receiving data on expression in a cell of a plant of a nucleic acid molecule having at least 70% sequence identity to a nucleotide sequence comprising any of SEQ ID NO. 1-5379; and

b) comparing the data on expression of the nucleic acid molecule with data on expression of the nucleic acid in a cell of a plant that has not been exposed to an abiotic stress, of a plant that has been exposed to an abiotic stress condition or combination of abiotic stress conditions, or of a combination of such plants.

576

158. The computer readable medium of claim 159, wherein the nucleic acid molecule comprises one of a plurality of nucleic acid molecules, and wherein the computer executable instructions are capable performing receiving and comparing of any or all of the plurality of nucleic acid molecules.

5

159. A computer-readable medium having stored thereon a data structure comprising:

sequence data for at least one nucleic acid molecule having at least 70% nucleic acid sequence identity to a polynucleotide having a nucleotide sequence as set forth in any of SEQ ID NO. 1-5379 or a nucleotide sequence complementary thereto; and

10

a module receiving the nucleic acid molecule sequence data, which compares the nucleic acid molecule sequence data to a least one other nucleic acid sequence.

15

## INTERNATIONAL SEARCH REPORT

 International Application No  
 PCT/US 01/26685

## A. CLASSIFICATION OF SUBJECT MATTER

IPC 7 C12N15/82 C12Q1/68 A01H5/00 G06F17/00

According to International Patent Classification (IPC) or to both national classification and IPC

## B. FIELDS SEARCHED

Minimum documentation searched (classification system followed by classification symbols)

IPC 7 C12N C12Q A01H G06F

Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched

Electronic data base consulted during the international search (name of data base and, where practical, search terms used)

EPO-Internal, WPI Data, PAJ, BIOSIS, MEDLINE, CAB Data, SEQUENCE SEARCH

## C. DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	REYMOND P ET AL: "Differential gene expression in response to mechanical wounding and insect feeding in Arabidopsis." PLANT CELL, vol. 12, no. 5, May 2000 (2000-05), pages 707-719, XP002216347 ISSN: 1040-4651  the whole document	1-4, 16-18, 42, 57-70, 81-84, 96-108, 111, 114, 124-128, 156-158
A	WO 00 08187 A (VERBRUGGEN NATHALIE ;VLAAMS INTERUNIV INST BIOTECH (BE); LEE JEONG) 17 February 2000 (2000-02-17) the whole document	

☒ Further documents are listed in the continuation of box C.

☒ Patent family members are listed in annex.

## \* Special categories of cited documents :

- "A" document defining the general state of the art which is not considered to be of particular relevance
- "E" earlier document but published on or after the international filing date
- "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)
- "O" document referring to an oral disclosure, use, exhibition or other means
- "P" document published prior to the international filing date but later than the priority date claimed

- "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention
- "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone
- "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.
- "&" document member of the same patent family

Date of the actual completion of the international search

10 October 2002

Date of mailing of the international search report

18. 12. 2002

Name and mailing address of the ISA

 European Patent Office, P.B. 5818 Patentlaan 2  
 NL - 2280 HV Rijswijk  
 Tel. (+31-70) 340-2040, Tx. 31 651 epo nl,  
 Fax: (+31-70) 340-3016

Authorized officer

Oderwald, H

## INTERNATIONAL SEARCH REPORT

In ☐ International Application No

PCT/US 01/26685

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
A	<p>NUCCIO M L ET AL: "Metabolic engineering of plants for osmotic stress resistance." CURRENT OPINION IN PLANT BIOLOGY. UNITED STATES APR 1999, vol. 2, no. 2, April 1999 (1999-04), pages 128-134, XP002216348 ISSN: 1369-5266 the whole document</p> <p>---</p>	
A	<p>RUAN Y ET AL: "TOWARDS ARABIDOPSIS GENOME ANALYSIS: MONITORING EXPRESSION PROFILES OF 1400 GENES USING CDNA MICROARRAYS" PLANT JOURNAL, BLACKWELL SCIENTIFIC PUBLICATIONS, OXFORD, GB, vol. 15, no. 6, September 1998 (1998-09), pages 821-833, XP000960486 ISSN: 0960-7412 the whole document</p> <p>---</p>	
A	<p>SCHEMA M ET AL: "QUANTITATIVE MONITORING OF GENE EXPRESSION PATTERNS WITH A COMPLEMENTARY DNAMICROARRAY" SCIENCE, AMERICAN ASSOCIATION FOR THE ADVANCEMENT OF SCIENCE, US, vol. 270, no. 5235, 20 October 1995 (1995-10-20), pages 467-470, XP000644675 ISSN: 0036-8075 the whole document</p> <p>---</p>	
P, X	<p>SEKI M ET AL: "Monitoring the expression pattern of 1300 Arabidopsis genes under drought and cold stresses by using a full-length cDNA microarray." PLANT CELL, vol. 13, no. 1, January 2001 (2001-01), pages 61-72, XP002216349 ISSN: 1040-4651 the whole document</p> <p>---</p>	<p>1-4, 16-18, 42, 57-70, 81-84, 124-128, 156-158</p>
P, X	<p>SCHENK P M ET AL: "Coordinated plant defense responses in Arabidopsis revealed by microarray analysis." PROCEEDINGS OF THE NATIONAL ACADEMY OF SCIENCES OF THE UNITED STATES, vol. 97, no. 21, 10 October 2000 (2000-10-10), pages 11655-11660, XP002216350 October 10, 2000 ISSN: 0027-8424 the whole document</p> <p>---</p>	<p>1, 2, 4, 16-18, 42, 57-60, 63-68, 81-84, 124, 127, 128, 156-158</p>

-/--

## INTERNATIONAL SEARCH REPORT

International Application No

PCT/US 01/26685

## C.(Continuation) DOCUMENTS CONSIDERED TO BE RELEVANT

Category *	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
P,X	<p>EP 1 033 405 A (CERES INC) 6 September 2000 (2000-09-06)</p> <p>see SEQ ID NO: 38097 page 1 -page 26; claims 1-34 page 89 -page 90 page 318 page 322</p> <p>-----</p>	<p>42,43, 57-70, 81-87, 96-108, 111,114, 121-123, 129-144, 146-151, 159-161</p>



# INTERNATIONAL SEARCH REPORT

International application No.  
PCT/US 01/26685

## Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This International Search Report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:  
because they relate to subject matter not required to be searched by this Authority, namely:
2. ☒ Claims Nos.: 152-155  
because they relate to parts of the International Application that do not comply with the prescribed requirements to such an extent that no meaningful International Search can be carried out, specifically:  
see FURTHER INFORMATION sheet PCT/ISA/210
3. ☐ Claims Nos.:  
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a).

## Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

see additional sheet

1. ☐ As all required additional search fees were timely paid by the applicant, this International Search Report covers all searchable claims.
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this International Search Report covers only those claims for which fees were paid, specifically claims Nos.:
4. ☒ No required additional search fees were timely paid by the applicant. Consequently, this International Search Report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:  
claims 1-6, 16-19, 22, 34, 40, 42, 43, 57-70, 81-87, 96-114, 121-144, 146-151, 156-161 all partially

### Remark on Protest

- ☐ The additional search fees were accompanied by the applicant's protest.
- ☐ No protest accompanied the payment of additional search fees.

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

This International Searching Authority found multiple (groups of) inventions in this international application, as follows:

Invention 1: claims: 1-6,16-19,22,34,40,42,43,  
57-70, 81-87,96-114,121-144,146-151,  
156-161 all partially

A method of identifying a stress condition to which a plant cell has been exposed comprising a polynucleotide with SEQ ID NO: 1. A method for determining whether a test plant has been exposed to an abiotic stress, a method of producing a transgenic plant, a transgenic plant, a plant, a plant cell, a seed, a cDNA or genomic library, a method for monitoring a population of plants, a method of selecting a plant having an altered resistance to an abiotic stress condition, a method of modulating the responsiveness of a plant cell to a stress condition, a method of modulating the activity of a biological pathway in a plant cell, a method of identifying a polynucleotide that modulates a stress response in a plant cell, a plant stress-regulated gene regulatory element, a method of identifying an agent that modulates the activity of a plant stress-regulated element, a method for identifying a polynucleotide involved in a stress response of a plant, a computer readable medium having stored thereon computer executable instructions or a data structure comprising said polynucleotide.

Invention 2-5379: claims 1-151,  
156-161 insofar as applicable; all partially

same as invention 2 but comprising a polynucleotide sequence in the order as given in the claims (invention 2 is limited to SEQ ID NO: 2 and invention 5379 is limited to SEQ ID NO: 5379).

## FURTHER INFORMATION CONTINUED FROM PCT/ISA/ 210

Continuation of Box I.2

Claims Nos.: 152-155

Present claims 152-155 relate a product/compound defined by reference to a desirable characteristic or property, namely a polypeptide that interacts with a plant stress-regulated regulatory element. The claims cover all products/compounds having this characteristic or property, whereas the application provides support within the meaning of Article 6 PCT and/or disclosure within the meaning of Article 5 PCT for only a very limited number of such products/compounds. In the present case, the claims so lack support, and the application so lacks disclosure, that a meaningful search over the whole of the claimed scope is impossible. Independent of the above reasoning, the claims also lack clarity (Article 6 PCT). An attempt is made to define the product/compound by reference to a result to be achieved. Again, this lack of clarity in the present case is such as to render a meaningful search over the whole of the claimed scope impossible. Consequently, no search has been carried out.

The applicant's attention is drawn to the fact that claims, or parts of claims, relating to inventions in respect of which no international search report has been established need not be the subject of an international preliminary examination (Rule 66.1(e) PCT). The applicant is advised that the EPO policy when acting as an International Preliminary Examining Authority is normally not to carry out a preliminary examination on matter which has not been searched. This is the case irrespective of whether or not the claims are amended following receipt of the search report or during any Chapter II procedure.

# INTERNATIONAL SEARCH REPORT

Information on patent family members

International Application No

PCT/US 01/26685

Patent document cited in search report		Publication date	Patent family member(s)	Publication date
WO 0008187	A	17-02-2000	AU 5419799 A	28-02-2000
			CA 2336227 A1	17-02-2000
			WO 0008187 A2	17-02-2000
			EP 1100940 A2	23-05-2001
			JP 2002524052 T	06-08-2002
-----				
EP 1033405	A	06-09-2000	CA 2300692 A1	25-08-2000
			EP 1033405 A2	06-09-2000
-----				